

Zeitschrift: IABSE congress report = Rapport du congrès AIPC = IVBH
Kongressbericht

Band: 8 (1968)

Artikel: Partially prestressed concrete bridges

Autor: Abeles, P.W.

DOI: <https://doi.org/10.5169/seals-8826>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 15.01.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

IVa

DISCUSSION LIBRE / FREIE DISKUSSION / FREE DISCUSSION


Partially Prestressed Concrete Bridges

Ponts en béton partiellement précontraint

Teilweise vorgespannte Betonbrücken

P.W. ABELES

I note with great interest that Prof. Leonhardt states that in his view it would be "more correct" to base a bridge design "upon the live load which can be expected to occur a million times", for which the structure is in compression (i.e. fully prestressed). However, "no limit should be laid down for the magnitude of tensile stress or tensile strain occurring under the rare abnormal load" (see Fig. 1 of paper IVb (5)). This is illustrated in the figure below. It

MOST SUITABLE TYPE OF PRESTRESSED CONCRETE BEAM			
LOADING	CLASS OF DESIGN	DESIGN CONSIDERATION	BEHAVIOUR
NORMAL SERVICE LOAD	CLASS I	HOMOGENEOUS SECTION :  NO TENSILE STRESS AT NORMAL SERVICE LOAD	RIGID AND FREE FROM CRACKS
ABNORMAL SERVICE LOAD	CLASS III	CAN BE IGNORED	DUCTILE WITH TEMPORARY FINE CRACKS
COLLAPSE LOAD	BASED ON ABNORMAL LOAD	CRACKED SECTION :  BASED ON ABNORMAL LOADING	—

suffices to design the required prestressing force for the normal loading and the ultimate load for the abnormal loading, with the consequence of a completely rigid structure at normal loading and a ductile structure with temporary fine cracks at the rare abnormal load, which cracks close immediately on removal of the loads. Thus, this type combines classes I and III of the FIP-CEB classification, which I am calling in my contribution to the subject, IVb (5) class IIIA. I should like to refer to contribution IVb (6) relating to the tests at Duke University and may add that 2 abnormal loads per week amount only to 10,000 cycles in 100 years.

I have been able to assist in the introduction of a similar type, which is slightly less advanced, at bridge structures at the Chief Civil Engineering Department of British Railways, Eastern Region, twenty years ago. In this case similar conditions applied to the normal loading but the tensile stresses at the abnormal loading were limited so as not to cause visible cracking corresponding to nominal tensile stresses of 600 and later 650 psi. Many hundreds of road bridges of this type over railways were built between 1949 and 1962 and have remained without visible cracks, as inspections have shown.