

**Zeitschrift:** IABSE congress report = Rapport du congrès AIPC = IVBH  
Kongressbericht

**Band:** 11 (1980)

**Artikel:** Failure study of a skew box girder bridge model

**Autor:** Bouwkamp, J.G. / Scordelis, A.C. / Wasti, S.T.

**DOI:** <https://doi.org/10.5169/seals-11372>

#### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

#### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

#### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 24.01.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## IX

**Failure Study of a Skew Box Girder Bridge Model**

Essai à la rupture d'un pont biais en béton armé

Bruchversuche an einer schiefwinkligen Betonkastenbrücke

**J.G. BOUWKAMP**

Professor

University of California

Berkeley, CA, USA

**A.C. SCORDELIS**

Professor

University of California

Berkeley, CA, USA

**S.T. WASTI**

Visiting Research Engineer

University of California

Berkeley, CA, USA

**SUMMARY**

Lessons from the loading to failure of a large scale skew, continuous two span, four cell reinforced concrete box girder bridge model are presented, with special reference to the effect of skewness and skew diaphragms on the response to ultimate loading. It is found that skewness can lead to smaller midspan moments and that by withstanding part of the longitudinal bending, skew center bent diaphragms favorably modify the structural behavior at the center support. The collapse load can be predicted with reasonable accuracy on the basis of postulated collapse mechanisms.

**RESUME**

Dans cette étude, on présente les résultats d'un programme de chargement à la rupture d'une maquette à grande échelle d'un pont en caisson à quatre cellules, biais et continu, construit en béton armé. Une attention particulière est attribuée à l'influence du biais et des diaphragmes biais sur le comportement structurel. On met en évidence que le biais peut contribuer à diminuer les moments fléchissant et, par sa participation à la résistance de flexion, le diaphragme biais d'appui central modifie favorablement le comportement. Avec les mécanismes de ruine postulés, la charge ultime est prédite avec une précision suffisante.

**ZUSAMMENFASSUNG**

Erkenntnisse aus einem Grossversuch über das Bruchverhalten einer zweifeldrigen, schiefwinkligen, vierzelligen Hohlkastenbrücke sind dargestellt, unter besonderer Berücksichtigung des Einflusses der Schiefwinkligkeit der Auflager und des Mittelstützenquerträgers auf das Tragverhalten. Es wird gezeigt, dass die Schiefwinkligkeit eine Herabsetzung der Feldmomente bewirkt, und dass schiefwinklige Stützenquerträger – durch ihre Mitwirkung in der Abtragung der Längskräfte – das Tragverhalten im Stützenbereich günstig beeinflussen. Die Bruchlast kann mit ausreichender Genauigkeit mit Hilfe der angegebenen Bruchmechanismen vorhergesagt werden.



## 1. INTRODUCTION

For certain standardized classes of structures, such as reinforced concrete box girder bridges, testing to failure has been accepted as an economic approach for the establishment of optimum design criteria. For this reason, large-scale, two-span, straight, curved and skew box girder bridge models have been built, instrumented and tested both under working and ultimate loads [1,2,3]. These studies were feasible as the large number of bridges needed in the California highway system had produced a high degree of bridge standardization in structural design, geometric characteristics and construction techniques.

## 2. DESCRIPTION OF 45° SKEW BOX GIRDER BRIDGE MODEL

Basic dimensions of the skew box girder bridge model including the designation of transverse sections and longitudinal girders are presented in Fig. 1. The bridge was a 1:2.82 scale model of a typical California 200 ft (61 m) long two-lane box girder bridge with two spans and a skew bent providing the center support. Span I




Fig. 1 Dimensions of Skew Box Girder Bridge Model

had a staggered diaphragm at midspan to compare its structural effect as opposed to no diaphragm in Span II. The chosen scale guaranteed true representation of material behavior and was determined from the sizes of the reinforcing bars used in prototype and model. The test structure was constructed in the same manner as prototype structures in the field.

## 3. STRUCTURAL BEHAVIOR OF SKEW BRIDGE AT FAILURE

For the failure studies, each girder was loaded simultaneously at midspan sections X and Y. A typical load-deflection graph for the exterior girder at section Y (location 5Y) in the undiaphragmed Span II is given in Fig. 2 for the first two loading cycles. According to strain measurements in the tensile reinforcement local yielding commenced at sections X and Y at a total span load of 160 kips (712 kN). Under increasing span load the effects of shear, torsion and slab




Fig. 2 Experimental Load-Deflection Diagram at 5Y for Ultimate Loading Cycles

transverse bending became apparent, resulting, at a load of 176 kips (783 kN), in spalling of the concrete from outer girder 5 between midspan section Y and skew section C near the center bent (Fig. 5). Span II collapsed at a maximum load of 207 kips (921 kN) due to the formation of hinges at the midspan and near the center support, and further spalling of the bottom slab. The transverse bending effect resulted in higher deflections at 5Y than at 3Y or 1Y (Fig. 1).


In order to draw general lessons from the observed behavior, it is essential to evaluate the effects of bridge skewness and other structural parameters on the load carrying capacity of the skew box girder bridge.

#### 4. EFFECT OF SKEWNESS ON STRUCTURAL BEHAVIOR


To assess the linear behavior of the skew bridge, it has been analyzed as an elastic homogeneous uncracked concrete structure using a specially developed finite element computer program called CELL [4]. The theoretical individual reactions under the end support diaphragms and the center bent column due to 20 kip (89 kN) loads placed over each of the five girders at sections X and Y are shown in Fig. 3a. The resultant reactions along the centerline of the bridge are shown in Fig. 3b.

In general, the high individual reactions at the obtuse corners (Fig. 3a) reflect the tendency of the skew bridge to span across the shortest distance between supports. Also, the resultant centerline reactions (Fig. 3b) indicate the presence of significant end moments and torques. The resultant end moment, torque and vertical reaction can be replaced by a single resultant vertical reaction with an eccentricity of 3.45 ft (1.05 m) from the centerline towards the obtuse corner. This indicates that skewness tends to move the resultant vertical reaction so as to shorten the effective span. Under the given load the external moment at midspan section Y, as calculated from the reactions and shown in Fig. 4, was 519 kip-ft (704 kN-m). Similarly, the center bent support moment at the right section Z was calculated as -640 kip-ft (-868 kN-m). Under the same load a straight box girder bridge of identical cross-section and centerline dimensions would exhibit comparable moments of 562 kip-ft (762 kN-m) and -676 kip-ft (-917 kN-m), respectively. Hence, the introduction of skew end supports helps reduce the midspan and support moments. This reduction also exists under dead load alone.

Also presented in Fig. 4 are the internal moments, which are derived from the internal longitudinal forces as calculated from the CELL program, through integration over the box girder cross-section. Comparing these results indicates that the negative internal moment in the range of the skew center bent diaphragm is significantly less than the moment derived from the external reactions, with a value of -545 kip-ft (-739 kN-m) versus -640 kip-ft (-868 kN-m) at section Z. This difference is due to the participation of the skew center bent diaphragm in withstanding the total longitudinal moment. Hence, the skewness of this diaphragm



(a) Individual Support Reactions



(b) Resultant Support Reactions and Moments Along Bridge Centerline

Fig. 3 Skew Box Girder Bridge Reactions for Span Loads of 100 kips

has the substantial, beneficial effect that the bridge portion between sections B" and C" (see Fig. 5) acts as a kind of broad support for the continuous box structure and thus attenuates the internal box girder moments.




Fig. 4 Theoretical External and Internal Moments for Span Loads of 100 kips (CELL)




Fig. 5 Yield Hinges and Postulated Collapse Mechanisms

## 5. INITIAL YIELDING OF THE SKEW BRIDGE STRUCTURE

Because of the skewness of the bridge and different lengths of bar cut-offs, it is not immediately obvious which sections should be chosen as suitable locations for the formation of yield hinges. However, as the loads are applied at the right midspan sections X and Y, the span hinges should form at these sections. In the region of high negative moment, Fig. 5, the experimental crack patterns for the top deck after failure of the bridge model in the undiaphragmed span indicated that possible yield hinges lay in the cracked triangular area of the deck shown stippled in Fig. 5 and bounded by section C", the first right section beyond the center bent diaphragm, and the oblique section C\* as shown.

Considering the whole region of negative moment in the neighborhood of the support without the benefit of the known experimental failure pattern in this region, it is observed that several sections of interest exist which may become critical for other bridges. In the present case, it is noted that the instrumented skew sections B and C at 2.57 ft (0.78 m) on each side of the center bent skew section T have a high moment capacity because of the large amount of longitudinal reinforcement over the skew center support, and hence failure has not occurred there. The associated right sections B' and C' intersect the thick, heavily reinforced, skew center bent diaphragm in the region of girders 2 and 4, respectively, rendering failure along these sections difficult, and necessitating high collapse loads. Section Z, between B' and C', can similarly be discounted as a possible critical section. With the elimination of these possible critical sections, collapse mechanisms based on the span hinge at section Y and support hinges at the sections C" and C\* remain to be considered. These collapse mechanisms are schematically shown in Fig. 5b. From the dimensions it may be

observed that for the section C\* the distances 6.43 and 11.57 ft (1.96 and 3.53 m) between sections C\* and Y bear the same ratio to each other as the distances 12.86 and 23.14 ft (3.92 and 7.05 m) between sections E and Y.

An estimation of the bending moment capacity for the various right sections of the bridge, based on the yield moment capacity of the longitudinal reinforcement only, assuming a lever arm of 1.5 ft (0.46 m) is given in Fig. 6. The moment diagram for the dead load of the bridge is also shown. In order to attain the moment capacity of 1010 kip-ft (1370 kN-m) at section Y, it can be calculated, using the results from Fig. 4, that a live load of 181 kips (805 kN) per span is required. The external moments for this load case are shown in Fig. 6 by the solid line, with a maximum negative moment value at the section Z of -1314 kip-ft (-1782 kN-m), a value short of the yield moment of -1372 kip-ft (-1860 kN-m).




Fig. 6 Resisting Moment Capacity and Moments due to Dead Load and Live Loads of 181 kips at Sections X and Y (from CELL Computer Program)

The internal moments obtained from the integration of the longitudinal forces over the box girder cross-section are also shown in Fig. 6. Results indicate that the participation of the skew center bent diaphragm in resisting the longitudinal bending, reduces the maximum negative moment to -1112 kip-ft (-1508 kN-m).

## 6. FLEXURAL COLLAPSE MECHANISMS

Considering the model dead load, the live load moment capacity for section Y may be calculated according to Fig. 6, as  $1010 - 69 = 941$  kip-ft (1276 kN-m) and at C" as  $-783 + 34 = -749$  kip-ft (-1016 kN-m). The failure mechanism is shown in Fig. 7a with yield hinges at these two sections. Only half of the bridge is considered because of the identical loading in the two spans. The east abutment is considered at collapse to rotate about the end support skew section E by an angle  $\theta$ . The vertical deflection at locations 1Y and 5Y due to this rotation may be calculated from Fig. 7a as.

$$\delta_{1Y} = 12.86 \theta / \sqrt{2} = 9.10 \theta \text{ and } \delta_{5Y} = 23.14 \theta / \sqrt{2} = 16.40 \theta$$




Fig. 7 Failure Mechanisms for Span II

The resulting rotations at the support hinge C" can be calculated assuming that some out-of-plane twisting of the bridge segment between sections Y and C" can occur:  $\phi_{1C''} = \delta_{1Y}/11.57 = 0.79 \theta$  and  $\phi_{5C''} = \delta_{5Y}/11.57 = 1.41 \theta$

Using the plastic moment values of 941 and -749 kip-ft (1276 and -1016 kN-m) and evaluating the virtual work for the postulated collapse mechanism, the collapse load (per span) is found to be 198 kips (882 kN). A similar calculation for the collapse mechanism of Fig. 7b, with a live load moment capacity at section C\* of 563 kip-ft (763 kN-m), results in the span collapse load equal to 226 kips (1005 kN). The experimentally measured values of 207.1 and 205.5 kips (921 and 914 kN) actually sustained by the bridge are in good agreement with the calculated collapse loads. The actual collapse mechanism probably lies between the two postulated mechanisms.

If the skew box girder bridge were provided with a right diaphragm at the center support instead of a skew diaphragm, the support hinges would normally form at either edge of the 1.96 ft (0.60 m) thick diaphragm. The collapse load for this type of mechanism can be evaluated as 188 kips (836 kN). This indicates that the skewness of the center bent diaphragm effectively decreases the span and thereby increases the collapse load.

## 7. CONCLUSIONS

Excellent structural behavior was observed during the ultimate loading of the large scale skew box girder bridge model. The model sustained an ultimate load equal to dead load plus 4.5 times design live load, illustrating its excellent overload capacity.

For dead load and uniform overload conditions, the skewness of both the end abutments and the center bent diaphragms reduces the maximum positive and negative moments as compared to a similar straight bridge. The importance of the skew center bent diaphragm lies in transferring the support failure zone from the transverse centerline section Z to section C" or C\*, which has the effect of raising the collapse load.

The model test to failure provided reliable experimental data on skew box girder bridge behavior and verified the analytical predictions of the ultimate load response and collapse load of skew reinforced concrete box girder bridges.

## REFERENCES

1. SCORDELIS, A.C., BOUWKAMP, J.G., and WASTI, S.T.: "Structural Behavior of a Two Span Reinforced Concrete Box Girder Bridge Model, Vol. I, II and III," UC SESM 71-5, 71-6 and 71-17, University of California, Berkeley, 1971.
2. SCORDELIS, A.C., BOUWKAMP, J.G., and LARSEN, P.K.: "Structural Behavior of a Curved Two Span Reinforced Concrete Box Girder Bridge Model, Vol. I, II and III, UC SESM 74-5, 74-6 and 74-7, University of California, Berkeley, 1974.
3. SCORDELIS, A.C., BOUWKAMP, J.G., WASTI, S.T., and ANICIC, D.: "Structural Behavior of a Skew Two Span Reinforced Concrete Box Girder Bridge Model, Vol. I, II, III and IV," UC SESM 80-1, 80-2, 80-3, 80-4, University of California, Berkeley, 1980.
4. WILLAM, K.J., and SCORDELIS, A.C.: "Computer Program for Cellular Structures of Arbitrary Plan Geometry," UC SESM 70-10, University of California, Berkeley, 1970.