Zeitschrift:	IABSE congress report = Rapport du congrès AIPC = IVBH Kongressbericht
Band:	13 (1988)
Artikel:	A new building system: spiked steel sheet: composite slab
Autor:	Home, Matti
DOI:	https://doi.org/10.5169/seals-13167

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. <u>Mehr erfahren</u>

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. <u>En savoir plus</u>

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. <u>Find out more</u>

Download PDF: 08.08.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch



A New Building System – Spiked Steel Sheet – Composite Slab

Un nouveau système de construction: dalle mixte avec une tôle et des ancrages particuliers

Ein neues Bausystem: Verbunddecke mit Stahlblech mit Verbundhaken

Matti HOME D.Tech. HomeCon Oy Espoo, Finland

Background

In many countries fluted steel sheets are used also as form and reinforcement of slabs in the concrete construction. In these solution the bond between concrete and thin sheet is achieved by shaping sheet and/or by making knobs, grooves or folds on the surface of the sheet. The drawback in these solutions is poor bond between concrete and fluted sheet. That is why the ends of the fluted sheet have to be welded to the structure below, which on its half limits the use of the structure especially in steel frame buildings.

The aim of this development work has been to find such bonding projections which would turn thin sheet into a usable reinforcement. As a result of the work is the spiked steel sheet. The developed "nailty" ensures the thin sheet and concrete working together so that the area of steel cross-section can be taken as effective reinforcement.

The fluted and spiked steel sheets are usable with steel structures, ordinary reinforced concrete structures, reinforced concrete and prestressed element structures and wooden structures in almost all house construction.

Simplifying of reinforcement in slab constructions is possible because the thin sheet reinforcement is so effective that ordinary slab can be designed as oneway reinforced slab.

Compared with traditional concrete structures, the spiked steel sheets are lightweight building elements with which the construction work can also be carried out succesfully at sites where hoisting equipment cannot be used or is not available.

Technical features

- surface anchorage by means of the "nails"
- no additional end anchorage required at support
- application: all floor constructions in multistore buildings
- continuous manufacture of the anchorage "nails"
- use of dimensioning methods for reinforced concrete structures

Patents

Patent granded in Finland, Sweden, Norway, BRD, Switzerland, USA and Canada. Registered designs granded in Finland, England, France and Benelux.




Fig. 1 Principle of HomeCon-fluted and spiked steel sheet.



Ultimate shear between spiked steel sheet and concrete

Shear capasity of "nailty" R_{ud} in the composite slab structure is obtained from the formula:

R_{ud} = n r_{ud} b a

where

- n is amount of "nails" (pcs/m²) - r_{ud} is shear capasity of one "nail" (r_{ud} = b_n t_{cal} f_{yd}) - b is width of slab under consideration - a is calculated value of bond length - b is width of one "nail" (b_n = 4 mm) - tⁿ_{cal} is calculated thickness of steel cross-section of thin sheet - f^{cal}_{yd} is design strength of steel sheet

Tensile force Z in thin sheet reinforcement is received from the formula:

$$Z = A_s \mathcal{E}_s E_s \leq A_s f_{yd}$$

where

- A $- \varepsilon^{s}$ $- E^{s}_{s}$ is area of thin sheet reinforcement is strain of steel ($^{\rm O}/{\rm oo})$ is modulus of elasticity of steel ($E_s = 210 \text{ kN/mm}^2$)

When $Z = R_{ud}$, it is possible to check the value of bond length a. When all capasity of steel sheet are used the following formula is received:

$$a = \frac{A_{s} f_{yd}}{n b r_{ud}}$$

Fluted steel sheet	t _{cal}	n	b	r _{ud}	As	f _{yd}	а	R _{ud} *)
steer sheet	mm	pcs/m ²	m	kN	mm ² /m	N/mm ²	mm	kN/m ²
HomeCon 45	0.63 0.82	588 588	1 1	0.73 0.95	820 1070	291 291	556 556	429.2 558.6

Table 1 The value of bond length a and shear capasity R ud

*) Holorib $R_{ud} = 50 \text{ kN/m}^2$

The HomeCon building system

- simplifies construction work
- reduces construction time
- enables widely the use of unskilled labour
- eliminates the need and transport of formwork materials
- improves order at the building site
- reduces the need for storage space because the sheets can be piled up in a small area without damage to the "nails"
- facilidates do-it-yourself construction
- is the important invention for onsite construction




Fig.2 The fluted and spiked steel sheet is lightweight building element