# Bridge or barrier?

Autor(en): Behan, Anthony

Objekttyp: Article

Zeitschrift: **Comtec : Informations- und Telekommunikationstechnologie = information and telecommunication technology** 

Band (Jahr): 81 (2003)

Heft 3

PDF erstellt am: 31.05.2024

Persistenter Link: https://doi.org/10.5169/seals-876628

# Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern. Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

# Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Ein Dienst der *ETH-Bibliothek* ETH Zürich, Rämistrasse 101, 8092 Zürich, Schweiz, www.library.ethz.ch

# http://www.e-periodica.ch

# **Bridge or Barrier?**

Wireless LAN, or WIFI technologies have received much hype in the past twelve months, as hotspots roll out across the maturing wireless market-place. Concurrently, arguments have sprung up on the question of interoper-ability with existing and planned networks, and whether or not public access ability with existing and planned networks, and whether or hot plann existing and planned networks. As the dialogue has developed, it has become clear that whatever the answer, both will co-exist; that they may do so cooperatively or competitively remains to be seen.

WIFI is a local area high speed broadband wireless technology that allows users within or hotspot, network access at up to 11 Mbits/s. The range of the hotspots, depending on issues such as

line of sight, is anywhere between

line of sight, is anywhere between 30–180 m. It is proliferating in what Starbucks' Chairman Howard Schultz refers to as "the third place", where people are not at home and not at the office. This means coffee shops, airports, hotels, railway stations, convention cen-tres, and so forth.

Hotspots roll out across the maturing

ss marketplace

ANTHONY BEHAN

tres, and so forth.

### Based standard

WIFI is based on the 802.11 standard, which has various versions identified by which has various versions identified by the trailing letter. The most commonly referenced are:
802.11b is the current predominant standard, operating in the 2.4 GHz range, and offering up to 11 Mbit/s accord

access speeds. 802.11a is the next version, which

operates in the 5 GHz spectrum, and offers up to 54 Mbit/s. 802.11g will ultimately deliver up to 54 Mbit/s in the 2.4 GHz band, and will deliver other as yet undefined

benefits. In order to access the service, the user requires an 802.11 enabled laptop, using either a WIFI card, like a network card with an antenna, or on-board 802.11 that is beginning to proliferate (see Intel's

that is beginning to proliferate (see lintel's Centrino product, and Dell's recent an-nouncement that all latitude laptops will come with 802.11 as standard, as exam-ples – all other major manufacturers have similar programmes). Usually, access will be on a subscription basic, or via a menaid erschc ard or

basis, or via a prepaid scratch card or credit card account. Authentication is most often based on the RADIUS (Re mote Authentication Dial-in User Service) mote Authentication Dial-in User Service; standard, using a username and pass-word. There are at present thousands of hotspots around the world, and these are increasing at a rate of knots. Aside from the often referenced hotels, cafes and convention centres, 802.11 is facili-tation benefund access in page ather tating broadband access in many other locations, such as around phone booths in the United Kingdom, and even an outdoor public plaza in Australia.



not represent a realistic proposition for

not represent a realistic proposition for wide area coverage. It is important to note that WIFI is a widely available technology, with access points at this time well under the \$ 100 mark. Many householders now have pe-sonal live hotspots in their homes, lead-ing to widespread adoption and accep-tance of the technology. This helps to ormulate the public access network

promulgate the public access network

promulgate the public access network. WIFI has the advantage of being first to market in terms of wireless broadband public access. In addition, its potential as a driver for the coming PC (or more specifically, laptop) upgrade cycle has seen the aggressive entry of industry giants such as Intel and Dell in driving the technology forward. This impetus guar-antees that WUFI will have a momentum

antees that WIFI will have a momentum

antees that WIH will have a momentum that will not go quietly into the night. The innovators have come, and the early adopters are already on board. WIFI is crossing the proverbial chasm in early 2003, and will succeed or fail this year.

Every major telecommunications com-pany in the world has a WIFI strategy. At

the extremes, some are monitoring its

progress carefully, and some (like T-Mo-

Will it be successful?

comtec 3/2003

#### Advantages and Disadvantages

Advantages and Disadvantages The bandwidth deliverable is indeed im-pressive – with wired LAN speeds at 100 Mbit/s, even 10% of that is impressive on a wireless network. There are a num-ber of limitations, however, that isolate and differentiate the technology from, particularly, its wide area network com-petitors like UMTS. First of all, the theoretical speeds are compositioned by volume of users and

ompromised by volume of users, and compromised by volume of users, and therefore do not represent a true picture of the product. It is likely however that WIFI will in general be significantly faster than UMTS-secondly, it is static. Most wide area mobile network standards are designed to function adequately on bul-let trains, and therefore allow for in-mo-tion operation. Thirdly, it is a non-phone comparison. tion operation. Ihirdly, it is a non-phono experience, and there is a requirement for significant user hardware that ex-ceeds the requirements associated with UMTS. It is also, significantly, a very dif-ferent experience. Fourthly, WIFi oper-tates in a noisy space that is less secure than the "conventional" networks. Amongst other things, garage door con trols and baby monitors in the US use the same frequencies. Fifthly, the operational area of WIFI is very small, and does

comtec 3/2003

bile in the US) are rolling out so fast that they are barely pausing for breath. In every major economy, hotspots are rolling out, site rights are being negotirolling out, site rights are being negoti-ated well in advance, and entrepreneurs are taking advantage of this early stage opportunity (Before you start thinking about it, the secret's out). In many cases, it is a hedging of bets rather than a core long-term strategy. Whatever the moti-vation, the involvement of the carriers, both wireline and wireless, is hugely sionficrat significant.

Almost every new laptop in 2003 will have 802 11 on board. Nokia and other have 802.11 on board. Nokia and other switch vendors are preparing integrated solutions where WIFI can collaborate with and augment data networks. The infrastructure is getting cheaper and cheaper, driven to the lowest possible price point by larger companies (such as Intel and Cisco) with broader agendas. Hotspots will be concentrated in high volume, easy access locations, without volume, easy access locations, without the regulatory percentage coverage re-quirement. All of these factors will con-tribute to an availability and core user base that pre-equip WIFI for success as new wide area networks battle for the hearts and minds of consumers. Having said that, integrated WIFI net-

works offer the best of both worlds. works offer the best of both worlds. Users can access WIF1 at the hotspot. UMTS (or another wide area 3G technol-ogy) outside the hotspot. have an always available data connection, with the ben-efits of hotspot access and the wide area network in one. Indeed, the early adop-tion of WIF1 bodes well for the potential surverse of 3G as these users will be nore success of 3G, as these users will be pre sented with that technology as an up grade rather than as a replacement. Simgrade rather than as a replacement. Sim-liarly, efforts are underway throughout the world to upgrade GPRS offerings, us-ing emerging technologies like SIM based authentication, presenting an up-grade on GPRS, as opposed to the pro-jection of 3G as an upgrade on WIFI. The interoperability of these two businesses as opposed to technologies presents an as opposed to technologies presents an

as opposed to technologies presents an interesting challenge, one that will in-evitably be shaped by consumers. One of the most significant threats to the WIFI market is the stability of the en-trepreneur group. With international markets suffering what can best be de-scribed as volatile fortunes, the availabil-ity of venture funding is limited, and the palatability for tick is low, however, end palatability for risk is low. Investors burned by in particular the ISP sector are looking at the same problems again, and

Billing Systems 2003 IIR's Billing Systems Conference & Ex-hibition celebrates its 10<sup>th</sup> anniversary in 2003, cementing its place as Eu-rope's most important billing event. The 2003 event will take place at Lon-don's Earls Court Conference & Exhibi-tion Centre, and with over 2500 par-ticipants at the event in 2002, and featuring 5000-m 'of exhibition floor space, Billing Systems 2003 will once again be Europe's largest billing event. The event features 18 operator-led The event features 18 operator-led conference streams, 4 intensive semiconference streams, 4 intensive semi-nars and workshops, as well as play-ing host to the World Billing Awards Gala Dinner on May 14<sup>th</sup>. There will also be over 80 free product briefings during the event, as well as 5 free tu-torials and problem-solving clinics. This four-day event is designed to give telecoms operators and service providers an univalled nonortunity to providers an unrivalled opportunity to providers an unrivaled opportunity to network with their industry peers, to benchmark billing best practice, and to optimise their Customer Care & Billing (CCB) strategies for both today and for the future. The innovative conference programme has been designed with flexibility at heart, so delegates can tailor the ses-sions to suit their sperific needs. Some

sions to suit their specific needs. Some sions to suit their specific needs. Some of the key topics being discussed at the conference include Billing Systems Strategy, Business & Service Model-ling; Content & Usage Billing, Billing, Branding & Marketing; CRM, Loyalty & Churn; Fraud & Revenue Manage-ment; Service Delivery & Assurance; GPRS, UMTS & 3G Billing; Intercon-nect Acrounting


GPRS, UMTS & 3G Billing; Intercon-nect Accounting. After an extremely successful debut last year, Utilities Billing will once again feature as a dedicated area on the exhibition floor and a separate conference stream, reflecting the growing importance utility companies are placing on their billing systems and stratenies in this increasingly comand strategies in this increasingly competitive marketplace.

IIR's Billing Systems 2003 13<sup>th</sup> – 16<sup>th</sup> May 2003 Earls Court Conference & Exhibition Centre London

Web: www.iir-billingsystems.com Email: billing@telecoms.iir.co.uk Tel.: +44(0)20 7915 5600

23

#### Billing Systems 2003



Since january 2003 the Hotel Esterel in Berlin offers its guests WIFI-access in all public spots and in all rooms, so that the guests are able to surf everywhere with high speed.

with potential exits limited, growth in the independent sector is restricted. That appears to have been circumvented as a potential barrier by the involvement of the wide area network operators, although larger companies, being more risk conscious and implicitly, therefore, less innovative. The widespread adoption of technology, while not yet inevitable, will drive this forward.

A significant point to make is that 3G networks are about much more than high speed broadband access on the laptop, which is, essentially, where WIFI takes a bow. 3G networks allow for significantly more voice traffic than existing

# Zusammenfassung

# WIFI

Wireless LAN bzw. die WIFI-Technik hat in den vergangenen zwölf Monaten, als der zunehmend reife Wireless-Markt immer wieder neue Hotspots entstehen liess, für Furore gesorgt. Gleichzeitig wurde die Frage diskutiert, wie es um die Interoperabilität mit den heutigen und künftigen Netzen stehe und ob ein im grossen Stil eingeführtes WIFI-Anschlussnetz diese Netze konkurrenzieren oder vielmehr ergänzen würde. Je länger die Diskussion dauerte, desto klarer zeigte sich, dass man sich unabhängig von ihrem Ausgang auf eine Koexistenz der beiden Systeme gefasst machen muss. Ob sich dieses Nebeneinander in Eintracht oder im Wettbewerb abspielt, muss die Zukunft weisen.

## Am-Beo

This article has been written as part of a series of articles for Billing Systems 2003. Am-Beo are exhibitors at Billing Systems 2003, 13<sup>th</sup> – 16<sup>th</sup> May 2003 at Earls Court Conference & Exhibition Centre. Homepage: www.am-beo.com


networks, and in their mobility deliver opportunities for in-motion services with which WIFI cannot compete. This means that there will always be a massive market for wide area networks that WIFI does not compete with – voice is still king, and won't be going anywhere soon.

Ultimately, however, users want services, not technologies, or networks. Users want to be able to access the Internet seamlessly, transparently, wirelessly, and fast, anywhere at any time. They want services that make their lives better or easier. They want to be able to communicate with home, with the office, and with other people. However, they do not care about WIFI, or 3G, or GPRS, or UMTS. Nor do they care about bits or bytes, but rather they care about movies and conversations.

# Conclusions

All of the technologies and networks have their advantages and disadvantages. Each will contribute to the deployment and availability of these products and services, and telecommunications companies will sell and profit from these products and services. Professionals in this market all too often tend to get lost in the jargon, and lose perspective on the bigger picture. People will pay to make their lives better, and to make their jobs better. In this context, we should examine the development of next generation networks, products and services, and ensure the delivery of what people want. 3

**Anthony Behan,** Founder and VP of Business Development, Am-Beo



# HIGH QUALITY www.schillingag.com

Ihr kompetenter Partner für fertigungsgerechte Konstruktion, marktgerechte Produktion und termingerechte Lieferung.

Your competent partner for manufacturing-oriented machine design and market-oriented production – delivered on time.



Präzisionsmechanik und Maschinenbau, Konstruktionsbüro. Werkstrasse 7, CH-9434 Au/SG Telefon +41 (0)71 747 51 51, Fax +41 (0)71 747 51 61 psa@schillingag.com www.schillingag.com