Zeitschrift: Acta Tropica
Herausgeber: Schweizerisches Tropeninstitut (Basel)
Band: 15 (1958)
Heft: 2

Bibliographie: Bibliographie

Nutzungsbedingungen
Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

Conditions d'utilisation
L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

Terms of use
The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

Download PDF: 25.12.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

Bibliographie.

5	**Naturwissenschaften — Sciences naturelles — Natural Sciences**
576.8	Mikrobiologie. Bakteriologie. Parasitologie
576.85	Systematische Bakteriologie
576.88	Pflanzen als Parasiten
576.89	Tiere als Parasiten. Krankheitsüberträger
576.893.1	Protozoa
576.894	Mollusca
576.895	Articulata

576.8 Mikrobiologie. Bakteriologie. Parasitologie — Microbiologie. Bactériologie. Parasitologie — Microbiology. Bacteriology. Parasitology

BLACKLOCK, D. B. & SOUTHWELL, T. (1958). A guide to human parasitology for medical practitioners. 6th ed. 222 pp. ill. — London: H. K. Lewis & Co. Ltd.

CHATTERJEE, K. D. (1957). Parasitology in relation to clinical medicine. 185 pp. — Calcutta: Publ. by author

FAUST, ERNEST CARROLL, RUSSELL, PAUL FARR & LINCICOME, DAVID RICHARD. (1957). Craig and Faust's clinical parasitology. 6th ed. 1078 pp. ill. — London: Henry Kimpton; Philadelphia: Lea & Febiger

GUTIÉRREZ ALFARO, J. J. & IRIARTE, DAVID R. (1957). La parasitología en Venezuela desde 1926 hasta 1955. — Bol. Lab. clin. Luis Razetti *17*, 781-901

HORTON-SMITH, C. (1957). Biological aspects of the transmission of disease. 184 pp. — Edinburgh: Oliver & Boyd

SYMPOSIUM. (1957). Premier S' sur la spécificité parasitaire des parasites de vertébrés. 324 pp. ill. — Neuchâtel: Inst. Zool. Univ. Neuchâtel

576.851 Eubacteriales

BARBESIER, J. (1957). Sur une variété de *Salmonella pullorum*. — Arch. Inst. Pasteur Algérie *35*, 382-390

BENT, D. F., et al. (1957). Elemental and amino acid composition of purified plague toxin. — Proc. Soc. exp. Biol. *95*, 178-181

BHAGAVAN, N. V., NAMBKAR, Y. S. & RAO, S. S. (1957). Fractionation of the soluble antigens of *Pasteurella pestis*. — Indian J. med. Res. *45*, 1-8

BURROWS, W. (1957). Studies on immunity to Asiatic cholera. IX. Electrophoretic fractions of cell wall and intracellular substance of *Vibrio cholerae* and their occurrence in successive isolates during the course of the disease. — J. infect. Dis. *101*, 73-84

ENGLESBERG, E. (1957). Physiological basis for rhamnose utilization by a mutant of *Pasteurella pestis*. I. Experiments with resting cells; the isolation of lactic aldehyde. — J. Bact. *74*, 8-11; II. A single mutational event leading to the production of two enzymes. — Arch. Biochem. *71*, 179-193

ENGLESBERG, E. (1957). Mutation to rhamnose utilization in *Pasteurella pestis*. — J. Bact. *73*, 641-648

FINKELSTEIN, R. A. & LANKFORD, C. E. (1957). A bacteriotoxic substance in autoclaved culture media containing glucose and phosphate. — Appl. Microbiol. *5*, 74-79

FUKUI, G. M., et al. (1957). Studies on the relation of cultural conditions and virulence of *Pasteurella pestis*. — J. Bact. *74*, 714-717

GALLUT, JEAN. (1957). Essais d'exaltation du pouvoir toxique de *Vibrio cholerae*. I. In vivo chez les jeunes lapins. II. Par dissociation R-S. in vitro. — Ann. Inst. Pasteur *93*, 406-409 & 532-536

GIRARD, GEORGES. (1957). Considérations sur une souche de *Pasteurella pestis*, isolée à partir d'un cheval du Congo belge, son étroit apparentement à la souche *Ev* (Girard et Robic). — Bull. Soc. Path. exot. *50*, 346-350

JADIN, J., RESSELER, J. & VAN LOOY, G. (1957). Présence de *Shigella* et de *Salmonella* chez les poissons et dans les eaux des Grand Lacs du Congo belge et du Ruanda-Urundi. — Bull. Acad. roy. Méd. Belgique 6e sér. *22*, 85-96

KEPPIE, J., COCKING, E. C. & SMITH, H. (1958). A non-toxic complex from *Pasteurella pestis* which immunises both guineapigs and mice. — Lancet *1*, 246-247

MARTINEZ-SILVA, R. & CASELITZ, F. H. (1957). Die Antihaemolysinbildung der Mikroorganismen vom Typ des *Vibrio jamaicensis*, ihre Bedeutung und Problematik. — Z. Tropenmed. Parasit. *8*, 348-355

OYE, E. VAN. (1957). Les Salmonella du Congo belge (5e rapport). — Ann. Soc. belge Méd. trop. *37*, 541-549

OYE, E. VAN & LUCASSE, C. (1957). Un nouveau sérotype du groupe *Salmonella* isolé au Congo belge (*S. businga* = 6,7 : z : e, n, z_{15}). — Ann. Inst. Pasteur *93*, 791-792

OYE, E. VAN, GHYSELS, G. & GLAUDOT, A. (1958). Un nouveau sérotype du groupe *Salmonella* isolé au Congo belge: *Salmonella kintambo* (13.23 : g, m, t : –). — Ann. Inst. Pasteur *94*, 390-392

PRICE, ROGER D. (1957). A microscopic study of *Pasteurella tularensis* in the human body louse. — Parasitology *47*, 435-446

SAXENA, K. C., et al. (1957). Studies in the enzyme make-up of *Pasteurella pestis*. Part IV. Transamination reactions in virulent and avirulent strains. — Indian J. med. Res. *45*, 161-171

SRIKANTAN, T. N., et al. (1957/58). Studies in the enzyme make-up of *Pasteurella pestis*. Part III. Oxidative metabolism of virulent and avirulent strains. Part V. Dehydrogenase activity of virulent and avirulent strains. Part VI. Aldolase activity of virulent and avirulent strains. — Indian J. med. Res. *45*, 151-159; 467-474; *46*, 1-8

SZTURM-RUBINSTEN, SZYMONA. (1958). Pouvoir pathogène expérimental et sensibilité au lysozyme des cultures de *Shigella*. — Ann. Inst. Pasteur *94*, 508-511

576.851.7 Rickettsia, Bartonella

BLANC, GEORGES & BRUNEAU, J. (1957). Présence chez une chauve-souris du Maroc *Eptesicus isabellinus* (Temminck) d'un virus de Q fever. — Bull. Soc. Path. exot. *50*, 653-656

BOVARNICK, MARIANNA R. & ALLEN, EMMA G. (1957). Reversible inactivation of the toxicity and hemolytic activity of typhus rickettsiae by starvation. — J. Bact. *74*, 637-645

FISET, P. (1957). Phase variation of *Rickettsia (Coxiella) burneti*. Study of the antibody response in Guinea pigs and rabbits. — Canad. J. Microbiol. *3*, 435-445

LUDFORD, C. G. & COOK, IAN. (1957). Serology of a strain of *Rickettsia australis* isolated in South-East Queensland. — Med. J. Australia 463-465

ROGER, ANNIE & ROGER, FRANCIS. (1958). Les corps élémentaires des virus «visibles» constituent de véritables équivalents «L» de microorganismes rickettsiens. Le retour à la phase rickettsienne des cultures le démontre péremptoirement. — Ann. Inst. Pasteur *94*, 521-525

ROGER, ANNIE & ROGER, FRANCIS. (1958). La phase rickettsienne des virus du groupe psittacose-lymphogranulomatose et son mécanisme de division. — Ann. Inst. Pasteur *94*, 667-669

ROGER, FRANCIS & ROGER, ANNIE. (1958). Les affinités tinctoriales des rickettsies et des gros virus visibles (groupe lymphogranulomatose-psittacose). I., II., III. — Ann. Inst. Pasteur *94*, 126-128; 230-232; 233-235

ROGER, F., GIUNTINI, J. & ROGER, A. (1958). Affinités tinctoriales des rickettsies. IV. Colorabilité de *Rickettsia burneti* après agitation en présence d'ether. — Ann. Inst. Pasteur *94*, 663-666

SCHAECHTER, M., et al. (1957). Morphological, chemical, and serological studies of the cell walls of *Rickettsia mooseri*. — J. Bact. *74*, 822-829

WEYER, F. (1958). Übertragung mehrerer Stämme von *Rickettsia tsutsugamushi* auf Kleiderläuse. — Z. Tropenmed. Parasit. *9*, 42-53

576.852 Actinomycetales

BRÈS, P. (1957). Réflexions à propos de l'isolement du bacille de Whitmore. — Méd. trop. *17*, 582-595

KOOIJ, R. (1958). Study of the morphology of *Mycobacteria leprae* by electron-microscopy. — Leprosy Rev. *29*, 56-59

NAKAGAWA, Y. & NAKAMURA, M. (1957). Preservation of *Myc. lepraemurium* by means of lyophilization. II. Report. — Kurume med. J. *4*, 69-74

ORTALI, V. & CAPOCACCIA, L. (1957). Position taxonomique de *Micrococcus (Coccobacillus) mycetoides* Castellani 1942, agent étiologique de l'ulcère tropicaloïde (Ulcère de Castellani). — Ann. Inst. Pasteur *93*, 786-790

PHUNG-VAN-DAN. (1957). Le bacille de Whitmore et la mélioïdose. 111 pp. — Thèse méd. vét.

576.856 Spirochaetales

ADDAMIANO, L. & BABUDIERI, B. (1957). Research on spirochaetal strains isolated in Jordan. — Bull. Wld Hlth Org. *17*, 483-485

ADDAMIANO, LAURA & BABUDIERI, B. (1957). Studi di immunità crociata tra alcuni ceppi di spirochete della febbre ricorrente. — R. C. Ist. sup. Sanità *20*, 440-448

ALEXANDER, A. D., et al. (1957). Leptospirosis in Malaya. II. Antigenic analysis of 110 leptospiral strains and other serologic studies. — Amer. J. trop. Med. Hyg. *6*, 871-889

GALLIARD, HENRI, LAPIERRE, JACQUES & ROUSSET, JEAN-JACQUES. (1957). Essai de classification des *Borrelia* par leur pouvoir protecteur contre *Trypanosoma brucei* chez la souris. — Bull. Soc. Path. exot. *50*, 663-666

GASTINEL, P., et al. (1958). Recherches sur la lyophilisation et la conservation par le froid de quelques spirochètes. — Ann. Inst. Pasteur *94*, 249-255

HEISCH, R. B., et al. (1957). The behaviour of spirochaetes in lice with special reference to the "negative phase". — Bull. Soc. Path. exot. *50*, 735-749

RANQUE, J., DEPIEDS, R. & FAURE, A. (1957). Essais sur la survie de *Borrelia hispanica* en sérum dilué. — Acta trop. *14*, 218-225

TURNER, THOMAS BOURNE & HOLLANDER, DAVID H. (1957). Biology of the treponematoses. 278 pp. ill. — Geneva = W.H.O. Monograph Series No. 35

VARPHOLOMEEVA, A. A. & STANISLAVSKY, E. S. (1958). Recherches sur la morphologie des leptospires à l'aide du microscope électronique. — Ann. Inst. Pasteur *94*, 361-366

WOLFF, J. W. & BOHLANDER, H. J. (1958). Serological classification of pathogenic leptospires. — Trop. geogr. Med. *10*, 37-45

YASUDA, J. (1957). On the pleomorphism in Sodoku spirochaete. II. Comparative study of optical and electron microscopic findings. — Med. J. Osaka Univ. *7*, 745-752

576.858 Virus

AITKEN, THOMAS H. G. (1957). Virus transmission studies with Trinidadian mosquitoes. — W. Indian med. J. *6*, 229-232

ANDERSON, CHARLES R. (1957). St. Louis virus in Trinidad. — W. Indian med. J. *6*, 249-253

ANDERSON, C. R., et al. (1957). The isolation of St. Louis virus from Trinidad mosquitoes. — Amer. J. trop. Med. Hyg. *6*, 688-692

BELL, J. FREDERICK, BURGDORFER, WILLY, & MOORE, G. JOHN. (1957). The behavior of rabies virus in ticks. — J. infect. Dis. *100*, 278-283

CASALS, JORDI, et al. (1957). Mayaro virus: a new human disease agent. I-III. Amer. J. trop. Med. Hyg. *6*, 1004-1023

CAUSEY, OTTIS R. & THEILER, MAX. (1958). Virus antibody survey on sera of residents of the Amazon Valley in Brazil. — Amer. J. trop. Med. Hyg. *7*, 36-41

COLLIER, L. H. & SOWA, J. (1958). Isolation of trachoma virus in embryonate eggs. — Lancet *1*, 993-996

DOWNS, W. G., ANDERSON, C. R. & CASALS, J. (1957). The isolation of St. Louis virus from a nestling bird in Trinidad, British West Indies. — Amer. J. trop. Med. Hyg. *6*, 693-696

FRENCH, E. L., et al. (1957). Murray Valley encephalitis in New Guinea. I. Isolation of Murray Valley encephalitis virus from the brain of a fatal case of encephalitis occurring in a Papuan native. — Amer. J. trop. Med. Hyg. *6*, 827-834

HALE, J. H., LIM, K. A. & COLLESS, D. H. (1958). Investigation of domestic pigs as a potential reservoir of Japanese B encephalitis virus on Singapore Island. — Ann. trop. Med. Parasit. *51*, 374-379

HOTTA, SUSUMU. (1957). Some immunological properties of dengue virus cultivated in tissue culture. — Ann. trop. Med. Parasit. *51*, 249-255

LENNETTE, EDWIN H., OTA, MARGARET I. & HOFFMAN, MARJORIE N. (1957). Turlock virus: a description of some of its properties. — Amer. J. trop. Med. Hyg. *6*, 1036-1046

LENNETTE, EDWIN H., et al. (1957). Turlock virus: a presumably new arthropod-borne virus. Isolation and identification. — Amer. J. trop. Med. Hyg. *6*, 1024 to 1035

PATTYN, S. R. & DELVILLE, J. P. (1957). Présence d'adénovirus au Katanga. III. Isolement d'adénovirus type 3 à partir de selles. — Ann. Soc. belge Méd. trop. *37*, 585-592

RODANICHE, ENID DE & GALINDO, PEDRO. (1957). Isolation of ilhéus virus from *Sabethes chloropterus* captured in Guatemala in 1956. — Amer. J. trop. Med. Hyg. *6*, 686-687

RODANICHE, ENID DE, GALINDO, PEDRO & JOHNSON, CARL M. (1957). Isolation of yellow fever virus from *Haemagogus lucifer, H. equinus, H. spegazzinii falco, Sabethes chloropterus* and *Anopheles neivai* captured in Panama in the fall of 1956. — Amer. J. trop. Med. Hyg. *6*, 681-685

ROGER, FRANCIS & ROGER, ANNIE. (1958). Les affinités tinctoriales des rickettsies et des gros virus visibles (groupe lymphogranulomatose-psittacose). I. — Ann. Inst. Pasteur *94*, 126-128

ROGER, FRANCIS & ROGER, ANNIE (1958). Quelques remarques sur le développement des virus du groupe de la psittacose. — Ann. Inst. Pasteur *94*, 128-131

STUDIES. (1957). S' on arthropod-borne viruses of Tongaland. I-X. — S. Afr. J. med. Sci. *22*, 41-126

VASSILIADIS, P. & CAPSOHAS, S. (1957). Recherche de néorickettsies à Alexandrie. — Ann. Soc. belge Méd. trop. *37*, 753-756

WELSH, HARTWELL H., NEFF, BEVERLY JEAN & LENNETTE, EDWIN H. (1958). Isolation and identification of western equine encephalomyelitis virus from mosquitoes by tissue culture methods. — Amer. J. trop. Med. Hyg. *7*, 187-196

576.88 Pflanzen als Parasiten — Plantes parasitaires — Parasitic Plants

APARICIO GARRIDO, J., VILAR-DOMINGUEZ, E. & CORONEL, A. (1958). Contribución al estudio de la parasitología vaginal. — Med. tropical Madrid *31*, 5-15

CASTELLANI, ALDO & SILVA, RICHARD DE. (1957). *Tinea nigra*, a short general account based on Far Eastern experience. — J. trop. Med. Hyg. *60*, 193-198

COCHET, G., et al. (1957). Contribution à la connaissance des teignes infantiles du Cameroun. — Ann. Parasit. hum. comp. *32*, 580-589

HUPPERT, M. (1957). A technique for the safe handling of *Coccidioides immitis* cultures. — J. Lab. clin. Med. *50*, 158-164

MACKINNON, JUAN E., ARTAGAVEYTIA-ALLENDE, RICARDO C. & GARCÍA-ZORRÓN, NOEMÍ. (1958). The inhibitory effect of chemotherapeutic agents on the growth of the causal organisms of exogenous mycetomas and nocardiosis. — Trans. roy. Soc. trop. Med. Hyg. *52*, 78-86

RIDLEY, M. F. (1957). The natural habitat of *Cladosporium carrionii*, a cause of chromoblastomycosis in man. — Aust. J. Derm. *4*, 23-27

VOGEL, R. A., PEACE, R. J. & KOGER, M. T. (1957). Histopathologic reactions of the yolk sac tissue of embryonated hen's eggs to *Coccidioides immitis*. — Amer. J. Path. *33*, 1023-1033

576.89 Tiere als Parasiten. Krankheitsüberträger — Animaux parasitaires. Vecteurs de maladies — Parasitic Animals. Disease Carriers

LAPAGE, GEOFFROY. (1957). Animals parasitic in man. 320 pp. ill. — Glasgow: Penguin Books

576.893.1 Protozoa

576.893.12 Amoebozoa

BALSAM, THEODORE & SHAFFER, JAMES G. (1958). The effect of viable bacteria on the capacity of a strain of large-race *Entamoeba histolytica* to produce abscesses in the hamster liver. — Amer. J. trop. Med. Hyg. *7*, 17-19

BASNUEVO, JOSÉ G. & FIGARES, ENRIQUE. (1957). La solución F2AM para la conservación de trofozoítos y quistes de *Endamoeba histolytica*. — Rev. Kuba Med. trop. *13*, 85-87

BLASI, R. DE & RICCIARDI, M. L. (1957). Studi sulla biologia di *E. histolytica*. II. Osservazioni sul fenomeno dell'incistamento e studio comparativo di vari metodi per ottenerlo in vitro. — Nuovi Ann. Igiene Microbiol. *8*, 138-151

BROOKS, T. J., jr. (1957). Notes on the mitosis of *Entamoeba histolytica*. — Amer J. trop. Med. Hyg. *6*, 1001-1003

BURROWS, R. B. (1957). *Endamoeba hartmanni*. — Amer. J. Hyg. *65*, 127-188

CARNERI, IVO DE. (1957). *Entamoeba invadens* Rodhain, 1934, e *Entamoeba histolytica* Schaudinn, 1903; studio comparato della sensibilità in vitro a 16 farmaci, e problemi connessi con l'uso della prima come modello per ricerche di chemioterapia dell'amebiasi. — Riv. Parassit. *18*, 133-153

CARNERI, IVO DE. (1958). Spezifität und Geschwindigkeit der Wirkung zweier verschiedener Reihen von Dichloracetamid-Derivaten auf 3 *Entamoeba*-Arten. — Z. Tropenmed. Parasit. *9*, 32-42

CARNERI, I. DE. (1958). Studi sulla virulenza di *Entamoeba histolytica*. I. Variazioni cicliche della virulenza di un ceppo di *Entamoeba histolytica* nell'infezione intestinale del ratto albino in seguito a passaggi seriali in vitro e nel fegato di *Cricetus auratus*. — Riv. Parassit. *19*, 7-20

FAUST, ERNEST CARROLL. (1958). Parasitologic surveys in Cali, Departamento del Valle, Colombia. I. Incidence and morphologic characteristics of strains of *Entamoeba histolytica*. — Amer. J. trop. Med. Hyg. *7*, 4-15

HILKER, DORIS M., SHERMAN, HARRY J. & WHITE, ALAN G. C. (1957). Starch hydrolysis by *Entamoeba histolytica*. — Exp. Parasit. *6*, 459-464

M. ANN JOSEPHINE, Sister. (1958). Experimental studies on *Entamoeba histolytica* in kittens. — Amer. J. trop. Med. Hyg. *7*, 158-164

MCQUAI, R. M., jr. (1957). Strains of small race *Entamoeba histolytica* main-

tained in outdated blood bank blood medium. — Proc. Soc. exp. Biol. Med. *94,* 539-541

NAKAMURA, M. (1957). Effect of antimetabolites on growth of *Endamoeba histolytica.* III. 5,6-dimethylbenzimidazole and related compounds. — Proc. Soc. exp. Biol. Med. *95,* 524-526

REEVES, R. E., MELENEY, H. E. & FRYE, W. W. (1957). A modified Shaffer-Frye technique for the cultivation of *Entamoeba histolytica* and some observations on its carbohydrate requirements. — Amer. J. Hyg. *66,* 56-62

RIDLEY, D. S. & SCHOFIELD, F. D. (1957). The comparative pathogenicity of small race *Entamoeba histolytica* and other intestinal parasites. — Trans. roy. Soc. trop. Med. Hyg. *51,* 514-518

SHAFFER, JAMES G., CONNER, PHYLLIS & ROSENTHAL, GLADYS. (1957). The effect of penicillin G on two strains of small race *Entamoeba histolytica* in culture. — Amer. J. trop. Med. Hyg. *6,* 646-653

576.893.16 Flagellata

ASHCROFT, M. T. (1957). The polymorphism of *Trypanosoma brucei* and *T. rhodesiense,* its relation to relapses and remissions of infections in white rats, and the effect of cortisone. — Ann. trop. Med. Parasit. *51,* 301-312

ASO, T. (1957). Experimental studies on adsorption by *Trypanosoma lewisi* of antigenic substance from *Proteus* OX 19. — Igaku Kenkyu Fukuoka *27,* 483-500

BASH-LEWINSON, DINA & GROSSOWICZ, N. (1957). Transaminases of *Trypanosoma cruzi.* — Bull. Res. Counc. Israel *6E,* 91-92

BELLELLI, L. (1957). La castellanosi sperimentale della cavia da *Castellanella evansi.* — Arch. ital. Sci. med. trop. *38,* 537-552, 576-600

BELLELLI, L. & PIRLO, F. (1957). Castellanosi (Tripanosomiasi) sperimentale della cavia da *Castellanella evansi (Trypanosoma evansi):* alterazioni ematologiche e del midollo osseo. — Arch. ital. Sci. med. trop. *38,* 145-168

CANTRELL, WILLIAM. (1957). Duration of acquired immunity to *Trypanosoma equiperdum* in the rat. — J. infect. Dis. *101,* 175-180

FAIRBAIRN, H. (1958). The penetration of *Trypanosoma rhodesiense* through the peritrophic membrane of *Glossina palpalis.* — Ann. trop. Med. Parasit. *52,* 18-19

FERNANDES, J. F. & CASTELLANI, OLGA. (1958). Nucleotide and polynucleotide synthesis in *Trypanosoma cruzi.* I. Precursors of purine compounds. — Exp. Parasit. *7,* 224-235

FULTON, J. D. & SPOONER, D. F. (1957). Comparison of the respiratory activity of an old and of a freshly isolated strain of *Trypanosoma rhodesiense.* — Ann. trop. Med. Parasit. *51,* 417-421

GALLIARD, HENRI, LAPIERRE, JACQUES & ROUSSET, JEAN-JACQUES. (1957). Essai de classification des *Borrelia* par leur pouvoir protecteur contre *Trypanosoma brucei* chez la souris. — Bull. Soc. Path. exot. *50,* 663-666

GHELELOVITCH, S. & CHASSIGNET, R. (1957). Evolution de la parasitémie chez les souris infectées de *Trypanosoma cruzi.* Rôle de l'inoculat. — Presse méd. *65,* 413

GOBLE, FRANS C. & BOYD, JAMES L. (1957). Effects on experimental *Trypanosoma congolense* infection of certain agents used for reticulo-endothelial blockade. — J. Protozool. *4,* Suppl. 17

GORDON, R. M. (1957). *Trypanosoma congolense* in its passage through the peritrophic membrane of *Glossina morsitans.* — Trans. roy. Soc. trop. Med. Hyg. *51,* 296

HEISCH, R. B. (1957). The isolation of *Leishmania* from a ground squirrel in Kenya. — E. Afr. med. J. *34,* 183

HEISCH, R. B. (1958). On *Leishmania adleri* sp.nov. from lacertid lizards (*Latastia* sp.) in Kenya. — Ann. trop. Med. Parasit. *52,* 68-71

HERBIG-SANDREUTER, A. (1957). Further studies on *Trypanosoma rangeli* Tejera 1920. — Acta trop. *14,* 193-207

INOKI, S., et al. (1957). Studies on the immunological variation in *Trypanosoma gambiense.* III. Process of the antigenic variation in mice. — Med. J. Osaka Univ. *7,* 731-743

LAVOIPIERRE, M. J. & GORDON, R. M. (1957). Metacyclic forms of *Trypanosoma cruzi* in the gut of *Triatoma infestans.* — Trans. roy. Soc. trop. Med. Hyg. *51,* 297

LEON, L. A. (1957). Leishmanias y leishmaniasis (especialmente en América). 172 pp. ill. — Quito: Edit. Univ.

LINCICOME, D. R. (1958). Growth of *Trypanosoma lewisi* in the heterologous mouse host. — Exp. Parasit. *7,* 1-13

POLGE, C. & SOLTYS, M. A. (1957). Preservation of trypanosomes in the frozen state. — Trans. roy. Soc. trop. Med. Hyg. *51,* 519-526

ROUBAUD, E. (1957). Incidence des facteurs extérieurs sur les infections cycliques des Glossines par *Trypanosoma cazalboui (vivax).* — Presse méd. *65,* 413

SOLTYS, M. A. (1957). Immunity in trypanosomiasis. I. Neutralization reaction. II. Agglutination reaction with African trypanosomes. — Parasitology *47,* 375-395

TERRY, R. J. (1957). Antibody against *Trypanosoma vivax* present in normal cotton rat serum. — Exp. Parasit. *6,* 404-411

THILLET, CARLOS J. jr. & CHANDLER, A. C. (1957). Immunization against *Trypanosoma lewisi in* rats by injections of metabolic products. — Science *125,* 346-347

WARREN, LIONEL G. (1958). Biochemical studies on chicken macrophages infected in vitro with *Trypanosoma cruzi.* — Exp. Parasit. *7,* 82-91

WEINMAN, DAVID. (1957). Cultivation of trypanosomes. — Trans. roy. Soc. trop. Med. Hyg. *51,* 560-561

WIJERS, D. J. B. (1957). Polymorphism in human trypanosomiasis. — Nature *180,* 391-392

WILLET, K. C. & GORDON, R. M. (1957). Studies on the deposition, migration, and development to the blood forms of trypanosomes belonging to the *Trypanosoma brucei* group. II. An account of the migration of the trypanosomes from the site of their deposition in the rodent host . . . — Ann. trop. Med. Parasit. *51,* 471-492

WOTTON, R. M. & HALSEY, H. R. (1957). The ingestion of particulate fat from the blood by *Trypanosoma lewisi* and *T. equiperdum.* — Parasitology *47,* 427-434

ZELEDÓN, R. & VIETO, P. L. (1957). Susceptibilidad de varias especies de triatóminos a una cepa costarricense de *Schizotrypanum cruzi* Chagas, 1909. — Rev. Biol. trop. *5,* 195-199

576.893.19 Sporozoa

BALL, GORDON H. & CHAO, JOWETT. (1957). Development in vitro of isolated oocysts of *Plasmodium relictum.* — J. Parasit. *43,* 409-412

BRAY, R. S. (1957). *Plasmodium ovale* in Liberia. — Amer. J. trop. Med. Hyg. *6,* 961-970

BRAY, R. S. (1957). Studies on the exoerythrocytic cycle in the genus *Plasmodium.* 192 pp. ill. — London: H. K. Lewis & Co. = London School of Hygiene and tropical Medicine, Memoir No. 12

BRAY, R. S. (1957/58). Studies on malaria in chimpanzees. IV. *Plasmodium ovale.* — Amer. J. trop. Med. Hyg. *6,* 638-645. V. The sporogonous cycle and mos-

quito transmission of *Plasmodium vivax schwetzi*. — J. Parasit. *44*, 46-51. VI. *Laverania falciparum*. — Amer. J. trop. Med. Hyg. *7*, 20-24

FABIANI, M. G. & ORFILA, J. (1958). Résistance naturelle du lapin à l'infection expérimentale par *Plasmodium berghei*. Analyse des facteurs immunologiques. — Ann. Inst. Pasteur *94*, 428-434

FERNÁNDEZ NAFRIA, A. (1957/58). El paludismo experimental por *Plasmodium berghei*. — Med. trop. Madrid *30*, 263-279; 340-352; *31*, 16-32; 121-134

GARNHAM, P. C. C., LAINSON, R. & COOPER, W. (1957). Pre-erythrocytic cycle of *Plasmodium knowlesi*. — Trans. roy. Soc. trop. Med. Hyg. *51*, 290

GARNHAM, P. C. C., LAINSON, R. & COOPER, W. (1957). The tissue stages and sporogony of *Plasmodium knowlesi*. — Trans. roy. Soc. trop. Med. Hyg. *51*, 384-396

GHOSH, T. N. & RAY, H. N. (1957). Effect of blood feed on the sporogonous cycle of *Plasmodium gallinaceum* in *Aedes aegypti*. — Bull. Calcutta School trop. Med. *5*, 27-28

GREENBERG, JOSEPH & KENDRICK, LOUISE P. (1957). Parasitemia and survival in inbred strains of mice infected with *Plasmodium berghei*. — J. Parasit. *43*, 413-419

GREWAL, MANOHAR SINGH. (1957). On two new piroplasms from the African mongoose, *Helogale undulata rufula*. — Indian J. Malar. *11*, 147-162

JACOBS, H. R. (1957). Effect of ornithosis on experimental fowl malaria. — Proc. Soc. exp. Biol. *95*, 372-373

JEFFERY, G. M. (1958). Infectivity to mosquitoes of *Plasmodium vivax* following treatment with chloroquine and other antimalarials. — Amer. J. trop. Med. Hyg. *7*, 207-211

MCMILLAN, BRUCE. (1958). A new species of *Eimeria* (Coccidiida, Eimeriidae) from the ground-squirrel, *Xerus (Euxerus) erythropus* Geoffroy, 1803. — Ann. trop. Med. Parasit. *52*, 20-23

MANWELL, R. D., WEISS, MARGARET L. & SPANDORF, A. A. (1957). Effect of splenectomy on *elongatum* and *circumflexum* malaria in ducks. — Exp. Parasit. *6*, 358-366

MILLER, MAX J. (1958). Observations on the natural history of malaria in the semi-resistant West African. — Trans. roy. Soc. trop. Med. Hyg. *52*, 152-168

MISRA, B. G. & RAY, A. P. (1957). Detection of malaria parasites by concentration method. — Indian J. Malar. *11*, 249-251

POLIZZI SCIARRONE, M. (1957). Sull'immunità innata del pulcino al *Plasmodium praecox*. — R. C. Ist. sup. Sanità *20*, 267-271

POPE, J. H., et al. (1957). *Toxoplasma* in Queensland. I. Observations on a strain of *Toxoplasma gondii* isolated from a bandicoot, *Thylacis obesulus*. II. Natural infections in bandicoots and rats. — Aust. J. exp. Biol. med. Sci. *35*, 467-490

RAMAKRISHNAN, S. P., SATYA PRAKASH & CHOUDHURY, D. S. (1957). Studies on *Plasmodium berghei* Vincke & Lips, 1948. XXIV. Selection of a chloroquine resistant strain. — Indian J. Malar. *11*, 213-220

RAY, A. P. (1957). Studies on Nuri strain of *P. knowlesi*. Part XIV. Pathological processes in the liver. — Indian J. Malar. *11*, 239-246

RESTREPO, A. & ECHAVARRÍA, A. (1957). Diagnóstico parasitológico de la malaria por el método de concentración-fagocitosis. Informe proliminar. — Bol. Ofic. Sanit. panamer. *43*, 138-142

ROSSI-ESPAGNET, A. & PICCARDO, M. G. (1957). Osservazioni su alcune strutture morfologiche e morfofunzionali di *Giardia intestinalis* studiata al microscopico elettronico. — Riv. Parassit. *18*, 213-217

RUDZINSKA, MARIA A. & TRAGER, W. (1957). Intracellular phagotrophy by malaria parasites: an electron microscope study of *Plasmodium lophurae*. — J. Protozool. *4*, 190-199

SATYA PRAKASH (1957). Studies on *Plasmodium berghei* Vincke & Lips, 1948. XXV. The role of casein diet on the acquired immunity of mice infected with *P. berghei*. — Indian J. Malar. *11*, 221-229

SCHUHOVÁ, VERA. (1957). Langfristige Kulturen des *Toxoplasma gondii* in He-La-Zellen. — Zbl. Bakt. I. Orig. *168*, 631-636

STOHLER, HARRO. (1957). Analyse des Infektionsverlaufes von *Plasmodium gal linaceum* im Darme von *Aedes aegypti*. — Acta trop. *14*, 302-352

TRAGER, WILLIAM. (1957). The nutrition of an intracellular parasite (avian malaria). — Acta trop. *14*, 289-301

WOLCOTT, GORDON B. (1957). Chromosome studies in the genus *Plasmodium*. — J. Protozool. *4*, 48-51

WOLCOTT, GORDON B., YOUNG, MARTIN D. & FERGUSON, MALCOLM S. (1958). On the position of malarial parasites with relation to erythrocytes. — Trans. roy. Soc. trop. Med. Hyg. *52*, 87-90

576.894 Mollusca

CHERNIN, E. (1957). A method of securing bacteriologically sterile snails (*Australorbis glabratus*). — Proc. Soc. exp. Biol. *96*, 204-210

CHERNIN, E. & MICHELSON, E. H. (1957). Studies on the biological control of Schistosome-bearing snails. III. The effects of population density on growth and fecundity in *Australorbis glabratus*. IV. Further observations on the effects of crowding on growth and fecundity in *Australorbis glabratus*. — Amer. J. Hyg. *65*, 57-70, 71-80

CHI LOIS WONG & WAGNER, EDWARD D. (1957). Studies on reproduction and growth of *Oncomelania quadrasi*, *O. nosophora*, and *O. formosana*, snail hosts of *Schistosoma japonicum*. — Amer. J. trop. Med. Hyg. *6*, 949-959

CRIDLAND, C. C. (1957/58). Ecological factors affecting the numbers of snails in permanent bodies of water. — J. trop. Med. Hyg. *60*, 250-256, 287-293; *61*, 16-20

DESCHIENS, R. (1957). Sur la perpétuation des élevages des mollusques vecteurs des bilharzioses à l'obscurité. — Bull. Soc. Path. exot. *50*, 229-233

EL-GINDY, M. S. (1957). Distribution and ecology of the snail vectors of Schistosomiasis in Egypt. — J. Egypt. med. Ass. *40*, 192-204

FRAGA DE AZEVEDO, J., MEDEIROS, LÍDIA DO CARMO M. DE & DA COSTA FARO, MANUEL MONTEIRO. (1957). Estudos, ensaios e documentos. XXXI. Os moluscos de água doce do Ultramar Português. II. Moluscos do Sul do Save (Moçambique). 116 pp. ill. — Lisboa: Min. Ultramar

FRAGA DE AZEVEDO, J., et al. (1958). Application of radioisotopes to the study of the metabolism of fresh-water snails (Gastropoda-Pulmonata). — Amer. J. trop. Med. Hyg. *7*, 84-89

KLOCK, J. W., et al. (1957). Characteristics of sodium pentachlorophenate used against *Australorbis glabratus* in Puerto Rico. — Bull. Wld Hlth Org. *16*, 1189-1201

KUO, YUAN-HUA & MAO, SHOU-PAI. (1957). On the taxonomy of *Oncomelania*— snail host of *Schistosoma japonicum*. Morphological studies of *Oncomelania* snails from different endemic areas in China. — Chin. med. J. *75*, 824-831

LAGRANGE, E. (1957). Fécondité et régime chez *Planorbis glabratus*. — Bull. Soc. Path. exot. *50*, 804-811

MCCULLOUGH, FERGUS S. (1957). The seasonal density of populations of *Bulinus (Physopsis) globosus* and *B. forskalii* in natural habitats in Ghana. — Ann. trop. Med. Parasit. *51*, 235-248

MICHELSON, EDWARD H. (1957). Studies on the biological control of schistosome-bearing snails. Predators and parasites of fresh-water mollusca: a review of the literature. — Parasitology *47*, 413-426

MORAIS, TITO DE. (1957). Subsídios para o estudo dos moluscos vectores da bilharziose na Zambésia (Moçambique). — An. Inst. Med. trop. *13*, 883-899

PIMENTEL, DAVID & WHITE, PAUL C., jr. (1957). Geographic distribution of *Australorbis glabratus*, the snail intermediate host of *Schistosoma mansoni* in Puerto Rico. — Amer. J. trop. Med. Hyg. *6*, 1087-1096

VERMEIL, C. & GHARBI, D. (1957). Etat actuel des recherches schistosomo-malacologiques en Tunisie — données expérimentales. — Arch. Inst. Pasteur Tunis *34*, 525-529

WAGNER, EDWARD D. & CHI, LOIS WONG. (1957). Egg-laying inhibition in *Oncomelania nosophora* maintained on filter paper. — Amer. J. trop. Med. Hyg. *6*, 946-948

WATSON, J. M. (1957). The effect of water movement on populations of *Bulinus truncatus*. — J. Egypt. med. Ass. *40*, 308-324

WRIGHT, C. A. (1957). A guide to molluscan anatomy for parasitologists in Africa. 20 pp. ill. — London: British Museum

576.895 Articulata

COLLESS, DONALD H. (1958). An improved technique for permanent mounts of small insects and nematodes. — Bull. ent. Res. *49*, 45-47

576.895.1 Vermes

BAER, JEAN-G. (1957). Trématodes et cestodes récoltés en Côte d'Ivoire, avec remarques sur la famille des Dicrocoeliidae Odhner et sur les parasites des Damans. — Rev. Suisse Zool. *64*, 547-575

LIANG-SHENG, YEH & JORDAN, P. (1957). On a new Gordiid worm, *Pseudogordius tanganyikae* gen. et sp. nov., parasitic in man. — Ann. trop. Med. Parasit. *51*, 313-316

576.895.121 Cestoda

ENIGK, K. & STICINSKY, E. (1957). Zur Biologie von *Davainea proglottina* (Cestoidea). — Mh. Vet. Med. *12*, 566-570

ENIGK, K. & STICINSKY, E. (1957). Über die Bohrdrüsen der Onkosphäre von *Davainea proglottina* (Cestoidea). — Z. Parasitenk. *18*, 48-54

OGREN, ROBERT E. (1957). Morphology and development of oncospheres of the cestode *Oochoristica symmetrica* Baylis 1927. — J. Parasit. *43*, 505-520

ROTHMAN, ALVIN H. (1957). The larval development of *Hymenolepis diminuta* and *H. citelli*. — J. Parasit. *43*, 643-648

VOGEL, H. & SCHUMACHER, H. H. (1957). Beobachtungen über alveoläre Echinokokken des Zentralnervensystems bei Versuchstieren. — Z. Tropenmed. Parasit. *8*, 278-287

576.895.122 Trematoda

BECK, J. WALTER & GARRETT, FREDERIC D. (1957). A preliminary report on a perfusion technique for recovering schistosomes at time of autopsy. — Amer. J. trop. Med. Hyg. *6*, 914-919

CARNERI, IVO DE. (1957). Conservation au laboratoire d'une souche de *Schistosoma mansoni*. — Bull. Soc. Path. exot. *50*, 787-794

DINNIK, J. A. & DINNIK, N. N. (1957). Development of *Paramphistomum sukari* Dinnik, 1954 (Trematoda: Paramphistomidae) in a snail host. — Parasitology *47*, 209-216

EVANS, A. S. & STIREWALT, M. A. (1958). Serologic reactions in *Schistosoma mansoni* infections. IV. Comparative ionographic study of sera of hamsters, mice, and albino rats. — Exp. Parasit. *7*, 165-177

FAIN, A. & VANDEPITTE, J. (1957). Description du nouveau distome vivant dans des kystes ou abcès rétroauriculaires chez l'homme au Congo belge. — Ann. Soc. belge Med. trop. *37*, 251-257

FALCÃO, EDGAR DE CERQUEIRA. (1957). Novas achegas ao estudo da determinação da especificidade do *Schistosomum mansoni*. 211 pp. ill. — Santos: Estado de São Paulo

HARGIS, WILLIAM J., jr. (1957). The host specificity of monogenetic trematodes. — Exp. Parasit. *6*, 610-625

HSÜ, H. F. & LI HSÜ, S. Y. (1957). On the intraspecific and interstrain variations of the male sexual glands of *Schistosoma japonicum*. — J. Parasit. *43*, 456-463

HSÜ, H. F. & LI HSÜ, S. Y. (1958). On the size and shape of the eggs of the geographic strains of *Schistosoma japonicum*. — Amer. J. trop. Med. Hyg. *7*, 125-134

LAGRANGE, E. (1958). Infections unisexuées et possibilité de guérison de bilharziose à *S. mansoni* chez la souris. — Riv. Parassit. *19*, 59-66

MCCULLOUGH, F. S. (1957). A preliminary note on the degree of compatibility between *Schistosoma haematobium* and its Bulinid vectors. — W. Afr. med. J. *6*, 98-100

MAO, C. P. (1958). Research on Schistosomiasis japonica in China. — Amer. J. trop. Med. Hyg. *7*, 58-62

MEILLON, BOTHA DE, et al. (1957). Experimental bilharziasis in animals. V-VI. S. Afr. med. J. *31*, 68-69, 281-282

NEWSOME, J. (1958). Species-specific serological tests for bilharzia. — Ann. trop. Med. Parasit. *52*, 82-86

NEWSOME, J. (1957). Storage of live schistosoma eggs. — Trans. roy. Soc. trop. Med. Hyg. *51*, 299

OKPALA, I. (1957). Histopathological studies on *Schistosoma mansoni* infection in snails *(Australorbis glabratus)*. — W. Afr. med. J. *6*, 153-163

OTTOLINA, C. (1957). El miracidio del *Schistosoma mansoni*. Anatomía — citología — fisiología. — Rev. Sanid. (Caracas) *22*, 7-411

SCHNEIDER, M. D. & RADKE, K. G. (1957). Further observations on a complement-fixing substance from *Schistosoma mansoni*. — Proc. helminth. Soc. Wash. *24*, 137-139

WOOTTON, DONALD M. (1957). The life history of *Cryptocotyle concavum* (Creplin, 1825). Fischoeder, 1903 (Trematoda: Heterophyidae). — J. Parasit. *43*, 271-279

576.895.132 Nematoda

CROSSKEY, R. W. (1957). Further observations on infection of *Simulium damnosum* with *Onchocerca volvulus* in Northern Nigeria. — Trans. roy. Soc. trop. Med. Hyg. *51*, 541-548

DIJK, W. J. O. M. VAN. (1958). Transmission of *Wuchereria bancrofti* in Netherlands New-Guinea. — Trop. geogr. Med. *10*, 21-33

IYENGAR, M. O. T. (1957). Developmental stages of filariae in mosquitoes. 11 pp. ill. — Tech. Pap. S. Pacific Comm. No. 104

LAVOIPIERRE, M. M. J. (1958). Studies on the host-parasite relationships of filarial nematodes and their arthropod hosts. I. The sites of development and the migration of *Loa loa* in *Chrysops silacea*, the escape of the infective forms from the head of the fly, and the effect of the worm on its insect host. — Ann. trop. Med. Parasit. *52*, 103-121

LEBIED, B. (1957). Iconographie de l'évolution intrasyncytiale de *Loa loa* chez *Chrysops* (Note préliminaire sur les facteurs, interne et externe, déterminants du cycle évolutif des Filariata (Scrjabin) chez leurs hôtes intermédiaires). — Ann. Soc. belge Méd. trop. *37*, 641-645

LE CORROLER, Y. (1957). Evolution de *Dirofilaria immitis* Leidy 1856 chez *Aedes (Stegomyia) aegypti* Lin. souche «Orlando» (Floride). — Bull. Soc. Path. exot. *50,* 542-555

MUIRHEAD-THOMSON, R. C. (1957). The development of *Onchocerca volvulus* in laboratory-reared *Similum damnosum* Theobald. — Amer. J. trop. Med. Hyg. *6,* 912-913

RITTERSON, ALBERT. (1957). The Chinese hamster *(Cricetulus griseus)* as an experimental host for *Trichinella spiralis.* — J. Parasit. *43,* 542-547

RODRÍGUEZ M., JOSÉ D. (1957). *Ancylostoma duodenalis* vs. *Necator americanus.* — Rev. ecuator. Hig. Med. trop. *14,* 49-52

SARWAR, M. M. (1957). Some observations on the taxonomy of dictyocaulids. — Acta trop. *14,* 228-230

SARWAR, M. M. (1957). A critical survey of the representation of the genus *Trichuris* in ruminants in Indo-Pakistan. — Acta trop. *14,* 225-227

SCOTT, J. ALLEN, MACDONALD, ETTA MAE & OLSON, LEROY J. (1958). Attempts to produce immunity against the filarial worms of cotton rats by transfer of developing worms. — Amer. J. trop. Med. Hyg. *7,* 70-73

SYMPOSIUM. (1958). S' on onchocerciasis. — Trans. roy. Soc. trop. Med. Hyg. *52,* 95-134

THOMAS, T. C. E. (1958). The incidence of the microfilariae of *Acanthocheilonema perstans* in the population of Sierra Leone. — Ann. trop. Med. Parasit. *52,* 1-4

576.895.2 Arthropoda

HOOGSTRAAL, H. (1957). Research on arthropods, arthropod-borne diseases, and hosts of ectoparasites at U.S. Naval Medical Research Unit Number Three, Cairo, Egypt. — Cairo 1958

MICKS, DON W. & GIBSON, FRED J. (1957). The characterization of insects and ticks by their free amino acid patterns. — Ann. ent. Soc. Amer. *50,* 500-505

QUARTERMAN, K. D. & SCHOOF, H. F. (1958). The status of insecticide resistance in arthropods of public health importance in 1956. — Amer. J. trop. Med. Hyg. *7,* 74-83

576.895.4 Arachnoidea

ABONNENC, E. & TAUFFLIEB, R. (1957). Deux Trombiculidés nouveaux de la région du Tchad, *Euschöngastia pilosa* n.sp. et *Trombicula youhensis* n.sp.; présence de *Schöngastia radfordi* Jadin et Vercammen-Grandjean, 1954. — Bull. Soc. Path. exot. *50,* 556-567

AESCHLIMANN, ANDRÉ. (1958). Développement embryonnaire d'*Ornithodorus moubata* (Murray) et transmission transovarienne de *Borrelia duttoni.* — Acta trop. *15,* 15-64

ANASTOS, GEORGE. (1957). The ticks, or Ixodes, of the U.S.S.R. — a review of the literature. 397 pp. — U.S. Dept. Health, Education & Welfare

ANASTOS, GEORGE & SMITH, CARROLL N. (1957). The male, nymph, and larva of *Ixodes brunneus* Koch (Acarina: Ixodidae). — J. Parasit. *43,* 535-541

ANDRÉ, MARC. (1958). Acariens Thrombidions (adultes) de l'Angola. 125 pp. ill. — Publ. culturais No. 35, Companhia de Diamantes de Angola.

ARTHUR, DON R. (1957). Une nouvelle espèce d'*Ixodes* de la Côte d'Ivoire. (Acarina, Ixodidae). — Ann. Parasit. hum. comp. *32,* 547-550

ARTHUR, D. R. (1957). The *Ixodes schillingsi* group: ticks of Africa and Madagascar, parasitic on primates, with descriptions of two new species (Ixodoidea, Ixodidae). — Parasitology *47,* 544-559

ARTHUR, DON R. (1957). The male of *Ixodes thompsoni* Arthur, 1955. — Parasitology *47,* 347-349

ARTHUR, DON R. (1957). Two North African Ixodes ticks: *I. kaiseri* sp.nov. from Egyptian desert fox cubs. A redescription of the female and a description of the male of *I. festai* Rondelli, 1926 (Ixodoidea, Ixodidae). — J. Parasit. *43*, 578-586

ARTHUR, DON R. (1957). Studies on exotic *Ixodes* ticks (Ixodoidea, Ixodidae) from United States Navy and Army activities. — J. Parasit. *43*, 681-695

BALASHOV, Y. S. (1957). Certain adjustments to the reception of large blood masses in the Ixodid ticks. — Acad. Sci. USSR, Zool. J. *36*, 870-873 (Russian, Engl. summary)

BALASHOV, Y. S. (1957). Ernährung bei Ixodiden. 18 pp. — Leningrad: Zool. Inst. Acad. Sci. USSR (russisch)

BALASHOV, Y. S. (1957). Histologie der Verdauung bei Ixodiden und Argasiden. — Parasit. Verh. Zool. Inst. Acad. Sci. USSR *17*, 137-167 (russisch)

BALASHOV, Y. S. (1957). Gonotrophical relations in the Ixodid ticks (Acarina, Ixodidae). — Rev. ent. URSS *36*, 285-299 (russian, engl. summary).

BRENNAN, JAMES M. (1957). Revival of *Crotiscus* Ewing, 1944, and descriptions of four new species of the genus from Peruvian rodents (Acarina: Trombiculidae). — J. Parasit. *43*, 673-680

BURGDORFER, WILLY. (1957). Artificial feeding of ixodid ticks for studies on the transmission of disease agents. — J. infect. Dis. *100*, 212-214

GIROUD, PAUL, et al. (1957). *Amblyomma, Hyalomma, Boophilus, Rhipicephalus* d'Afrique sont porteurs d'éléments rickettsiens et neo-rickettsiens et quelquefois des deux types d'agents. — Bull. Soc. Path. exot. *50*, 529-532

HOOGSTRAAL, HARRY & KAISER, MAKRAM N. (1958). Observations on Egyptian *Hyalomma* ticks (Ixodoidea, Ixodidae). I.-III. — Ann. ent. Soc. Amer. *51*, 7-19

LIPOVSKY, L. J., BYERS, G. W. & KARDOS, E. H. (1957). Spermatophores — the mode of insemination of chiggers (Acarina: Trombiculidae). — J. Parasit. *43*, 256-262

LIPPARONI, E. (1957). Indagini sulle zecche della zona del medio Uebi-Scebeli. — Nuovi Ann. Ig. Microbiol. *8*, 512-518

MOREL, P.-C. (1957). *Rhipicephalus boueti* n.sp. (Acarina, Ixodidae), parasite des damans du Dahomey. — Bull. Soc. Path. exot. *50*, 696-700

PIERQUIN, L. & NIEMEGEERS, K. (1957). Répertoire et distribution géographique des tiques au Congo belge et au Ruanda Urundi. — Bull. agr. Congo belge *48*, 1177-1224

SASA, M. & WAKASUGI, M. (1957). Studies on the effect of carbon dioxide as the stimulant on the tropical rat mite, *Bdellonyssus bacoti* (Hirst, 1913). — Jap. J. exp. Med. *27*, 207-215

SOKOLOV, I. (1957). The origin of the caryomeres during the meiosis in *Ornithodoros papillipes* Bir. (Ixodoidea). — Arb. Ges. Nat. wiss. Leningrad. Abt. Zool. *73*, 46-51 (engl. Summary)

TAGLE, ISAIAS & ALVAREZ, VICTOR. (1957). Existencia de *Amblyoma maculatum* Koch 1844 en zorros de Chile. — Bol. chilen. Parasit. *12*, 66

TIPTON, J. VERNON. (1957). *Zygolaelaps madagascariensis* (Acari: Laelaptidae) a new genus of mites from Madagascar — J. Parasit. *43*, 367-370

TOUMANOFF, C. & MAILLARD, D. (1957). Une tique nouvelle du genre *Aponomma* rencontrée sur le pangolin dans le sud-Viet-Nam. — Bull. Soc. Path. exot. *50*, 700-703

VERCAMMEN-GRANDJEAN, P. H. (1957). Deux *Acomatacarus* rares d'Afrique centrale (Leeuwenhoekiinae-Acarina). — Publ. cult. No. 34, Comp. Diamantes Angola, 13-18

VERCAMMEN-GRANDJEAN, P. H. (1957). Une technique pour l'obtention des nymphes de Trombiculidae à partir des larves gorgées. — Ann. Parasit. hum. comp. *32*, 450-451

VERCAMMEN-GRANDJEAN, P. H. & BRENNAN, JAMES-M. (1957). Eight new chiggers from East Africa and a new genus, *Trombigastia* (Acarina: Trombiculidae). — Ann. ent. Soc. Amer. *50,* 484-496

WALTON, G. A. (1957). Observations on biological variation in *Ornithodoros moubata* (Murr.) (Argasidae) in East Africa. — Bull. ent. Res. *48,* 669-710

576.895.7 Hexapoda

KNIPLING, E. B. & SULLIVAN, W. N. (1957). Insect mortality at low temperatures. — J. econ. Ent. *50,* 368-369

MACLEOD, JOHN & DONNELLY, JOSEPH. (1957). Individual and group marking methods for fly-population studies. — Bull. ent. Res. *48,* 585-592

MAYER, K. (1957). Der Einfluß ökologischer Faktoren auf das parasitäre Verhalten von Insekten. — Ber. 100-Jahr-Feier dtsch. ent. Ges., 122-134

576.895.75 Hemiptera

CWILICH, R., MER, G. G. & MERON, A. V. (1957). Bedbugs resistant to gamma-BHC (Lindane) in Israel. — Nature *179,* 636-637

JOHNSON, PHYLLIS T. (1957). Description of two new species of *Eulinognathus* Cummings, and redescription of *Eulinognathus aculeatus* (Neumann) (Anoplura). — J. Egypt. publ. Hlth Ass. *32,* 273-283

LACOMBE, D. (1957). Estudos anatômicos e histológicos sôbre a subfamília Triatominae (Heteroptera, Reduviidae). VII. Estudo anatômico do ducto intestinal do *Triatoma infestans.* — Mem. Inst. Oswaldo Cruz *55,* 69-111

MILLER, N. C. E. (1957). New genera and species of Reduviidae (Hemiptera-Heteroptera) from India and Ceylon. — Verh. nat. forsch. Ges. Basel *68,* 122-131

MILNER, K. C., JELLISON, W. L. & SMITH, BETTIE. (1957). The role of lice in transmission of *Salmonella.* — J. infect. Dis. *101,* 181-192

MORLAN, HARVEY B. & HOFF, C. CLAYTON. (1957). Notes on some anoplura from New Mexico and Mexico. — J. Parasit. *43,* 347-351

PICK, FRANÇOIS. (1957). Sur des conditions extérieures de la cristallisation réduvidique de l'hémoglobine: la prise du repas sanguin des réduvidés hématophages sur des volontaires alités et sur des animaux curarisés. — Bull. Soc. Path. exot. *50,* 234-236

PICK, FRANÇOIS. (1957). Sur un dispositif d'alimentation de Réduvidés hématophages pour la recherche indirecte de formes métacycliques du *Trypanosoma cruzi.* — Bull. Soc. Path. exot. *50,* 220-221

PICK, F. (1957). Les Réduvides hématophages (Hemiptera, Heteroptera, Reduviidae), source de nouvelles réactions biologiques. — Rev. Méd. Hyg. Outre-Mer, *258,* 102-108

576.895.77 Diptera

576.895.771 Nematocera

ABONNENC, E. & LARIVIÈRE, M. (1957). Les formes larvaires de quelques phlébotomes des régions méditerranéenne et éthiopienne. — Arch. Inst. Pasteur Algérie *35,* 391-403

BRUIJNING, C. F. A. (1957). Man-biting sandflies *(Phlebotomus)* in the endemic leishmaniasis area of Surinam. — Doc. Med. geogr. trop. *9,* 229-236

CLASTRIER, J. (1957). Notes sur les Cératopogonidés. II. Quelques culicoides d'Algérie à ailes tachetées. — Arch. Inst. Pasteur Algérie *35,* 404-444

GIL COLLADO, J. (1957). Estudios sobre dípteros hematófagos. La familia Heleidos (Ceratopogonidos). — Med. trop. Madrid *30,* 245-262

JONES, R. H. (1957). The laboratory colonization of *Culicoides variipennis* (Coq.) — J. econ. Ent. *50,* 107-108

Culicidae

ASCHER, K. R. S. (1957). Investigations on a fluorocarbon as «O.I.T.C.-Agent» oviposition-inhibiting-tarsal-contact agent) in mosquitoes. — Riv. Malar. *36,* 209-215

BERTRAM, D. S., MCGREGOR, I. A. & MCFADZEAN, J. A. (1958). Mosquitoes of the colony and protectorate of the Gambia. — Trans. roy. Soc. trop. Med. Hyg. *52,* 135-151

BRELAND, O. P. (1957). Some techniques for collecting tree hole breeding mosquitoes. — Mosquito News *17,* 305-308

DOBY, J. M. & MOUCHET, J. (1957). Ecologie larvaire de quelques espèces de Culicidés dans la région de Yaoundé (sud-Cameroun). — Bull. Soc. Path. exot. *50,* 945-957

DUKE, B. O. L. (1958). Studies on the biting habits of *Chrysops.* V. The biting-cycles and infection rates *of C. silacea, C. dimidiata, C. langi* and *C. centurionis* at canopy level in the rain-forest at Bombe, British Cameroons. — Ann. trop. Med. Parasit. *52,* 24-35

FOX, RICHARD M. (1958). Man-biting mosquitoes in coastal Liberia. — Amer. J. trop. Med. Hyg. *7,* 215-220

GALLIARD, HENRI. (1957). Mortalité chez les Culicidés infestés par *Dirofilaria immitis* et *Wuchereria bancrofti.* — Z. Tropenmed. Parasit. *8,* 476-485

GALLIARD, HENRI & GOLVAN, YVES-J. (1957). Influences de certains facteurs nutritionels et hormonaux, à des températures variables, sur la croissance des larves d'*Aedes (S.) aegypti, Aedes (S.) albopictus* et *Anopheles (M.) stephensi.* — Ann. Parasit. hum. comp. *32,* 563-579

GILBERT, I. H. & GOUCK, H. K. (1957). Influence of surface color on mosquito landing rates. — J. econ. Ent. *50,* 678-680

MATTINGLY, P. F. (1957). Notes on the taxonomy and bionomics of certain filariasis vectors. — Bull. Wld Hlth Org. *16,* 686-696

RAMACHANDRA RAO, T. & RAJAGOPALAN, P. K. (1957). Observations on mosquitoes of Poona district, India, with special reference to their distribution, seasonal prevalence, and the biology of adults. — Indian J. Malar. *11,* 1-54

SENEVET, G., JACQUEMIN, P. & ROCHE, J. (1957). Deuxième note pour compléter la carte des Culicidae du Tassili N'Ajjer. — Bull. Soc. Hist. nat. Afr. Nord *48,* 237-238

SINGH, K. R. P. & MICKS, DON W. (1957). The effects of surface tension on mosquito development. — Mosquito News *17,* 70-73

VAN DEN ASSEM, J. & METSELAAR, D. (1958). Host-plants and breeding places of *Mansonia (Mansonioides) uniformis* in Netherlands New-Guinea. — Trop. geogr. Med. *10,* 51-55

WHARTON, R. H. (1957). Studies on filariasis in Malaya: Notes on the breeding of *Mansonia (Mansonioides)* mosquitoes in the laboratory. — Ann. trop. Med. Parasit. *51,* 297-300

WHARTON, R. H. & SANTA MARIA, F. L. (1958). Studies on filariasis in Malaya: the effect of residual insecticides on *Mansonia (Mansonioides) longipalpis.* — Ann. trop. Med. Parasit. *52,* 93-102

Culex

CALLOT, J. (1957). Sur *Culex torrentium* Martini. — Ann. Parasit. hum. comp. *32,* 438-442

DOW, RICHARD P., REEVES, W. C. & BELLAMY, R. E. (1957). Field tests of avian host preference of *Culex tarsalis* Coq. — Amer. J. trop. Med. Hyg. *6,* 294-303

GHELELOVITCH, S. (1957). Deux cas de gynandromorphisme chez *Culex autogenicus* Roubaud. — Ann. Parasit. hum. comp. *32,* 432-437

HAMON, J., HOLSTEIN, M. & RIVOLA, E. (1957). Description d'un nouveau moustique du Congo belge: *Culex (Neoculex) vinckei* sp.n. — Bull. Soc. Path. exot. *50,* 681-685

MATTINGLY, P. F. (1957). Notes on the taxonomy and bionomics of certain filariasis vectors. — Bull. Wld Hlth Org. *16,* 686-696

SPIELMAN, A. (1957). The inheritance of autogeny in the *Culex pipiens* complex of mosquitoes. — Amer. J. Hyg. *65,* 404-425

TWOHY, D. W. & ROZEBOOM, L. E. (1957). A comparison of food reserves in autogenous and anautogenous *Culex pipiens* populations. — Amer. J Hyg. *65,* 316-324

Aedes

ASCHER, K. R. S. (1958). Reduced oviposition in *Aedes aegypti* L. following tarsal exposure to a fluorocarbon. — Experientia *14,* 8-9

BAR-ZEEV, MICHA. (1957). The effect of extreme temperatures on different stages of *Aedes aegypti* (L.). — Bull. ent. Res. *48,* 593-599

BAR-ZEEV, MICHA. (1958). The effect of temperature on the growth rate and survival of the immature stages of *Aedes aegypti* (L.). — Bull. ent. Res. *49,* 157-163

BURGESS, L. & BROWN, A. W. A. (1957). Studies on the responses of the female *Aedes* mosquito. VIII. The attractiveness of beef blood to *Aedes aegypti.* — Bull. ent. Res. *48,* 783-793

DIMOND, J. B., et al. (1957). A preliminary note on some nutritional requirements for reproduction in female *Aedes aegypti.* — Ohio J. Sci. *55,* 209-211

DOBY, J. M., GAEREMYNCK, L. C. & DEBLOCK, S. (1957). Influence de la teneur en chlorure de sodium du gîte larvaire sur la sensibilité d'*Aedes aegypti* au D.D.T., en relation avec le développement des papilles anales. — Bull. Soc. Path. exot. *50,* 957-970

HADDOW, A. J. & GILLETT, J. D. (1957). Observations on the oviposition-cycle of *Aedes (Stegomyia) aegypti* (Linnaeus). — Ann. trop. Med. Parasit. *51,* 159 to 169

HAMON, J., TAUFFLIEB, R. & MAILLOT, L. (1957). Description d'*Aedes (Aedimorphus) grjebinei* sp.n. accompagnée de quelques données nouvelles sur les moustiques d'A.E.F. — Bull. Soc. Path. exot. *50,* 692-696

KELLETT, F. R. S. & OMARDEEN, T A. (1957). Tree hole breeding of *Aedes aegypti* (Linn.) in Arima, Trinidad, B.W.I. — W. Indian med. J. *6,* 179-188

LUMSDEN, W. H. R. (1957). The activity cycle of domestic *Aedes (Stegomyia) aegypti* (L.) (Dipt. Culicid.) in Southern Province, Tanganyika. — Bull. ent. Res. *48,* 769-782

MATTINGLY, P. F. (1957/58). Genetical aspects of the *Aëdes aegypti* problem. I. Taxonomy and bionomics. II. Disease relationships, genetics and control. — Ann. trop. Med. Parasit. *51,* 392-408; *52,* 5-17

PARKER, A. H. (1957). The effect of acetone concentration and larval density on the mortality of *Aedes aegypti* larvae exposed to DDT and Dieldrin. — Ann. trop. Med. Parasit. *51,* 368-373

PROVOST, M. W. (1957). The dispersal of *Aedes taeniorhynchus.* II. The second experiment. — Mosquito News *17,* 233-247

RAHM, U. (1957). Zur Bedeutung des Duftes und des Schweißes bei der Attraktion von *Aedes aegypti* durch den Menschen. — Acta trop. *14,* 208-217

SINGH, K. R. P. & BROWN, A. W. A. (1957). Nutritional requirements of *Aedes aegypti* L. — J. Insect Physiol. *1,* 199-220

SINGH, K. R. P. & MICKS, D. W. (1957). Synthesis of amino acids in *Aedes aegypti* L. — Mosquito News *17,* 248-251

TERZIAN, L. A., IRREVERRE, F. & STAHLER, N. (1957). A study of nitrogen and

uric acid patterns in the excreta and body tissues of adult *Aedes aegypti*. — J. Insect Physiol. *1*, 221-228

WALLIS, R. C. & DEBISHOP, R. J. (1957). Death-stress oviposition by *Aedes canadensis*. — J. econ. Ent. *50*, 112

Anopheles

ADAM, J.-P. (1957). Présence d'*Anopheles jebudensis* Froud en Côte-d'Ivoire. Position systématique de cet Anophèle. — Bull. Soc. Path. exot. *50*, 671-675

ALESSANDRO, G. d', FRIZZI, G. & MARIANI, M. (1957). Effect of DDT selection pressure on the frequency of chromosomal structures in *Anopheles atroparvus*. — Bull. Org. mond. Santé *16*, 859-864

ALESSANDRO, G. d', FRIZZI, G. & MARIANI, M. (1958). Ulteriori osservazioni sui rapporti fra ordinamenti cromosomici e resistenza al DDT in *Anopheles atroparvus*. — Riv. Parassit. *19*, 67-72

CARVALHO PEREIRA, MÁRIO DE. (1957). Sobre a possível mudança de comportamento dos mosquitos vectores (*A. funestus* e *A. gambiae*) numa zona da regiâo de Lourenço Marques. — An. Inst. Med. trop. *14*, 179-186

ESCUDIÉ, A. & ABONNENC, E. (1958). Sur le comportement de quelques anophèles de la région de Thiès (Sénégal), en zones traitées par les insecticides à effet rémanent. — Méd. trop. *18*, 286-303

EXOPHILIE. (1958). E' des Anophèles et lutte antipaludique. — Chron. Org. mond. Santé *12*, 87-88

FOX, RICHARD M. (1957). *Anopheles gambiae* in relation to malaria and filariasis in coastal Liberia. — Amer. J. trop. Med. Hyg. *6*, 598-620

GILLIES, M. T. (1957). Age-groups and the biting cycle in *Anopheles gambiae*. A preliminary investigation. — Bull. ent. Res. *48*, 553-559

HAWKING, F., et al. (1957). Transmission of *Plasmodium knowlesi* by *Anopheles stephensi*. — Trans. roy. Soc. trop. Med. Hyg. *51*, 397-402

HECHT, OTTO & CORZO, JULIO HERNANDEZ. (1957). Beitrag zur Biologie einiger mexikanischer Anophelen. — Z. Tropenmed. Parasit. *8*, 391-404

HEDEEN, R. A. (1957). A note on the occurrence of *Anopheles algeriensis* Theobald in Western France. — Mosquito News *17*, 97-98

HOUEL, G. (1957). Note sur l'orientation trophique de *A. labranchiae* au Maroc. — Bull. Soc. Path. exot. *50*, 387-391

LEWIS, D. J. (1958). Some mosquitos of the Blue Nile valley in the Republic of the Sudan. — Bull. ent. Res. *49*, 133-155

LIVADAS, G., LANGUILLON, J. & DELAS, A. (1957). Note préliminaire sur la susceptibilité aux insecticides des vecteurs principaux du paludisme au Cameroun. — Bull. Soc. Path. exot. *50*, 703-706

MARIANI, MARIO & BRUNO-SMIRAGLIA, CALOGERA. (1957). Presenza di cromosomi politenici nelle cellule vitellogene degli ovari di femmine adulte di *Anopheles*. — Boll. Soc. ent. ital. *87*, 23-25

MOUCHET, J. (1957). Observations sur quelques anophèles exophiles au Cameroun. — Bull. Soc. Path. exot. *50*, 378-381

MOUCHET, J. & GARIOU, J. (1957). Cycle gonotrophique d'*Anopheles moucheti* Evans 1925, dans une localité du sud-Cameroun. — Bull. Soc. Path. exot. *50*, 676-681

MOUCHET, J. & GARIOU, J. (1957). Exophilie et exophagie d'*Anopheles gambiae* Giles 1902 dans le sud Cameroun. — Bull. Soc. Path. exot. *50*, 446-461

NEOGY, B. P., KACHROO, P. & BISWAS, K. (1957). Aquatic vegetation of Bokaro reservoir in relation to Anopheline mosquito larvae and its control by application of herbicides. — Indian J. Malar. *11*, 191-212

OMARDEEN, T. A., KELLETT, F. R. S. & GILLETTE, H. P. S. (1957). Precipitin studies on *Anopheles aquasalis* Curry, the coastal vector of malaria in Trinidad, B.W.I. — W. Indian med. J. *6*, 205-214

REID, E. T. & WOODS, R. W. (1957). Anopheline mosquitoes of Southern Rhodesia: a general survey. — Proc. Trans. Rhodesia Sci. Ass. *45,* 47-72

RIVOLA, E. & HOLSTEIN, M. H. (1957). Note sur une variété d'*Anopheles nili* Theo. — Bull. Soc. Path. exot. *50,* 382-387

RONNEFELDT, F. (1957). Beobachtungen über das Verhalten von *Anopheles punctimacula* nach der Anwendung von DDT. — Z. Tropenmed. Parasit. *8,* 376-391

SALITERNIK, Z. (1957). *Anopheles sacharovi* Favr. in Israel. — Riv. Parassit. *18,* 249-265

SENEVET, G., et al. (1957). Gîtes à *Anopheles multicolor* Cambouliu dans le Tell algérien. IV. — Arch. Inst. Pasteur Algérie *35,* 296-300

TOUMANOFF, C. (1958). Notes sur l'anophélisme dans la Basse-Guinée. — Méd. trop. *18,* 314-339

VECTORS. (1957). V' of malaria in India. 177 pp. ill. — Delhi: Nat. Soc. India for Malaria and other Mosquito-borne Diseases

VINCKE, I. H., HOLSTEIN, M. H. & RIVOLA, E. (1957). Note sur *Anopheles demeilloni* Evans et *Anopheles marshalli* var. *pitchfordi* Giles au Congo belge. — Bull. Soc. Path. exot. *50,* 391-397

Simuliidae

DAVIES, L. (1957). A study of the age of females of *Simulium ornatum* Mg. (Diptera) attracted to cattle. — Bull. ent. Res. *48,* 535-552

LEWIS, D. J. (1957). Aspects of the structure, biology and study of *Simulium damnosum.* — Ann. trop. Med. Parasit. *51,* 340-358

MCMAHON, J. P. (1957). Notes on the *Simulium neavei* group of Simuliidae with particular reference to *S. nyasalandicum* and *S. woodi.* — Bull. ent. Res. *48,* 607-617

MATTINGLY, P. F. (1957). Notes on the taxonomy and bionomics of certain filariasis vectors. — Bull. Wld Hlth Org. *16,* 686-696

MEILLON, BOTHA DE. (1957). Bionomics of the vectors of onchocerciasis in the Ethiopian geographical region. — Bull. Org. mond. Santé *16,* 509-522

MUIRHEAD-THOMSON, R. C. (1957). Laboratory studies on the reactions of *Simulium* larvae to insecticides. I-III. — Amer. J. trop. Med. Hyg. *6,* 920-934

OVAZZA, M. (1957). Présence de Simulies du groupe *neavei* au Moyen-Congo, A.E.F. — Bull. Soc. Path. exot. *50,* 537-539

WRIGHT, F. N. (1957). Rearing of *Simulium damnosum* Theobald (Diptera, Simuliidae) in the laboratory. — Nature *180,* 1059

576.895.772 Brachycera

HOLSTEIN, M. H. (1957). Contribution à l'étude des Tabanides du Soudan français, et à leurs actions pathogènes sur les troupeaux. — Bull. Soc. Path. exot. *50,* 666-671

PHILIP, CORNELIUS B. (1957). A new era in ideas of systematic relationships of world Tabanidae (Diptera) inaugurated by Mackerras, and its impact on nomenclature of horseflies of the Western hemisphere. — Ann. ent. Soc. America *50,* 550-555

576.895.772.4 Schizophora

ASCHER, K. R. S. (1958). The attraction of the Levant housefly *Musca vicina* Macq. to natural breeding media. — Acta trop. *15,* 1-14

BAKER, J. R. & ROBERTSON, D. H. H. (1957). An experiment on the infectivity to *Glossina morsitans* of a strain of *Trypanosoma rhodesiense* and of a strain

of *T. brucei,* with some observations on the longevity of infected flies. — Ann. trop. Med. Parasit. *51,* 121-135

BURNETT, G. F. (1957). The relation between age and cold resistance in tsetse flies and the value of chilling when transporting tsetse for experiments. — Proc. roy. ent. Soc. London *32A,* 53-58

BURSELL, E. (1957). Spiracular control of water loss in the tsetse fly. — Proc. roy. ent. Soc. London *32A,* 21-29

BURSELL, E. & JACKSON, C. H. N. (1957). Notes on the choriothete and milk gland of *Glossina* and *Hippobosca* (Diptera). — Proc. roy. ent. Soc. London *32A,* 30-34

EVENS, F., et al. (1957). Dispersion géographique des glossines au Congo belge et au Ruanda-Urundi. — Mém. Acad. roy. Sci. col., Cl. Sci. nat. méd. *6,* fasc. 2

FAIRCLOUGH, R. & THOMSON, W. E. F. (1958). The effect of insecticidal spraying against *Glossina palpalis fuscipes,* Newstead in the Nyando river basin of Kenya. — E. afr. agr. J. *23,* 186-189

FOSTER, R. (1957). Observations on laboratory colonies of the tsetse flies *Glossina morsitans* West. and *Glossina austeni* Newstead. — Parasitology *47,* 361-374

FRYER, J. D., JOHNS, D. L. & YEO, D. (1957). The effects of a chemical defoliant on an isolated tsetse fly community and its vegetation. — Bull. ent. Res. *48,* 359-373

HUGHES, J. C. (1957). Olfactory stimulation of *Glossina palpalis* (R.-D.) by combustion products from petrol engines. — Bull. ent. Res. *48,* 581-583

HUGHES, J. C. (1957). Olfactory stimulation of tsetse flies and blowflies. — Bull. ent. Res. *48,* 561-579

HYDE-WYATT, B. (1957). The control of an isolated tsetse population. — W. Afr. med. J. *6,* 68-69

JORDAN, A. M. (1958). The mating behaviour of females of *Glossina palpalis* (R.-D.) in captivity. — Bull. ent. Res. *49,* 35-43

ISHERWOOD, F. (1957). The resting sites of *Glossina swynnertoni* Aust. in the wet season. — Bull. ent. Res. *48,* 601-606

MACLENNAN, K. J. R. & KIRKBY, W. W. (1958). The eradication of *Glossina morsitans submorsitans* Newst. in part of a river flood plain in Northern Nigeria by chemical means. — Bull. ent. Res. *49,* 123-131

RAY, J. (1957). Will atomic radiation control Africa's tsetse fly? — Foreign Agr. U.S. Dep. Agr. *20,* 15-16

576.895.775 Aphaniptera

BALTAZARD, M. & EFTEKHARI, M. (1957). Techniques de récolte, de manipulation et d'élevage des puces de rongeurs. — Bull. Wld Hlth Org. *16,* 436-440

HOWELL, J. FRANKLIN. (1957). Fleas associated with nests of the desert wood rat. — J. Parasit. *43,* 566-573

MILES, VIRGIL I., KINNEY, ALVA R. & STARK, HAROLD E. (1957). Flea-host relationships of associated *Rattus* and native wild rodents in the San Francisco bay area of California, with special reference to plague. — Amer. J. trop. Med. Hyg. *6,* 752-760

STARK, HAROLD E. & KARTMAN, LEO. (1957). Studies on *Pasteurella pestis* in fleas. VI. The laboratory culture of *Xenopsylla vexabilis hawaiiensis* Jordan, 1932. — Amer. J. trop. Med. Hyg. *6,* 707-711