

Zeitschrift: Acta Tropica
Herausgeber: Schweizerisches Tropeninstitut (Basel)
Band: 22 (1965)
Heft: 3

Bibliographie: Bibliographie

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 29.03.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Bibliographie.

5 Naturwissenschaften — Sciences naturelles — Natural Sciences

- 576.8 Mikrobiologie, Bakteriologie, Parasitologie
576.85 Systematische Bakteriologie
576.89 Tiere als Parasiten. Krankheitsüberträger
576.893.1 Protozoa
576.895 Articulata
-

5 Naturwissenschaften — Sciences naturelles — Natural Sciences

576.8 Mikrobiologie. Bakteriologie. Parasitologie — Microbiologie. Bactériologie. Parasitologie — Microbiology. Bacteriology. Parasitology

- ADVANCES IN PARASITOLOGY. (1964). Ed. by Ben Dawes. Vol. 2. 332 pp. ill. — London and New York: Academic Press
- COLLINS, C. H. (1964). Microbiological methods. 330 pp. ill. — London: Butterworths
- DOGIEL, V. A. (1964). General parasitology. 516 pp. ill. — Edinburgh: Oliver & Boyd
- EVOLUTION OF PARASITES. (1965). Ed. by A. E. R. TAYLOR. 136 pp. ill. — Oxford: Blackwell Scientific Publications = Third Symposium of the British Society for Parasitology
- GILLIES, R. R. & DODDS, T. C. (1965). Bacteriology illustrated. 159 pp. ill. — Edinburgh: E. and S. Livingstone
- JENKINS, D. W. (1964). Pathogens, parasites and predators of medically important arthropods. Annotated list and bibliography. 150 pp. — Bull. Wld Hlth Org. 30, Suppl.
- KOLHER, W. & MOCHMANN, H. (1964). Grundriß der medizinischen Mikrobiologie. 2. Aufl. 481 pp. ill. — Jena: Gustav Fischer
- LARSH, J. E. (1964). Outline of medical parasitology. 342 pp. ill. — New York: McGraw Hill Book Co.
- SIEGEL, B. M. (1964). Modern developments in electron microscope. 432 pp. ill. — London, New York: Academic Press
- STANIER, R. Y., DOUDOROFF, M. & ADELBERG, E. A. (1964). The microbial world. 2nd ed. 753 pp. — Englewood Cliffs, N. J.: Prentice Hall
- TAYLOR, I. & KNOWELDEN, J. (1964). Principles of epidemiology. 2nd ed. 336 pp. ill. — London: J. and A. Churchill
- SYMPOSIUM on chemosterilants in pest and vector control. (1964). — Trans. roy. Soc. trop. Med. Hyg. 58, 295-334

576.851 Eubacteriales

- ALLEN, J. M. et al. (1965). Electron microscopy of the host-cell parasite relation in murine leprosy. — J. Path. Bact. 89, 301-306
- BENENSON, A. S. et al. (1964). Rapid identification of *Vibrio cholerae* by dark-field microscopy. — Bull. Wld Hlth Org. 30, 827-831
- BURROWS, T. W. et al. (1964). The catalase activities of *Pasteurella pestis* and other bacteria. — Brit. J. exp. Path. 45, 579-588

- CHEN, T. H. (1965). The antigenic structure of *Pasteurella pestis* and its relationship to virulence and immunity. — *Acta trop.* 22, 97-117
- DELVILLE, J. P. (1964). Multiplication et comportement du bacille de Hansen en cultures de tissus. — *Ann. Soc. belge Méd. trop.* 44, 77-88
- DODIN, A. et al. (1964). Analyse immunoélectrophorétique du bacille pesteux. 3. Les anticorps sériques des maladies guéris de peste. — *Ann. Inst. Pasteur* 106, 236-248
- DODIN, A. & BRYGOO, E. R. (1965). Analyse immunoélectrophorétique du bacille pesteux. 4. Identification de la fraction Fl. — *Ann. Inst. Pasteur* 108, 632-639
- FITE, G. L. et al. (1964). Inoculations of *M. leprae* in reptiles. — *Int. J. Leprosy* 32, 272-278
- GARDNER, E. W. et al. (1964). A comparison of virulence of *Vibrio cholerae* strains for the embryonated egg. — *J. infect. Dis.* 114, 412-416
- GOLDENBERG, M. I. et al. (1964). The survival of *Pasteurella pestis* in materials preserved by solid carbon dioxide (dry-ice). — *Bull. Wld Hlth Org.* 30, 741-746
- JADIN, J. et al. (1964). Multiplication de *Mycobacterium leprae*, possibilité de test de sensibilité. — *Bull. Acad. nat. Méd. (Paris)* 148, 333-342
- KARTMAN, L. & QUAN, S. F. (1964). Notes on the fate of avirulent *Pasteurella pestis* fleas. — *Trans. roy. Soc. trop. Med. Hyg.* 58, 363-365
- MEYER, K. F. (1964). Serological tests for the confirmation of plague infections. — *Bull. Wld Hlth Org.* 30, 750-751
- NEWMAN, F. S. & EISENSTARK, A. (1964). Phage-host relationships in *Vibrio cholerae*. — *J. infect. Dis.* 114, 217-225
- OYE, E. VAN. (1965). Deux nouvelles espèces de *Salmonella* provenant de l'Afrique Centrale. — *Ann. Inst. Pasteur*, 108, 811-813
- PATTYN, S. R. & JANSSENS, P. G. (1965). Experiences with mouse foot pad inoculation of leprosy bacilli originating from the Congo. — *Ann. Soc. belge Méd. trop.* 45, 9-16
- PATTYN, S. R. & ROYACKERS, J. (1965). Traitement de l'infection expérimentale à *Mycobacterium leprae* chez la souris. — *Ann. Soc. belge Méd. trop.* 45, 27-30
- PATTYN, S. R. & ROYACKERS, J. (1965). Traitement de l'infection expérimentale de la souris par *Mycobacterium ulcerans* et *Mycobacterium balnei*. — *Ann. Soc. belge Méd. trop.* 45, 31-38
- SHEPARD, C. C. & McRAE, D. H. (1965). *Mycobacterium leprae* in mice: minimal infectious dose, relationship between staining quality and infectivity, and effect of cortisone. — *J. Bact.* 89, 365-372
- SUTTER, E. & ROULET, F. C. (1965). Staining *Mycobacterium leprae* in paraffin sections by the Gomori methenamine-silver method. — *Stain Technol.* 40, 49-51
- WONG, P. C. et al. (1965). Lactate dehydrogenase activity in mouse liver infected with *Mycobacterium lepraemurium*. — *J. trop. Med. Hyg.* 65, 110-112

576.851.7 Rickettsia. Bartonella

- GIROUD, P. et al. (1965). Rickettsioses inapparentes chez la ratte gestante. — *Ann. Inst. Pasteur* 108, 711-722
- ITO, S. & VINSON, J. W. (1965). Fine structure of *Rickettsia quintana* cultivated *in vitro* and in louse. — *J. Bact.* 89, 481-495
- KUNDIN, W. D. et al. (1964). Pathogenesis of scrub typhus infection (*Rickettsia tsutsugamushi*) as studied by immunofluorescence. — *J. Immunol.* 93, 772-781
- TAY, TH. & WIGAND, R. (1964). Die Wirkung neuer Antibiotika auf *Haemobart-*

tonella muris und *Eperythrozoon coccoides*. — Z. Tropenmed. Parasit. 15, 461-463

WEYER, F. (1964). Experimentelle Übertragung von Rickettsien auf Arthropoden. — Z. Tropenmed. Parasit. 15, 131-138

576.856 Spirochaetales

HEISCH, R. B. (1965). Attempts to infect *Pediculus humanus* with *Spirochaeta duttoni* from man. — E. Afr. med. J. 42, 31-32

LAPIERRE, J. et al. (1964). Etude de l'action protectrice des *Borrelia* dans les infections expérimentales à trypanosomes chez la souris. Variation des effets protecteurs en fonction de l'origine des souches. — C. R. Soc. Biol. 158, 1047-1050

PILLOT, J. et al. (1964). La signification des formes atypiques et la notion de cycle évolutif chez les spirochètes. — Ann. Inst. Pasteur, 107, 663-667

PILLOT, J. & RYTER, A. (1965). Structure des spirochètes. 1. Etude des genres *Treponema*, *Borrelia* et *Leptospira* au microscope électronique. — Ann. Inst. Pasteur, 108, 791-804

576.858 Virus

AITKEN, T. H. G. et al. (1964). Virus transmission studies with Trinidadian mosquitoes. 4. Kairi virus. — J. med. Entomol. 1, 50-52

BRÈS, P. et al. (1965). Les arbovirus en Haute Volta. Enquête sérologique. — Ann. Inst. Pasteur, 108, 341-352

BUSBY, D. W. G., HOUSE, W. & MACDONALD, J. R. (1964). Virological technique. 218 pp. ill. — London: J. and A. Churchill

DEVIGNAT, R. (1964). Réflexions sur la conservation du virus de la peste à travers les âges. — Bull. Séances Acad. roy. Sci. Outre-Mer 10, 938-952

DOHERTY, R. L. (1964). A review of recent studies of arthropod-borne viruses in Queensland. — J. med. Entomol. 1, 158-165

DOWNES, W. G. & SPENCE, L. (1964). Arthropod-borne encephalitis viruses in the W.I. area, 7. A serological survey of St. Lucia, W.I. — W.I. med. J. 13, 25-32

FROESCHLE, J. E. (1964). Propagation of Western equine encephalitis virus in mice following intramuscular and intranasal inoculation. — Proc. Soc. exp. Biol. Med. 115, 881-884

HADDOW, A. J. & ELLICE, J. M. (1964). Studies on bush-babies (*Galago* spp.) with special reference to the epidemiology of yellow fever. — Trans. roy. Soc. trop. Med. Hyg. 58, 521-538

JONKERS, A. H. et al. (1964). Laboratory studies with wild rodents and viruses native to Trinidad. — Amer. J. trop. Med. Hyg. 13, 613-619; 728-733

JONKERS, A. H. et al. (1964). Arthropod-borne encephalitis viruses in North-eastern South America. 1. A serological survey of Northeastern Surinam. — Trop. geogr. Med. 16, 135-145

LASALLE, J. (1964). Etude sur cultures cellulaires de l'effet cytolitique des agents du trachome et de la conjonctivite à inclusions. — Ann. Inst. Pasteur, 106, 752-761

MCGAVRAN, M. H. & WHITE, J. D. (1964). Electron microscopic and immunofluorescent observations on monkey liver and tissue culture cells infected with the Asibi strain of yellow fever virus. — Amer. J. Path. 45, 501-517

PELEG, J. (1965). Infection of mosquito larvae by arboviruses. — Amer. J. trop. Med. Hyg. 14, 158-164

REHÁČEK, J. (1965). Development of animal viruses and rickettsiae in ticks and mites. — Ann. Rev. Entomol. 10, 1-24

- SHAH, K. V. (1965). Experimental infection of lactating monkeys with Kyasanur forest disease virus. — *Acta Virol.* 9, 71-75
- SHOPE, R. E. et al. (1964). The Venezuelan equine encephalomyelitis complex of group A arthropod-borne viruses, including Mucambo and Pixuna from the Amazon region of Brazil. — *Amer. J. trop. Med. Hyg.* 13, 723-727
- WILLIAMS, M. C. et al. (1965). O'nyong-nyong fever: an epidemic virus disease in East Africa. 8. Virus isolation from *Anopheles* mosquitoes. — *Trans. roy. Soc. trop. Med. Hyg.* 59, 300-306

576.89 Tiere als Parasiten. Krankheitsüberträger — Animaux parasitaires. Vecteurs de maladies — Parasitic Animals. Disease Carriers

- CHENG, T. C. (1964). The biology of animal parasites. 727 pp. ill. — Philadelphia and London: W. B. Saunders
- LAMY, L. (1964). Le diagnostic des parasitoses à protozoaires et helminthes au laboratoire. 350 pp. ill. — Saint-Mandé: Editions de la Tourelle
- NOBLE, E. R. & NOBLE, G. A. (1964). Parasitology. The biology of animal parasites. 2nd ed. 724 pp. ill. — Philadelphia: Lea & Febiger

576.893.1 Protozoa

- BRAY, R. S. (1964). A check-list of the parasitic protozoa of West Africa with some notes on their classification. — *Bull. I.F.A.N.* 26, 238-315
- PROGRESS IN PROTOZOOLOGY. (1965). Abstracts of the papers read at the Second International Conference on Protozoology, London 29th July-5th August, 1965. 374 papers, 278 pp. ill. — Amsterdam etc.: Excerpta Medica Foundation = International Congress Series No. 91
- THÉODORIDÈS, J. et al. (1964). Gregarines parasites de Coléoptères ténébrionides de la région de Khartoum (République du Soudan). — *Bull. I.F.A.N.* 27, 139-164

576.893.12 Amoebozoa

- AMEBIASIS: Laboratory diagnosis. (1964). 1. Life cycle of *Entamoeba histolytica*. 2. Identification of intestinal amebae. 3. Laboratory procedures, 140 pp. ill. — Atlanta: U.S. Dept. Health, Education, and Welfare, Communicable Disease Center
- DANIELS, E. W. (1964). Electron microscopy of centrifuged *Amoeba proteus*. — *J. Protozool.* 11, 281-290
- DIAMOND, L. S. (1964). Recent advances in the cultivation and cryogenic preservation of *Entamoeba histolytica*. — *Amer. J. Gastroenter.* 41, 366-370
- ENTNER, N. & MOST, H. (1965). Genetics of *Entamoeba*: characterization of two new parasitic strains which grow at room temperature (and at 37°C). — *J. Protozool.* 12, 10-13
- GOLDMAN, M. (1964). Identification and diagnosis of *Entamoeba histolytica*. — *Amer. J. Gastroenter.* 41, 362-365
- JACKSON, G. J. & STOLL, N. R. (1964). Axenic culture studies of *Entamoeba* species. — *Amer. J. trop. Med. Hyg.* 13, 520-524
- JARUMILINTA, R. & KRADOLFER, F. (1964). The toxic effect of *Entamoeba histolytica* on leucocytes. — *Ann. trop. Med. Parasit.* 58, 375-381
- LAMY, L. (1964). Etude expérimentale comparée de l'activité de divers dérivés de l'oxyquinoléine sur la multiplication d'*Entamoeba histolytica* en culture et sur celle des bactéries associées. — *Ann. Inst. Pasteur*, 107, 98-108
- LATOUR, N. G. et al. (1965). Steroid requirement of *Entamoeba histolytica*. — *Exp. Parasit.* 16, 18-22

- MADDISON, S. E. (1965). Characterization of *Entamoeba histolytica* antigen-antibody reaction by gel diffusion. — Exp. Parasit. 16, 224-235
- NEAL, R. A. (1965). Influence of encystation on invasiveness of *Entamoeba histolytica*. — Exp. Parasit. 16, 369-372
- NELSON, E. & JONES, M. M. (1964). Cultivation of *Entamoeba histolytica* in carbon dioxide-bicarbonate buffer system media. — Amer. J. trop. Med. Hyg. 13, 667-673
- PICK, F. (1964). Sur le mode d'enkystement et de dékystement d'*Entamoeba histolytica* "in vitro". — Ann. Parasit. hum. comp. 39, 655-663
- RAY, H. N. & BANIK, D. C. (1965). A hyper-parasite of *Iodamoeba buetschlii* from the rhesus monkey *Macaca mulatta* and the domestic pig. — J. Protozool. 12, 70-72
- REEVES, R. E. (1964). Ratios of bacterial cells to *Entamoeba histolytica*. Trophozoites in cultures. — Exp. Parasit. 15, 279-283
- SHAFFER, J. G. (1965). A study of the occurrence of multi-nucleate trophozoites of three strains of *Entamoeba histolytica* in the Shaffer-Frye and CLG media. — Amer. J. trop. Med. Hyg. 14, 207-210
- THAYER, D. W. & HARRIS, J. O. (1965). Electrokinetic properties of *Entamoeba invadens*, Rodhain 1934. — J. Protozool. 12, 144-145

576.893.16 Flagellata

- ADLER, S. & NELKEN, D. (1965). Attempts to transfer delayed hypersensitivity to *Leishmania tropica* by leucocytes and whole blood. — Trans. roy. Soc. trop. Med. Hyg. 59, 59-63
- ALLAIN, D. S. (1964). Evaluation of the viability and pathogenicity of hemaflagellates after freezing and storage. — J. Parasit. 50, 604-607
- AMREIN, Y. U., GEIGY, R. & KAUFFMANN, M. (1965). On the reacquisition of virulence in trypanosomes of the *brucei*-group. — Acta trop. 22, 193-203
- BALIS, J. (1964). Utilisation des glucides et de leurs produits de métabolisme par *Trypanosoma evansi* et *Trypanosoma brucei*. — Rev. Elev. Méd. vét. Pays trop. 17, 361-368
- BALIS, J. (1964). Elimination de l'acide pyruvique des milieux de culture en vue de favoriser la survie de *Trypanosoma evansi*. — Rev. Elev. Méd. vét. Pays trop. 17, 369-375
- BOWMAN, I. B. R. et al. (1964). CO₂ fixation studies with the culture form of *Trypanosoma cruzi*. — Comp. Biochem. Physiol. 9, 105-114
- BRENER, Z. (1965). Comparative studies of different strains of *Trypanosoma cruzi*. — Ann. trop. Med. Parasit. 59, 19-26
- D'ALESSANDRO, P. A. & SHERMAN, I. W. (1964). Changes in lactic dehydrogenase levels of *Trypanosoma lewisi* associated with appearance of ablastic immunity. — Exp. Parasit. 15, 430-438
- DA SILVA, L. H. P. & CAMARGO, E. P. (1964). Differentiation in the life cycle of trypanosomes. — Rev. Inst. Med. trop. São Paulo, 6, 188-192
- FILHO, F. F. & BARRETTO, M. P. (1965). Estudos sôbre reservatórios e vectores silvestres do *Trypanosoma cruzi*. — Rev. Inst. Med. trop. São Paulo, 7, 72-81
- FREI, W. (1964). Der Stoffwechsel bei der Trypanosomeninfektion des Meerschweinchens mit besonderer Berücksichtigung der Leberlipide. — Acta trop. 21, 264-276
- FROMENTIN, H. (1964). Mise en culture de *Trypanosoma thezieni* Brygoo 1963. — Bull. Soc. Path. exot. 57, 219-224
- GILL, B. S. (1964). A procedure for the indirect haemagglutination test for

- the study of experimental *Trypanosoma evansi* infections. — Ann. trop. Med. Parasit. 58, 473-480
- GILL, B. S. (1965). Properties of soluble antigen of *Trypanosoma evansi*. — J. gen. Microbiol. 38, 357-361
- GRAY, A. R. (1965). Antigenic variation in clones of *Trypanosoma brucei*. 1. Immunological relationships of the clones. — Ann. trop. Med. Parasit. 59, 27-36
- HAWKING, F. (1964). Recent work on *Trypanosoma cruzi* in Brazil and Central America. — J. trop. Med. Hyg. 67, 211-214
- HERBERT, I. V. (1965). Cytochemistry of *in vitro* cultured *Trypanosoma theileri*. — Exp. Parasit. 16, 348-362
- HOARE, C. A. (1964). Morphological and taxonomic studies on mammalian trypanosomes. 10. Revision of the systematics. — J. Protozool. 11, 200-202
- HOARE, C. A. (1965). Vampire bats as vectors and hosts of equine and bovine trypanosomes. — Acta trop. 22, 204-216
- IRALU, V. (1964). Production of *Trypanosoma cruzi* cysts *in vitro*. — Nature 204, 486-487
- JORDAN, A. M. (1964). Trypanosome infection rates in *Glossina morsitans submorsitans* Newst. in Northern Nigeria. — Bull. ent. Res. 55, 219-231
- JORG, M. E. (1964). Imposibilidad de demostrar toxinas en *Trypanosoma cruzi* de cultivos. — Bol. chileno Parasit. 19, 84-87
- JUDGE, D. M. & ANDERSON, M. S. (1964). Ultrastructure of *Trypanosoma lewisi*. — J. Parasit. 50, 757-762
- KRAMPITZ, H. E. & MÜHLPFORDT, H. (1964). Zur Empfänglichkeit einiger xerothermophiler Nagetierarten für die experimentelle Infektion mit *Leishmania donovani* (Calcutta-Stamm). — Z. Tropenmed. Parasit. 15, 269-278
- KRASSNER, S. M. (1965). Effect of temperature on growth and nutritional requirements of *Leishmania tarentolae* in a defined medium. — J. Protozool. 12, 73-78
- LAMBRECHT, F. L. (1965). An unusual trypanosome in *Cebus griseus* F. Cuvier 1819, from Colombia, South America. — Rev. Inst. Med. trop. São Paulo, 7, 89-98
- LAMY, L. et al. (1964). Installation, multiplication et entretien d'une souche de *Leishmania donovani* en culture cellulaire. — Bull. Soc. Path. exot. 57, 16-21
- LEHMANN, D. L. (1965). Enzyme content and its possible relation to infectivity of African trypanosomes. — Trans. roy. Soc. trop. med. Hyg. 59, 297-299
- LEHMANN, D. L. & CLAFLIN, J. L. (1965). The cytochemical localization of some dehydrogenases in culture forms of *Trypanosoma cruzi* and *Trypanosoma ranarum*. — Ann. trop. Med. Parasit. 59, 17-18
- LINCICOME, D. R. & WATKINS, R. C. (1965). Antigenic relationships among *Trypanosoma lewisi*-complex cells. 1. Agglutinins in antisera. — J. Parasit. 55, 365-373
- LUMSDEN, W. H. R. et al. (1965). Some effects of hydrogen ion concentration on trypanosome numbers and infectivity. — Exp. Parasit. 16, 8-17
- MANCILLA, R. & NAQUIRA, C. (1964). Comparative metabolism of C¹⁴-glucose in two strains of *Trypanosoma cruzi*. — J. Protozool. 11, 509-513
- MICHEL, R. (1964). Reflexmikroskopische und enzymatische Untersuchungen der cytoplasmatischen Granula von *Trypanosoma gambiense*. — Z. Tropenmed. Parasit. 15, 400-426
- MÜHLPFORDT, H. (1964). Die Generationsdauer verschiedener Trypanosomenarten. — Z. Tropenmed. Parasit. 15, 145-153
- MÜHLPFORDT, H. (1964). Über den Kinetoplasten der Flagellaten. — Z. Tropenmed. Parasit. 15, 289-323

- NEAL, R. A. (1964). Chemotherapy of cutaneous leishmaniasis: *Leishmania tropica* infections in mice. — Ann. trop. Med. Parasit. 58, 420-430
- NICOLI, J. & VATTIER, G. (1964). Culture de *Trypanosoma rhodesiense* sur tissus de pupes de Glossines. — Bull. Soc. Path. exot. 57, 213-219
- PETANA, W. B. (1964). The influence of sheep serum supplement with certain vitamins, amino acids and nucleotides on the course of *Trypanosoma vivax* infection in albino rats. — Ann. trop. Med. Parasit. 58, 199-203
- PETANA, W. B. (1964). Effects of cortisone upon the course of infection of *Trypanosoma gambiense*, *T. rhodesiense*, *T. brucei* and *T. congolense* in albino rats. — Ann. trop. Med. Parasit. 58, 192-198
- RUDZINSKA, M. et al. (1964). The fine structure of *Leishmania donovani* and the role of the kinetoplast in the Leishmania-leptomonad transformation. — J. Protozool. 11, 166-191
- SEED, J. R. et al. (1965). Inhibition of hexose and glycerol utilization by 2-deoxy-d-glucose in *Trypanosoma gambiense* and *Trypanosoma rhodesiense*. — Exp. Parasit. 16, 363-368
- SHAW, J. J. & VOLLER, A. (1964). The detection of circulating antibody to Kala-azar by means of immunofluorescent techniques. — Trans. roy. Soc. trop. Med. Hyg. 58, 349-352
- STEINERT, M. (1965). Morphogenesis versus division in *Trypanosoma mega*. — J. Protozool. 12, 291-292
- TEMPELIS, C. H. & LYSENKO, M. G. (1965). Effect of X-irradiation on *Trypanosoma lewisi* infection in the rat. — Exp. Parasit. 16, 174-181
- TOBIE, E. J. (1964). Increased infectivity of a cyclically maintained strain of *Trypanosoma rangeli* to *Rhodnius prolixus* and mode of transmission by invertebrate host. — J. Parasit. 50, 593-598
- TOBIE, E. J. (1964). Cultivation of mammalian trypanosomes. — J. Protozool. 11, 418-423
- TOMCUFCIK, A. et al. (1965). N⁴-substituted N¹-(3-dimethylaminopropyl)-piperazines: a new series of compounds active against *Trypanosoma cruzi* infections in mice. — Nature, 205, 605-606
- VAN DEN BERGHE, L. et al. (1964). *Trypanosoma mochli*, a trypanosome from an African lizard. — Parasitology, 54, 451-452
- WALKER, P. J. (1964). Reproduction and heredity in trypanosomes. A critical review dealing mainly with the African species in the mammalian host. — Int. Rev. Cytol. 17, 51-98
- WILLETT, K. C. et al. (1964). Trypanosomes isolated from *Glossina palpalis* and *G. pallidipes* in Sakwa, Kenya. — Trans. roy. Soc. trop. Med. Hyg. 58, 391-396

576.893.19 Sporozoa

- AIKAWA, M. & ANTONOVYCH, T. T. (1964). Electron microscopic observations of *Plasmodium berghei* and the Kupffer cell in the liver of rats. — J. Parasit. 50, 620-629
- BALL, G. H. & CHAO, J. (1964). Temperature stresses on the mosquito phase of *Plasmodium relictum*. — J. Parasit. 50, 748-752
- BENNETT, G. F. & WARREN, M. (1965). Transmission of a new strain of *Plasmodium cynomolgi* to man. — J. Parasit. 51, 79-80
- CAPELLA, J. A. & KAUFMAN, H. E. (1964). Enzyme histochemistry of *Toxoplasma gondii*. — Amer. J. trop. Med. Hyg. 13, 664-666
- CHAO, J. & BALL, G. H. (1964). Cultivation of the insect cycle of Plasmodia. — Amer. J. trop. Med. Hyg. 13, 181-192
- COLLINS, W. E. et al. (1965). Fluorescent antibody reactions against six species

- of simian malaria in monkeys from India and Malaysia. — *J. Parasit.* 51, 81-84
- COX, F. E. G. et al. (1964). Reticulo-endothelial activity in mice infected with *Plasmodium vinckei*. — *J. Protozool.* 11, 229-236
- DIGGS, C. L. & SADUN, E. H. (1965). Serological cross reactivity between *Plasmodium vivax* and *Plasmodium falciparum* as determined by a modified fluorescent antibody test. — *Exp. Parasit.* 16, 217-223
- ENIGK, K. et al. (1964). Zur Wirtsspezifität von *Babesia motasi* und *Babesia bovis* (Piroplamidea). — *Z. Parasitenk.* 24, 309-318
- GARNHAM, P. C. C. (1964). The subgenera of *Plasmodium* in mammals. — *Ann. Soc. belge Méd. trop.* 44, 267-271
- GARNHAM, P. C. C. (1965). *Plasmodium wenyoni* sp. nov., a malaria parasite of a Brazilian snake. — *Trans. roy. Soc. trop. Med. Hyg.* 59, 277-279
- JACOBS, R. L. (1964). Role of p-amino-benzoic acid in *Plasmodium berghei* infection in the mouse. — *Exp. Parasit.* 15, 213-225
- JENSEN, D. V. et al. (1964). The use of Rose multipurpose chambers and dialysis membranes in the cultivation of exoerythrocytic stages of avian malarial parasites. — *Amer. J. trop. Med. Hyg.* 13, 653-658
- JERUSALEM, CHR. (1964). Über die Anämiegenesen bei der Malariainfektion (*Pl. berghei*) von NMRI-Mäusen. — *Z. Tropenmed. Parasit.* 15, 371-385
- HOYTE, H. M. D. (1965). Further observations on the initial development of infections with *Babesia bigemina*. — *J. Protozool.* 12, 83-85
- KRETSCHMAR, W. (1963/64). Die Abhängigkeit des Verlaufes der Nagetiermalaria (*Plasmodium berghei*) in der Maus von exogenen Faktoren. 1. Interferierende Bartonellosen. 2. Beunruhigung und Ernährung der Mäuse. 3. Plasmodien- und Mäusestämme. — *Z. Versuchstierk.* 3, 151-166; 4, 32-56
- KRETSCHMAR, W. (1964). Parasitendichte und Erythrozytenverlust bei der Malaria (*Plasmodium berghei*) in der Maus. — *Z. Tropenmed. Parasit.* 15, 386-399
- MANWELL, R. D. & KUNTZ, R. E. (1964). A new *Babesia* from the Indian bandicoot. — *J. Parasit.* 50, 390-393
- MEYER, H. & DE OLIVEIRA MUSACCHIO, M. (1965). An electron microscopic study of the final and initial forms of *Plasmodium gallinaceum* in thin sections of infected tissue cultures. — *J. Protozool.* 12, 193-202
- PETERS, W. (1964). Pigment formation and nuclear division in chloroquine-resistant malaria parasites (*Plasmodium berghei* Vincke and Lips, 1948). — *Nature* 203, 1290-1291
- PETERS, W. (1965). Ecological factors limiting the extension of malaria in the Southwest Pacific—their bearing on malaria control or eradication programmes. — *Acta trop.* 22, 62-69
- PETERS, W. (1965). Competitive relationship between *Eperythrozoon coccoides* and *Plasmodium berghei* in the mouse. — *Exp. Parasit.* 16, 158-166
- PETERS, W. et al. (1965). Phagotrophy and pigment formation in a chloroquine-resistant strain of *Plasmodium berghei* Vincke and Lips 1948. — *Ann. trop. Med. Parasit.* 59, 126-134
- PRINGLE, G. (1965). A count of the sporozoites in an oocyst of *Plasmodium falciparum*. — *Trans. roy. Soc. trop. Med. Hyg.* 59, 289-290
- RISTIC, M. & KREIER, J. P. (1964). The fine structure of the erythrocytic forms of *Plasmodium gallinaceum* as revealed by electron microscopy. — *Amer. J. trop. Med. Hyg.* 13, 509-514
- RODHAIN, J. & JADIN, J. (1964). La transmission du *Plasmodium falciparum* aux chimpanzés splénectomisés. — *Ann. Soc. belge Méd. trop.* 44, 531-536
- SCHINDLER, R. & MEHLITZ, D. (1965). Untersuchungen über die Bedeutung

- komplementbindender Antikörper für die *Plasmodium berghei*-Infektion der Maus. — Z. Tropenmed. Parasit. 16, 30-49
- SCHINDLER, R. & MEHLITZ, D. (1965). Untersuchungen über den Einfluß der Infektionsdosis auf die Überlebenszeit bei der *Plasmodium berghei*-Infektion der Maus. — Z. Tropenmed. Parasit. 16, 49-53
- SHUTE, P. G. et al. (1965). A method for estimating the number of sporozoites in the salivary glands of the mosquito. — Trans. roy. Soc. trop. Med. Hyg. 59, 285-288
- SIDDIQUI, W. & TRAGER, W. (1965). Comparative bioautography of folic and folinic acids of erythrocytes and livers of normal ducks and ducks infected with malaria parasites. — J. Parasit. 50, 753-756
- SODEMAN, W. A. & JEFFERY, G. M. (1965). Immunofluorescent studies of *Plasmodium berghei*: a "natural" antibody in white mice. — Amer. J. trop. Med. Hyg. 14, 187-190
- TELLA, A. & MAEGRAITH, B. G. (1965). Physiopathological changes in primary acute blood-transmitted malaria and *Babesia* infections. 1. Observations on parasites and blood-cells in rhesus monkeys, mice, rats and puppies. — Ann. trop. Med. Parasit. 59, 135-146
- TERMINOLOGIE du paludisme et de l'éradication du paludisme. (1964). 176 pp. — Genève: Org. mond. Santé
- THOMPSON, P. E. et al. (1965). Studies on a dihydrotriazine and a sulfone, alone and in combination, against *Plasmodium berghei* in mice. — Amer. J. trop. Med. Hyg. 14, 198-206
- THOMPSON, P. E. et al. (1965). Laboratory studies on the repository antimalarial activity of 4,4'-diacetylaminodiphenylsulfone, alone and mixed with cycloguanil pamoate (CI-501). — Amer. J. trop. Med. Hyg. 14, 343-353
- TRAGER, W. (1964). Cultivation and physiology of erythrocytic stages of *Plasmodia*. — Amer. J. trop. Med. Hyg. 13, 162-166
- WEISS, M. L. & DEGIUSTI, D. L. (1964). The effect of different sera in the culture medium on the behavior of *Plasmodium berghei* following serial passage through tissue culture. — J. Protozool. 11, 224-228
- YOELI, M. (1965). Studies on *Plasmodium berghei* in nature and under experimental conditions. — Trans. roy. Soc. trop. Med. Hyg. 59, 255-271
- YOELI, M. & MOST, H. (1964). A study of *Plasmodium berghei* in *Thamnomys surdaster* and other experimental hosts. — Amer. J. trop. Med. Hyg. 13, 659-663
- YOELI, M. & MOST, H. (1965). Pre-erythrocytic development of *Plasmodium berghei*. — Nature 205, 715-716

576.895 Articulata

576.895.1 Vermes

576.895.121 Cestoda

- BERNTZEN, A. K. & VOGEL, M. (1965). *In vitro* hatching of oncospheres of four Hymenolepidid cestodes. — J. Parasit. 51, 235-242
- BRAND, T. VON et al. (1964). Aerobic and anaerobic metabolism of larval and adult *Taenia taeniaeformis*. 2. Hoxose leakage and absorption; tissue glucose and polysaccharides. — Exp. Parasit. 15, 410-429
- BRAND, T. VON et al. (1965). Variations in the mineralogical composition of cestode calcareous corpuscles. — Exp. Parasit. 16, 382-391
- MATOFF, K. & KOLEV, G. (1964). The role of hairs, muzzle and paws of Echinococcic dogs in the epidemiology of Echinococcosis. — Z. Tropenmed. Parasit. 15, 452-460

MORSETH, D. J. (1965). Ultrastructure of developing taeniid embryophores and associated structures. — *Exp. Parasit.* 16, 207-216

576.895.122 Trematoda

- BARBOSA, F. S. (1965). Ecology of the larval parasitic stages of *Schistosoma mansoni*. — *Rev. Inst. Med. trop. São Paulo*, 7, 112-120
- BARBOSA, F. S. & CARNEIRO, E. (1965). Penetration of *Schistosoma mansoni* miracidia in abnormal hosts. — *Rev. Inst. Med. trop. São Paulo*, 7, 99-102
- CHEEVER, A. W. (1965). A comparative study of *Schistosoma mansoni* infections in mice, gerbils, multimammate rat and hamsters. — *Amer. J. trop. Med. Hyg.* 14, 211-238
- CHEEVER, A. W. et al. (1965). Repeated infection and treatment of mice with *Schistosoma mansoni*: functional, anatomic and immunologic observations. — *Amer. J. trop. Med. Hyg.* 14, 239-253
- CLEGG, J. A. (1965). *In vitro* cultivation of *Schistosoma mansoni*. — *Exp. Parasit.* 16, 133-147
- FILHO, A. M. et al. (1965). Localization of antigen and presence of antibody in tissues of mice infected with *Schistosoma mansoni* as indicated by fluorescent antibody technics. — *Amer. J. trop. Med. Hyg.* 14, 84-99
- FRICK, L. P. et al. (1965). Enhancement of acquired resistance against *Schistosoma mansoni* in albino mice by intraperitoneal immunizing exposures. — *J. Parasit.* 51, 230-234
- FRIPP, P. J. (1964). Notes on the development of a colony of *Schistosoma rodhaini* Brumpt in the laboratory. — *Ann. trop. Med. Parasit.* 58, 224-227
- LAGRANGE, E. & DE BEAUPRÉ, J. (1965). La splénectomie dans la bilharziose expérimentale de la souris. — *Riv. Parassit.* 26, 1-8
- LÄMMLER, G. (1964). Die experimentelle Chemotherapie der Trematoden-Infektionen und ihre Problematik. — *Z. Tropenmed. Parasit.* 15, 164-199
- LAMBERT, C. R. (1964). Chemotherapy of experimental *Schistosoma mansoni* infections with nitro-thiazole derivate, CIBA 32,644-Ba. — *Ann. trop. Med. Parasit.* 58, 292-303
- LAMBERT, C. R. et al. (1965). Effect of CIBA 32,644-Ba on spermatogenesis in laboratory animals. — *Acta trop.* 22, 155-161
- LI HSÜ, S. Y. et al. (1965). Immunizing effect of X-irradiated cercariae of *Schistosoma japonicum* in albino mice. — *Z. Tropenmed. Parasit.* 16, 83-89
- MANSOUR, S. E. & REESE, H. H. (1965). Experimental antimony toxicity on lower motor neurons and muscles of mice. — *Exp. Parasit.* 16, 148-157
- MANSOUR, S. E. et al. (1965). Myopathy in mice experimentally infected with *Schistosoma mansoni*. — *Trans. roy. Soc. trop. Med. Hyg.* 59, 87-89
- MENEZES, H. (1965). Experimental embolization of the pulmonary artery branches of dogs by adults *Schistosoma mansoni*. — *Rev. Inst. Med. trop. São Paulo*, 7, 82-86
- PARAENSE, W. et al. (1964). *Australorbis tenagophilus* in Peru and its susceptibility to *Schistosoma mansoni*. — *Amer. J. trop. Med. Hyg.* 13, 535-540
- PELLEGRINO, J. & FARIA, J. (1965). The oogram method for the screening of drugs in *Schistosomiasis mansoni*. — *Amer. J. trop. Med. Hyg.* 14, 363-369
- RASLAVICIUS, P. A. (1965). Schistosomiasis in parabiotic mice, histopathological comparisons in infected mice and their uninfected partners. — *Amer. J. trop. Med. Hyg.* 14, 100-110
- SADUN, E. H. et al. (1964). Parasitologic, pathologic and serologic reactions to *Schistosoma mansoni* in monkeys exposed to irradiated cercariae. — *Amer. J. trop. Med. Hyg.* 13, 548-557

- STOHLER, H. R. & FREY, J. R. (1964). Chemotherapy of experimental *Schistosomiasis mansoni*: prophylactic, protective and therapeutic activity of sodium antimony dimercaptosuccinate and antimony dimercaptosuccinic acid in mice and hamsters. — Ann. trop. Med. Parasit. 58, 280-291
- STOHLER, H. R. & FREY, J. R. (1964). Chemotherapy of experimental *Schistosomiasis mansoni*. Influence of dimercaptosuccinic acid on the toxicity and antischistosomal activity of sodium antimony dimercaptosuccinate and other antimony compounds in mice. — Ann. trop. Med. Parasit. 58, 431-438
- STURROCK, R. F. (1965). Studies on the biology of *Biomphalaria angulosa* Mandahl-Barth and on its ability to act as an intermediate host of *Schistosoma mansoni*. — Ann. trop. Med. Parasit. 59, 1-9
- THOMMEN, H. et al. (1964). Chemotherapy of experimental *Schistosomiasis mansoni*. Distribution of antimony-124 in mice and hamsters after a single dose of sodium antimony dimercaptosuccinate and antimony dimercaptosuccinic acid. — Ann. trop. Med. Parasit. 58, 439-452

576.895.132 Nematoda

- BURTON, G. J. (1964). The intake of microfilariae of *Wuchereria bancrofti* by *Culex pipiens fatigans* in British Guiana. — Ann. trop. Med. Parasit. 58, 333-338
- CHABAUD, A.-G. et al. (1964). Filaires d'oiseaux malgaches. — Ann. Parasit. hum. comp. 39, 69-94
- CHABAUD, A.-G. et al. (1965). Les nématodes parasites de lémuriers malgaches. 6. Description de six espèces nouvelles et conclusions générales. — Ann. Parasit. hum. comp. 40, 181-214
- CIFERRI, F. et al. (1965). Immunologic studies in onchocerciasis and bancroftian filariasis. — Amer. J. trop. Med. Hyg. 14, 263-268
- CLARKSON, M. J. (1964). The species of *Onchocerca* in cattle in Kenya and Somalia. — Ann. trop. Med. Parasit. 58, 153-158
- DAVIES, J. B. (1965). An assessment of the insecticidal control of *Simulium damnosum* Theobald in Abuja Emirate, Northern Nigeria, from 1955-1960. 2. The effect on the incidence of *Onchocerca* larvae in the vector. — Ann. trop. Med. Parasit. 59, 43-46
- DUKE, B. O. & LEWIS, D. J. (1964). Studies on factors influencing the transmission of Onchocerciasis. 2. Observations on the effect of the peritrophic membrane in limiting the development of *Onchocerca volvulus* microfilariae in *Simulium damnosum*. — Ann. trop. Med. Parasit. 58, 83-88
- EWERT, A. (1965). Comparative migration of microfilariae and development of *Brugia pahangi* in various mosquitoes. — Amer. J. trop. Med. Hyg. 14, 254-259
- EWERT, A. (1965). Exheatment of the microfilariae of *Brugia pahangi* in susceptible and refractory mosquitoes. — Amer. J. trop. Med. Hyg. 14, 260-262
- HINZ, E. (1965). Der gegenwärtige Stand der Kenntnisse über die Infektion von Säugetieren mit *Dracunculus medinensis* als Grundlage für einen Modellversuch zur Prüfung chemotherapeutischer Substanzen. — Z. Tropenmed. Parasit. 16, 90-105
- MACDONALD, W. W. & RAMACHANDRAN, C. P. (1965). The influence of the gene f_m (filarial susceptibility, *Brugia malayi*) on the susceptibility of *Aedes aegypti* to seven strains of *Brugia*, *Wuchereria* and *Dirofilaria*. — Ann. trop. Med. Parasit. 59, 64-73
- MULLIGAN, W. et al. (1965). Immunological studies on *Nippostrongylus bra-*

- siliensis* infection in the rat: the "self-cure" phenomenon. — Exp. Parasit. 16, 341-347
- NEUMANN, E. et al. (1964). Experimental onchocercal ocular lesions in the chimpanzee. — Amer. J. Ophthalmol. 57, 217-227
- SMITHERS, S. R. et al. (1965). Biochemical and morphological characteristics of subcellular fractions of male *Schistosoma mansoni*. — Exp. Parasit. 16, 195-206
- WILSON, P. A. G. (1965). Changes in lipid and nitrogen content of *Nippostrongylus brasiliensis* infective larvae aged at constant temperature. — Exp. Parasit. 16, 190-194

576.895.2 Arthropoda

576.895.4 Arachnoidea

- AESCHLIMANN, A. & MOREL, P. C. (1965). *Boophilus geiggi* n. sp. (Acarina: Ixodoidea) une nouvelle tique du bétail de l'Ouest Africain. — Acta trop. 22, 162-168
- ARTHUR, DON R. (1965). Ticks of the genus *Ixodes* in Africa. 348 pp. ill. — London: University of London, The Athlone Press
- CHAUDHURI, R. P. & NAITHANI, R. C. (1964). Resistance to BHC in the cattle tick *Boophilus microplus* (Can) in India. — Bull. ent. Res. 55, 405-410
- CHINERY, W. A. (1965). Studies on the various glands of the tick *Haemaphysalis spinigera* Neumann 1897. — Acta trop. 22, 237-266
- CLARK, G. M. & CLIFFORD, C. M. (1964). *Zumptiella citelli* sp. n. (Acarina: Halarachnidae) from the Columbian ground squirrel, *Citellus columbianus*. — J. Parasit. 50, 471-473
- CLIFFORD, C. M. et al. (1964). The systematics of the subfamily *Ornithodorinae* (Acarina: Argasidae). 1. The genera and subgenera. — Ann. entomol. Soc. Amer. 57, 429-437
- DOMROW, R. (1964). Three new nasal mites from Australian birds (Acarina, Laelapidae). — Acarologia 6, 26-34
- DOMROW, R. (1964). Fourteen species of *Ptilonyssus* from Australian birds (Acarina: Laelapidae). — Acarologia 6, 595-623
- DOMROW, R. (1964). The genus *Mesonysoides* in Australia (Acarina: Laelapidae). — J. entomol. Soc. Queensl. 3, 23-29
- FILIPPONI, A. & DOJIMI DI DELUPIS, G. (1964). Sulla biologia e capacità riproduttiva di *Macrocheles peniculatus* Berlese (Acari: Mesostigmata) in condizioni sperimentali di laboratorio. — Riv. Parassit. 25, 93-111
- HOOGSTRAAL, H. (1964). Studies on Southeast Asian *Haemaphysalis* ticks (Ixodoidea, Ixodidae). Redescription, hosts, and distribution of *H. traguli* Oudemans. The larva and nymph of *H. papuana toxopei* Warbuton (new combination). — J. Parasit. 50, 765-782
- HOOGSTRAAL, H. (1964). Notes on African *Haemaphysalis* ticks. 6. *H. spinulosa* Neumann, and its relation to biological and nomenclatorial problems in the *H. leachii* group of Africa and Asia (Ixodoidea, Ixodidae). — J. Parasit. 50, 786-791
- KAISER, M. N. & HOOGSTRAAL, H. (1964). The *Hyalomma* ticks (Ixodoidea, Ixodidae) of Pakistan, India and Ceylon, with keys of subgenera and species. — Acarologia 6, 257-286
- KELLMANN, K. (1964). A new *Neomyobia* species (Acarina: Myobiidae) from a South African bat. — J. ent. Soc. S. Afr. 26, 302-305
- KOHL, G. M. & CLIFFORD, C. M. (1964). *Ixodes eadsi*, a new species of tick from rodents in Southern Texas (Acarina: Ixodidae). — J. Parasit. 50, 466-470

- KOHL, G. M. & CLIFFORD, C. M. (1964). *Ornithodoros (Acletorobius) bolivien-
sis* sp. n. (Acarina: Argasidae) from bats and houses in Bolivia. — J. Parasit. 50, 792-796
- MOREL, P. C. (1964). Description de *Rhipicephalus moucheti* n. sp. (groupe de *Rh. sanguineus*; Acariens, Ixodoidea). — Rev. Elev. Méd. vét. Pays trop. 17, 615-617
- MOREL, P. C. (1964). Description de *Rhipicephalus cliffordi* n. sp. d'Afrique occidentale (groupe de *Rh. compositus*; Acariens, Ixodoidea). — Rev. Elev. Méd. vét. Pays trop. 17, 637-654
- MOREL, P. C. (1965). Description de *Ixodes brumpti* n. sp. (Acariens, Ixodoidea) des damans du Harrar (Ethiopie). — Ann. Parasit. hum. comp. 40, 215-218
- MOREL, P. C., & VASSILIADES, G. (1964). Description de *Rhipicephalus muhsamae* n. sp. de l'Ouest-Africain (groupe de *Rh. simus*; Acariens, Ixodoidea). — Rev. Elev. Méd. vét. Pays trop. 17, 619-636
- SAVORY, T. (1964). Arachnida. 291 pp. ill. — London: Academic Press
- SRIVASTAVA, S. C. & VARMA, M. G. R. (1964). The culture of the tick *Rhipicephalus sanguineus* (Latreille) (Ixodidae) in the laboratory. — J. med. Entomol. Honolulu 1, 154-157
- TATCHELL, R. J. (1964). Digestion in the tick, *Argas persicus* Oken. — Parasitology 54, 423-440
- TRAPIDO, H. et al. (1964). Status and description of *Haemaphysalis p. papuana* Thorell (n. comb.) and *H. papuana kinneari* Warburton (n. comb.) (Ixodoidea, Ixodidae) in Southern Asia and New Guinea. — J. Parasit. 50, 172-189
- TRAPIDO, H. et al. (1964). Ticks ectoparasitic on monkeys in the Kyasanur forest disease area of Shimoga District, Mysore State, India. — Amer. J. trop. Med. Hyg. 13, 763-772
- WALTON, G. A. (1964). The *Ornithodoros "moubata"* group of ticks in Africa. Control problems and implications. — J. med. Entomol. Honolulu 1, 53-64
- YUNKER, C. E. & BRENNAN, J. M. (1964). Four new chiggers (Acarina: Trombiculidae) from rodents of the epidemic area of Bolivian hemorrhagic fever. — J. med. Ent. 1, 192-195

576.895.7 Hexapoda

- BARNES, J. M. (1964). Toxic hazards and the use of insect chemosterilants. — Trans. roy. Soc. trop. Med. Hyg. 58, 327-332
- BEAMENT, J. W. L., TREHERNE, J. E. & WIGGLESWORTH, V. B. (Ed.) (1964). Advances in insect physiology. Vol. 2. 364 pp. ill. — London and New York: Academic Press
- FAHMY, O. G. & FAHMY, M. J. (1964). The chemistry and genetics of the alkylating chemosterilants. — Trans. roy. Soc. trop. Med. Hyg. 58, 318-326
- MARTIGNONI, M. E. (1964). Pathophysiology in the insect. — Ann. Rev. Entomol. 9, 179-205
- ROCKSTEIN, M. (Ed.) (1964/65). The physiology of insecta. Vol. 1-3. 2203 pp. ill. — London and New York: Academic Press
- TREHERNE, J. E. & BEAMENT, J. W. L. (Ed.) (1965). The physiology of the insect central nervous system. Papers from the 12th International Congress of Entomology held in London, 1964. 277 pp. ill. — London and New York: Academic Press
- WEISER, J. (1964). Problèmes de contrôle biologique des insectes vecteurs. — Ann. Parasit. hum. comp. 39, 211-219
- WÜLKER, W. (1964). Parasite-induced changes of internal and external sex characters in insects. — Exp. Parasit. 15, 561-597

576.895.77 Diptera

- BOORMAN, J. (1964). Observations on the biting habits of mosquitoes in the Lagos Area, Western Nigeria. — *W. Afr. med. J.* 13, 245-250
- BRANSBY-WILLIAMS, W. R. & WEBLEY, C. (1965). The effects of age and feeding on the susceptibility to insecticides of adult female *Anopheles gambiae*, *Aedes aegypti* and *Culex pipiens fatigans*. — *Ann. trop. Med. Parasit.* 59, 95-98
- DIETLEIN, D. H. (1964). Leishmaniasis in the Sudan Republic. 16. Seasonal incidence of *Phlebotomus* species (Diptera: Psychodidae) in an Upper Nile Province town and village. — *Ann. entomol. Soc. America* 57, 243-246
- CALLOT, J. et al. (1964). Notes sur des diptères nématocères (*Phlebotominae* et *Ceratopogonidae*) de la République de Guinée. — *Bull. Soc. Path. exot.* 57, 960-963
- HADDOW, A. J. (1964). Observations on the biting habits of mosquitos in the forest canopy at Zika, Uganda, with special reference to the crepuscular periods. — *Bull. entomol. Res.* 55, 589-608
- HAMON, J. et al. (1964). Observations sur les préférences alimentaires des moustiques de la République de Haute-Volta. — *Bull. Soc. Path. exot.* 57, 1133-1150
- HAMON, J. et al. (1965). Données récentes concernant la lutte contre les moustiques et les simulies. — *Méd. trop.* 25, 21-40
- MINTER, D. M. (1964). The distribution of sandflies (Diptera, Psychodidae) in Kenya. — *Bull. entomol. Res.* 55, 205-217
- MINTER, D. M. (1964). Seasonal changes in populations of *Phlebotomine* sandflies (Dipt. Psychodidae) in Kenya. — *Bull. ent. Res.* 55, 421-435
- RUTLEDGE, L. C. et al. (1964). Studies on the feeding response of mosquitoes to nutritive solutions in a new membrane feeder. — *Mosquito News* 24, 407-419
- TEMPELIS, C. H. & REEVES, W. C. (1964). Feeding habits of one Anopheline and three Culicine mosquitoes by precipitin test. — *J. med. Ent.* 1, 148-151

Culicidae

- ADAM, J. P. & BAILLY-CHOUMARA, H. (1964). Les Culicidae et quelques autres Diptères hématophages de la République de Guinée. — *Bull. I.F.A.N.* 26 A, 900-923
- CORBET, P. S. (1964). The ovarian condition of certain sylvan mosquitos in Uganda (Diptera: Culicidae). — *Bull. entomol. Res.* 55, 367-382
- FREYVOGEL, T. A. & JAQUET, C. (1965). The prerequisites for the formation of a peritrophic membrane in Culicidae females. — *Acta trop.* 22, 148-154
- FREYVOGEL, T. A. & STÄUBLI, W. (1965). The formation of the peritrophic membrane in Culicidae. — *Acta trop.* 22, 118-147
- ORLY, M. (1964). Lutte contre les grandes endémies à vecteurs. Détermination de la résistance des Culicidés aux insecticides. — *Monographies Inst. Hyg. trop. Méd. Soc. Marseille* No. 4, 66 pp.
- SERVICE, M. W. (1965). The identification of blood-meals from Culicine mosquitos from Northern Nigeria. — *Bull. ent. Res.* 55, 637-643

Aedes

- ALDIGHERI, J. et al. (1964). Certains caractères morphologiques sont-ils suffisants pour différencier des variétés d'*Aedes (Stegomyia) aegypti* Linnaeus 1762 ? Importance des caractères morphologiques. — *Ann. Parasit. hum. comp.* 39, 221-226

- COKER, W. Z. (1965). The genetics of black pedicel, a new colour mutant in *Aedes aegypti* (L.). — Ann. trop. Med. Parasit. 59, 55-63
- GOMA, L. K. H. (1964). Laboratory observations on the oviposition habits of *Aedes (Stegomyia) aegypti* (Linnaeus). — Ann. trop. Med. Parasit. 58, 347-349
- GUNEIDY, A. M. (1964). Dieldrin-resistance in a strain of *Aedes aegypti* (L.) from Puerto Rico. — Bull. entomol. Res. 55, 519-526
- KERR, J. A. et al. (1964). Eradication of *Aedes aegypti* in Latin America. — Mosquito News, 24, 276-282
- KNIGHT, K. L. (1964). Differentiation of the larval instars of *Aedes sollicitans* (Walker) and *A. taeniorhynchus* (Wiedemann) (Diptera: Culicidae). — Proc. entomol. Soc. Washington 66, 160-166
- MACDONALD, W. W. & SHEPPARD, P. M. (1965). Cross-over values in the sex chromosomes of the mosquito *Aedes aegypti* and evidence of the presence of inversions. — Ann. trop. Med. Parasit. 59, 74-87
- RICKENBACH, A. & FERRARA, L. (1965). Description de la larve et de la nymphe de *Aedes (aedimorphus) rickenbachi* Hamon et Adam (1959) (Diptera: Culicidae). — Bull. Soc. Path. exot. 57, 972-978
- ROESSLER, P. & BROWN, A. W. A. (1964). Studies on the responses of the female *Aedes* mosquito. 10. Comparison of oestrogens and amino acids as attractants. — Bull. entomol. Res. 55, 395-403
- SCHOOF, H. F. & JAKOB, W. L. (1964). Insecticides for use against *Aedes aegypti*. — Mosquito News 24, 309-311
- ZWICK, R. W. (1964). Evaluation of *Aedes aegypti* larvicides in various breeding containers. — Mosquito News 24, 206-211

Anopheles

- BRADY, J. (1965). The occurrence of *Anopheles smithii* var. *rageaui* Mattingly and Adam in Ghana, with a note on its possible implication as a vector of non-human malaria. — Ann. trop. Med. Parasit. 59, 99-105
- BRAY, R. S. & GARNHAM, P. C. C. (1964). *Anopheles* as vectors of animal malaria parasites. — Bull. Wld Hlth Org. 31, 143-147
- BÜTTIKER, W. W. & BEALES, P. F. (1964). Keys to the Anopheline mosquitoes of Cambodia with reference to species occurring in some neighbouring territories. — Mitt. Schweiz. entomol. Ges. 37, 191-214
- GEROLD, J. L. & LAARMAN, J. J. (1964). Selection of some strains of *Anopheles atroparvus* with different behavioural responses to contacts with DDT. — Nature 204, 500-501
- GIGLIOLI, M. E. C. (1964). The female reproductive system of *Anopheles gambiae melas*. 2. The ovary. — Riv. Malariol. 43, 265-275
- HAMON, J. et al. (1965). Etudes entomologiques sur la transmission du paludisme humain dans une zone de steppe boisée, la région de Dori (République de Haute-Volta). — Bull. I.F.A.N. 27 A, 1115-1150
- KLASSEN, W. et al. (1964). Laboratory evaluation of certain larvacides against *Anopheles quadrimaculatus* Say. — Mosquito News, 24, 192-196
- KÜHLOW, F. (1964). Beobachtungen über Stenogamie bei einer Laboratoriumskolonie von *Anopheles sacharovi* Favre. — Z. Tropenmed. Parasit. 15, 139-141
- REID, J. A. (1965). A revision of the *Anopheles aitkenii* group in Malaya and Borneo. — Ann. trop. Med. Parasit. 59, 106-125
- SERVICE, M. W. (1964). Dieldrin resistance in *Anopheles funestus* Giles from an unsprayed area in Northern Nigeria. — J. trop. Med. Hyg. 67, 190
- SERVICE, M. W. (1964). An analysis of the numbers of *Anopheles gambiae*

- Giles and *A. funestus* Giles (Diptera, Culicidae) in huts in Northern Nigeria. — Bull. entomol. Res. 55, 29-47
- SERVICE, M. W. (1965). Some basic entomologic factors concerned with the transmission and control of malaria in Northern Nigeria. — Trans. roy. Soc. trop. Med. Hyg. 59, 291-296
- SOLLER-RIEDEL, H. (1964). References to literature of interest to mosquito workers and malariologists. — Mosquito News, 24, 81-90; 355-363
- WEYER, F. (1965). Biologische Beobachtungen an einer Laboratoriumszucht von *Anopheles sacharovi*. — Z. Tropenmed. Parasit. 16, 1-16

Culex

- BROOKS, G. D. & SCHOOF, H. F. (1964). Effectiveness of various dosages of dichlorvos-resin against *Culex pipiens quinquefasciatus*. — Mosquito News 24, 141-143
- BROOKS, G. D. & SCHOOF, H. F. (1964). Field evaluation of five types dichlorvos dispensers against *Culex pipiens quinquefasciatus* in catch basins. — Mosquito News 24, 144-148
- BURTON, G. J. (1964). Results of insecticide resistance tests against larvae of *Culex pipiens quinquefasciatus* Say in British Guiana. — Mosquito News, 24, 329-331
- DAVIDSON, G. (1964). DDT-resistance and Dieldrin-resistance in *Culex pipiens fatigans* Wiedemann. — Ann. trop. Med. Parasit. 58, 180-188
- KITAMURA, S. (1964). The *in vitro* cultivation of tissues from the mosquito *Culex pipiens* var. *molestus*. 1. Cultivation of ovary tissues *in vitro*. — Kobe J. med. Sci. 10, 85-94

Simuliidae

- BALAY, G. (1964). Observations sur l'oviposition de *Simulium damnosum* Theobald et *Simulium adersi* Pomeroy (Diptera, Simuliidae) dans l'est de la Haute-Volta. — Bull. Soc. Path. exot. 57, 588-611
- BURTON, G. J. (1964). An exposure-tube for determining the mortality of *Simulium* larvae in rivers following larvicidal operations. — Ann. trop. Med. Parasit. 58, 339-342
- FALLIS, A. M. (1964). Feeding and related behavior of female Simuliidae (Diptera). — Exp. Parasit. 15, 439-470
- LAMONTELLERIE, M. (1965). *Simulium damnosum* Théobald en zone de savane sèche (Région de Garango, Haute-Volta) (Diptères, Simuliidae). 2. Infestation par *Onchocerca volvulus* Leuckart. — Bull. IFAN, 27, 219-228
- LEWIS, D. J. & IBANEZ DE ALDECOA, R. (1965). Los simulidos y su relación con la oncocercosis humana en Venezuela septentrional. — Bol. Oficina sanit. Panamer. 46, 37-54
- MARR, J. D. M. & LEWIS, D. J. (1964). Observations on the dry-season survival of *Simulium damnosum* Theo. in Ghana. — Bull. ent. Res. 55, 547-564

576.895.772 Brachycera

- OLDROYD, H. (1964). The natural history of flies. 324 pp. ill. — London: Weidenfeld and Nicolson

576.895.772.4 Schizophora

- BURNETT, G. F. et al. (1964). Aircraft applications of insecticides in East Africa. 14. Very low volume aerosols of Dieldrin and Isobenzene for the control of *Glossina morsitans* Westw. — Bull. entomol. Res. 55, 527-539

- CHADWICK, P. R. (1964). Effect of two chemosterilants on *Glossina morsitans*. — Nature, 204, 299-300
- CHADWICK, P. R. et al. (1964). An experiment on the eradication of *Glossina swynnertoni* Aust. by insecticidal treatment of its resting sites. — Bull. entomol. Res. 55, 411-419
- CHALLIER, A. (1964). Observation sur l'ovulation chez *Glossina palpalis gambiensis* Vanderplank, 1949. — Bull. Soc. Path. exot. 57, 985-991
- KERNAGHAN, R. J. & NASH, T. A. M. (1964). A technique for the dispatch of pupae of *Glossina* and other insects by air from the tropics. — Ann. trop. Med. Parasit. 58, 355-358
- NASH, T. A. M. & KERNAGHAN, R. J. (1964). The feeding of haematophagous insects on goats and sheep: techniques for host restraint and cage application. — Ann. trop. Med. Parasit. 58, 168-170
- NASH, T. A. M. et al. (1965). A method for the prevention of skin reactions in goats used for feeding tsetse flies, *Glossina* spp. — Ann. trop. Med. Parasit. 59, 88-94
- ROBINSON, G. G. (1964). Abnormality in the tsetse fly. — Trans. roy. Soc. trop. Med. Hyg. 58, 579
- SAUNDERS, D. S. (1964). The effect of site and sampling method on the size and composition of catches of Tsetse flies (*Glossina*) and Tabanidae (*Diptera*). — Bull. entomol. Res. 55, 483-497

576.895.775 Siphonaptera

- LEWIS, R. E. (1964). A new species of *Coptosylla* Jordan and Rothschild, 1908, from Northern Saudi Arabia with comments and a key to the genus (Siphonaptera: Coptosyllidae). — Proc. biol. Soc. Washington 66, 199-214
- SUTER, P. R. (1964). Biologie von *Echidnophaga gallinacea* (Westw.) und Vergleich mit andern Verhaltenstypen bei Flöhen. — Acta trop. 21, 193-238

Rezensionen — Analyses — Reviews.

Zumpt, F.: Myiasis in Man and Animals in the Old World. A Text-book for Physicians, Veterinarians and Zoologists. 267 pp. ill. — London: Butterworths, 1965. £6 10s.

Unter dem Begriff Myiasen werden bekanntlich pathologische Erscheinungen zusammengefaßt, die von Dipteren hervorgerufen werden, deren Larven meist unter die Haut oder auch tiefer in die Gewebe, zuweilen auch in den Darm oder andere innere Organe, von Mensch und Tier eindringen. Der dabei erzeugte mechanische und physiologische Reiz, gegebenenfalls auch die Preßtätigkeit der Maden im befallenen Gewebe erzeugen spezifische, milde bis sehr heftige Symptome. Diese, neben dem Sandfloh größten aller bekannten Krankheitserreger, kommen in allen Erdteilen, auch in kalten, vor allem aber in warmen bis tropischen Zonen der alten und neuen Welt vor.

Herr Dr. Zumpt, ein alter Dipterenkenner — schon durch seine früheren Publikationen über die Tsetsefliegen bekannt —, hat die verdienstvolle und nicht leichte Arbeit übernommen, die Monographie der Myiasis-erzeugenden Fliegen der alten Welt zusammenzustellen. Das umfassende, hervorragend illustrierte Werk enthält eine unschätzbare Fülle historischer, geographischer