

Zeitschrift: Acta Tropica
Herausgeber: Schweizerisches Tropeninstitut (Basel)
Band: 25 (1968)
Heft: 4

Bibliographie: Bibliographie

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 28.03.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Bibliographie

5 Naturwissenschaften – Sciences naturelles – Natural Sciences

- 576.8 Mikrobiologie, Bakteriologie, Parasitologie
- 576.85 Systematische Bakteriologie
- 576.88 Pflanzen als Parasiten
- 576.89 Tiere als Parasiten. Krankheitsüberträger
- 576.893.1 Protozoa
- 576.894 Mollusca
- 576.895 Articulata

5 Naturwissenschaften – Sciences naturelles – Natural Sciences

576.8 Mikrobiologie. Bakteriologie. Parasitologie – Microbiologie. Bactériologie. Parasitologie – Microbiology. Bacteriology. Parasitology

- BACKER, F. J. (1967). Handbook of bacteriological technique. 2nd ed. 482 pp. ill. — London: Butterworths
- BRUMPT, E. & NEVEU-LEMAIRE, M. (1967). Travaux pratiques de parasitologie. 7e éd. 404 pp. ill. — Paris: Masson
- COLLINS, C. H. & TAYLOR, C. E. D. (1967). Microbiological methods. 2nd ed. 404 pp. — London: Butterworths
- DAWES, B. (Ed.) (1967). Advances in parasitology. Vol. 5, 319 pp. ill. — London: Academic Press
- DREWS, G. (1968). Mikrobiologisches Praktikum für Naturwissenschaftler. — Berlin: Springer-Verlag
- FAUST, E. C., BEAVER, P. C. & JUNG, R. C. (1968). Animal agents and vectors of human diseases. 3rd ed. 461 pp. ill. — Philadelphia: Lea & Febiger
- IMMUNITY TO PARASITES. (1968). Ed. by A. E. R. Taylor. 6th Symposium of the British Society for Parasitology. 118 pp. ill. — Oxford: Blackwell Scientific Publ.
- JAWETZ, E., MELNICK, L. L. & ADELBERG, E. A. (1968). Medizinische Mikrobiologie. 2. Aufl. 760 pp. ill. — Berlin: Springer-Verlag
- JONES, A. W. (1967). Introduction to parasitology. 472 pp. ill. — Rieding Mass. and London: Addison-Wesley Publ. Co.
- MOUSTARDIER, G. (1968). Bactériologie médicale. 3e éd. 1123 pp. ill. — Paris: Maloine S.A.
- NAJARIAN, H. H. (1967). Textbook of medical parasitology. 167 pp. ill. — Baltimore: The Williams & Wilkins Company
- ROMEIS, B. (1968). Mikroskopische Technik. 16. Aufl. 757 pp. ill. — München: Oldenbourg Verlag
- WAGNER, M. (1967). Fluoreszierende Antikörper und ihre Anwendung in der Mikrobiologie. 405 pp. ill. — Jena: VEB Gustav Fischer Verlag
- WEINMAN, D. & RISTIC, M. (Ed.). (1968). Infectious blood diseases of man and animals. Diseases caused by protista. Vol. 1: Special topics and general characteristics. 493 pp. ill. Vol. 2: The pathogens, the infections and the consequences. 575 pp. ill. — New York (etc.): Academic Press

576.851 Eubacteriales

- ALBIZO, J. M. & SURGALLA, M. J. (1968). Specific identification of fraction I-positive *Pasteurella pestis* colonies on antiserum-agar plates. — Appl. Microbiol. 16, 649-655

- ALDRICK, S. J. (1968). Typing of *Brucella* strains from Australia and Papua New Guinea received by the regional W.H.O. brucellosis centre. — Aust. vet. J. 44, 130-133
- ARATA, A. A. *et al.* (1968). Salmonella and Shigella infections in bats in selected areas of Colombia. — Amer. J. trop. Med. Hyg. 17, 92-95
- BAYLET, R. (1968). Recherche sur le *Mycobacterium leprae*. Essais de culture. — Bull. Soc. Méd. Afr. noire Langue franç. 13, 93-97
- BOIRON, H. *et al.* (1968). Quelques aspects de cultures cellulaires inoculées avec *Mycobacterium tuberculosis*. — Bull. Soc. Méd. Afr. noire Langue franç. 13, 187-189
- BOROS, D. L. & GERICHTER, CH. B. (1968). The effect of reticuloendothelial blockade and passively transferred peritoneal cells on the experimental infection of mice, with *Salmonella typhi*, strain Ty₂. — Ann. Inst. Pasteur 114, 367-377
- BRIAN, B. L. & GARDNER, E. W. (1968). Fatty acids from *Vibrio cholerae* lipids. — J. infect. Dis. 118, 47-53
- CAMPO-AASEN, I. & CONVIT, J. (1968). Identification of the noncultivable pathogenic mycobacteria *M. leprae* and *M. lepramurium*. — Int. J. Leprosy 36, 166-170
- EL-SHAWI, N. & THEWAINI, A. J. (1968). El Tor vibrios isolated in the epidemic cholera in Iraq in 1966. — Bull. Org. mond. Santé 38, 319-321
- GALLUT, J. (1968). Actualité du choléra. Evolution des problèmes épidémiologiques et bactériologiques. — Bull. Inst. Pasteur 66, 219-248
- GANGAROSA, E. J. *et al.* (1968). Laboratory methods in cholera: isolation of *Vibrio cholerae* (El Tor and classical) on TCBS medium in minimally equipped laboratories. — Trans. roy. Soc. trop. Med. Hyg. 62, 693-699
- FELSENFELD, O. *et al.* (1968). Cholera studies in non-human primates. 8. Comparison of methods for the enumeration of immunologically active cells and early immune globulin, precipitin, vibriocidin and antitoxin formation. — Trans. roy. Soc. trop. Med. Hyg. 62, 278-284
- GAVRILA, I. *et al.* (1968). Recherche des agglutinines et des hémagglutinines complètes et incomplètes pour le diagnostic des infections à *Salmonella typhi murium*. — Ann. Inst. Pasteur 115, 79-83
- GRAMMANCO, G. (1968). Conversion lysogénique de caractères antigéniques de *Shigella flexneri* (Antigène II de type complexe 7, 8 de groupe). — Ann. Inst. Pasteur 114, 63-76
- HANKS, J. H. (1968). Microscopic counts of mycobacteria conversion factors for the pin-head method. — Int. J. Leprosy 36, 76-77
- HART, P. D. & REES, R. J. W. (1968). Elongation *in vitro* of *Mycobacterium lepraemurium* as a distinction from *Mycobacterium leprae*. — Int. J. Leprosy 36, 83-86
- KELTERBORN, E. (1967). Salmonella species. 535 pp. ill. — La Haye: W. Junk
- KIRCHHEIMER, W. F. & PRABHAKARAN, K. (1968). Metabolic and biologic tests on mycobacteria once labeled as leprosy bacilli. — Int. J. Leprosy 36, 162-165
- LANG, D. *et al.* (1968). Electron microscopy of particles associated with a bacteriocinogenic *Vibrio cholerae* strain. — J. Bact. 95, 708-709
- LE MINOR, L. (1968). Conversions antigéniques chez les Salmonella. — Ann. Inst. Pasteur 114, 49-62; 115, 62-67
- MAYDAT, L. & SARRAT, H. (1968). A propos de la sensibilité *in vitro* aux antibiotiques classiques de salmonelles isolées à Dakar 1967. — Afr. méd. 7, 269-271
- PASCARIU, C. *et al.* (1968). Tirage des agglutinines et des hémagglutinines complètes et incomplètes dans les shigelloses. — Ann. Inst. Pasteur 115, 84-90

- PRABHAKARAN, K. (1968). Properties of phenoloxidase in *Mycobacterium leprae*. — *Nature* 218, 973-974
- REYES-GOMEZ, P. *et al.* (1968). Isolation of polysaccharides from tissues infected with *Mycobacterium lepraemurium*. — *Int. J. Leprosy* 36, 60-63
- SELTMANN, G. (1968). Studies on the antigenic structure of Shigellae. 2. Studies on immunochemistry of *Shigella boydii*. — *Arch. Immunol. Ther. exp.* 16, 367-375
- SHEPARD, C. C. & MCRAE, D. H. (1968). A method for counting acid-fast bacteria. — *Int. J. Leprosy* 36, 78-82
- VAN OYE, E. & DU PRÉ, C. (1968). Une nouvelle espèce de Salmonella en provenance du Nigéria, *Salmonella biafra*. — *Ann. Inst. Pasteur* 115, 77-78
- ZULANI, M. E. & TRABULSI, L. R. (1968). Sensibilidade *in vitro* a sulfadiazina e a 5 antibióticos de 166 amostras de *Shigella*, isoladas em São Paulo, Brasil. — *Rev. Inst. Med. trop. São Paulo* 10, 70-77

576.851.7 Rickettsia. Bartonella

- BARKER, L. F. & PATT, J. K. (1968). Production of rickettsial complement-fixing antigens in tissue culture. — *J. Immunol.* 100, 821-824
- BARKER, L. F. *et al.* (1968). Titration and neutralization of *Rickettsia tsutsugamushi* in tissue culture. — *J. Immunol.* 100, 825-830
- BÜNGENER, W. (1968). Beseitigung von *Eperythrozoon coccoides* aus Stämmen von *Babesia rodhaini*, *Plasmodium berghei* und *Plasmodium vinckei*. — *Z. Tropenmed. Parasit.* 19, 121-124
- BURGDORFER, W. & ORMSBEE, R. A. (1968). Development of *Rickettsia prowazeki* in certain species of ixodid ticks. — *Acta Virol.* 12, 36-40
- CAMPBELL, R. W. & POPE, J. H. (1968). The value of newborn mice as a sensitive host for *Rickettsia australis*. — *Austr. J. Sci.* 30, 324-325
- CAPPONI, M. (1968). Sur quelques caractères de *Rickettsia tsutsugamushi* et sur divers moyens de la conserver. — *C. R. Soc. Biol. (Paris)* 161, 2445-2447
- LUNDGREN, D. L. *et al.* (1968). Experimental infection of lagomorphs with *Rickettsia rickettsii*. — *Amer. J. trop. Med. Hyg.* 17, 213-218
- SILBERMAN, R. & FISET, P. (1968). Method for counting rickettsiae and chlamydiae in purified suspensions. — *J. Bact.* 95, 259-261

576.856 Spirochaetales

- AESCHLIMANN, A. *et al.* (1968). Observations on the ultrastructure of various *Borrelia* species (blood and tissue forms). — *Acta trop.* 25, 175-181
- AZUMA, I. *et al.* (1968). Effect of mycolic acid and its derivatives on the growth of *Leptospira icterohaemorrhagiae*. — *J. Bact.* 95, 1489-1490
- FRESH, J. W. *et al.* (1968). Leptospirosis in man and rodents on Taiwan. — *Amer. J. trop. Med. Hyg.* 17, 760-768
- KATHE, J. & MOCHMANN, H. (Hrsg.) (1967). *Leptospiren und Leptospirosen*. 482 pp. ill. — Jena: Gustav Fischer Verlag
- MAILLOUX, M. (1968). Présence d'anticorps antileptospira chez le lapin. — *Bull. Soc. Path. exot.* 61, 149-154
- MARINKELLE, C. J. & GROSE, E. S. (1968). Species of *Borrelia* from a Colombian bat (*Natalus tumidirostris*). — *Nature* 218, 487
- MINETTE, H. P. & SHAFFER, M. F. (1968). Experimental leptospirosis in monkeys. — *Amer. J. trop. Med. Hyg.* 17, 202-212
- PICKENS, E. G. (1968). Spirochete from the rabbit tick, *Haemaphysalis leporispalustris* (Packard). — *J. Bact.* 95, 291-299
- WEYER, F. (1968). Zur Frage der Haltung und Konservierung von Rückfallfieber-Stämmen im Laboratorium. — *Z. Tropenmed. Parasit.* 19, 344-351

576.858 Virus

- BASTARDO, J. W. *et al.* (1968). Structure of Oriecoca, Restan, and Manzanilla arboviruses. — Amer. J. trop. Med. Hyg. 17, 115-119
- BOORMAN, J. P. T. & DRAPER, C. C. (1968). Isolations of arboviruses in the Lagos Area of Nigeria, and a survey of antibodies to them in man and animals. — Trans. roy. Soc. trop. Med. Hyg. 62, 269-277
- CORNET, M. (1968). Les vecteurs potentiels du virus amaril en République du Sénégal. — Méd. Afr. Noire 14, 423-425
- DOHERTY, R. L. *et al.* (1968). Studies of the epidemiology of arthropod-borne virus infections at Mitchell River Mission, Cape York Peninsula, North Queensland. 2. Arbovirus infections of mosquitoes, man and domestic fowls, 1963-1966. — Trans. roy. Soc. trop. Med. Hyg. 62, 430-438
- DOWNES, W. G. *et al.* (1968). Arbovirus studies in Bush Bush forest, Trinidad, W.I., September 1959 to December 1964. 1-6. — Amer. J. trop. Med. Hyg. 17, 224-298
- IGARASHI, A. *et al.* (1968). Antibody against Japanese encephalitis virus in sera of dengue hemorrhagic fever patients in Thailand. — Biken J. 11, 41-49
- JONKERS, A. H. *et al.* (1968). Laboratory studies with wild rodents and viruses native to Trinidad. 3. Studies with three Guamá-group viruses. — Amer. J. trop. Med. Hyg. 17, 299-307
- JUNQUEIRA, L. C. U. (1968). Note on the presence of virus-like aggregates and particles of unknown origin in the tissue of a colubrid snake (*Xenodon merremii*). — Rev. Inst. Med. trop. São Paulo 10, 138-140
- JUSTINES, G. & JOHNSON, K. M. (1968). Use of oral swabs for detection of Machupo virus infection in rodents. — Amer. J. trop. Med. Hyg. 17, 788-790
- LAM, K. S. K. *et al.* (1968). Dual infections of *Aedes aegypti* with arboviruses. 1-2. — Amer. J. trop. Med. Hyg. 17, 625-636; 637-644
- MAYHEW, C. J. *et al.* (1968). Assessment of aerosol stability of yellow fever virus by fluorescent-cell counting. — Appl. Microbiol. 16, 263-266
- MILLER, M. H. & SCHERER, W. F. (1968). Venezuelan encephalitis viremia in hamsters and its relation to virus feedback from sentinel hamsters to mosquitoes in nature. — Amer. J. trop. Med. Hyg. 17, 776-780
- PAUL, S. D. (1968). Comparative susceptibility of primary cultures from renal epithelia cells of *Macaca radiata* and BS-C-1 cell line for the isolation of dengue virus. — Ind. J. med. Res. 56, 142-149
- PELEG, J. (1968). Growth of arboviruses in primary tissue culture of *Aedes aegypti* embryos. — Amer. J. trop. Med. Hyg. 17, 219-223
- POPE, J. H. *et al.* (1968). Cultivation and fine structure of virus-bearing lymphoblasts from a second New Guinea Burkitt lymphoma: establishment of sublines with unusual cultural properties. — Int. J. Cancer 3, 171-182
- SALIM, A. R. (1968). Growth of phlebotomus (sand fly) fever viruses in hamster-embryo tissue culture. — Amer. J. trop. Med. Hyg. 17, 129-132
- SCHERER, W. F. *et al.* (1968). Nodamura virus, an ether- and chloroform-resistant arbovirus from Japan. — Amer. J. trop. Med. Hyg. 17, 120-128
- SINGH, K. R. P. & PAUL, S. D. (1968). Multiplication of arboviruses in cell lines from *Aedes albopictus* and *Aedes aegypti*. — Curr. Sci. 37, 65-67
- SMITH, KENNETH M. (1967). Insect virology. 256 pp. ill. — New York: Academic Press
- SORRENTINO, J. V. *et al.* (1968). The immunologic response of the guinea pig to eastern equine encephalomyelitis vaccines. — Amer. J. trop. Med. Hyg. 17, 619-624
- STANDFAST, H. A. & BARROW, G. J. (1968). Studies of the epidemiology of arthropodborne virus infections at Mitchell River Mission, Cape York Penin-

- sula, North Queensland. 1. Mosquito collections, 1963-1966. — Trans. roy. Soc. trop. Med. Hyg. 62, 418-429
- TAKAKU, K. *et al.* (1968). Japanese encephalitis purified vaccine. — Biken J. 11, 25-39
- WESTAWAY, E. G. (1968). Antibody responses in rabbits to the group B arbovirus Kunjin: serologic activity of the fractionated immunoglobulins in homologous and heterologous reactions. — J. Immunol. 100, 569-580
- WHITEHEAD, R. H. *et al.* (1968). Studies of the epidemiology of arthropod-borne virus infections at Mitchell River Mission, Cape York Peninsula, North Queensland. 3. Virus studies of wild birds, 1964-1967. — Trans. roy. Soc. trop. Med. Hyg. 62, 439-445
- YUILL, T. M. *et al.* (1968). Dengue-virus recovery by direct and delayed plaques in LLC-MK₂ cells. — Amer. J. trop. Med. Hyg. 17, 441-448

576.88 Pflanzen als Parasiten – Plantes parasitaires – Parasitic Plants

- BREHMER, O. DE A. *et al.* (1968). Nova técnica para identificação histoquímica de *Cryptococcus neoformans*. — Rev. Inst. Med. trop. São Paulo 10, 124-126
- COUDERT, J. *et al.* (1968). Etudes antigéniques comparées de quelques levures pathogènes du genre *Candida* par immunofluorescence, agglutination et immunoélectrophorèse. — Ann. Inst. Pasteur 114, 287-296
- SÉGRÉTAİN, G. & MARIAT, F. (1968). Recherches sur la présence d'agents de mycétomes dans le sol et sur les épineux du Sénégal et de la Mauritanie. — Bull. Soc. Path. exot. 61, 194-202
- TESH, R. B. *et al.* (1968). Histoplasmosis in Colombian bats. — Amer. J. trop. Med. Hyg. 17, 102-106
- VANBREUSEGHEM, R. (1968). *Trichophyton soudanese* in and outside Africa. — Brit. J. Derm. 80, 140-148

576.89 Tiere als Parasiten. Krankheitsüberträger – Animaux parasitaires. Vecteurs de maladies – Parasitic Animals. Disease Carriers

576.893.1 Protozoa

- GRELL, KARL G. (1968). Protozoologie. 2. Aufl. 511 pp. ill. — Berlin: Springer-Verlag
- HONIGBERG, B. M. (1968). Some recent advances in our understanding of parasitic protozoa. — J. Protozool. 15, 223-230
- MYERS, B. J. & KUNTZ, R. E. (1968). Intestinal protozoa of the baboon *Papio doguera* Pucheran, 1856. — J. Protozool. 15, 363-365
- RESEARCH IN PROTOZOLOGY. (1967). Ed. by Tze-Tuan Chen. Vol. I, 428 pp. ill. Vol. II, 400 pp. ill. — Oxford (etc.): Pergamon Press

576.893.12 Amoebozoa

- ALI KHAN, Z. & MEEROVITCH, E. (1968). A comparative study of the antigens of some of the "histolytica-type" strains of *Entamoeba*. — Amer. J. trop. Med. Hyg. 17, 528-539
- BRUMPT, L. & ARDOIN, F. (1968). Traitement de l'amibiase expérimentale du rat blanc par le niridazole. — Bull. Soc. Path. exot. 61, 25-30
- CARNERI, I. DE. (1968). Studio delle relazioni tra *Entamoeba histolytica*, i ceppi Laredo, *Entamoeba invadens* ed *Entamoeba moshkovskii* valutate in base alla sensibilità ai farmaci antiamebici. — G. Mal. infett. 20, 320-327
- DAS, N. & RAY, H. N. (1968). A hyperparasite of *Entamoeba suis* from the Indian domestic pig *Sus scrofa*. — J. Protozool. 15, 383-385
- DIAMOND, L. S. (1968). Improved method for the monoxenic cultivation of

- Entamoeba histolytica* Schaudinn, 1903, and *E. histolytica*-like Amebae with trypanosomatids. — J. Parasit. 54, 715-719
- FLICKINGER, C. J. (1968). The fine structure of the nucleoli of normal and actinomycin D-treated *Amoeba proteus*. — J. Ultrastruct. Res. 23, 260-271
- FRIZ, C. T. (1968). The nitrogen content of the water soluble proteins of three species of the free-living amoebae. — Life Sci. 7, 583-585
- GOSH, T. N. (1968). Observations on the type specimen of *Entamoeba serpentis* Cunha and Fonseca, 1917. — J. Protozool. 15, 164-166
- GREWAL, M. S. (1968). *In vitro* comparative evaluation of metronidazole and other anti-amoebic drugs against *Entamoeba histolytica*. — Ind. J. med. Res. 56, 646-653
- MCCONNACHIE, E. W. (1968). The growth of an axenic strain of *Entamoeba invadens* in different media. — Parasitology 58, 733-740
- MONTALVO, F. & REEVES, R. E. (1968). Electrophoretic characterization of amebal glucose phosphate isomerases. — Exp. Parasit. 22, 129-136
- NEAL, R. A. & JOHNSON, P. (1968). The virulence to rats of five *Entamoeba histolytica*-like strains capable of growth at 25°C and attempts to discover similar strains. — Parasitology 58, 599-603
- NEAL, R. A. *et al.* (1968). Comparison of clinical observations on patients infected with *Entamoeba histolytica*, with serological titres of their sera and virulence of their amoebae to rats. — Trans. roy. Soc. trop. Med. Hyg. 62, 69-75
- REEVES, R. E. & BISCHOFF, J. M. (1968). Classification of *Entamoeba* species by means of electrophoretic properties of amebal enzymes. — J. Parasit. 54, 594-600
- ROBINSON, G. L. (1968). The laboratory diagnosis of human parasitic amoebae. — Trans. roy. Soc. trop. Med. Hyg. 62, 285-294
- RONDANELLI, E. G. *et al.* (1968). Aspetti ultrastrutturali di diverse specie di *Entamoeba* a cisti tetranucleate. Ricerche comparative microelettroniche. — Giorn. Mal. infett. parassit. 20, 286-291
- SALT, G. W. (1968). The feeding of *Amoeba proteus* on *Paramecium aurelia*. — J. Protozool. 15, 275-280
- SCHNEIDER, C. R. & GORDON, R. M. (1968). The effect of medium components on the specificity of axenic *Entamoeba histolytica* antigen. — J. Parasit. 54, 711-714

576.893.16 Flagellata

- ANDRADE, S. G. & ANDRADE, Z. A. (1968). Patologia da doença de Chagas experimental de longa duração. — Rev. Inst. Med. trop. São Paulo 10, 180-187
- ARAÚJO, F. G. & MAYRINK, W. (1968). Fluorescent antibody test in visceral leishmaniasis. 2. Studies on the specificity of the test. — Rev. Inst. Med. trop. São Paulo 10, 41-45
- BAKER, J. R. & BIRD, R. G. (1968). *Trypanosoma avium*: fine structure of all developmental stages. — J. Protozool. 15, 298-308
- BARRETTO, M. P. *et al.* (1968). Estudos sobre reservatórios e vetores silvestres do *Trypanosoma cruzi*. 22. Observações sobre criadouros do *Rhodnius neglectus* Lent. 1954 em biotopos artificiais (Hemiptera, Reduviidae). — Rev. Inst. Med. trop. São Paulo 10, 163-170
- BENEX, J. & LAMY, L. (1968). Isolement, caractérisation et fractionnement d'un antigène leishmanien pour réaction de fixation du complément et test de précipitation. — Ann. Inst. Pasteur 115, 91-96
- BIENZ, K. (1968). Über die Züchtbarkeit von *Trypanosoma brucei* und dessen Vermehrungsfähigkeit in virusinfizierten Wirten. — Acta trop. 25, 39-71

- BOUISSET, L. *et al.* (1968). Etude de l'ADN des trypanosomes *T. gambiense* et *T. cruzi*. — Bull. Soc. Path. exot. 61, 36-43
- CHIARI, E. *et al.* (1968). Some effects of gamma-radiation on *Trypanosoma cruzi*, culture and blood forms. — Rev. Inst. Med. trop. São Paulo 10, 131-137
- CICCHINI, T. & MESSERI, E. (1968). Comportamento della protidemia totale e del protidogramma elettroforetico in ratti infettati con *Trypanosoma lewisi*. — Arch. ital. Sci. med. trop. Parassit. 49, 71-76
- CICCHINI, T. & MESSERI, E. (1968). Comportamento delle mucoproteine ematiche in ratti infettati con *Trypanosoma lewisi*. — Arch. ital. Sci. med. trop. Parassit. 49, 121-126
- CICCHINI, T. & MESSERI, E. (1968). Comportamento della cupremia del ratto in corso di infezione sperimentale da *Trypanosoma lewisi*. — Arch. ital. Sci. med. trop. Parassit. 49, 171-175
- DUSANIC, D. G. (1968). Growth and immunologic studies on the culture forms of *Trypanosoma lewisi*. — J. Protozool. 15, 328-333
- FROMENTIN, H. *et al.* (1968). Dosages enzymatiques effectués sur différentes souches de *Trypanosoma gambiense* (Dutton, 1902). — Acta trop. 25, 29-38
- GEIGY, R. *et al.* (1968). On the trypanosome infection rate of *Glossina morsitans* in the Ulanga District (Tanzania). — Acta trop. 25, 72-77
- GONZÁLES CAPPÀ, S. M. *et al.* (1968). Complement-fixation tests, skin tests, and experimental immunization with antigens of *Trypanosoma cruzi* prepared under pressure. — Amer. J. trop. Med. Hyg. 17, 709-715
- GONZÁLES CAPPÀ, S. M. *et al.* (1968). Nouvelle technique pour la préparation d'antigènes de *Trypanosoma cruzi*. — C. R. Soc. Biol. 162, 293
- GREENBLATT, C. L. & SHELTON, E. (1968). Mouse serum as an environment for the growth of *Trypanosoma lewisi*. — Exp. Parasit. 22, 187-200
- HANSON, W. L. *et al.* (1968). Experimental infection of *Triatoma infestans* and *Rhodnius prolixus* with trypanosomatidae of the genera *Crithidia* and *Blastocrithidia*. — J. Protozool. 15, 346-349
- HERBERT, W. J. *et al.* (1968). Survival of trypanosomes after rapid cooling and storage at -196°C . — Trans. roy. Soc. trop. Med. Hyg. 62, 209-212
- HERBERT, W. J. & LUMSDEN, W. H. R. (1968). Infectivity and virulence of *Trypanosoma (trypanozoon) brucei* for mice. 1-2. — J. comp. Path. 78, 341-344; 345-349
- HERMAN, R. (1968). Acriflavin-induced dyskinetoplastic *Leishmania donovani* grown in monkey kidney cell culture. — J. Protozool. 15, 35-44
- HONIGBERG, B. M. & GOLDMAN, M. (1968). Immunologic analysis by quantitative fluorescent antibody methods of the effects of prolonged cultivation on *Trichomonas gallinae*. — J. Protozool. 15, 176-184
- KRISHNAMURTHY, R. (1968). Studies on the morphology of monocercomonad flagellates from reptiles in India. 1. Parasites of snakes. 2. Parasites of lizards. — Riv. Parassit. 29, 1-16; 83-90
- KRISHNAMURTHY, R. (1968). A new flagellate of the genus *Proteromonas* Kunster, 1883, from an Indian lizard. — Parasitology 58, 531-534
- LAINSON, R. & SHAW, J. J. (1968). Leishmaniasis in Brazil. 1. Observations on enzootic rodent leishmaniasis — incrimination of *Lutzomyia flaviscutellata* (Mangabeira) as the vector in the lower Amazonian basin. 2. The feeding habits of the vector, *Lutzomyia flaviscutellata* in reference to man, rodents and other animals. — Trans. roy. Soc. trop. Med. Hyg. 62, 385-405
- LANHAM, S. M. (1968). Separation of trypanosomes from the blood of infected rats and mice by anion exchangers. — Nature 218, 1273-1274
- LE RAY, D. (1968). Le mécanisme intime de la virulence des trypanosomes. — Acad. roy. Sci. Outre-Mer, Classe Sci. nat. méd. N.S. 17, No. 4 1-45

- LUMSDEN, W. H. R. *et al.* (1968). Factors influencing the infectivity of a *Trypanosoma brucei* stabilate for mice. — J. Protozool. 15, 129-131
- KÖBERLE, G. (1968). Chagas-Krankheit bei Haustieren. Quantitative Studien der Ganglienzellen des Plexus myentericus. — Z. Tropenmed. Parasit. 19, 83-94
- MANNWEILER, E. & OELERICH, S. (1968). Serologische Untersuchungen mit Trichomonaden. — Z. Tropenmed. Parasit. 19, 308-316
- MELLO, D. A. DE & COELHO, A. G. M. (1968). Sobre tripanossomos de roedores silvestres da região do Araripe do Estado de Pernambuco. — Rev. Soc. Bras. Med. trop. 2, 67-70
- MENEZES, H. (1968). The effect of phenolated vaccines against experimental *Trypanosoma cruzi* infection in mice. — Rev. Soc. Bras. Med. trop. 2, 59-66
- MENEZES, H. (1968). Protective effect of an avirulent (cultivated) strain of *Trypanosoma cruzi* against experimental infection in mice. — Rev. Inst. Med. trop. São Paulo 10, 1-4
- MICHEL, R. & WESTPHAL, A. (1968). Das Verhalten der eosinophilen Leukozyten bei ektopischen *Trichomonas vaginalis*-Infektionen spezifisch sensibilisierter Mäuse. — Z. Tropenmed. Parasit. 19, 141-151
- MONIER, J. C. *et al.* (1968). Etude comparative et signification de trois techniques de recherche des anticorps anti-ADN (Immunofluorescence sur noyau de *Trypanosoma gambiense*, fixation du complément, hémagglutination conditionnée). — Ann. Inst. Pasteur 115, 403-415
- MOON, A. P. *et al.* (1968). Serum biochemical changes in mice infected with *Trypanosoma rhodesiense* and *Trypanosoma duttoni*. — Exp. Parasit. 22, 112-121
- MÜHLPFORDT, H. (1968). Untersuchungen über die experimentelle *Trypanosoma lewisi*-Infektion der Maus. — Z. Tropenmed. Parasit. 19, 73-82
- NEAL, R. A. (1968). The effect of antibiotics of the neomycin group on experimental cutaneous leishmaniasis. — Ann. trop. Med. Parasit. 62, 54-62
- NEAL, R. A. & MILES, R. A. (1968). An indirect haemagglutination test for *Trypanosoma cruzi* (Chagas' disease). — Trans. roy. Soc. trop. Med. Hyg. 62, 7
- PATTON, C. L. & CLARK, D. T. (1968). *Trypanosoma lewisi* infections in normal rats and in rats treated with dexamethasone. — J. Protozool. 15, 31-35
- QUILICI, M. *et al.* (1968). L'immuno-fluorescence dans les leishmanioses. Comparaison avec la réaction de fixation du complément. — Méd. trop. 28, 37-43
- RAO, T. B. & TODD, S. R. (1968). A new flagellate *Trichomitus corydiae* from the insect *Corydia petiveriana*. — Riv. Parassit. 29, 91-95
- SANCHEZ, G. & DUSANIC, D. G. (1968). Growth of the bloodstream form of *Trypanosoma lewisi* *in vitro*. — J. Parasit. 54, 601-605
- SHAW, J. J. & LAINSON, R. (1968). Leishmaniasis in Brazil: 2. Observations on enzootic rodent leishmaniasis in the lower Amazon region — the feeding habits of the vector, *Lutzomyia flaviscutellata* in reference to man, rodents and other animals. — Trans. roy. Soc. trop. Med. Hyg. 62, 396-405
- SIMPSON, L. (1968). Behavior of the kinetoplast of *Leishmania tarentolae* upon cell rupture. — J. Protozool. 15, 132-136
- SIMPSON, L. (1968). Leishmania-leptomonad transformation of *Leishmania donovani*: nutritional requirements, respiration changes and antigenic changes. — J. Protozool. 15, 201-207
- TARATUTO, A. L. *et al.* (1968). Histopathology in Rockland mice immunized against American trypanosomiasis (Chagas' disease). — Amer. J. trop. Med. Hyg. 17, 716-723
- URSO, B. (1968). Some remarks and considerations on the old classification of trypanosomes by Chalmers (1918) as amended by Iacono (1935). — J. trop. Med. Hyg. 71, 1-3

WARD, R. A. (1968). The susceptibility of *Glossina austeni* to infection with *Trypanosoma brucei*. — Trans. roy. Soc. trop. Med. Hyg. 62, 672-678

576.893.19 Sporozoa

AIKAWA, M. *et al.* (1968). Exoerythrocytic stages of *Plasmodium gallinaceum* in chick-embryo liver as observed electron microscopically. — Amer. J. trop. Med. Hyg. 17, 156-169

ALGER, N. E. (1968). *In vitro* development of *Plasmodium berghei* ookinetes. — Nature 218, 774

BAFORT, J. (1968). Primary exo-erythrocytic forms of *Plasmodium vinckei*. — Nature 217, 1264-1265

BRAMBILLA, E. & GALLI, L. (1968). Forme degenerative di *Plasmodium berghei* in topi mantenuti a temperatura elevata. — Riv. Parassit. 29, 97-100

BRIGGS, N. T. *et al.* (1968). Variants of *Plasmodium berghei* resistant to passive transfer of immune serum. — Exp. Parasit. 22, 338-345

BROWN, I. N. *et al.* (1968). *Plasmodium berghei* infections in thymectomized rats. — Nature 219, 292-293

BÜNGENER, W. (1968). Altersstruktur und Entwicklungsstadien von *Plasmodium vinckei*-Populationen. — Z. Tropenmed. Parasit. 19, 181-184

BÜNGENER, W. & NIELSON, C. (1968). Nukleinsäurestoffwechsel bei experimenteller Malaria. 2. Einbau von Adenosin und Hypoxanthin in die Nukleinsäuren von Malariaparasiten (*Plasmodium berghei* und *Plasmodium vinckei*). — Z. Tropenmed. Parasit. 19, 185-197

BÜTTNER, D. W. (1968). Vergleichende Untersuchung der Feinstruktur von *Babesia gibsoni* und *Babesia canis*. — Z. Tropenmed. Parasit. 19, 330-342

CALLOW, L. L. (1968). The infection of *Boophilus microplus* with *Babesia bigemina*. — Parasitology 58, 663-670

CANNING, E. U. & ANWAR, M. (1968). Studies on meiotic division in coccidial and malarial parasites. — J. Protozool. 15, 290-298

CENEDELLA, R. J. (1968). Lipid synthesis from glucose carbon by *Plasmodium berghei in vitro*. — Amer. J. trop. Med. Hyg. 17, 680-684

COLLINS, W. E. *et al.* (1968). Studies on the persistence of malarial antibody response. — Amer. J. Epidemiol. 87, 592-598

COMITÉ OMS d'experts du paludisme. (1968). Quatorzième rapport. 56 pp. — Genève: Organisation mondiale de la Santé = Série de Rapports techniques N° 382

CONRAD, M. E. & DENNIS, L. H. (1968). Splenic function in experimental malaria. — Amer. J. trop. Med. Hyg. 17, 170-172

COX, F. E. G. (1968). Immunity to malaria after recovery from piroplasmosis in mice. — Nature 219, 646

COX, H. W. *et al.* (1968). Serologic cross-reactions of serum antigens associated with acute *Plasmodium* and *Babesia* infections. — Amer. J. trop. Med. Hyg. 17, 13-18

COX, H. W. & MILAR, R. (1968). Cross-protection immunization by *Plasmodium* and *Babesia* infections of rats and mice. — Amer. J. trop. Med. Hyg. 17, 173-179

DENNIS, L. H. & CONRAD, M. E. (1968). Anticoagulant and antimalarial action of heparin in simian malaria. — Lancet I, 769-771

DZBENSKI, T. H. (1968). Preliminary studies of the antigenic structure of *Plasmodium berghei* with the aid of diffusion in gel. — Bull. Inst. mar. Med. Gdansk 19, 25-29

FARMER, J. N. & BREITENBACH, R. P. (1968). *Plasmodium lophurae* infections

- and related serum protein changes in 2-week-old normal and hormonally burssectomized chickens. — J. Parasit. 54, 137-149
- FINERTY, J. F. & DIMOPOULLOS, G. T. (1968). Disk electrophoretic separation of soluble preparations of *Plasmodium lophurae* and *Anaplasma marginale*. — J. Parasit. 54, 585-587
- FRIEDHOFF, K. & SCHOLTYSECK, E. (1968). Feinstrukturen von *Babesia ovis* (Piroplasmidea) in *Rhipicephalus bursa* (Ixodoidea): Transformation sphäroider Formen zu Vermiculaformen. — Z. Parasitenk. 30, 347-359
- GARNHAM, P. C. C. *et al.* (1968). The prepatent and incubation period of the VS strain of *Plasmodium malariae*. — Folia Parasit. 15, 161-162
- HAWKING, F. *et al.* (1968). Host temperature and control of 24-hour and 48-hour cycles in malaria parasites. — Lancet I, 506-509
- HELD, J. R. *et al.* (1968). Studies of the exoerythrocytic stages of simian malaria. 3. *Plasmodium inui*. — Parasitology 54, 249-254
- HOLBROOK, A. A. *et al.* (1968). Observations on the development of *Babesia caballi* (Nuttall) in the tropical horse tick *Dermacentor nitens* Neumann. — J. Protozool. 15, 391-396
- JADIN, J. M. & CREEMERS, J. (1968). Ultrastructure et biologie des toxoplasmes. 3. Observations de toxoplasmes intraérythrocytaires chez un mammifère. — Acta trop. 25, 267-270
- JERUSALEM, C. (1968). Relationship between malaria infection (*Plasmodium berghei*) and malignant lymphoma in mice. — Z. Tropenmed. Parasit. 19, 94-108
- JERUSALEM, C. (1968). Active immunization against malaria (*Plasmodium berghei*). — Z. Tropenmed. Parasit. 19, 171-181
- KIELMAN, A. & WEISS, N. (1968). Fluorescent antibody technique in malaria. — Trans. roy. Soc. trop. Med. Hyg. 62, 458
- KIELMANN, A. & WEISS, N. (1968). *Plasmodium gallinaceum* as antigen in immunofluorescence antibody studies. — Acta trop. 25, 184-187
- KISHMOTO, T. *et al.* (1968). Pathologic physiology and chemotherapy of *Plasmodium berghei*. 3. Renal function in rats infected with *Plasmodium berghei*. — Exp. Parasit. 22, 160-177
- MCGHEE, R. B. & LOFTIS, W. E. (1968). A filterable, proliferating factor simulating autoimmunity in malarious and nonmalarious ducklings. — Exp. Parasit. 22, 299-308
- MARINKELLE, C. J. & GROSE, E. S. (1968). *Plasmodium brasilianum* in Colombian monkeys. — Trop. geogr. Med. 20, 276-280
- MILLER, L. H. *et al.* (1968). Comparative studies on the pathology and host physiology of malarias. 2. Gibbon malaria. — Ann. trop. Med. Parasit. 61, 375-383
- NAGARAJAN, K. (1968). Metabolism of *Plasmodium berghei*. 1-3. — Exp. Parasit. 22, 19-42
- OMAR, M. S. (1968). Die Empfänglichkeit verschiedener Anopheles-Arten für den Erreger der Affenmalaria *Plasmodium cynomolgi bastianelli*. — Z. Tropenmed. Parasit. 19, 152-170
- OTSURU, M. & SEKIKAWA, H.: (1968). A survey of simian malaria in Japan. — Trans. roy. Soc. trop. Med. Hyg. 62, 558-561
- OTT, K. J. (1968). Influence of reticulocytosis on the course of infection of *Plasmodium chabaudi* and *P. berghei*. — J. Protozool. 15, 365-369
- POLET, H. & BARR, C. F. (1968). DNA, RNA, and protein synthesis in erythrocytic forms of *Plasmodium knowlesi*. — Amer. J. trop. Med. Hyg. 17, 672-679
- POLET, H. & CONRAD, M. E. (1968). Malaria: extracellular amino acid requirements for *in vitro* growth of erythrocytic forms of *Plasmodium knowlesi*. — Proc. Soc. exp. Biol. Med. 127, 251-253

- PURNELL, R. E. & JOYNER, L. P. (1968). The development of *Theileria parva* in the salivary glands of the tick, *Rhipicephalus appendiculatus*. — *Parasitology* 58, 725-732
- RIECKMANN, K. H. *et al.* (1968). Effects of chloroquine, quinine, and cycloguanil upon the maturation of asexual erythrocytic forms of two strains of *Plasmodium falciparum* *in vitro*. — *Amer. J. trop. Med. Hyg.* 17, 661-671
- RUDZINSKA, M. A. & TRAGER, W. (1968). The fine structure of trophozoites and gametocytes in *Plasmodium coatneyi*. — *J. Protozool.* 15, 73-88
- SCHINDLER, R. & MEHLITZ, D. (1968). Serologische Untersuchungen bei der *Theileria parva*-Infektion des Rindes. — *Z. Tropenmed. Parasit.* 19, 316-329
- SCHNEIDER, I. (1968). Cultivation *in vitro* of *Plasmodium gallinaceum* oocysts. — *Exp. Parasit.* 22, 178-186
- SESTA, J. J. *et al.* (1968). Malarial nephropathy in the golden hamster. — *Arch. Path.* 85, 663-668
- SHEFFIELD, H. & MELTON, M. L. (1968). The fine structure and reproduction of *Toxoplasma gondii*. — *J. Parasit.* 54, 209-226
- SHERMAN, I. W. *et al.* (1968). Characterization of the malaria pigment (hemozoin) from avian malaria parasite *Plasmodium lophurae*. — *J. Protozool.* 15, 158-164
- STREHBENS, W. E. & SCHMIDT, K. (1968). Ultrastructural observations on four species of Sporozoa. — *J. Parasit.* 54, 699-710
- THEAKSTON, R. D. G. *et al.* (1968). The fine structure of *Plasmodium vinckei*, a malaria parasite of rodents. — *Ann. trop. Med. Parasit.* 62, 122-134
- THOMPSON, P. E. & BOYLES, A. (1968). Reciprocal cross resistance between cycloguanil hydrochloride and pyrimethamine in *Plasmodium berghei* infections in mice. — *J. Parasit.* 54, 588-593
- TODOROVIC, R. *et al.* (1968). Antigens of *Plasmodium gallinaceum*. 1. Biophysical and biochemical characterization of explasmodial antigens. 2. Immunoserologic characterization of explasmodial antigens and their antibodies. — *Amer. J. trop. Med. Hyg.* 17, 685-694; 695-701
- TODOROVIC, R. *et al.* (1968). Soluble antigens of *Plasmodium gallinaceum*. — *Trans. roy. Soc. trop. Med. Hyg.* 62, 51-57
- TODOROVIC, R. *et al.* (1968). A tube latex agglutination test for the diagnosis of malaria. — *Trans. roy. Soc. trop. Med. Hyg.* 62, 58-68
- TRIGG, P. I. (1968). A new continuous perfusion technique for the cultivation of malaria parasites *in vitro*. — *Trans. roy. Soc. trop. Med. Hyg.* 62, 371-378
- VINCKE, I. H. & BAFORT, J. (1968). Méthodes de standardisation de l'inoculum de sporozoïtes de *Plasmodium berghei*. — *Ann. Soc. belge Méd. trop.* 48, 181-194
- WEISS, M. L. (1968). Resistance of the thirteen-striped ground squirrel (*Citellus tridecemlineatus*) to infection with *Plasmodium berghei*. — *J. Parasit.* 54, 168-169
- WEISS, M. L. (1968). Active immunization of mice against *Plasmodium berghei*: cross-resistance to a recently isolated strain. — *Amer. J. trop. Med. Hyg.* 17, 516-521
- WERNER, H. *et al.* (1968). Über den Nachweis von *Toxoplasma gondii* durch den Tierversuch. 3-4. — *Z. Tropenmed. Parasit.* 19, 132-138, 198-204
- WÉRY, M. (1968). Studies on the sporogony of rodent malaria parasites. — *Ann. Soc. belge Méd. trop.* 48, 1-138
- YOELI, M. & UPMANIS, R. S. (1968). *Plasmodium berghei* ookinete formation *in vitro*. — *Exp. Parasit.* 22, 122-128
- ZAMAN, V. & GOH, T. K. (1968). Isolation of *Toxoplasma gondii* from the slow loris, *Nycticebus coucang*. — *Ann. trop. Med. Parasit.* 62, 52-53

576.894 Mollusca

- BARBOSA, F. S. (1968). A note on *Biomphalaria straminea* (Dunkel, 1848) from Manaus, State of Amazonas, Brazil. — Rev. Soc. Bras. Med. trop. 2, 77-78
- BERRIE, A. D. (1968). Prolonged inhibition of growth in a natural population of the freshwater snail *Biomphalaria sudanica tanganyicensis* (Smith) in Uganda. — Ann. trop. Med. Parasit. 62, 45-51
- CLARKE, V. DE V. & SHIFF, C. J. (1968). The rationale of bilharziasis control in Rhodesia. — Cent. Afr. J. Med. 14, 161-165
- DE LOURDES SAMPAIO XAVIER, M. *et al.* (1968). Importance d'*Oscillatoria formosa* Bory dans la culture au laboratoire des mollusques vecteurs du *Schistosoma haematobium*. — Bull. Soc. Path. exot. 61, 52-66
- JOBIN, W. R. (1968). Rationale for selecting molluscicides for bilharzia control programs. — Publ. Health Rep. 83, 594-596
- KLOETZEL, K. & CORREA, L. DOS R. (1968). Some quantitative data on the laboratory and field infection of *Biomphalaria glabrata* from Jabuticatubas (State of Minas Gerais, Brasil) by miracidia of *Schistosoma mansoni*. — Rev. Inst. Med. trop. São Paulo 10, 59-69
- KNIGHT, W. B. *et al.* (1968). Labeling of *Biomphalaria glabrata* and cercariae of *Schistosoma mansoni* with radioselenium. — Exp. Parasit. 22, 309-315

576.895.1 Vermes576.895.121 Cestoda

- BENEX, J. (1968). Influence des facteurs externes sur la vitalité des scolex d'*Echinococcus granulosus* maintenus en survie. Comparaison avec les conditions naturelles de vie. — Bull. Soc. Path. exot. 61, 66-74
- KAGAN, I. G. *et al.* (1968). Reactivity of human immunoglobulins in echinococcosis and trichinosis. — Amer. J. trop. Med. Hyg. 17, 79-85
- METTRICK, D. F. (1968). Studies on the protein metabolism of cestodes. 2. Effect of free dietary amino acid supplements on the growth of *Hymenolepis diminuta*. — Parasitology 58, 37-45
- SHINDE, G. B. (1968). On *Circumoncobothrium ophiocephali* n. gen. n. sp. from a fresh water fish (*Ophiocephalus leucopunctatus*) in India. — Riv. Parassit. 29, 111-114
- SHINDE, G. B. (1968). A new species of cestode, *Nematotaenia mabuiae* (Nematotaeniidae Luhe, 1910) from a reptile. *Mabuia carinata* in India. — Riv. Parassit. 29, 115-122
- THREADGOLD, L. T. *et al.* (1968). Ultrastructural localization of a peroxidase in the tapeworm, *Hymenolepis diminuta*. — J. Parasit. 54, 802-807
- WEINMANN, C. J. (1968). Effect of splenectomy and neonatal thymectomy on acquired immunity to the dwarf tapeworm, *Hymenolepis nana*. — Exp. Parasit. 22, 68-72

576.895.122 Trematoda

- BECKER, W. (1968). Untersuchungen über die aus der Muttersporocyste auswandernden Tochtorsporocysten von *Schistosoma mansoni*. 1. Beiträge zum Kohlenhydratstoffwechsel dieser Stadien. — Z. Parasitenk. 30, 233-251
- BITAKARAMIRE, P. K. (1968). *Lymnaea natalensis* laboratory culture and production of *Fasciola gigantica* metacercariae. — Parasitology 58, 653-656
- BRADLEY, D. J. (1968). Labeling an age-cohort of eggs of *Schistosoma mansoni* *in vivo*. — Nature 218, 776-777
- CHERNIN, E. (1968). Interference with the capacity of *Schistosoma mansoni* miracidia to infect the molluscan host. — J. Parasit. 54, 509-516

- CLEGG, J. A. & SMITHERS, S. R. (1968). Death of schistosome cercariae during penetration of the skin. 2. Penetration of mammalian skin by *Schistosoma mansoni*. — *Parasitology* 58, 111-128
- CONDE-DEL-PINO, E. *et al.* (1968). Studies in *Schistosoma mansoni*. 2. Isoenzyme patterns for alkaline phosphatase, isocitric dehydrogenase, glutamic oxalacetic transaminase, and glucose-6-phosphate dehydrogenase of adult worms and cercariae. — *Exp. Parasit.* 22, 288-294
- COUDERT, J. *et al.* (1968). Diagnostic sérologique par immunofluorescence sur coupes à la congélation d'infections à *Schistosoma mansoni*, *S. haematobium* et *S. intercalatum*. — *Acta trop.* 25, 109-132
- DA SILVA, L. C. & FERRI, R. G. (1968). *Schistosoma mansoni* homogenate for active immunization of mice. — *Amer. J. trop. Med. Hyg.* 17, 369-371
- DEBLOCK, S. & PEARSON, J.-C. (1968). Contribution à l'étude des *Microphallidae* Travassos, 1920 (Trematoda). Trois *Gynocotylinae* nouveaux d'Australie. Considérations systématiques. — *Ann. Parasit. hum. comp.* 43, 131-148
- DURIO, W. O. & MANTER, H. W. (1968). Some digenetic trematodes of marine fishes of New Caledonia. 2. Opecoelidae and Lepocreadiidae. — *J. Parasit.* 54, 747-756
- HEYNEMAN, D. & UMATHEVY, T. (1968). Interaction of trematodes by predation within natural double infections in the host snail *Indoplanorbis exustus*. — *Nature* 217, 283-285
- HOCKLEY, D. J. (1968). Small spines on the egg shells of *Schistosoma*. — *Parasitology* 58, 367-370
- JACKSON, H. *et al.* (1968). Chemosterilization of *Schistosoma mansoni*. — *Nature* 218, 977
- JEWSBURY, J. M. (1968). Variation in egg shape in *Schistosoma haematobium*. — *Exp. Parasit.* 22, 50-61
- KHAYYAL, M. T. *et al.* (1968). The possible inactivation of antimony by schistosomes. — *Ann. trop. Med. Parasit.* 62, 74-80
- KRUATRACHUE, M. (1968). *Trichobilharzia maegraithi* sp. nov., a cause of cercarial dermatitis in Thailand. — *Ann. trop. Med. Parasit.* 62, 67-73
- LANG, B. Z. (1968). Acquired immunity to *Fasciola hepatica* in the laboratory white mouse. — *Amer. J. trop. Med. Hyg.* 17, 561-567
- LEE, H. G. & MICHAELS, R. M. (1968). *In vitro* and *in vivo* effects of selected metabolic inhibitors and chemotherapeutic agents on adults and egg development of *Schistosoma mansoni*. — *Exp. Parasit.* 22, 256-263
- LI HSÜ, S. Y. & HSÜ, H. F. (1968). The strain complex of *Schistosoma japonicum* in Taiwan, China. — *Z. Tropenmed. Parasit.* 19, 43-59
- LICHTENBERG, F. VON & SADUN, E. H. (1968). Experimental production of bilharzial pipestem fibrosis in the chimpanzee. — *Exp. Parasit.* 22, 264-278
- LIE, K. J. *et al.* (1968). Antagonism between two species of echinostomes (*Paryphostomum segregatum* and *Echinostoma lindoense* in the snail *Biomphalaria glabrata*). — *Z. Parasitenk.* 30, 117-125
- LIE, K. J. *et al.* (1968). Implications for trematode control of interspecific larval antagonism within snail hosts. — *Trans. roy. Soc. trop. Med. Hyg.* 62, 299-319
- LITTLE, M. D. (1968). *Paragonimus caliensis* sp. n. and paragonimiasis in Colombia. — *J. Parasit.* 54, 738-746
- LUMSDEN, R. D. & FOOR, W. E. (1968). Electron microscopy of schistosome cercarial muscle. — *J. Parasit.* 54, 780-794
- MIYAZAKI, I. & VAJRASTHIRA, S. (1968). On a new lung fluke found in Thailand, *Paragonimus harinasutai* sp. nov. (Trematoda, Troglotrematidae). — *Ann. trop. Med. Parasit.* 62, 81-87
- MORRIS, G. P. & THREADGOLD, L. T. (1968). Ultrastructure of the tegument of adult *Schistosoma mansoni*. — *J. Parasit.* 54, 15-27

- MOUSA, A. H. *et al.* (1968). Trials with drug prophylaxis in schistosomal infection in experimental animals. — *J. trop. Med. Hyg.* 71, 198-205
- PAPERNA, I. (1968). Susceptibility of *Bulinus (Physopsis) globosus* and *Bulinus truncatus rohlfsi* from different localities in Ghana to different local strains of *Schistosoma haematobium*. — *Ann. trop. Med. Parasit.* 62, 13-26
- OTERO, J. G. (1968). Effects of cercarial extracts of *Schistosoma mansoni* on HeLa cells. — *Nature* 217, 381-382
- RAI, S. L. & CLEGG, J. A. (1968). Death of schistosome cercariae during penetration of the skin. 1. Penetration of bird skin by *Austroilharzia terrigalensis*. — *Parasitology* 58, 199-214
- ROHDE, K. *et al.* (1968). Über drei malayische Trematoden. — *Ann. Parasit. hum. comp.* 43, 33-43
- ROWLAND, H. A. K. (1968). Stibokinetics. 1. Studies on mice with ¹²⁴Sb-labelled sodium antimony dimercaptosuccinate (Astiban). — *Trans. roy. Soc. trop. Med. Hyg.* 62, 632-646
- SCHOENBECHLER, M. J. & SADUN, E. H. (1968). *In vitro* histamine release from blood cellular elements of rabbits infected with *Schistosoma mansoni*. — *Proc. Soc. exp. Biol. Med.* 127, 601-606
- SHORT, R. B. & POWELL, E. C. (1968). Mature digenetic trematodes from New Zealand octopuses. — *J. Parasit.* 54, 747-760
- SODEMAN, W. A., Jr. (1968). Studies on the protein composition of extracts of *Schistosoma mansoni* cercariae. — *J. Parasit.* 54, 775-779
- STIREWALT, M. A. & FREGEAU, W. A. (1968). Effect of selected experimental conditions on penetration and maturation of cercariae of *Schistosoma mansoni* in mice. 2. Parasite-related conditions. — *Exp. Parasit.* 22, 73-95
- SUN, T. *et al.* (1968). Route of entry of *Clonorchis sinensis* to the mammalian liver. — *Exp. Parasit.* 22, 346-351
- THAKUR, A. S. & CHENG, T. C. (1968). The formation, structure, and histochemistry of the metacercarial cyst of *Philophthalmus gralli* Mathis & Léger. — *Parasitology* 58, 605-618
- WARREN, K. S. & NEWILL, V. A. (1967). Schistosomiasis. A bibliography of the world's literature from 1852 to 1962. Vol. 1. Keyword index. 598 pp. Vol. 2. Author index. 395 pp. — Cleveland: The Press of Western Reserve University
- WILLIAMS, J. S. *et al.* (1968). Lack of specificity of the immunoelectroadsorption test with *Schistosoma mansoni* antigens and a conjugated hapten. — *Amer. J. trop. Med. Hyg.* 17, 568-578
- WILSON, R. A. (1968). The hatching mechanism of the egg of *Fasciola hepatica* L. — *Parasitology* 58, 79-89
- WRIGHT, C. A. (1968). Some views on biological control of trematode diseases. — *Trans. roy. Soc. trop. Med. Hyg.* 62, 320-324
- YOGORE, M. G. *et al.* (1968). The circumoval precipitin (COP) test in schistosomiasis japonica. — *Amer. J. trop. Med. Hyg.* 17, 65-71

576.895.132 Nematoda

- AHMED, S. S. (1968). The toxicity of 6-mercaptopurine (6MP) to albino guinea pigs, and the determination of a workable dose of 6MP in the transmission of the filarial worm *Brugia pahangi* to albino guinea pigs. — *J. trop. Med. Hyg.* 71, 241-242
- ASH, L. R. (1968). The occurrence of *Angiostrongylus cantonensis* in frogs of New Caledonia with observations on paratenic hosts of metastrongyles. — *J. Parasit.* 54, 432-436

- CABALLERO, G. R. (1968). Contribution à la connaissance des nématodes de sauriens malgaches. — *Ann. Parasit. hum. comp.* 43, 149-200
- CLARKE, K. R. (1968). The effect of a low protein diet and a glucose and filter paper diet on the course of infection of *Nippostrongylus brasiliensis*. — *Parasitology* 58, 325-339
- COURDURIER, J. *et al.* (1968). Réalisation du cycle d'*Angiostrongylus cantonensis* (Chen) au laboratoire. 3. Lésions chroniques des poumons chez les rats infestés expérimentalement. — *Bull. Soc. Path. exot.* 61, 254-259
- CRANDALL, R. B. & ZAM, S. G. (1968). Analysis of excretory-secretory products of *Trichinella spiralis* larvae by disc-electrophoresis and immunodiffusion. — *Amer. J. trop. Med. Hyg.* 17, 747-751
- DANCESCU, P. (1968). Investigations on the intensity of the infection in a strongyloidiasis focus: the coal culture method. — *Trans. roy. Soc. trop. Med. Hyg.* 62, 490-495
- CROOK, J. R. *et al.* (1968). Ecological studies on the intermediate and definitive hosts of *Angiostrongylus cantonensis* (Chen, 1935) in Thailand. — *Ann. trop. Med. Parasit.* 62, 27-44
- DAENGSVANG, S. (1968). Further observations on the experimental transmission of *Gnathostoma spinigerum*. — *Ann. trop. Med. Parasit.* 62, 88-94
- DESHMUKH, P. G. (1968). Two new species of a new genus *Neofilaria* from Indian quails. — *Riv. Parassit.* 29, 123-128
- DESHMUKH, P. G. (1968). *Lemdana francolini* n. sp. from grey partridge *Franco-linus pondicerianus*. — *Riv. Parassit.* 29, 129-132
- GRÉTILLAT, S. & VASSILIADÈS, G. (1968). La trichinose expérimentale du singe. (Souche ouest-africaine de *Trichinella spiralis*, Owen, 1835.) — *Bull. Soc. Path. exot.* 61, 246-251
- HINZ, E. (1968). Mikrofilariämie bei Filarien. Infektionen und Geschlechterverhältnis der Filarien in Beziehung zur Infektionsdauer und Befallstärke. — *Z. Tropenmed. Parasit.* 19, 245-253
- HAWKING, F. & GAMMAGE, K. (1968). The action of serotonin (5-hydroxytryptamine) *in vivo* upon the microfilariae of *Dirofilaria*, *Loa* and five other species. — *Parasitology* 58, 393-402
- HAWKING, F. & GAMMAGE, K. (1968). The periodic migration of microfilariae of *Brugia malayi* and its response to various stimuli. — *Amer. J. trop. Med. Hyg.* 17, 724-729
- JARRETT, E. E. E. *et al.* (1968). Quantitative studies on the kinetics of establishment and expulsion of intestinal nematode populations in susceptible and immune hosts. *Nippostrongylus brasiliensis* in the rat. — *Parasitology* 58, 625-639
- KASSAI, T. *et al.* (1968). Suppression of the immune response to the nematode *Nippostrongylus brasiliensis* in adult mice by heterologous anti-lymphocytic serum. — *Nature* 218, 1055-1056
- LELAND, S. E. (1968). Experimental infection of the African multimammate mastomys, *Rattus (Mastomys) natalensis*, with the minute stomach worm *Trichostrongylus axei*. — *J. Parasit.* 54, 437-440
- MARKS, C. F. *et al.* (1968). Dynamics of the permeation of nematodes by water nematocides and other substances. — *Exp. Parasit.* 22, 321-337
- MARROQUIN, H. F. (1968). Enfermedad de robles. Algo nuevo sobre morfología de la *Onchocerca volvulus*. — *Rev. Colegio méd. Guatemala* 19, 105-108
- MARTINEZ, A. R. *et al.* (1968). The prophylactic effect of haloxon against experimental *Trichinella spiralis* infections in rats. — *Ann. trop. Med. Parasit.* 62, 63-66
- MATOFF, K. & TERSIJSKI, A. (1968). Immunisierung gegen *Ascaris suum*, *Ascaris lumbricoides* und *Trichinella spiralis*. — *Z. Tropenmed. Parasit.* 19, 280-288

- MAWSON, P. M. (1968). Two species of nematoda (Spirurida: Spiruridae) from Australian dasyurids. — *Parasitology* 58, 75-78
- MAWSON, P. M. (1968). Nematodes from Australian waders. — *Parasitology* 58, 277-305
- SPRENT, J. F. A. (1968). Notes on *Ascaris* and *Toxascaris*, with a definition of *Baylisascaris* gen. nov. — *Parasitology* 58, 185-198
- YOSHIDA, Y. *et al.* (1968). *Ancylostoma ceylanicum* infection in dogs, cats, and man in Taiwan. — *Amer. J. trop. Med. Hyg.* 17, 378-381

576.895.2 Arthropoda

576.895.4 Arachnoidea

- ARTHUR, D. R. (1968). The immature stages of *Ixodes tatei* Arthur (Ixodidae). — *Parasitology* 58, 165-169
- BAKER, E. W. *et al.* (1967). A manual of parasitic mites of medical or economic importance. — Woodhaven, N.Y.: Henry Tripp
- BECKLUND, W. W. (1968). Ticks of veterinary significance found on imports in the United States. — *J. Parasit.* 54, 622-628
- BRANAGAN, D. & BAILEY, K. P. (1968). A note on the survival of unfed adult *Rhipicephalus simus simus* Koch, 1844. — *E. Afr. med. J.* 45, 203-206
- BRENNAN, J. M. (1968). A collection of chiggers (Acarina: Trombiculidae) from rodents in Southwestern Columbia. — *J. Parasit.* 54, 679-685
- DHANDA, V. & BHAT, H. R. (1968). *Haemaphysalis (Allophysalis) garhwalensis* sp.n. (Acarina: Ixodidae) parasitizing sheep and goats in Garhwal Region, Uttar Pradesh, India. — *J. Parasit.* 54, 674-678
- DRUMMOND, R. O. *et al.* (1968). Insecticides for control of the cattle tick and the southern tick on cattle. — *J. econ. Ent.* 61, 467-470
- GOTHE, R. (1968). Ticks in the South African zoological survey collection. 12. The genera *Boophilus* Curtice, 1891, and *Margaropus* Karsch, 1879. — *Onderstepoort J. vet. Res.* 34, 81-108
- HECKER, H. *et al.* (1968). Contribution à la connaissance des symbiotes chez *Ornithodoros moubata* (Ixodoidea). Etude au microscope électronique. — *Acta trop.* 25, 256-262
- HOOGSTRAAL, H. & PARRISH, D. W. (1968). Studies on Southeast Asian Haemaphysalis ticks (Ixodoidea: Ixodidae). *H. (Kaiseriana) luzonensis* sp. n. from Philippine deer and boars. — *J. Parasit.* 54, 402-410
- HOOGSTRAAL, H. *et al.* (1968). Studies on Southeast Asian Haemaphysalis ticks (Ixodoidea, Ixodidae). *H. (Kaiseriana) susphilippensis* sp. n., a parasite of Luzon and Mindanao boars. — *J. Parasit.* 54, 616-621
- JOYNER, L. P. & PURNELL, R. E. (1968). The feeding behaviour on rabbits and *in vitro* of the Ixodid tick *Rhipicephalus appendiculatus* Neumann, 1901. — *Parasitology* 58, 715-723
- KAISER, M. & HOOGSTRAAL, H. (1968). Simple field and laboratory method for recovering living ticks (Ixodoidea) from hosts. — *J. Parasit.* 54, 188-189
- LAVOIEPIERRE, M. M. J. & RAJAMANICKAM, C. (1968). The skin reactions of two species of Southeast Asian chiroptera to notoedrid and teinocoptid mites. — *Parasitology* 58, 515-530
- ROBERTS, J. A. (1968). Acquisition by the host of resistance to the cattle tick, *Boophilus microplus* (Canestrini). — *J. Parasit.* 54, 657-662
- ROBERTS, J. A. (1968). Resistance of cattle to the tick *Boophilus microplus* (Canestrini). 1. Development of ticks on *Bos taurus*. 2. Stages of the life cycle of the parasite against which resistance is manifest. — *J. Parasit.* 54, 663-666; 667-673

- ROBSON, J. *et al.* (1968). Ticks (Ixodoidea) of domestic animals in Iraq. 2. Summer infestations in the Liwas of Hilla, Karbala, Diwaniya and Nasiriya. — *J. med. Ent.* 5, 27-31
- SEIFERT, G. W. *et al.* (1968). Radioactive studies on the feeding of larvae, nymphs, and adults of the cattle tick, *Boophilus microplus* (Canestrini). — *Parasitology* 58, 415-430
- SONENSHINE, D. E. & STOUT, J. (1968). Tick burdens in relation to spacing and range of hosts in *Dermacentor variabilis*. — *J. med. Ent.* 5, 49-52
- SWEATMAN, G. K. & KOUSSA, M. G. (1968). Comparative changes in external respiration rates of engorged *Rhipicephalus sanguineus* female ticks with age and oviposition in different physical environments. — *J. Parasit.* 54, 641-656
- TATCHELL, R. J. & MOORHOUSE, D. E. (1968). The feeding processes of the cattle tick, *Boophilus microplus* (Canestrini). — *Parasitology* 58, 441-459
- YEOMAN, C. H. & WALKER, J. B. (1967). The Ixodid ticks of Tanzania. A study of zoogeography of Ixodidae of an East African Country. 215 pp. ill. — London: Commonwealth Institute of Entomology

576.895.7 Hexapoda

- BEAMENT, W. L. & TREHERNE, J. E. (Ed.) (1967). Insects and physiology. 386 pp. ill. — Edinburgh: Oliver & Boyd Ltd.
- KALAYANAM, N. P. (1967). Common insects of India. 136 pp. ill. — London: Asia Publishing House
- KNIPLING, E. F. *et al.* (1968). Genetic control of insects of public health importance. — *Bull. Org. mond. Santé* 38, 421-438
- MACCUAIG, R. D. & WATTS, W. S. (1968). A simple technique for applying small measured quantities of insecticides to insects. — *Bull. ent. Res.* 57, 549-552
- MUIRHEAD-THOMSON, R. C. (1968). Ecology of insect vector populations. 174 pp. ill. — London and New York: Academic Press
- OLDROYD, H. (1968). Elements of entomology. 312 pp. ill. — London: Weidenfeld & Nicolson
- WRIGHT, J. W. & PAL, E. (Ed.) (1967). Genetics of insect vectors of disease. 794 pp. ill. — Amsterdam (etc.): Elsevier Publ. Co.

576.895.75 Hemiptera

- PIPKIN, A. C. (1968). Domiciliary reduviid bugs and the epidemiology of Chagas' disease in Panama (Hemiptera, Reduviidae, Triatominae). — *J. med. Ent.* 5, 107-124
- VOELKER, J. (1968). Untersuchungen zur Ernährung, Fortpflanzungsbiologie und Entwicklung von *Limnogeton fieberi* Mayr (Belostomidae, Hemiptera) als Beitrag zur Kenntnis von natürlichen Feinden tropischer Süßwasserschnecken. — *Ent. Mitt. Zool. Staatsinst. Hamburg* 3, 201-224

576.895.751.2 Anaplura

- ACREE, F. Jr. *et al.* (1968). Gas chromatographic determination of diethyl fumarate in malathion extracts and preparations used for control of body lice. — *J. econ. Ent.* 61, 457-459
- GOODING, R. H. (1968). A note on the relationship between feeding and insemination in *Pediculus humanus*. — *J. med. Ent.* 5, 265-266
- KIM, K. C. (1968). Two new species of the sucking lice (Hoplopleurida, Anoplura) from *Rattus* (Muridae, Rodentia) from Thailand. — *Parasitology* 58, 701-707
- KIM, K. C. & EMERSON, K. C. (1968). Descriptions of two species of Pediculidae (Anoplura) from great apes (Primates, Pongidae). — *J. Parasit.* 54, 690-695

576.895.77 Diptera

- BARBOSA, F. S. *et al.* (1968). Culicoides (Diptera, Heleidae) na cidade do Recife capturados com isca luminosa. — Rev. Soc. Bras. Med. trop. 2, 13-18
- FRAISSIGNES, B. *et al.* (1968). Captures de moustiques par de pièges lumineux associés à une source de gaz carbonique. — Méd. trop. 28, 215-221
- GENTLE, T. A. & GILLET, J. D. (1968). Trials with sulphaquinoxaline as an insecticide against the aquatic stages of mosquitoes. — Ann. trop. Med. Parasit. 62, 4-7
- GENTLE, T. A. *et al.* (1968). Trials with sulphaquinoxaline as a systemic insecticide against adult mosquitoes. — Ann. trop. Med. Parasit. 62, 1-3
- LEWIS, D. J. & HITCHCOCK, J. C. (1968). Phlebotomine sandflies of Chad. — Ann. trop. Med. Parasit. 62, 117-121
- MULLA, M. S. & CHAUDHURY, M. F. B. (1968). Ovicidal activity of aliphatic amines and petroleum oil against two species of mosquitoes. — J. econ. Ent. 61, 510-515
- SCHRECK, C. E. & JAMES, J. (1968). Broth cultures of bacteria that attract female mosquitoes. — Mosquito News 28, 33-38
- OWEN, W. B. & REINHOLZ, S. (1968). Intake of nucleotides by the mosquito *Culiseta inornata* in comparison with water, sucrose, and blood. — Exp. Parasit. 22, 43-49
- STRAUSS, W. G. *et al.* (1968). The role of skin in attracting mosquitoes. — J. med. Ent. 5, 47-48
- THEODOR, O. (1968). New species and new records of Nycteribiidae from the Ethiopian, Oriental and Pacific Regions. — Parasitology 58, 247-276

Aedes

- DUNN, M. A. & CRAIG, G. B. Jr. (1968). Small-antenna, a sex-linked mutant of *Aedes aegypti*. — J. Hered. 59, 131-140
- FAY, R. W. (1968). A trap based on visual responses of adult mosquitoes. — Mosquito News 28, 1-7
- GANDER, E. (1968). Zur Histochemie und Histologie des Mitteldarmes von *Aedes aegypti* und *Anopheles stephensi* im Zusammenhang mit der Blutverdauung. — Acta trop. 25, 133-175
- HUANG, YIAU-MIN. (1968). A new subgenus of *Aedes* (Diptera, Culicidae) with illustrated key to the subgenera of the Papuan Subregion (Diptera, Culicidae). — J. med. Ent. 5, 169-188
- INWANG, E. E. (1968). Mathematical formulae for estimating resistance potential and speed of development of DDT resistance in the yellow-fever mosquito. — J. econ. Ent. 61, 525-529
- JUDSON, C. L. (1968). Physiology of feeding and oviposition behavior in *Aedes aegypti* (L.). — J. med. Ent. 5, 21-23
- KHAN, A. A. *et al.* (1968). Response of the yellow-fever mosquito to varying areas of human skin. — J. econ. Ent. 61, 555-557
- LEA, A. O. (1968). Mating without insemination in virgin *Aedes aegypti*. — J. Insect Physiol. 14, 305-308
- MANGUM, C. L. & CALLAHAN, P. S. (1968). Attraction of near-infrared radiation to *Aedes aegypti*. — J. econ. Ent. 61, 36-37
- QURAISHI, M. S. (1968). Uptake of P³² by yellow-fever mosquito larvae of equal age, and those pupating synchronously: its loss and transfer during development, mating, and oviposition. — J. econ. Ent. 61, 530-533
- ROWLEY W. A. & GRAHAM, C. L. (1968). The effect of age on the flight performance of female *Aedes aegypti* mosquitoes. — J. Insect. Physiol. 14, 719-728

WILTON, D. P. (1968). Oviposition site selection by the tree-hole mosquito, *Aedes triseriatus* (Say). — *J. med. Ent.* 5, 189-194

Anopheles

- BRYAN, J. H. (1968). Results of consecutive matings of female *Anopheles gambiae* species B with fertile and sterile males. — *Nature* 218, 489
- CHENG, F. Y. (1968). Responses of *Anopheles balabacensis* to various patterns of DDT-spraying of shelters in Sabah, East Malaysia. — *Bull. Org. mond. Santé* 38, 469-477
- FREYVOGEL, T. A. & KIHAULE, P. M. (1968). Report on a limited Anopheline survey at Ifakara, South-Eastern Tanzania. — *Acta trop.* 25, 17-28
- HAMON, J. *et al.* (1968). Présence dans le sud-ouest de la Haute-Volta de populations d'*Anopheles funestus* Giles résistantes à la dieldrine. — *Méd. trop.* 28, 222-226
- HAMON, J. *et al.* (1968). Présence dans le sud-ouest de la Haute-Volta, d'une population d'*Anopheles gambiae* « A » résistante au D.D.T. — *Méd. trop.* 28, 521-528
- HINTON, H. E. (1968). Observations on the biology and taxonomy of the eggs of *Anopheles* mosquitos. — *Bull. ent. Res.* 57, 495-508
- SHALABY, A. M. (1968). Susceptibility studies on *Anopheles culicifacies* with DDT and dieldrin in Gujarat State, India. — *J. econ. Ent.* 61, 533-541

Culex

- ELDRIDGE, B. F. (1968). The effect of temperature and photoperiod on blood-feeding and ovarian development in mosquitoes of the *Culex pipiens* complex. — *Amer. J. trop. Med. Hyg.* 17, 133-140
- HOOPER, G. H. S. (1968). Metabolism of insecticides by *Culex pipiens quinquefasciatus*. 1. *In vivo* metabolism of DDT by larvae. — *J. econ. Ent.* 61, 490-493
- KEIRANS, J. E. *et al.* (1968). Preliminary observations on the effect of alcohol and oil films on the oviposition of *Culex pipiens quinquefasciatus* (Say). — *Mosquito News* 28, 71-74
- MOUCHET, J. *et al.* (1968). Sensibilité aux insecticides de *Culex pipiens* en Afrique de l'Ouest. — *Méd. trop.* 28, 374-394
- NAYAR, J. K. (1968). The biology of *Culex nigripalpus* Theobald (Diptera, Culicidae). 2. Adult characteristics at emergence and adult survival without nourishment. — *J. med. Ent.* 5, 203-210
- PENNINGTON, N. E. & ARMSTRONG, R. K. (1968). Field evaluation of five insecticidal aerosols against caged *Culex* mosquitoes on Okinawa. — *J. med. Ent.* 5, 25-26
- PLAPP, F. W. & HOYER, R. F. (1968). Possible pleiotropism of a gene conferring resistance to DDT, DDT analogs, and pyrethins in the house fly and *Culex tarsalis*. — *J. econ. Ent.* 61, 761-765
- ZAGHLOUL, T. M. A. & BROWN, A. W. A. (1968). Effects of sublethal doses of DDT on the reproduction and susceptibility of *Culex pipiens* L. — *Bull. Org. mond. Santé* 38, 459-467

Simuliidae

- CRAIG, D. A. (1968). The clarification of a discrepancy in descriptions of maxillary musculature in larval Simuliidae. — *Quaest. ent.* 4, 31-32
- DUKE, B. O. L. (1968). Studies on factors influencing the transmission of onchocerciasis. 4. The biting-cycles, infective biting density and transmission poten-

- tial of "forest" *Simulium damnosum*. 5. The stages of *Onchocerca volvulus* in wild "forest" *Simulium damnosum*, the fate of the parasites in the fly, and the age-distribution of the biting population. — Ann. trop. Med. Parasit. 62, 95-116
- GARMS, R. & HÄUSERMANN, W. (1968). Untersuchungen an Arten der *Simulium alcocki*-Gruppe aus Tansania, Ostafrika, und Beschreibung von zwei neuen Spezies. — Rev. Zool. Bot. Afr. 78, 64-80
- GARMS, R. & WEYER, F. (1968). Natürliche Infektion von *Simulium damnosum* mit *Onchocerca volvulus* in Savannengebieten Guineas. — Z. Tropenmed. Parasit. 19, 289-296
- KERSHAW, W. E. *et al.* (1968). The selective control of *Simulium larvae* by particulate insecticides and its significance in river management. — Trans. roy. Soc. trop. Med. Hyg. 62, 35-46
- LE BERRE, R. (1968). Bilan sommaire pour 1967 de lutte contre le vecteur de l'Onchocercose. — Méd. Afr. noire 15, 71-72
- LEWIS, D. J. (1968). Review of some recent research on *Onchocerca* vectors. — Trans. roy. Soc. trop. Med. Hyg. 62, 19-21
- RÜHM, W. (1968). Zur Autökologie einiger Simuliidenarten. — Z. angew. Ent. 61, 466-471
- WADDY, B. B. (1968). Symposium on onchocerciasis. Entomological aspects. Introduction. — Trans. roy. Soc. trop. Med. Hyg. 62, 17-18
- WILLIAMS, T. R. (1968). The taxonomy of the East African river-crabs and their association with the *Simulium neavei* complex. — Trans. roy. Soc. trop. Med. Hyg. 62, 29-34

576.895.772 Brachycera

- CURTIS, C. F. (1968). A possible genetic method for the control of insect pests, with special reference to tsetse flies (*Glossina* spp.). — Bull. ent. Res. 57, 509-523
- DAVIES, H. (1967). Tsetse flies in Northern Nigeria. A handbook for junior control staff. 2nd ed. 268 pp. ill. — Ibadan: Ibadan University Press
- HEAVERSEDGE, R. C. (1968). Variation in the size of insect parasites of puparia of *Glossina* spp. — Bull. ent. Res. 58, 153-158
- HULLEY, P. E. (1968). Miotic chromosomes of *Glossina pallidipes* Austen. — Nature 217, 977-979
- LANGLEY, P. A. (1968). The effect of host pregnancy on the reproductive capability of the tsetse fly, *Glossina morsitans*, in captivity. — J. Insect Physiol. 14, 121-133
- MACLENNAN, K. J. R. (1968). The extermination of *Glossina* in Northern Nigeria. — PANS 14, 34-47
- VAN DER VLOEDT, A. M. V. *et al.* (1968). Rearing of *Glossina morsitans*. 1. Wild and laboratory bred puparia. 2. Development of a colony of *Glossina morsitans* and "vapoona strip" influence. — Ann. Soc. belge Méd. trop. 48, 165-180

576.895.775 Siphonaptera

- CLARK, P. H. & COLE, M. M. (1968). Systemic insecticides for control of oriental rat fleas: tests in guinea pigs. — J. econ. Ent. 61, 420-423
- CLARK, P. H. & COLE, M. M. (1968). Systemic insecticides for control of oriental rat fleas: bait tests with hooded white rats. — J. econ. Ent. 61, 505-508
- KRAMPITZ, H. E. (1968). Felduntersuchungen zur Verbreitung der Flohfauna in einer Kulturlandschaft Ost-Ugandas mit besonderer Beachtung des Menschen. — Z. Tropenmed. Parasit. 19, 297-305