

**Zeitschrift:** Acta Tropica  
**Herausgeber:** Schweizerisches Tropeninstitut (Basel)  
**Band:** 28 (1971)  
**Heft:** 4

**Erratum:** Errata

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 29.03.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

# ERRATA

to

HANS BRIEGEL & THIERRY A. FREYVOGEL

## Non-Specific Esterases during Development of Culicine Mosquitoes

number 3, 1971

- p. 291 Line 13 from below: read  $2000 \times g$  instead 200.  
p. 293 Line 7: read p. 292 instead p. 2.  
p. 296 Line 8 from below: read *persist* instead of exist.

p. 292 Insert explanation of fig. 1 as follows:

Non-specific esterase zymogram;  $\alpha$ -naphthyl-acetate; *Aedes aegypti* larvae III: Photograph of actual gel, corresponding densitometric scan and resulting diagram as shown in fig. 2. For further explanation see text p. 292.

p. 293 Insert to fig. 2 the following values and the explanation:

	E	E <sub>D</sub>	L I	L II	L III	L IV	P	M	F
Approximate age (d)	1	40	1-3 *	5-8 *	9-11 *	12-17 *	18-19 *	1 **	1 **
Number of experiments	10	7	4	3	6	6	6	1	1
Number of bands	5	9	9	9	6	8	5	6	6
Protein (mg/gel)		4.50	2.05	2.02	1.23	1.47	1.54	0.80	0.89

\* After hatching.      \*\* After emergence.

*Fig. 2. Aedes aegypti*: diagram of non-specific esterase zymograms in all stages of development. (Numbers to the right of the columns indicate relative extinction; see text p. 292). E = eggs in embryogenesis; E<sub>D</sub> = eggs in diapause; L I-IV = larvae, 1st to 4th instar; P = pupae; M = male imagines; F = female imagines.

p. 294 Insert to fig. 3 the following values and the explanation:

	E	L I	L II	L III	L IV	P	M	F
Approximate age (d)	1	1-3 *	5-7 *	8-11 *	12-15 *	16-18 *	1 **	1 **
Number of experiments	9	5	5	7	4	8	1	1
Number of bands	8	11	12	12	11	6	7	7
Protein (mg/gel)	3.07	0.91	1.21	0.91	1.93	1.33	1.67	1.93

\* After hatching.      \*\* After emergence.

*Fig. 3. Culex pipiens fatigans*: diagram of non-specific esterase zymograms in all stages of development. (Legend as for fig. 2.)

p. 295 Insert to fig. 4 the following values and the explanation:

	E	L I	L II	L III	L IV	P	M	F
Approximative age (d)	1	1-3 *	5-7 *	8-11 *	12-15 *	16-18 *	1 **	1 **
Number of experiments	3	5	3	3	4	6	2	2
Number of bands	9	9	9	11	11	7	6	6
Protein (mg/gel)	2.94	0.51	0.62	1.20	2.69	3.51	1.04	2.22

\* After hatching.      \*\* After emergence.

*Fig. 4. Culex pipiens pipiens: diagram of non-specific esterase zymograms in all stages of development. (Legend as for fig. 2.)*

Corrected reprints are available from the authors.