

Zeitschrift: Acta Tropica
Herausgeber: Schweizerisches Tropeninstitut (Basel)
Band: 42 (1985)
Heft: 2

Artikel: A dracunculosis case with unusual presentation from Pakistan : short communication
Autor: Zaman, V. / Connor, D.H. / Ahmed, M.
DOI: <https://doi.org/10.5169/seals-313469>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 20.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

¹ Department of Microbiology, Faculty of Medicine, National University of Singapore

² Department of Infectious and Parasitic Disease Pathology, Armed Forces Institute of Pathology, Washington, DC 20306, USA

³ Surgical Unit I, Civil Hospital, Karachi, Pakistan

A dracunculosis case with unusual presentation from Pakistan

Short communication

V. ZAMAN¹, D. H. CONNOR², M. AHMED³

Dracunculosis occurs in some parts of Sind and Punjab Provinces of Pakistan (Muller, 1975). Here we describe a patient with dracunculosis who had unusual clinical, radiological and histopathological manifestations.

Case report

A 20-year-old Pakistani housewife presented with a painful lump in the left hypochondrium which had developed over a period of 10 months. At first the pain had been slight, but had become more persistent and more intense. It was localized, did not radiate, and was unrelated to posture. On examination there was a hard lump in the abdominal wall of the left hypochondrium. It became more prominent during inspiration and roentgenograms revealed a circumscribed opaque shadow (Fig. 1). The lump was excised under local anaesthesia. It was sharply demarcated and dissected easily from host tissues. The patient recovered completely. Grossly, the lesion was ovoid, stony hard and had a smooth surface.

Description of the object and its contents

The object was large, ovoid mass, measuring 2.5×1.5 cm and weighing about 2 g. It was covered with a thick white capsule. It cut with difficulty requiring a great deal of force to get the knife through. The cut surface was chalky, friable and white. It was structureless. Sliced portions were decalcified and processed routinely for microscopic study. Microscopically there was an outer fibrous wall about $500 \mu\text{m}$ thick surrounding a nematode in varying degrees of degeneration (Fig. 2). The nematode cuticle was about $30 \mu\text{m}$ in width, and two prominent bands of muscles projected well into the body cavity (Fig. 3). Larvae could also be recognized within the body cavity in some sections. On the basis of these findings the nematode was identified as *Dracunculus medinensis*.

It is well known that *Dracunculus medinensis* may degenerate and become calcified in various parts of the human body, but the calcification is usually linear with a beaded or coiled configuration. The finding shows that in the differential diagnosis of calcified irregular or ovoid bodies, *Dracunculus medinensis*, should be included. In spite of degeneration and stony hard mineralizations, the diagnostic features of the worm could be recognized if the tissues are properly decalcified before staining.

Reference: Muller R.: Worms and disease. A manual of medical helminthology. William Heinemann Medical Books Limited, London 1975.

Correspondence: Professor V. Zaman, Department of Microbiology, Faculty of Medicine, National University of Singapore, Kent Ridge, Singapore 0511





Fig. 1. X-ray of the abdomen showing the opacity (arrow).

Fig. 2. Part of the nodule showing cross section of worms. $\times 13.5$. Movat stain.

Fig. 3. Higher magnification of one of the sections showing the characteristic muscular arrangement of *Dracunculus*. $\times 54$. Movat stain.