

Zeitschrift: Archives des sciences et compte rendu des séances de la Société
Herausgeber: Société de Physique et d'Histoire Naturelle de Genève
Band: 39 (1986)
Heft: 1

Artikel: Taxonomic note on reefal Miliolacea (Protista: Foraminiferida) from the Upper Triassic Tethys
Autor: Senowbardi-Daryan, Baba / Zaninetti, Louisette
DOI: <https://doi.org/10.5169/seals-740353>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 10.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Arch. Sc. Genève	Vol. 39	Fasc. 1	pp. 79-86	1986
------------------	---------	---------	-----------	------

TAXONOMIC NOTE ON REEFAL MILIOLACEA (PROTISTA: FORAMINIFERIDA) FROM THE UPPER TRIASSIC TETHYS

BY

Baba SENOWBARI-DARYAN¹ and Louisette ZANINETTI²

The occurrence of highly specialized porcelaneous Foraminifera in the reefal environments (reef facies) of the Upper Triassic Tethys has been reported in the past years in numerous publications (see bibliography).

However, the taxonomy of these Foraminifera is by far not clear. There are differences of interpretation between the authors as far as generic and suprageneric attributions are concerned. Some authors even consider certain unquestionable Foraminifera as *Incertae sedis*.

In a previous taxonomic note, ZANINETTI *et al.* (1982a) have proposed to place some of these Miliolacea in the following subfamilies of the Milioliporidae:

- Milioliprinae BRÖNNIMANN and ZANINETTI *in* BRÖNNIMANN, ZANINETTI, BOZORGIA, DASHTI and MOSHTAGHIAN, 1971
- Galeanellinae ZANINETTI, ALTINER, DAGER and DUCRET, 1982
- Pseudocucurbitinae ZANINETTI, ALTINER, DAGER and DUCRET, 1982a (Herein elevated to family rank).

In 1984, a fourth subfamily has been added to the Milioliporidae, the Altinerininae ZANINETTI, CIARAPICA, DECROUEZ and MICONNET, 1984, herein also elevated to family rank.

However, the recent discovery in the Triassic reefs of Sicily of new taxa (SENOWBARI-DARYAN, 1983; ZANINETTI *et al.*, 1984), which do not belong to any of these subfamilies, makes it necessary to propose for them a new classification with the following new taxonomic units:

¹ Institut für Paläontologie, Loewenichstrasse, 28, 8520 BDR-Erlangen, Allemagne.

² Université de Genève, Département de Biologie animale (Paléobiologie et Systématique), 154, route de Malagnou, 1224 Chêne-Bougeries, Genève, Suisse. Département de Géologie et Paléontologie, 13, rue des Maraîchers, 1211 Genève 4, Suisse.

Spiriamphorellinae, n. subfam.

Costiferinae, n. subfam.

Siphonoferidae, n. fam.

and the new genus *Siculocosta*, n. gen. (Costiferinae, n. subfam., Nubeculariidae).

SYSTEMATICS

Miliolina DELAGE and HEROUARD, 1896, emend. BRÖNNIMANN and ZANINETTI *in* BRÖNNIMANN, ZANINETTI, BOZORGNIA, DASHTI and MOSHTAGHIAN, 1971.

Miliolacea EHRENCBERG, 1839, emend. BRÖNNIMANN and ZANINETTI, 1971.

I Family *Nubeculariidae* JONES, 1875

Wall porcelaneous without perforations or any other structure; Middle?, Upper Triassic-Recent.

1) Subfamily *Nubeculariinae* JONES, 1875

Genus: *Nubecularia* DEFRENCE, 1825; Middle?, Upper Triassic-Recent.

Type-species: *Nubecularia lucifuga* DEFRENCE, 1825 (not Triassic)

2) Subfamily *Ophthalmidiinae* WIESNER, 1920

Genera:

Ophthalmidium KÜBLER and ZWINGLI, 1870

Middle Triassic-Recent.

Type-species: *Oculina liasica* KÜBLER and ZWINGLI, 1866 (not Triassic)

Karaburunia LANGER, 1968

Middle Triassic (Anisian).

Type-species:

Karaburunia rendeli LANGER, 1968

Middle Triassic (Anisian).

Paraophthalmidium SAMUEL and BORZA, 1981

Upper Triassic.

Type-species:

Paraophthalmidium carpathicum SAMUEL and BORZA, 1981
Upper Triassic.

Hydrania SENOWBARI-DARYAN, 1983
Upper Triassic (Carnian).

Type-species:

Hydrania dulloii SENOWBARI-DARYAN, 1983
Upper Triassic (Carnian).

3. Subfamily *Nodobaculariinae* CUSHMAN, 1927

Genus: *Nodophthalmidium* MACFADYEN, 1939
Middle?, Upper Triassic-Recent.

Type-species: *Nodobacularia compressa* RHUMBLER, 1906 (not Triassic).

4. Subfamily *Spiriamphorellinae* SENOWBARI-DARYAN and ZANINETTI, n. subfam. Upper Triassic.

Test free, early stage as in *Ophthalmidium*, involute; adult slightly unrolled, with very thick unperforated wall; aperture simple, terminal.

Type-genus:

Spiriamphorella BORZA and SAMUEL, 1977.
Upper Triassic.

Type-species:

Spiriamphorella carpathica BORZA and SAMUEL, 1977.
Upper Triassic (Carnian).

5. Subfamily *Costiferinae* SENOWBARI-DARYAN and ZANINETTI, n. subfam.

Test free, unrolled and slightly irregular; chambers as in *Nubecularia*, very thick unperforated (?) wall with cross longitudinal ribs; aperture simple terminal; Upper Triassic (Norian).

Type-genus: *Costifera* SENOWBARI-DARYAN, 1983.

Costiferinae with longitudinal ribs separated from the test by distinct wall.
Upper-Triassic (Norian).

Types-species: *Costifera cylindrica* SENOWBARI-DARYAN, 1983.

Upper Triassic (Norian).

Other genus:

Siculocosta SENOWBARI-DARYAN and ZANINETTI, n. gen.

Upper Triassic (Norian).

Costiferinae with longitudinal ribs not separated from the test by distinct wall.

Type-species:

Costifera battagliensis SENOWBARI-DARYAN, 1983

Upper Triassic (Norian).

II Family *Pseudocucurbitidae* ZANINETTI, ALTINER, DAGER and DUCRET, 1982a

Wall porcelaneous, wall structures present(?), occurrence of very fine spines for anchorage (SENOWBARI-DARYAN, in press);

Upper Triassic.

Type-genus:

Pseudocucurbita BORZA and SAMUEL, 1978

Upper Triassic (Carnian).

Type-species: *Pseudocucurbita globosa* BORZA and SAMUEL, 1978

(synonym?: *Cucurbita infundibuliformis* JABLONSKY, 1983)

Upper Triassic (Carnian).

III Family *Milioliporidae* BRÖNNIMANN and ZANINETTI in BRÖNNIMANN, ZANINETTI, BOZORGIA, DASHTI and MOSHTAGHIAN, 1971

Wall porcelaneous, perforated and showing dichotomic structures (perforations?) in thick recrystallized wall;

Upper Triassic.

1. Subfamily *Milioliporinae* BRÖNNIMANN and ZANINETTI, 1971

Upper Triassic (Carnian-Rhetian).

Type-genus: *Miliolipora* BRÖNNIMANN and ZANINETTI *in* BRÖNNIMANN, ZANINETTI, BOZORGNIA, DASHTI and MOSHTAGHIAN, 1971

Upper Triassic (Norian-Rhetian).

Type-species:

Miliolipora cuvillieri BRÖNNIMANN and ZANINETTI, 1971
Upper Triassic (Norian-Rhetian).

Other genera:

Ophthalmitipora ZANINETTI and BRÖNNIMANN, 1972
Upper Triassic (Carnian).

Type-species:

Ophthalmitipora dolomitica ZANINETTI and BRÖNNIMANN, 1972
Upper Triassic (Carnian).
Bispiranella SAMUEL, SALAJ and BORZA, 1981
Upper Triassic (Carnian).

Type-species:

Bispiranella subcarinata SAMUEL, SALAJ and BORZA, 1981
Upper Triassic (Carnian).

2. Subfamily *Galeanellinae* ZANINETTI, ALTINER, DAGER and DUCRET, 1982a
Upper Triassic (Carnian-Rhetian).

Type-genus:

Galeanella KRISTAN, 1958, emend. ZANINETTI and BRÖNNIMANN, *in* BRÖNNIMANN, CADET, RICOU and ZANINETTI, 1973
Upper Triassic (Carnian-Rhetian).

Type-species:

Galeanella tollmanni (KRISTAN 1957)
Upper Triassic (Rhetian).

Other genus:

Orthotrinacria ZANINETTI, SENOWBARI-DARYAN, CIARAPICA and CIRILLI, 1985
Upper Triassic (Norian).

Type-species:

Galeanella expansa ZANINETTI, ALTINER, DAGER and DUCRET, 1982b
Upper Triassic (Norian).

IV *Family Siphonoferidae* SENOWBARI-DARYAN and ZANINETTI, n. fam.

Wall porcelaneous, unperforated in early whorls, late stage with uninterpreted lines (growing lines? chambers? or structures as in *Galeanella*?);
Upper Triassic (Norian).

Type-genus: *Siphonofera* SENOWBARI-DARYAN, 1983.

Upper Triassic (Norian).

Type-species:

Siphonofera pilleri SENOWBARI-DARYAN, 1983
Upper Triassic (Norian).

V. *Family Altinerinidae* ZANINETTI, CIARAPICA, DECROUEZ and MICONNET, 1984.

Wall porcelaneous, perforated in late stages; early stage trochospiral (?), adult with slightly irregular enrollment; presence of spines for anchorage (SENOWBARI-DARYAN, CIARAPICA, CIRILLI and ZANINETTI, in press).

Upper Triassic (Norian).

Type-genus:

Altinerina ZANINETTI, CIARAPICA, DECROUEZ and MICONNET, 1984
Upper Triassic (Norian).

Type-species:

Altinerina meridionalis ZANINETTI, CIARAPICA, DECROUEZ and MICONNET, 1984
Upper Triassic (Norian).

N. B. The Foraminifera described by SADATI (1981) from the reefal Upper Triassic of the Hohe Wand, Austria, have not been considered for this revised classification. They may belong to particularly well preserved Spiriamphorellinae, n. subfam., or to Costiferinae, n. subfam.

ACKNOWLEDGMENTS

This research is connected with the project “evolution of reefs” of the Deutsche Forschungsgemeinschaft (DFG, F1 42/49-1) and is part of a project on the biostratigraphy and sedimentology of the Triassic, financed by the Fonds national suisse de la Recherche scientifique (L. Z., project No. 2.322-0.84).

BIBLIOGRAPHY

- BORZA, K. and O. SAMUEL (1977 a)—New genera and species (Incertae sedis) from the Upper Triassic in the West Carpathians. *Geol. Carpathica*, Bratislava, vol. 28/1, p. 95-119.
- BORZA, K. and O. SAMUEL (1977 b)—Paratintinnina tintinniformis and P. tulipaeformis nov. gen. et nov. sp. (Incertae sedis) from Upper Triassic limestones of the West Carpathians. *Zapad. Karp.*, Bratislava, s. paleont., vol. 2-3, p. 143-150.
- BORZA, K. and O. SAMUEL (1978)—Pseudocucurbita n. gen. (Incertae sedis) from the Upper Triassic of the West Carpathians. *Geol. Carpathica*, Bratislava, vol. 29/1, p. 67-75.
- BRÖNNIMANN, P., J.-P. CADET, L. E. RICOU and L. ZANINETTI (1973)—Révision morphologique et émendation du genre triasique Galeanella KRISTAN et description de Galeanella panticae, n. sp. *Verh. Geol. B. A.*, Wien, n. 3, p. 411-435.
- BRÖNNIMANN, P., L. ZANINETTI, F. BOZORGIA, G. R. DASHTI and A. MOSHTAGHIAN (1971)—Lithostratigraphy and Foraminifera of the Upper Triassic Naiband Formation, Iran—*Rev. Micropal.*, Paris, vol. 14/5, p. 7-16.
- JABLONSKY, E. (1973)—Mikroproblematika aus der Trias der Westkarpaten. *Geol. Carpathica*, Bratislava, vol. 24/2, p. 415-423.
- KRISTAN, E. (1957)—Ophthalmidiinae und Tetrataxinae aus dem Rhät der Hohen Wand in Niederösterreich. *Jb. Geol. B. A.*, Wien, vol. 100/2, p. 269-298.
- KRISTAN, E. (1958)—Neue Namen für zwei Foraminiferengattungen aus dem Rhät. *Verh. Geol. B. A.*, Wien, No. 1, p. 114.
- MICONNET, P., G. CIARAPICA and L. ZANINETTI (1983)—Faune à Foraminifères du Trias supérieur d'affinité sud-téthysienne dans l'Apennin méridional (Bassin de Lagonegro, Province de Potenza, Italie): comparaison avec l'Apennin septentrional. *Rev. Paléobiologie*, Genève, vol. 2/2, p. 131-147.
- PILLER, W. and B. SENOWBARI-DARYAN (1980)—Foliotortus spinosus n. gen. n. sp., a new microfossil (Foraminifera?) from Upper Triassic Reef Limestones of Sicily. *Facies*, Erlangen, vol. 2, p. 219-228.
- SADATI, S. M. (1981)—Die Hohe Wand: ein obertriadisches Lagunen-Riff am Ostend der Nördlichen Kalkalpen (Niederösterreich). *Facies*, Erlangen, vol. 5, p. 191-264.
- SAMUEL, O. and K. BORZA (1981)—Paraophthalmidium, nov. gen. (Foraminifera) from the Triassic of the West Carpathians. *Zapad. Karp.*, Bratislava, s. paleont., vol. 6, p. 65-78.
- SALAJ, J., K. BORZA and O. SAMUEL (1983)—Triassic Foraminifers of the West Carpathians. *Geol. Ustav Dionyza Stura*, Bratislava, 213 p., 157 pl.
- SAMUEL, O., J. SALAJ and K. BORZA (1981)—Bispiranella, nov. gen. (Foraminifera) from Upper Triassic of West Carpathians. *Zapad. Karp.*, Bratislava, s. paleont., vol. 6, p. 87-91.
- SENOWBARI-DARYAN, B. (1983)—Zur Gattung Pseudocucurbita Borza und Samuel, 1978 (pro Cucurbita Jablonsky, 1973) und Beschreibung vergleichbarer problematischer Organismen aus der Obertrias des alpin-mediterranean Raumes. *Riv. Ital. Paleont.*, Milano, vol. 88 (1982)/2, p. 181-250.
- SENOWBARI-DARYAN (in press)—Neue Erkenntnisse über die Morphologie der Gattung Pseudocucurbita BORZA & SAMUEL (Foraminifera).—*Sonderveröff. Geol. Inst. Univ. Köln.*

- SENOWBARI-DARYAN, B., G. CIARAPICA, S. CIRILLI and L. ZANINETTI (in press)—Nouvelles observations d'*Altinerina meridionalis* ZANINETTI, CIARAPICA, DECROUEZ et MICONNET, 1984 (Foraminifère), dans le Trias supérieur (Norien) récifal de la Plate-forme Panormide, Sicile. *Rev. Paléobiologie*, Genève.
- SENOWBARI-DARYAN, B., L. ZANINETTI, G. CIARAPICA and S. CIRILLI (in preparation)—Les Foraminifères dans les complexes récifaux du Trias supérieur (Norien) de Sicile.
- ZANINETTI, L. (1977)—Sur quelques synonymes du genre *Galeanella* KRISTAN, 1958, un Foraminifère de la Téthys triasique. *Notes Lab. Paléont. Univ.* Genève, fasc. 2, p. 1-3.
- ZANINETTI, L. and D. ALTINER (1981)—Les Galéanelles (Foraminifères) et formes apparentées dans le Trias supérieur de la Téthys. *Notes Lab. Paléont. Univ.* Genève, fasc. 8/4, p. 41-44.
- ZANINETTI, L. and D. ALTINER (1982)—Les Milioliporidae (Foraminifères triasiques): hypothèse sur leur origine et leur évolution itérative. *Rev. Paléobiologie*, Genève, vol. 1/1, p. 7-12.
- ZANINETTI, L., D. ALTINER, Z. DAGER and B. DUCRET (1982 a)—Les Milioliporidae (Foraminifères) dans le Trias supérieur à faciès récifal du Taurus, Turquie. I: Proposition pour une nouvelle subdivision. *Rev. Paléobiologie*, Genève, vol. 1/1, p. 93-103.
- ZANINETTI, L., D. ALTINER, Z. DAGER and B. DUCRET (1982 b)—Les Milioliporidae (Foraminifères) dans le Trias supérieur à faciès récifal du Taurus, Turquie. II: Microfaunes associées. *Rev. Paléobiologie*, Genève, vol. 1/2, p. 105-139.
- ZANINETTI, L. and P. BRÖNNIMANN (1982)—*Ophthalmipora dolomitica*, gen. n., sp. n., un Foraminifère du Carnien des Dolomites. *Riv. Ital. Paleont.*, Milano, vol. 78/4, p. 613-620.
- ZANINETTI, L., G. CIARAPICA, D. DECROUEZ and P. MICONNET (1984)—*Altinerina meridionalis*, n. gen., n. sp., un Foraminifère du Trias supérieur (Norien) récifal de l'Apennin méridional et de la Sicile, Italie. *Rev. Paléobiologie*, Genève, vol. 3/1, p. 15-18.
- ZANINETTI, L., B. SENOWBARI-DARYAN, G. CIARAPICA and S. CIRILLI (1985)—*Orthotrinacria*, n. gen. (Protista: Foraminiferida), from the Upper Triassic (Norian) reefs of Sicily. *Rev. Paléobiologie*, Genève, vol. 4/2, p. 297-300.