

Zeitschrift:	Archives des sciences et compte rendu des séances de la Société
Herausgeber:	Société de Physique et d'Histoire Naturelle de Genève
Band:	42 (1989)
Heft:	1: Archives des Sciences
 Artikel:	Polarity : from dipoles to bipolarizations. IV. Addenda
Autor:	Turian, Gilbert
Bibliographie:	References
DOI:	https://doi.org/10.5169/seals-740083

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 31.07.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

REFERENCES

- AALTO, M.K., S. KERÄNEN and H. RONNE (1992). A family of proteins involved in intracellular transport. *Cell* 68: 181-182.
- ACHLER, C., D. FILMER, C. MERTE and D. DRENCKHAHN (1989). Role of microtubules in polarized delivery of apical membrane proteins to the brush border of the intestinal epithelium. *J. Cell Biol.* 109: 179-189.
- ADAM, S.A. and L. GERACE (1991). Cytosolic proteins that specifically bind nuclear location signals are receptors for nuclear import. *Cell* 66: 837-847.
- ADAMS, A.E.M., D. BOTSTEIN and D.G. DRUBIN (1991). Requirement of yeast fimbrin for actin organization and morphogenesis *in vivo*. *Nature* 354: 404-408.
- ADLER, P.N., C. VINSON, W.J. PARK, S. CONOVER and L. KLEIN (1990). Molecular structure of *frizzled*, a *Drosophila* tissue polarity gene. *Genetics* 126: 401-416.
- AIST, J.R. and C.J. BAYLES (1991). Organelle motility within mitotic asters of the fungus *Nectria haematococca*. *Eur. J. Cell Biol.* 56: 358-363.
- ALONI, R. (1988). Vascular differentiation within the plant. In *Vascular Differentiation and Plant Growth Regulators*. Pp. 39-62. L.W. Roberts, P.B. Gahan and R. Aloni (eds), Springer-Verlag, Berlin.
- AMAYA, E., T.J. MUSCI and M.W. KIRSCHNER (1991). Expression of a dominant negative mutant of the FGF receptor disrupts mesoderm formation in *Xenopus embryos*. *Cell* 66: 257-270.
- AMOS, L. and W.B. AMOS (1991). Molecules of the Cytoskeleton. Macmillan/Guilford Press. 253 pp.
- ANDREOU, A.G. (1991). Electronic arts imitate life. *Nature* 354: 501.
- ANFINSEN, C.B. (1973). Principles that govern the folding of protein chains. *Science* 8: 223-230.
- ARIOKA, M., A. HIRATA, A. TAKATSUKI and M. YAMASAKI (1991). Brefeldin A blocks an early stage of protein transport in *Candida albicans*. *J. Gen. Microbiol.* 137: 1253-1262.
- ATSUMI, T., L. McCARTER and Y. IMAE (1992). Polar and lateral flagellar motors of marine *Vibrio* are driven by different ion-motive forces. *Nature* 355: 182-184.
- BABA, M., N. BABA, Y. OHSUMI, K. KANAYA and M. OSUMI (1989). Three-dimensional analysis of morphogenesis induced by mating pheromone α factor in *Saccharomyces cerevisiae*. *J. Cell Sci.* 94: 207-216.
- BAIER, H. and F. BONHOEFFER (1992). Axon guidance by gradients of a target-derived component. *Science* 255: 472-475.
- BARINAGA, M. (1991). Is nitric oxide the "retrograde messenger"? *Science* 254: 1296-1297.
- BARJA, F. and G. TURIAN (1992). Chlorotetracycline fluorescent probing of Ca^{2+} sequestration in mitochondria fronting the acidic tip of germ tubes outgrowing from conidia of *Neurospora crassa*. *Biomed. Lett.* 47: 35-38.
- BARJA, F., C. ROSSIER and G. TURIAN (1991a). Actin microfilaments requirement in contrast with microtubules dispensability for germ tube outgrowth from conidia of *Neurospora crassa*. *Plant Physiol. (Life Sci. Adv.)* 10: 63-65.
- BARJA, F., B.-N. NGUYEN THI and G. TURIAN (1991b). Localization of actin and characterization of its isoforms in the hyphae of *Neurospora crassa*. *FEMS Microbiol. Lett.* 77: 19-24.
- BARNES, G., D.G. DRUBIN and T. STEARNS (1990). The cytoskeleton of *Saccharomyces cerevisiae*. *Curr. Opin. Cell Biol.* 2: 109-115.
- BASKIN, T.I., W.R. BRIGGS and M. IINO (1986). Can lateral redistribution of auxin account for phototropism of maize coleoptiles? *Plant Physiol.* 81: 306-309.
- BEARDSLEY, T. (1991). Trends in biology. Smart genes. *Sci. Amer.* 265(2): 72-81.
- BEGG, K.J. and W.D. DONACHIE (1985). Cell shape and division in *Escherichia coli*: experiments with shape and division mutants. *J. Bacteriol.* 163: 615-622.

- BENNER, S.A. and D. GERLOFF (1990). Patterns of divergence in homologous proteins as indicators of secondary and tertiary structure: a prediction of the structure of the catalytic domain of protein kinases. *Adv. Enz. Reg.* 31: 121-181.
- BEZANILLA, F., E. PEROZO, D.M. PAPAZIAN and E. STEFANI (1991). Molecular basis of gating charge immobilization in Shaker potassium channels. *Science* 254: 679-683.
- BI, E. and J. LUTKENHAUS (1991). FtsZ ring structure associated with division in *Escherichia coli*. *Nature* 354: 161-164.
- BITTINICH, D.J. and R.E. WILLIAMSON (1989). Tip-localised H⁺-fluxes and the applicability of the acid-growth hypothesis to tip-growing cells: control of chloronemal extension in *Funaria hygrometrica* by auxin and light. *Planta* 178: 96-102.
- BIXBY, J.L. and W.A. HARRIS (1991). Molecular mechanisms of axon growth and guidance. *Ann. Rev. Cell Biol.* 7: 117-159.
- BIXBY, J.L., J. LILLEN and L.F. REICHARDT (1989). Identification of the major proteins that promote neuronal process outgrowth on Schwann cells *in vitro*. *J. Cell Biol.* 107: 353-361.
- BLACK, M.M. and P.W. BAAS (1989). The basis of polarity in neurons. *Trends Neurosci.* 12: 211-214.
- BLATT, M.R. (1991). Ion channel gating in plants: physiological implications and integration for stomatal function. *J. Membrane Biol.* 124: 95-112.
- BLOCK, I. and W. BRIEGLEB (1989). Potential sites for the perception of gravity in the acellular slime mold *Physarum polycephalum*. *Adv. Space Res.* 9(11): 75-78.
- BLOOM, G.S. (1992). Motor proteins for cytoplasmic microtubules. *Curr. Opin. Cell Biol.* 4: 66-73.
- BLOXHAM, J. and D. GUBBINS (1989). The evolution of the earth's magnetic field. *Sci. Amer.* 261(6): 30-37.
- BOCK, G.R. and J. MARSH (eds) (1991). Biological Asymmetry and Handedness, Ciba Foundation Symposium 162. Wiley, New York. 327 pp.
- BOGUE, S. (1991). Reversals of opinion. *Nature* 351: 445-446.
- BOMSEL, M. and K. MOSTOV (1991). Sorting of plasma membrane proteins in epithelial cells. *Curr. Opin. Cell Biol.* 3: 647-653.
- BOUNIAS, M. (1990). La Création de la Vie: de la Matière à l'Esprit. Edition du Rocher, Paris. 444 pp.
- BRAY, D. (1992). Cell Movements. Garland, European Book Service. 406 pp.
- BREMER, A. and U. AEBI (1992). The structure of the F-actin filament and the actin molecule. *Curr. Opin. Cell Biol.* 4: 20-26.
- BRETSCHER, M. (1973). Membrane structure: some general principles. *Sciences* 181: 622-629.
- BROCKES, J.P. (1990). Reading the retinoid signals. *Nature* 345: 766-768.
- (1991). We may not have a morphogen. *Nature* 350: 15.
- BRÖNNER, G. and H. JÄCKLE (1991). Control and function of terminal gap gene activity in the posterior pole region of the *Drosophila* embryo. *Mechan. Develop.* 35: 205-211.
- BROUWER, A.M., R.D. MOUT, P.H. MAASEN VAN DEN BRINK, H.J. VAN RAMESDONK, J.W. VERHOEVEN, S.A. JONKER and J.M. WARMAN (1991). Electrostatically driven folding following light-induced intramolecular electron transfer in a trichromophoric electron donor-acceptor molecule. *Chem. Phys. Lett.* 186: 481-489.
- BROWER, D.L. and T.H. GIDDINGS (1980). The effects of applied electric fields on *Micrasterias*. II. The distributions of cytoplasmic and plasma membrane components. *J. Cell Sci.* 42: 279-290.
- BROWER, D.L. and J.R. MCINTOSH (1980). The effects of applied electric fields on *Micrasterias*. I. Morphogenesis and the pattern of cell wall deposition. *J. Cell Sci.* 42: 261-277.
- BRUNDAGE, R.A., K.E. FOGARTY, R.A. TUFT and F.S. FAY (1991). Calcium gradients underlying polarization and chemotaxis of eosinophils. *Science* 254: 703-706.
- BUEHL, B. and H.K. MACWILLIAMS (1991). Cell sorting within the prestalk zone of *Dictyostelium discoideum*. *Differentiation* 46: 147-152.
- BÜRGLIN, T.R., G. RUVKUN, A. COULSON, N.C. HAWKINS, J.D. McGHEE, D. SCHALLER, C. WITTMANN, F. MÜLLER and R.H. WATERSTON (1991). Nematode homeobox cluster. *Nature* 351: 703.

- BURGOYNE, R.D. (ed.) (1991). *The Neuronal Cytoskeleton*. Wiley-Liss, New York. 334 pp.
- CAIRNEY, J.W.G. (1992). Translocation of solutes in ectomycorrhizal and saprotrophic rhizomorphs. *Mycol. Res.* 96: 135-141.
- CAMERON, D.A. and E.N. PUGH Jr (1991). Double cones as a basis for a new type of polarization vision in vertebrates. *Nature* 353: 161-164.
- CAPLOW, M. (1992). Microtubule dynamics. *Curr. Opin. Cell Biol.* 4: 58-65.
- CASANOVA, J. (1991). Interaction between *torso* and *dorsal*, two elements of different transduction pathways in the *Drosophila* embryo. *Mechan. Develop.* 36: 41-45.
- CASANOVA, J.E., G. APODACA and K.E. MOSTOV (1991). An autonomous signal for basolateral sorting in the cytoplasmic domain of the polymeric immunoglobulin receptor. *Cell* 66: 65-75.
- CECARELLI, A., H. MAHBUBANI and J.G. WILLIAMS (1991). Positively and negatively acting signals regulating stalk cell and anterior-like cell differentiation in *Dictyostelium*. *Cell* 65: 983-989.
- CHANT, J. and I. HERSKOWITZ (1991). Genetic control of bud site selection in yeast by a set of gene products that constitute a morphogenetic pathway. *Cell* 65: 1203-1212.
- CHANT, J., K. CORRADO, J.R. PRINGLE and I. HERSKOWITZ (1991). Yeast *BUD5*, encoding a putative GDP-GTP exchange factor, is necessary for bud site selection and interacts with bud formation gene *BEM1*. *Cell* 65: 1213-1224.
- CHEN, M.S., R.A. OBAR, C.C. SCHROEDER, T.W. AUSTIN, C.A. POODRY, S.C. WADSWORTH and R.B. VALLEE (1991). Multiple forms of dynamin are encoded by *shibire*, a *Drosophila* gene involved in endocytosis. *Nature* 351: 583-586.
- CHENEVERT, J., K. CORRADO, A. BENDER, J. PRINGLE and I. HERSKOWITZ (1992). A yeast gene (*BEMS1*) necessary for cell polarization whose product contains two SH3 domains. *Nature* 356: 77-79.
- CHU, S. (1992). Laser trapping of neutral particles. *Sci. Amer.* 266(2): 49-54.
- CLEVELAND, D.W. and P.N. HOFFMAN (1991). Slow axonal transport models come full circle: evidence that microtubule sliding mediates axon elongation and tubulin transport. *Cell* 67: 453-456.
- COEN, E.S. and E.M. MEYEROWITZ (1991). The war of the whorls: genetic interactions controlling flower development. *Nature* 353: 31-37.
- COLUCCIO, L.M. (1991). Identification of the microvillar 110-kDa calmodulin complex (myosin-1) in kidney. *Eur. J. Cell Biol.* 56: 286-294.
- COOK, P.R. (1991). The nucleoskeleton and the topology of replication. *Cell* 66: 627-635.
- CORCORAN, E. (1991). Memorable revival. Will ferroelectrics finally move out of the laboratory? *Sci. Amer.* 265(1): 87-88.
- CREIGHTON, T.E. (1991). Unfolding protein folding. *Nature* 352: 17-18.
- CRUTCHFIELD, J.P., J.D. FARMER, N.H. PACKARD and R.S. SHAW (1986). Chaos. *Sci. Amer.* 255(6): 38-49.
- CYPHER, C. and P.C. LETOURNEAU (1992). Growth cone motility. *Curr. Opin. Cell Biol.* 4: 4-7.
- CZIHAK, G., M. KOJIMA, J. LINHART and H. VOGEL (1991). Multipolar mitosis in procaine-treated polyspermic sea urchin eggs and in eggs fertilized with UV-irradiated spermatozoa with a computer model to simulate the positioning of centrosomes. *Eur. J. Cell Biol.* 55: 255-261.
- DEAN, N. and H.R.B. PELHAM (1990). Recycling of proteins from the Golgi compartment to the ER in yeast. *J. Cell Biol.* 111: 369-377.
- DE HOSTOS, E.L., B. BRADTKE, F. LOTTSCHEICH, R. GUGGENHEIM and G. GERISCH (1991). Coronin, an actin binding protein of *Dictyostelium discoideum* localized to cell surface projections, has sequence similarities to G protein β subunits. *EMBO J.* 10: 4097-4104.
- DEISENHOFER, J. and H. MICHEL (1991). Structures of bacterial photosynthetic reaction centers. *Ann. Rev. Cell Biol.* 7: 1-23.
- D'ENFERT, C., L.J. WUESTEHUBE, T. LILA and R. SCHEKMAN (1991). Sec12p-dependent membrane binding of the small GTP-binding protein Sar1p promotes formation of transport vesicles from the ER. *J. Cell Biol.* 114: 663-670.
- DICKSON, J.A.D. (1991). Disequilibrium carbon and oxygen isotope variations in natural calcite. *Nature* 353: 842-844.

- DILL, K.A. (1990). Dominant forces in protein folding. *Biochemistry* 29: 7133-7155.
- DiVINCENZO, D.P. and P.J. STEINHARDT (eds) (1991). *The State of the Art. Directions in Condensed Matter Physics*, vol. 11. World Scientific, Teaneck, N.J. 524 pp.
- DOLLÉ, P., J.-C. IZPISUA-BELMONTE, E. BONCINELLI and D. DUBOULE (1991). The Hox-4.8 gene is localized at the 5' extremity of the Hox-4 complex and is expressed in the most posterior parts of the body during development. *Mechan. Develop.* 36: 3-13.
- DRENCKHAHN, D. (1992). The role of microtubules and membrane cytoskeleton in maintenance and generation of epithelial polarity. *Eur. J. Cell Biol. Suppl.* 36, vol. 57: 16.
- DREWS, G.N., J.L. BOWMAN and E.M. MEYEROWITZ (1991). Negative regulation of the *Arabidopsis* homeotic gene *agamous* by the *apetala2* product. *Cell* 65: 991-1002.
- DROUFFE, J.-M., A.C. MAGGS and S. LEIBLER (1991). Computer simulations of self-assembled membranes. *Science* 254: 1353-1356.
- DRUBIN, D.G. (1991). Development of cell polarity in budding yeast. *Cell* 65: 1093-1096.
- DURAND-SCHNEIDER, A.-M., J.-C. BOUANGA, G. FELDMANN and M. MAURICE (1991). Microtubule disruption interferes with the structural and functional integrity of the apical pole in primary cultures of rat hepatocytes. *Eur. J. Cell Biol.* 56: 260-268.
- DUSTIN, P. (1978). *Microtubules*. Springer-Verlag, Berlin, New York. 452 pp.
- EHRHARDT, D.W., E.M. ATKINSON and S.R. LONG (1992). Depolarization of alfalfa root hair membrane potential by *Rhizobium meliloti* Nod factors. *Science* 256: 998-1000.
- EILERS, U., J. KLUMPERMAN and H.-P. HAURI (1989). Nocodazole, a microtubule-active drug, interferes with apical protein delivery in cultured intestinal epithelial cells (Caco-2). *J. Cell Biol.* 108: 13-22.
- EINSTEIN, A. (1917). Zum Quantensatz von Sommerfeld und Epstein. *Ver. Deut. Phys. Ges.* 19: 82-92.
- ELINSON, R.P. (1990). Cytoskeleton and embryo polarity. *Curr. Opin. Cell Biol.* 2: 75-79.
- EMONS, A.M.C., J. DERKSEN and M.M.A. SASSEN (1992). Do microtubules orient plant cell wall microfibrils? *Physiol. Plant.* 84: 486-493.
- EPHRUSSI, A., L.K. DICKSON and R. LEHMANN (1991). Oskar organizes the germ plasm and directs localization of the posterior determinant *nanos*. *Cell* 66: 37-50.
- ETTL, H. (1988). Zellteilung und Sporulation als wichtige Unterscheidungsmerkmale bei Grünalgen (Chlorophyta). *Arch. Protistenkunde* 135: 103-118.
- FARR, C.M., M. COUE, P.M. GRISOM, T.M. HAYS, M.E. PORTER and J.R. MCINTOSH (1990). Cytoplasmic dynein is localized to kinetochores during mitosis. *Nature* 345: 263-265.
- FIRN, R.D. and J. DIGBY (1980). The establishment of tropic curvatures in plants. *Ann. Rev. Plant Physiol.* 31: 131-148.
- FLAM, F. (1991). A long look into a liquid crystal ball. *Science* 252: 649-650.
- FORD, S.K. and J.R. PRINGLE (1991). Cellular morphogenesis in the *Saccharomyces cerevisiae* cell cycle: localization of the CDC11 gene product and the timing of events at the budding site. *Dev. Genet.* 12(4): 281-292.
- FREEDMAN, D.H. (1991). Concocting a cosmic recipe for matter. *Science* 254: 382-383.
- FUKUGITA, M. and C.J. HOGAN (1991). Quark soup: do not boil. *Nature* 354: 17-18.
- FUKUI, Y., J. LEBLANC, L. LEINWAND, T. EGELHOFF and J.A. SPUDICH (1991). Myosin organization center in *Dictyostelium*: possible role in the determination of cell polarity. *J. Cell Biol.* 115(3 Part 2): 182a.
- GARAY, A.S. and J.A. AHLGREN-BECKENDORF (1990). Differential interaction of chiral β -particles with enantiomers. *Nature* 346: 451-453.
- GAY, N.J. and F.J. KEITH (1991). *Drosophila* Toll and IL-1 receptor. *Nature* 351: 355-356.
- GELFAND, V.I. and A.D. BERSHADSKY (1991). Microtubule dynamics: mechanism, regulation, and function. *Ann. Rev. Cell Biol.* 7: 93-116.
- GETHING, M.-J. and J. SAMBROOK (1992). Protein folding in the cell. *Nature* 355: 33-45.
- GIBBON, B.C. and D.L. KROPF (1991). pH gradients and cell polarity in *Pelvetia* embryos. *Protoplasma* 163: 43-50.

- GIMENO, C.J., P.O. LJUNDAHL, C.A. STYLES and G.R. FINK (1992). Unipolar cell divisions in the yeast *S. cerevisiae* lead to filamentous growth: regulation by starvation and RAS. *Cell* 68: 1077-1090.
- GINZBURG, I. (1991). Neuronal polarity: targeting of microtubule components into axons and dendrites. *Trends Biochem. Sci.* 16: 257-261.
- GLEICK, J. (1988). Chaos: Making a New Science. Viking, New York. 352 pp.
- GOLDANSKII, V.I. (1979). Facts and hypotheses of molecular chemical tunnelling. *Nature* 279: 109-115.
- GOLDANSKII, V.I. and V.V. KUZMIN (1991). Chirality and cold origin of life. *Nature* 352: 114.
- GOLDSTEIN, L.S.B. and R.D. VALE (1991). A brave new world for dynein. *Nature* 352: 569-570.
- GOLLNICK, F., R. MEYER and W. STOCKEM (1991). Visualization and measurement of calcium transients in *Amoeba proteus* by fura-2 fluorescence. *Eur. J. Cell Biol.* 55: 262-271.
- GOULD, S.J., G.-A. KELLER, N. HOSKEN, J. WILKINSON and S. SUBRAMANI (1989). A conserved tripeptide sorts proteins to peroxisomes. *J. Cell Biol.* 108: 1657-1664.
- GRAY, P. and S.K. SCOTT (1990). Chemical Oscillations and Instabilities. Non-Linear Chemical Kinetics. Clarendon Press, Oxford. 453 pp.
- GRENNINGLOH, G., E.J. REHM and C.S. GOODMAN (1991). Genetic analysis of growth cone guidance in *Drosophila*: fasciclin II functions as a neuronal recognition molecule. *Cell* 67: 45-57.
- GRESIK, M., N. KOLAROVA and V. FARKAS (1991). Hyperpolarization and intracellular acidification in *Trichoderma viride* as a response to illumination. *J. Gen. Microbiol.* 137: 2605-2610.
- GRUEN, H.E. (1991). Effects of grafting on stipe elongation and pileus expansion in the mushroom *Flammulina velutipes*. *Mycologia* 83: 480-491.
- GRULER, H. and N.A.R. GOW (1990). Directed growth of fungal hyphae in an electric field. *Z. Naturforsch.* 45c: 306-313.
- GUMBINER, B. (1990). Generation and maintenance of epithelial cell polarity. *Curr. Opin. Cell Biol.* 2: 881-887.
- GUNDERSEN, D., J. ORLOWSKI and E. RODRIGUEZ-BOULAN (1991). Apical polarity of Na⁺, K⁺-ATPase in retinal pigment epithelium is linked to a reversal of the ankyrin-fodrin submembrane cytoskeleton. *J. Cell Biol.* 112: 863-872.
- GUPTA, R.S. (1990). Mitochondria, molecular chaperone proteins and the in vivo assembly of microtubules. *Trends Biochem. Sci.* 15: 415-418.
- GURDON, J.B. (1992). The generation of diversity and pattern in animal development. *Cell* 68: 185-199.
- GUSTIN, M.C., X.-L. ZHOU, B. MARTINAC and C. KUNG (1988). A mechanosensitive ion channel in the yeast plasma membrane. *Science* 243: 762-765.
- GUTZWILLER, M.C. (1992). Quantum chaos. *Sci. Amer.* 266(1): 26-32.
- GYÖRGYI, L. and R.J. FIELD (1992). A three-variable model of deterministic chaos in the Belousov-Zhabotinsky reaction. *Nature* 255: 808-810.
- HAFEN, E. and K. BASLER (1991). Specification of cell fate in the developing eye of *Drosophila*. *Development (Suppl.)* 1: 123-130.
- HAGAN, I. and M. YANAGIDA (1992). Kinesin-related cut7 protein associated with mitotic and meiotic spindles in fission yeast. *Nature* 356: 74-76.
- HALL, D.H. and E.M. HEDGECOCK (1991). Kinesin-related gene unc-104 is required for axonal transport of synaptic vesicles in *C. elegans*. *Cell* 65: 837-847.
- HALSTEAD, T.W. and F.R. DUTCHER (1987). Plants in space. *Ann. Rev. Plant Physiol.* 38: 317-345.
- HAMILTON, D.P. (1991). A tentative vote for supersymmetry. *Science* 253: 272.
- HAMMERTON, R.W., K.A. KRZEMINSKI, R.W. MAYS, T.A. RYAN, D.A. WOLLNER and W.J. NELSON (1991). Mechanism for regulating cell surface distribution of Na⁺, K⁺-ATPase in polarized epithelial cells. *Science* 254: 847-850.
- HANN, B.C. and P. WALTER (1991). The signal recognition particle in *S. cerevisiae*. *Cell* 67: 131-144.
- HARRISON, S.C. (1991). A structural taxonomy of DNA-binding domains. *Nature* 353: 715-719.
- HARTWELL, L. (1991). Pathways of morphogenesis. *Nature* 352: 663-664.

- HAWKING, S.W. (1990). A Brief History of Time. From the Big Bang to Black Holes. Bantam Books, New York. 198 pp.
- HEATH, J. and B. HOLIFIELD (1991). Actin alone in lamellipodia. *Nature* 352: 107-108.
- HEBARD, A.F., M.J. ROSSEINSKY, R.C. HADDON, D.W. MURPHY, S.H. GLARUM, T.T.M. PALSTRA, A.P. RAMIREZ and A.R. KORTAN (1991). Superconductivity at 18 K in potassium-doped C₆₀. *Nature* 350: 600-601.
- HEICHMAN, K.A. and R.C. JOHNSON (1990). The Hin invertasome: protein-mediated joining of distant recombination sites at the enhancer. *Science* 249: 511-517.
- HENQUIN, J.C. and H.P. MEISSNER (1984). Significance of ionic fluxes and changes in membrane potential for stimulus-secretion coupling in pancreatic B-cells. *Experientia* 40: 1043-1052.
- HERTH, W., H.-D. REISS and E. HARTMANN (1990). Role of calcium ions in tip growth of pollen tubes and moss protonema cells. In *Tip Growth in Plant and Fungal Cells*. Pp. 91-118. I.B. Heath (ed.), Academic Press, New York. 351 pp.
- HIDALGO, A. (1991). Interactions between segment polarity genes and the generation of the segmental pattern in *Drosophila*. *Mechan. Develop.* 35: 77-87.
- HO, T.-L. (1991). Polarity Control for Synthesis. John Wiley & Sons, New York. 416 pp.
- HODGKIN, A.L. and A.F. HUXLEY (1952). A quantitative description of membrane current and its application to conduction and excitation in nerve. *J. Physiol.* 117: 500-544.
- HOFFMAN, K.A. (1988). Ancient magnetic reversals: clues to the geodynamo. *Sci. Amer.* 258(5): 50-59.
- HOFFMAN, M. (1991a). A new role for gases: neurotransmission. *Science* 252: 1788.
- (1991b). Playing tag with membrane proteins. *Science* 254: 650-651.
- HOFFMEISTER, S.A.H. (1991). Analysis of a foot regeneration deficient strain of *Hydra oligactis*. *Mechan. Develop.* 35: 181-192.
- HOKE, F. (1992). "Smart" materials research expands beyond defense arena. *The Scientist* 6(9): 13:3.
- HOLSTEIN, B.R. (1991). Nucleons just yield to pressure. *Nature* 354: 189-190.
- HOPKINS, C.R. (1991). Polarity signals. *Cell* 66: 827-829.
- (1992). Selective membrane protein trafficking: vectorial flow and filter. *Trends Biochem. Sci.* 17: 27-32.
- HORGAN, J. (1991). Profile: Edward Witten. The pied piper of superstrings. *Sci. Amer.* 265(5): 18-20.
- HORVITZ, H.R. and I. HERSKOWITZ (1992). Mechanisms of asymmetric cell division: two Bs or not to Bs, that is the question. *Cell* 68: 237-255.
- HÜBSCHER, U. and P. THÖMMES (1992). DNA polymerase ε: in search of a function. *Trends Biochem. Sci.* 17: 55-58.
- HUGHES, R. (1991). Antihydrogen in a new light. *Nature* 353: 700-701.
- HUNZIKER, W., C. HARTER, K. MATTER and I. MELLMAN (1991). Basolateral sorting in MDCK cells requires a distinct cytoplasmic domain determinant. *Cell* 66: 907-920.
- HYMAN, A.A. (1989). Centrosome movement in the early divisions of *Caenorhabditis elegans*: a cortical site determining centrosome position. *J. Cell Biol.* 109: 1185-1193.
- HYMAN, A.A. and J.G. WHITE (1987). Determination of cell division axes in the early embryogenesis of *Caenorhabditis elegans*. *J. Cell Biol.* 105: 2123-2135.
- INGHAM, P.W. (1990). The X, Y, Z of head development. *Nature* 346: 412-413.
- INGHAM, P.W. and A. MARTINEZ ARIAS (1992). Boundaries and fields in early embryos. *Cell* 68: 221-235.
- INGHAM, P.W., A.M. TAYLOR and Y. NAKANO (1991). Role of the *Drosophila patched* gene in positional signalling. *Nature* 353: 184-187.
- ISHIJIMA, A., T. DOI, K. SAKURADA and T. YANAGIDA (1991). Sub-piconewton force fluctuations of actomyosin *in vitro*. *Nature* 352: 301-306.
- JACKSON, S.L. and I.B. HEATH (1989). Effects of exogenous calcium ions on tip growth, intracellular Ca²⁺ concentration, and actin arrays in hyphae of the fungus *Saprolegnia ferax*. *Exp. Mycol.* 13: 1-12.

- (1990). Evidence that actin reinforces the extensible hyphal apex of the oomycete *Saprolegnia ferax*. *Protoplasma* 157: 144-153.
- JANOSCHEK, R. (ed.) (1991). Chirality - From Weak Bosons to the Alpha-Helix. Springer-Verlag, Wien, New York. 239 pp.
- JENSEN, C.G., S.M. BOLLARD and U.-P. ROOS (1991). Analysis of microtubule arms and bridges in mitotic and interphase amebae of *Dictyostelium discoideum*. *Eur. J. Cell Biol.* 54: 121-131.
- JOHNSTON, G.C., J.A. PRENDERGAST and R.A. SINGER (1991). The *Saccharomyces cerevisiae* MYO2 gene encodes an essential myosin for vectorial transport of vesicles. *J. Cell Biol.* 113: 539-551.
- JÜRGENS, G., U. MAYER, R.A. TORRES RUIZ, T. BERLETH and S. MISÉRA (1991). Genetic analysis of pattern formation in the *Arabidopsis* embryo. *Development (Suppl.)* 1: 27-38.
- KATZ, H.E., G. SCHELLER, T.M. PUTVINSKI, M.L. SCHILLING, W.L. WILSON and C.E.D. CHIDSEY (1991). Polar orientation of dyes in robust multilayers by zirconium phosphate-phosphonate interlayers. *Science* 254: 1485-1487.
- KAUFFMAN, S.A. (1991). Antichaos and adaptation. *Sci. Amer.* 265(2): 64-70.
- KELLER, G.-A., S. KRISANS, S.J. GOULD, J.M. SOMMER, C.C. WANG, W. SCHLIEBS, W. KUNAU, S. BRODY and S. SUBRAMANI (1991). Evolutionary conservation of a microbody targeting signal that targets proteins to peroxisomes, glyoxysomes, and glycosomes. *J. Cell Biol.* 114: 893-904.
- KENYON, C. and B. WANG (1991). A cluster of *Antennapedia*-class homeobox genes in a nonsegmented animal. *Science* 253: 516-517.
- KERN, V., J. MONZER, K. DRESSEL and B. HOCK (1991). Graviperception and gravimorphogenesis in fungi. In *Forschung unter Weltraumbedingungen*. H. Binnenbrück and J. Richter (eds), DARA Symposium 1991, Aaren.
- KIM-HA, J., J.L. SMITH and P.M. MACDONALD (1991). *Oskar* mRNA is localized to the posterior pole of the *Drosophila* oocyte. *Cell* 66: 23-35.
- KIRK, D.L., M.R. KAUFMAN, R.M. KEELING and K.A. STAMER (1991). Genetic and cytological control of the asymmetric divisions that pattern the *Volvox* embryo. *Development (Suppl.)* 1: 67-82.
- KOERT, U., M.M. HARDING and J.-M. LEHN (1990). DNH deoxyribonucleohelicates: self assembly of oligonucleosidic double-helical metal complexes. *Nature* 346: 339-342.
- KOSHLAND, D. (1991). Molecular mechanisms of mitosis. *Year Book 90, Carnegie Institution of Washington*, pp. 121-127.
- KOSHLAND Jr, D.E. (1991). Molecule of the year. *Science* 254: 1705.
- KUZNETSOV, S.A., G.M. LANGFORD and D.G. WEISS (1992). Actin-dependent organelle movement in squid axoplasm. *Nature* 356: 722-725.
- KWON, Y.H. and H.C. HOCH (1991). Temporal and spatial dynamics of appressorium formation in *Uromyces appendiculatus*. *Exp. Mycol.* 15: 116-131.
- LASEK, R.J. and P.N. HOFFMAN (1976). The neuronal cytoskeleton, axonal transport and axonal growth. In *Cell Motility*. Vol. 3, pp. 1021-1049. R. Goldman, T. Pollard, J. Rosenbaum (eds), Cold Spring Harbor Lab. Press, Cold Spring Harbor, N.Y.
- LAWRENCE, P.A. (1966). Gradients in the insect segment: the orientation of hairs in the weed bug *Oncopeltus fasciatus*. *J. Exp. Biol.* 49: 607-620.
- LEGUÉ, V., D. DRISSE-ECOLE and G. PERBAL (1992). Cell cycle and cell differentiation in lentil roots grown on a slowly rotating clinostat. *Physiol. Plant.* 84: 386-392.
- LETOURNEAU, P.C., S.B. KATER and E.R. MACAGNO (eds) (1991). The Nerve Growth Cone. Raven Press, New York.
- LEW, D.J. and S.M. SIMON (1991). Characterization of constitutive exocytosis in the yeast *Saccharomyces cerevisiae*. *J. Membrane Biol.* 123: 261-268.
- LI, D.Q., M.A. RATNER, T.J. MARKS, C.H. ZHANG, J. YANG and G.K. WONG (1990). Chromophoric self-assembled multilayers. Organic superlattice approaches to thin-film nonlinear optical materials. *J. Am. Chem. Soc.* 112: 7389-7390.
- LIN, J.C. (ed.) (1989). Electromagnetic Interaction with Biological Systems. Plenum Press, New York.

- LINDSEY, K. and M.G.K. JONES (1990). Electroporation of cells. *Physiol. Plant.* 79: 168-172.
- LINGAPPA, V.R. (1991). More than just a channel: provocative new features of protein traffic across the ER membrane. *Cell* 65: 527-530.
- LIPPINCOTT-SCHWARTZ, J., L. YUAN, C. TIPPER, M. AMHERDT, L. ORCI and R.D. KLAUSNER (1991). Brefeldin A's effects on endosomes, lysosomes, and the TGN suggest a general mechanism for regulating organelle structure and membrane traffic. *Cell* 67: 601-616.
- LIPSHITZ, H.D. (1991). Axis specification in the *Drosophila* embryo. *Curr. Opin. Cell Biol.* 3: 966-975.
- LOPEZ, S.L. and A.E. CARRASCO (1992). Retinoic acid induces changes in the localization of homeobox proteins in the antero-posterior axis of *Xenopus laevis* embryos. *Mechan. Develop.* 36: 153-164.
- LUPAS, A., M. VAN DYKE and J. STOCK (1991). Predicting coiled coils from protein sequences. *Science* 252: 1162-1164.
- MACRAE, T.H., C.M. LANGDON and J.A. FREEMAN (1991). Spatial distribution of posttranslationally modified tubulins in polarized cells of developing *Artemia*. *Cell Motil. Cytoskel.* 18: 189-203.
- MAHOWALD, M. and R. DOUGLAS (1991). A silicon neuron. *Nature* 354: 515-518.
- MAIRE, P., J. WUARIN and U. SCHIBLER (1989). The role of cis-acting elements in tissue-specific albumin gene transcription. *Science* 244: 343-346.
- MANIOTIS, A. and M. SCHLIWA (1991). Microsurgical removal of centrosomes blocks cell reproduction and centriole generation in BSC-1 cells. *Cell* 67: 495-504.
- MANSEAU, L.J. and T. SCHÜPBACH (1989). The egg came first, of course! *Trends Genet.* 5: 400-405.
- MARO, B., C. GUETH-HALLONET, J. AGHION and C. ANTONY (1991). Cell polarity and microtubule organisation during mouse early embryogenesis. *Development (Suppl.)* 1: 17-25.
- MARSZALEK, P., J.J. ZIELINSKY, M. FIKUS and T.Y. TSONG (1991). Determination of electric parameters of cell membranes by a dielectrophoresis method. *Biophys. J.* 59: 982-987.
- MATTER, K., M. BRAUCHBAR, K. BUCHER and H.-P. HAURI (1990). Sorting of endogenous plasma membrane proteins occurs from two sites in cultured human intestinal epithelial cells (Caco-2). *Cell* 60: 429-437.
- MAYER, U., R.A. TORRES RUIZ, T. BERLETH, S. MISÉRA and G. JÜRGENS (1991). Mutations affecting body organization in the *Arabidopsis* embryo. *Nature* 353: 402-407.
- MCBRIDE, J.M. (1992). Crystal polarity: a window on ice nucleation. *Nature* 256: 814.
- MCCAIG, C.D. (1986). Electric fields, contact guidance and the direction of nerve growth. *J. Embryol. Exp. Morphol.* 94: 245-255.
- McGINNIS, W. and R. KRUMLAUF (1992). Homeobox genes and axial patterning. *Cell* 68: 283-302.
- MCPPERSON, A. (1989). Macromolecular crystals. *Sci. Amer.* 260:(3): 42-49.
- MEINDL, J.D. (1987). Chips for advanced computing. *Sci. Amer.* 257:(4) 54-62.
- MEISSNER, H.P. (1976). Electrical characteristics of the beta-cells in pancreatic islets. *J. Physiol. (Paris)* 72: 757-767.
- MELLMAN, I. and K. SIMONS (1992). The Golgi complex: in vitro veritas? *Cell* 68: 829-840.
- MEYEROWITZ, E.M. (1991). Abnormal developments. *Nature* 353: 385-386.
- MILLER, C. (1991). 1990: Annus mirabilis of potassium channels. *Science* 252: 1092-1096.
- MILLER, D.B., D.A. CALLAHAM, D.J. GROSS and P.K. HEPLER (1992). Free Ca^{2+} gradient in growing pollen tubes of *Lilium*. *J. Cell Sci.* 101: 7-12.
- MIYAKE, Y., M. YANO and H. SHIMIZU (1991). Relationship between endoplasmic and ectoplasmic oscillations during chemotaxis of *Physarum polycephalum*. *Protoplasma* 162: 175-181.
- MONTELL, D.J., H. KESHISHIAN and A.C. SPRADLING (1991). Laser ablation studies of the role of the *Drosophila* oocyte nucleus in pattern formation. *Science* 254: 290-293.
- MONZER, J., V. KERN and B. HOCK (1992). Gravitropic responses in the basidiomycete *Flammulina velutipes*: involvement of the cytoskeletal elements. *Eur. J. Cell Biol. Suppl.* 36, vol. 57: 55.
- MOORE, D. (1991a). Perception and responses to gravity in higher fungi: a critical appraisal. *New Phytol.* 117: 3-23.

- (1991b). Mushrooms in microgravity. *Mycology at the final frontier. The Mycologist* 5(1): 11-18.
- MORIYOSHI, K., M. MASU, T. ISHII, R. SHIGEMOTO, N. MIZUNO and S. NAKANISHI (1991). Molecular cloning and characterization of the rat NMDA receptor. *Nature* 354: 31-37.
- MOROSOV, L. (1979). Mirror symmetry breaking in biochemical evolution. *Origins of Life* 9: 187-217.
- MOWRY, K.L. and D.A. MELTON (1992). Vegetal messenger RNA localization directed by a 340-nt RNA sequence element in *Xenopus* oocytes. *Science* 255: 991-994.
- MUMMERT, H. and D. GRADMAN (1991). Action potentials in Acetabularia: measurement and simulation of voltage-gated fluxes. *J. Membrane Biol.* 124: 265-273.
- NAKAMOTO, R.K., R. RAOS and C.W. SLAYMAN (1991). Expression of the yeast plasma membrane $[H^+]$ ATPase in secretory vesicles. *J. Biol. Chem.* 266: 7940-7949.
- NARDI, J.B. and F.C. KAFATOS (1976). Polarity and gradients in lepidopteran wing epidermis. II. The differential adhesiveness model: gradient of a non-diffusible cell surface parameter. *J. Embryol. Exp. Morphol.* 136: 489-512.
- NAMBU, Y. (1992). A matter of symmetry. Elementary particles and the origin of mass. *The Sciences* May/June: 37-43.
- NEHER, E. and B. SAKMANN (1992). The patch clamp technique. *Sci. Amer.* 266(3): 28-35.
- NIGG, E.A., P.A. BAEURLE and R. LÜHRMANN (1991). Nuclear import-export: in search of signals and mechanisms. *Cell* 66: 15-22.
- NISHIKAWA, S.-I. and A. NAKANO (1991). The GTP-binding SAR1 protein is localized to the early compartment of the yeast secretory pathway. *Biochim. Biophys. Acta* 1093: 135-143.
- NOVICK, P. and R. SCHEKMAN (1979). Secretion and cell-surface growth are blocked in a temperature-sensitive mutant of *Saccharomyces cerevisiae*. *Proc. Natl. Acad. Sci. U.S.A.* 76: 1858-1862.
- NOVICK, P., B.C. OSMOND and D. BOTSTEIN (1989). Suppressors of yeast actin mutations. *Genetics* 121: 659-674.
- NÜBLER-JUNG, K. and B. MARDINI (1990). Insect epidermidis: polarity patterns after grafting result from divergent cell adhesions between host and graft tissue. *Development* 110: 1071-1079.
- NÜBLER-JUNG, K. and S. ESCHBACH (1992). Planar polarity: a second polarity axis in epidermal cells. *Eur. J. Cell Biol. Suppl.* 36, vol. 57: 59.
- NÜBLER-JUNG, K., R. BONITZ and M. SONNENSCHEIN (1987). Cell polarity during wound healing in an insect epidermidis. *Development* 100: 163-170.
- NUCCITELLI, R. (1988). Physiological electric fields can influence cell motility, growth, and polarity. *Adv. Cell Biol.* 2: 213-233.
- NUMANN, R., W.A. CATTERALL and T. SCHEUER (1991). Functional modulation of brain sodium channels by protein kinase C phosphorylation. *Science* 254: 115-118.
- NÜSSLEIN-VOLHARD, C. (1991). Determination of the embryo axes of *Drosophila*. *Development (Suppl.)* 1: 1-10.
- NÜSSLEIN-VOLHARD, C. and S. ROTH (1989). Axis determination in insect embryos. Cellular basis of morphogenesis. *Ciba Found. Symp.* 144: 37-55.
- O'REGAN, B. and M. GRÄTZEL (1991). A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO_2 films. *Nature* 353: 737-740.
- OBERMEYER, G. and M.H. WEISENSEEL (1991). Calcium channel blocker and calmodulin antagonists affect the gradient of free calcium ions in lily pollen tubes. *Eur. J. Cell Biol.* 56: 319-327.
- OKABE, S. and N. HIROKAWA (1990). Turnover of fluorescently labelled tubulin and actin in the axon. *Nature* 343: 479-482.
- OLSSON, S. and D.H. JENNINGS (1991). Evidence for diffusion being the mechanism of translocation in the hyphae of three molds. *Exp. Mycol.* 15: 303-309.
- ORGEL, L.E. (1992). Molecular replication. *Nature* 358: 203-209.
- ORLOWSKI, M. (1991). *Mucor* dimorphism. *Microbiol. Rev.* 55: 234-258.
- ORTEGA PEREZ, R. and G. TURIAN (1987). Cytomorphological defects produced by anti-calmodulin agents in outgrowing germ tubes and elongating hyphae of *Neurospora crassa*. *Cytobios* 49: 137-145.

- PALCZEWSKI, K. and J.L. BENOVIC (1991). G-protein-coupled receptor kinases. *Trends Biochem. Sci.* 16: 387-391.
- PALMGREN, M.G. (1991). Regulation of plant plasma membrane H⁺-ATPase activity. *Physiol. Plant.* 83: 314-323.
- PALMGREN, M.G., C. LARSSON AND M. SOMMARIN (1990). Proteolytic activation of the plant plasma membrane H⁺-ATPase by removal of a terminal segment. *J. Biol. Chem.* 265: 13423-13426.
- PANKRATZ, M.J., M. BUSCH, M. HOCH, E. SEIFERT and H. JÄCKLE (1992). Spatial control of the gap gene *knirps* in the *Drosophila* embryo by posterior morphogen system. *Science* 255: 986-989.
- PENROSE, R. (1989). The Emperor's New Mind: Concerning Computers, Minds, and the Laws of Physics. Oxford Univ. Press, Oxford, New, York. 466 pp.
- PICKETT, W.E., H. KRAKAUER, R.E. COHEN and D.J. SINGH (1992). Fermi surfaces, fermi liquids, and high-temperature superconductors. *Science* 255: 46-54.
- PODACK, E.R. and A. KUPFER (1991). T-cell effector functions: mechanisms for delivery of cytotoxicity and help. *Ann. Rev. Cell Biol.* 7: 479-504.
- POLLARD, T.D. and R.D. GOLDMAN (1992). Cytoplasm and Cell motility. *Curr. Opin. Cell Biol.* 4: 1-3.
- POTAPOVA, T.V., K.B. ASLANIDI, T.A. BELOZERSKAYA and N.N. LEVINA (1988). Transcellular ionic currents studied by intracellular potential recordings in *Neurospora crassa* hyphae. *FEBS Lett.* 241: 173-176.
- POWELL, S.K., B.A. CUNNINGHAM, G.M. EDELMAN and E. RODRIGUEZ-BOULAN (1991). Targeting of transmembrane and GPI-anchored forms of N-CAM to opposite domains of a polarized epithelial cell. *Nature* 353: 76-77.
- QUATRANO, R.S., L. BRIAN, J. ALDRIDGE and T. SCHULTZ (1991). Polar axis fixation in *Fucus* zygotes: components of the cytoskeleton and extracellular matrix. *Development (Suppl.)* 1: 11-16.
- RACUSEN, R.H., K.A. KETCHUM and T.J. COOKE (1988). Modifications of extracellular electric and ionic gradients preceding the transition from tip growth to isodiametric expansion in the apical cell of the fern gametophyte. *Plant Physiol.* 87: 69-77.
- RATHJEN, F.G. (1991). Neural cell contact and axonal growth. *Curr. Opin. Cell Biol.* 3: 992-1000.
- RATHORE, K.S., R.J. CORK and K.R. ROBINSON (1991). A cytoplasmic gradient of Ca²⁺ is correlated with the growth of Lily pollen tubes. *Develop. Biol.* 148: 612-619.
- RAUDASKOSKI, M., V. SALO and S.S. NIINI (1988). Structure and function of the cytoskeleton in filamentous fungi. *Karstenia* 28: 49-60.
- RAUDASKOSKI, M., I. RUPES and S. TIMONEN (1991). Immunofluorescence microscopy of the cytoskeleton in filamentous fungi after quick-freezing and low temperature fixation. *Exp. Mycol.* 15: 167-173.
- REBEK, J., IN NOWICK, J., FENG, Q., TIJIVIQUA, T., BALLESTER, P. and REBEK, J., Jr (1991) *J. Am. chem. Soc.* 113: 8831-8839 and FENG, Q., PARK, T.Q., and REBEK, J., Jr (1992) *Science*: 254: 1179-1180.
- REBHUN, L.I. (1972). Polarized intracellular particle transport: saltatory movements and cytoplasmic streaming. *Int. Rev. Cytol.* 32: 93-137.
- REES, D.C., L. DEANTONIO and D. EISENBERG (1989). Hydrophobic organization of membrane proteins. *Science* 245: 510-513.
- REID, G.A. (1991). Protein targeting in yeast. *J. Gen. Microbiol.* 137: 1765-1773.
- REID, L. (1990). From gradients to axes, from morphogenesis to differentiation. *Cell* 63: 875-882.
- REINSCH, S.S., T.J. MITCHISON and M. KIRSCHNER (1991). Microtubule polymer assembly and transport during axonal elongation. *J. Cell Biol.* 115: 365-379.
- REISS, H.D. and R. NOBILING (1986). Quin-2 fluorescence in lily pollen tubes: distribution of free cytoplasmic calcium. *Protoplasma* 131: 244-246.
- REXACH, M.F. and R.W. SCHEKMAN (1991). Distinct biochemical requirements for the budding targeting, and fusion of ER-derived transport vesicles. *J. Cell Biol.* 114: 219-230.
- RIDDIHOUGH, G. (1992). Homing in on the homeobox (EMBO Workshop, Ascona, Switzerland, May 1992). *Nature* 357: 643-644.

- RIDENOUR, L.N. (1955). Computer memories. *Sci. Amer.* 192(6): 92-100.
- RIJSEWIJK, F., M. SCHUERMANN, E. WAGENAAR, P. PARREN, D. WEIGEL and R. NUSSE (1987). The *Drosophila* homolog of the mouse mammary oncogene *int-1* is identical to the segment polarity gene *wingless*. *Cell* 50: 649-657.
- RINI, J.M., U. SCHULZE-GAHMEN and I.A. WILSON (1992). Structural evidence for induced fit as a mechanism for antibody-antigen recognition. *Science* 255: 959-965.
- ROBBINS, J., S.M. DILWORTH, R.A. LASKEY and C. DINGWALL (1991). Two interdependent basic domains in nucleoplasmin nuclear targeting sequence: identification of a class of bipartite nuclear targeting sequence. *Cell* 64: 615-623.
- ROBINSON, D.G. and S. HILLMER (1990). Endocytosis in plants. *Physiol. Plant.* 79: 96-104.
- ROBSON, G.D., M.G. WIEBE and A.P.J. TRINCI (1991). Involvement of calcium in the regulation of hyphal extension and branching in *Fusarium graminearum* A 3/5. *Exp. Mycol.* 15:263-272.
- RODRIGUEZ, J.R. and B.M. PATERSON (1990). Yeast myosin heavy chain mutant: maintenance of the cell type specific budding pattern and the normal deposition of chitin and cell wall components requires an intact myosin heavy chain gene. *Cell Motil. Cytoskel.* 17: 301-308.
- ROONEY, T.A., E.J. SASS and A.P. THOMAS (1990). Agonist-induced cytosolic calcium oscillations originate from a specific locus in single hepatocytes. *J. Biol. Chem.* 265: 10792-10796.
- ROOTS, B.I (1983). Neurofilament accumulation induced in synapses by leupeptin. *Science* 221: 971-972.
- ROSS, G.G. (1984). Grand Unified Theories. Benjamin/Cummings, Reading, Mass. 497 pp.
- (1991). Evidence of supersymmetry. *Nature* 352: 21-22.
- ROTH, S., D. STEIN and C. NÜSSLEIN-VOLHARD (1989). A gradient of nuclear localization of the *dorsal* protein determines dorsoventral pattern in the *Drosophila* embryo. *Cell* 59: 1189-1202.
- ROTHMAN, J.E. and L. ORCI (1992). Molecular dissection of the secretory pathway. *Nature* 355: 409-415.
- RUNCORN, S.K. (1992). Polar path in geomagnetic reversals. *Nature* 356: 654-656.
- RUNGGER, D., L. MUSTER, R. BOECK and A. NICHOLS (1990). Tissue-specific trans-activation of the rabbit β -globin promoter in *Xenopus* oocytes. *Differentiation* 44: 8-17.
- RUGGIERI, R., A. BENDER, Y. MATSUI, S. POWERS, Y. TAKAI, J.R. PRINGLE and K. MATSUMOTO (1992). RSR1, a ras-like gene homologous to Krev-1 (smg21A/rap1A): role in the development of cell polarity and interactions with the ras pathway in *Saccharomyces cerevisiae*. *Mol. Cell. Biol.* 12: 758-766.
- SACHS, T. (1991a). Cell polarity and tissue patterning in plants. *Development (Suppl.)* 1: 83-93.
- (1991b). Pattern Formation in Plant Tissues. Cambridge University Press, New York. 234 pp.
- SALMON, E.D. (1989). Microtubules dynamics and chromosome movement. In *Mitosis*. Pp. 119-182. J.S. Hyams and B.R. Brinkley (eds). Academic Press, New York.
- SALSER, S.J. and C. KENYON (1992). Activation of a *C. elegans* *antennapedia* homologue in migrating cells controls their direction of migration. *Nature* 355: 255-258.
- SAMPATH, P. and T.D. POLLARD (1991). Effects of cytochalasin, phalloidin, and pH on the elongation of actin filaments. *Biochemistry* 30: 1973-1980.
- SAMPEDRO, J. and I. GUERRERO (1991). Unrestricted expression of the *Drosophila* gene *patched* allows a normal segment polarity. *Nature* 353: 187-190.
- SANCHEZ-BRAVO, J., A. ORTUÑO, J.M. BOTIA, M. ACOSTA and F. SABATER. (1991). Lateral diffusion of polarly transported indoleacetic acid and its role in the growth of *Lupinus albus* L. hypocotyls. *Planta* 185: 391-396.
- SANDERS, D. and C.L. SLAYMAN (1989). In *Plant Membrane Transport: The Current Position*. Pp. 3-11. J. Dainty, M.I. de Michaelis, E. Marre and F. Rasi-Caldogno (eds). Elsevier, Amsterdam.
- SAUTERER, R.A., R.J. EDDY, A.L. HALL and J.S. CONDEELIS (1991). Purification and characterization of agiactin, a newly identified agonist-regulated actin-capping protein from *Dictyostelium amoebae*. *J. Biol. Chem.* 266: 24533-24539.
- SCALLON, B.J., W.-J.C. FUNG, T.C. TSANG, S. LI, H. KADO-FONG, K.-S. HUANG and J.P. KOCHAN (1991). Primary structure and functional activity of a phosphatidylinositol-glycan-specific phospholipase D. *Science* 252: 446-448.

- SCHATTEN, H., M. WALTER, H. BIESSMANN and G. SCHÄTTEN (1988). Microtubules are required for centrosome expansion and positioning while microfilaments are required for centrosome separation in sea urchin eggs during fertilization and mitosis. *Cell Motil. Cytoskel.* 11:248-259.
- SCHLEIF, R. (1988). DNA binding by proteins. *Science* 241: 1182-1187.
- SCHROEDER, J.I. and P. THULEAU (1991). Ca²⁺ channels in higher plant cells. *Plant Cell* 3: 555-559.
- SCHULZE, E. and M. KIRSCHNER (1988). New features of microtubule behaviour observed *in vivo*. *Nature* 334: 356-359.
- SCHWAN, H.P. (1989). Dielectrophoresis and rotation of cells. In *Electroporation and Electrofusion in Cell Biology*. Pp. 3-21. E. Neumann, A.E. Sowers and C.A. Jordan (eds), Plenum Publ., New York. 436 pp.
- SCHWOB, E. and R.P. MARTIN (1992). New yeast actin-like gene required late in the cell cycle. *Nature* 355: 179-182.
- SCIORTINO, F., A. GEIGER and H.E. STANLEY (1991). Effect of defects on molecular mobility in liquid water. *Nature* 354: 218-221.
- SHARP, K.A., B. HONIG and S.C. HARVEY (1990). Electrical potential of transfer RNAs: codon-anticodon recognition. *Biochemistry* 29: 340-346.
- SHARP, P.A. (1991). "Five easy pieces". *Science* 254: 663.
- SHECHTMAN, D., I. BLECH, D. GRATIAS and J.W. CAHN (1984). Metallic phase with long-range orientational order and no translational symmetry. *Phys. Rev. Lett.* 53: 1951-1953.
- SILVER, P.A. (1991). How proteins enter the nucleus. *Cell* 64: 489-497.
- SIMON, S.M. and G. BLOBEL (1991). A protein-conducting channel in the endoplasmic reticulum. *Cell* 65: 371-380.
- SIMONS, K. and A. WANDINGER-NESS (1990). Polarized sorting in epithelia. *Cells* 62: 207-210.
- SINGER, R.H. (1992). The cytoskeleton and mRNA localization. *Curr. Opin. Cell Biol.* 4: 15-19.
- SLACK, J. (1992). The turn of the screw. *Nature* 355: 217.
- SLAMA-SCHWOK, A., M. OTTOLENGHI and D. AVNIR (1992). Long-lived photoinduced charge separation in a redox system trapped in a sol-gel glass. *Nature* 355: 240-242.
- SMITH, W.C. and R.M. HARLAND (1991). Injected Xwnt-8 RNA acts early in *Xenopus* embryos to promote formation of a vegetal dorsalizing center. *Cell* 67: 753-765.
- SNYDER, J.A., L. ARMSTRONG, O.G. STONINGTON, T.P. SPURCK and J.D. PICKETT-HEAPS (1991a). UV-microbeam irradiations of the mitotic spindle: spindle forces and structural analysis of lesions. *Eur. J. Cell Biol.* 55: 122-132.
- SNYDER, M., S. GEHRUNG and B.D. PAGE (1991b). Studies concerning the temporal and genetic control of cell polarity in *Saccharomyces cerevisiae*. *J. Cell Biol.* 114: 515-532.
- SOKOL, S., J.L. CHRISTIAN, R.T. MOON and D.A. MELTON (1991). Injected Wnt RNA induces a complete body axis in *Xenopus* embryos. *Cell* 67: 741-752.
- SOLOMON, F. (1991). Analyses of the cytoskeleton in *Saccharomyces cerevisiae*. *Ann. Rev. Cell Biol.* 7: 633-662.
- SOWERS, A.E. and C.R. HACKENBROCK (1981). Rate of lateral diffusion of intramembrane particles: measurement by electrophoretic displacement and rerandomization. *Proc. Natl. Acad. Sci. U.S.A.* 78: 6246-6250.
- SPERGEL, D.N. and N.G. TUROK (1992). Textures and cosmic structure. *Sci. Amer.* 266(3): 36-43.
- SPUDICH, J.A. (1989). In pursuit of myosin function. *Cell Regul.* 1: 1-11.
- ST JOHNSTON, D. and C. NÜSSLEIN-VOLHARD (1992). The origin of pattern and polarity in the *Drosophila* embryo. *Cell* 68: 201-219.
- ST JOHNSTON, D., D. BEUCHLE and C. NÜSSLEIN-VOLHARD (1991). *Staufen*, a gene required to localize maternal RNAs in the *Drosophila* egg. *Cell* 66: 51-63.
- STANOJEVIC, D., S. SMALL and M. LEVINE (1991). Regulation of a segmentation stripe by overlapping activators and repressors in the *Drosophila* embryo. *Science* 254: 1385-1387.

- STEARNS, T., L. EVANS and M. KIRSCHNER (1991). γ -tubulin is a highly conserved component of the centrosome. *Cell* 65: 825-836.
- STEER, C.J. and J.A. HANOVER (eds) (1991). Intracellular Trafficking of Proteins. Cambridge Univ. Press. 745 pp.
- STEIN, D. and C. NÜSSLEIN-VOLHARD (1992). Multiple extracellular activities in *Drosophila* egg perivitelline fluid are required for establishment of embryonic dorsal-ventral polarity. *Cell* 68: 429-440.
- STEIN, D., S. ROTH, E. VOGELSANG and C. NÜSSLEIN-VOLHARD (1991). The polarity of the dorsoventral axis in the *Drosophila* embryo is defined by an extracellular signal. *Cell* 65: 725-735.
- STEUER, E.R., L. WORDEMAN, J. SCHROER and M.P. SHEETZ (1990). Localization of cytoplasmic dynein to mitotic spindles and kinetochores. *Nature* 345: 266-268.
- STOCUM, D.L. (1991). Limb regeneration: a call to arms (and legs). *Cell* 67: 5-8.
- STONE, R. (1991). A trap to snare a monopole. *Science* 253: 625.
- STUMPF, H. (1966). Über gefalleabhängige Bildungen des Insektensegmentes. *J. Insect Physiol.* 12: 601-617.
- SUCHETA, A., B.A.C. ACKRELL, B. COCHRAN and F.A. ARMSTRONG (1992). Diode-like behaviour of a mitochondrial electron-transport enzyme. *Nature* 356: 361-362.
- SUN, G.-H., Y. OHYA and Y. ANRAKU (1992). Yeast calmodulin localizes to sites of cell growth. *Protoplasma* 166: 110-113.
- SZE, S.M. (ed.) (1991). Semiconductor Devices: Pioneering Papers. World Scientific, Singapore. 1028 pp.
- TABIN, C.J. (1991). Retinoids, homeoboxes, and growth factors: toward molecular models for limb development. *Cell* 66: 199-217.
- TARAKANOVA, G.A., E.M. SEROVA and V.N. ZHOLKEVICH (1991). Study of electrical polarization in gigantic *Pilobolus* cells using extracellular microelectrode measurements. *Fiziol Rast. (Mosc.)* 38: 176-180.
- ATHERTON, J.A. and T.J. MITCHISON (1991). Actin microfilament dynamics in locomoting cells. *Nature* 352: 126-131.
- THISSE, C., F. PERRIN-SCHMITT, C. STOETZEL and B. THISSE (1991). Sequence-specific transactivation of the *Drosophila* twist gene by the dorsal gene product. *Cell* 65: 1191-1201.
- TICKLE, C. (1991). Retinoic acid and chick limb bud development. *Development (Suppl.)* 1: 113-121.
- TICKLE, C., D. SUMMERBELL and L. WOLPERT (1975). Positional signalling and specification of digits in chick limb morphogenesis. *Nature* 254: 199-202.
- TICKLE, C., J. LEE and G. EICHELE (1985). A quantitative analysis of the effect of all-trans-retinoic acid on the pattern of chick wing development. *Dev. Biol.* 109: 82-95.
- TICKLE, C., B.M. ALBERTS, L. WOLPERT and J. LEE (1982). Local application of retinoic acid to the limb bud mimics the action of the polarizing region. *Nature* 296: 564-565.
- TURIAN, G., F. KAPPELI and R. PEDUZZI (1991). Apical acidification of the germ tubes of the aquatic fungus *Saprolegnia parasitica* correlated with the mycosis of acid-stressed fishes. *Bot. Helv.* 101: 267-271.
- TURIAN, G., I. SCHÖNENBERGER and B.N. NGUYEN THI (1992). Cytoskeletal involvement in the bipolar disjunction of *Allomyces* gametangia. *Biomed. Lett.* 47: 215-219.
- ULBRICHT, T.L.V. (1959). Asymmetry: the non-conservation of parity and optical activity. *Quart. Rev. Chem. Soc.* 13: 48-60.
- UYEDA, T.Q.P., H.M. WARRICK, S.J. KRON and J.A. SPUDICH (1991). Quantized velocities at low myosin densities in an *in vitro* motility assay. *Nature* 352: 307-311.
- VAESSIN, H., E. GRELL, E. WOLFF, E. BIER, L.Y. JAN and Y.N. JAN (1991). *Prospero* is expressed in neuronal precursors and encodes a nuclear protein that is involved in the control of axonal outgrowth in *Drosophila*. *Cell* 67: 941-953.
- VAN DER BLIEK, A.M. and E.M. MEYEROWITZ (1991). Dynamin-like protein encoded by the *Drosophila shibire* gene associated with vesicular traffic. *Nature* 351: 411-414.

- VAN DUIJN, B. and M. WANG (1990). Chemoattractant-induced membrane hyperpolarization in *Dictyostelium discoideum*. A possible role for cyclic GMP. *FEBS Lett.* 275: 201-204.
- VAN DUIJN, B. AND K. INOUYE (1991). Regulation of movement speed by intracellular pH during *Dictyostelium discoideum* chemotaxis. *Proc. Natl. Acad. Sci. U.S.A.* 88: 4951-4955.
- VASILESCU, D., J. JAZ, L. PACKER and B. PULLMAN (eds) (1990). Water and Ions in Biomolecular Systems. Birkhäuser, Basel, Boston. 297 pp.
- VEIT, B., B. GREENE, B. LOWE, J. MATHERN, N. SIHNA, E. VOLLBRECHT, R. WALKO and S. HAKE (1991). Genetic approaches to fluorescence and leaf development in maize. *Development (Suppl.)* 1: 105-111.
- WALD, G. (1957). The origin of optical activity. *Ann. N.Y. Acad. Sci.* 69(2): 352-368.
- WALTERS, E.T., H. ALIZADEH and G.A. CASTRO (1991). Similar neuronal alterations induced by axonal injury and learning in *Aplysia*. *Science* 253: 797-799.
- WANG, C. and R. LEHMANN (1991). *Nanos* is the localized posterior determinant in *Drosophila*. *Cell* 66: 637-647.
- WATERS, M.G., I.C. GRIFF and J.E. ROTHMAN (1991). Proteins involved in vesicular transport and membrane fusion. *Curr. Opin. Cell Biol.* 3: 615-620.
- WATSON, J. (1970). Molecular Biology of the Gene. W.A. Benjamin, Inc., New York, 2nd ed. 662 pp.
- WEISS, M.S., U. ABELE, J. WECKESSER, W. WELTE, E. SCHILTZ and G.E. SCHULZ (1991). Molecular architecture and electrostatic properties of a bacterial porin. *Science* 254: 1627-1630.
- WELCH, W.J. (1991). The role of heat-shock proteins as molecular chaperones. *Curr. Opin. Cell Biol.* 3: 1033-1038.
- WESSELS, J.G.H., J.H. SIETSMA and S.M. SONNENBERG (1988). A steady-state model for apical wall growth in fungi. *Acta Bot. Neerl.* 37: 3-16.
- WHARTON, R.P. and G. STRUHL (1991). RNA regulatory elements mediate control of *Drosophila* body pattern by the posterior morphogens *nanos*. *Cell* 67: 955-967.
- WIBERG, K.B., C.M. HADAD, C.M. BRENNEMAN, K.E. LAIDIG, M.A. MURCKO and T.J. LEPAGE (1991). The response of electrons to structural changes. *Science* 252: 1266-1272.
- WICK, M.J., J.L. MADARA, B.N. FIELDS and S.J. NORMAK (1991). Molecular cross talk between epithelial cells and pathogenic microorganisms. *Cell* 67: 651-659.
- WICK, S.M. (1991). Spatial aspects of cytokinesis in plant cells. *Curr. Opin. Cell Biol.* 3: 253-260.
- WILKINSON, D. (1991). Our Universes. Columbia University Press. 213 pp.
- WILLIAMS, J. and B. HOGAN (1991). Cell differentiation. *Curr. Opin. Cell Biol.* 3: 925-927.
- WILSON, P.D., A.C. SHERWOOD, K. PALLA, J. DU, R. WATSON and J.T. NORMAN (1991). Reversed polarity of Na⁺-K⁺-ATPase: mislocation to apical plasma membranes in polycystic kidney disease epithelia. *Am. J. Physiol.* 260: F420-430.
- WINEY, M., L. GOETSCH, P. BAUM and B. BYERS (1991). MPS1 and MPS2: novel yeast genes defining distinct steps of spindle pole body duplication. *J. Cell Biol.* 114: 745-754.
- WITTEKINDT, E., I. LAMPRECHT and G. KRAEPELIN (1989). DC electric fields induce polarization effects in the dimorphic fungus *Mycotypha africana*. *Endocytobiosis Cell. Res.* 6: 41-56.
- WITTEKINDT, E., D. BROERS, G. KRAEPELIN and I. LAMPRECHT (1990). Influence of non-thermic AC magnetic fields on spore germination in a dimorphic fungus. *Radiat. Environ. Biophys.* 29: 143-152.
- WOODWARD, A.M. and D.B. KELL (1990). On the nonlinear dielectric properties of biological systems. *Saccharomyces cerevisiae*. *Bioelectrochem. Bioener.* 24: 83-100.
- WÖSTEN, H.A.B., S.M. MOUKHA, J.H. SIETSMA and J.G.H. WESSELS (1991). Localization of growth and secretion of proteins in *Aspergillus niger*. *J. Gen. Microbiol.* 137: 2017-2023.
- WU, C.I. (1991). DNA strand asymmetry. *Nature* 352: 114.
- YE, Q., G.L. HECK and J.A. DESIMONE (1991). The anion paradox in sodium taste reception: resolution by voltage-clamp studies. *Science* 254: 724-726.
- YOST, H.J. (1992). Regulation of vertebrate left-right asymmetries by extracellular matrix. *Nature* 357: 158-161.

- YUAN, S. and I.B. HEATH (1991). Chlortetracycline staining patterns of growing hyphal tips of the Oomycete *Saprolegnia ferax*. *Exp. Mycol.* 15: 91-102.
- YUMURA, S. and T. KITANISHI-YUMURA (1990). Immunoelectron microscopic studies of the ultra-structure of myosin filaments in *Dictyostelium discoideum*. *Cell Struct. Funct.* 15: 343-354.
- ZHENG, Y., M.K. JUNG and B.R. OAKLEY (1991). γ -tubulin is present in *Drosophila melanogaster* and *Homo sapiens* and is associated with the centrosome. *Cell* 65: 817-823.
- ZHOU, X.-L., M.A. STUMPF, H.C. HOCH and C. KUNG (1991). A mechanosensitive channel in whole cells and in membrane patches of the fungus *Uromyces*. *Science* 253: 1415-1417.
- ZIMMERMANN, U. and J. VIENKEN (1982). Electric field-induced cell-to-cell fusion. *J. Membr. Biol.* 67: 165-182.

