

Zeitschrift:	Berichte des Geobotanischen Institutes der Eidg. Techn. Hochschule, Stiftung Rübel
Herausgeber:	Geobotanisches Institut der Eidg. Techn. Hochschule, Stiftung Rübel
Band:	36 (1964)
Artikel:	Ordination and classification of Swiss and Canadian coniferous forests by various biometric and other methods
Autor:	Groenewoud, H. van
Kapitel:	3: Nomenclature and terminology
DOI:	https://doi.org/10.5169/seals-377646

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 24.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

(ACTON *et al.* 1960). The precipitation is approximately 15.5 inches (38.75 cm) of which approximately 6 inches (15 cm) falls during the summer. The soils are of the grey-wooded type, and generally belong to the «Waitville association» (MITCHELL *et al.* 1950). The region is part of the Mixedwood Section of the Boreal Forest (ROWE 1959).

The Swiss forests studied are located in the proximity of Roggwil, Langenthal (Kanton Bern) and Murgenthal (Kanton Aargau), between $47^{\circ}21'$ and $47^{\circ}16'$ latitude and between $7^{\circ}48'$ and $7^{\circ}54'$ longitude. They are situated on moraine deposits of the Riss period. The soils are mottled podzolized brown earths, and pseudogleys of the brown earth group (PALLMANN *et al.* 1943). The precipitation is approximately 116 cm of which 49% (56.8 cm)¹ occurs in the summer (MEYER 1949). These forests belong to the *Querco-Abietetum* and partly to the *Melico-Fagetum* (FREHNER 1963). Some of these forests were described by Meyer as *Mastigobryeto-Piceetum abietosum* (MEYER 1949, 1954).

3. Nomenclature and terminology

The nomenclature of BINZ-BECHERER (1961) was followed for the *Pteridophyta* and the *Spermatophyta* in Switzerland. The nomenclature of BERTSCH (1959) was used for the Swiss *Musci*.

Where possible the nomenclature of FERNALD (1950) was followed for the Canadian *Pteridophyta* and *Spermatophyta*; elsewhere, RYDBERG's (1954) nomenclature was followed. The nomenclature of GROUT (1928-1940) was used for the Canadian *Musci*, with the exception of *Calliergonella schreberi*, which is replaced by *Pleurozium schreberi* (Willd.) Mitt.

The terms principal component, principal factor, and principal axe have the same meaning. The term factor, however, can easily be mistaken in ecological work for a habitat factor, which it is not. Therefore, the term principal factor is not used in this publication. The term factor is used exclusively in the sense of habitat factor. Wherever other features of these habitats or plant communities were included in the analysis (e.g. height-growth of the white spruce trees, nitrogen content of the white spruce foliage) the term features is used.

4. Theoretical considerations

Investigations of the ecology of vegetation can be divided into three stages (ELLENBERG 1954):

- (1) Description;
- (2) Organization (ordination and classification);
- (3) Interpretation.

4.1 Description

A sample consists of a small portion separated from some large population, about which certain information is sought. The problem is to gather adequate

¹ 116 cm = 46 inches, 56.8 cm = 22.6 inches