

<b>Zeitschrift:</b>	Boissiera : mémoires de botanique systématique
<b>Herausgeber:</b>	Conservatoire et Jardin Botaniques de la Ville de Genève
<b>Band:</b>	39 (1987)
<b>Artikel:</b>	Bibliography of Botanical Research of the Middle Eastern Region
<b>Autor:</b>	Yudkiss, Hedda / Heller, David
<b>Register:</b>	F
<b>DOI:</b>	<a href="https://doi.org/10.5169/seals-895485">https://doi.org/10.5169/seals-895485</a>

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 11.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

---

# F

---

- FADEL, F. M. ♀ ABD-EL-REHIM, M. A. & FADEL, F. M. (1980).
- FAHMY, E., FAHMY, I. R. (1931). *Salvadora persica*: a contribution to the study of some Egyptian medicinal plants. *Proc. Pharm. Soc. Egypt* 3: 41-47.
- FAHMY, I. R. (1944). *Withania somnifera* Dunal. *Proc. Pharm. Soc. Egypt* 6: 48-52.
- FAHMY, I. R. (1956). The medicinal plants of the Middle East. *Lebanese Pharm. J.* 4, 1: 12-56.
- FAHMY, I. R., EL DEEB, S. R. (1931a). *Hyoscyamus albus* var. *desertorum*: a contribution to the study of some Egyptian medicinal plants and drugs. *Proc. Pharm. Soc. Egypt* 3: 29-35.
- FAHMY, I. R., EL DEEB, S. R. (1931b). *Ephedra alba*: a contribution to the study of some Egyptian medicinal plants and drugs. *Proc. Pharm. Soc. Egypt* 3: 112-130.
- FAHMY, I. R., HIFNY, S. A. A. (1931). *Lotus arabicus*: a contribution to the study of some Egyptian medicinal plants and drugs. *Proc. Pharm. Soc. Egypt* 3: 131-133.
- FAHMY, I. R. ♀ FAHMY, E. & FAHMY, I. R. (1931).
- FAHN, A. (1947). Physico-anatomical investigations in the dispersal apparatus of some fruits. *Palest. J. Bot. Jerusalem Ser.* 4: 36-45.
- FAHN, A. (1948). *Structure of nectaries of Palestinian honey plants and the influence of ecological factors upon nectar secretion*. [Hebrew]. Israel Bookkeepers'Ass., 62 pp.
- FAHN, A. (1949). Studies in the ecology of nectar secretion. *Palest. J. Bot. Jerusalem Ser.* 4: 207-224.
- FAHN, A. (1952a). Development of annual rings in a number of indigenous forest trees in Israel. [Hebrew]. *La-Yaaran* 2: 60-68.
- FAHN, A. (1952b). On the structure of floral nectaries. *Bot. Gaz.* 113: 464-470.
- FAHN, A. (1953a). Annual wood ring development in Maquis trees of Israel. *Palest. J. Bot. Jerusalem Ser.* 6: 1-26.
- FAHN, A. (1953b). The origin of the banana inflorescence. *Kew Bull.* 3: 299-306.
- FAHN, A. (1953c). The topography of the nectary in the flower and its phylogenetical trend. *Phytomorphology* 3: 424-426.
- FAHN, A. (1955). The development of the growth ring in wood of *Quercus infectoria* and *Pistacia lentiscus* in the hill region of Israel. *Trop. Woods* 101: 52-59, ill.
- FAHN, A. (1958). Xylem structure and annual rhythm of development in trees and shrubs of the desert. I. *Tamarix aphylla*, *T. jordanis* var. *negevensis*, *T. gallica* var. *maris-mortui*. *Trop. Woods* 109: 81-94.
- FAHN, A. (1959a). Xylem structure and annual rhythm of development in trees and shrubs of the desert. II. *Acacia tortilis* and *A. raddiana*. *Bull. Res. Council Israel* 7D: 23-28.
- FAHN, A. (1959b). Xylem structure and annual rhythm of development in trees and shrubs of the desert. III. *Eucalyptus camaldulensis* and *Acacia cyanophylla*. *Bull. Res. Council Israel* 7D: 122-131.
- FAHN, A. (1961). The anatomical structure of *Xanthorrhoeaceae* and its taxonomic position. Recent advances in botany, Toronto, 155-160.
- FAHN, A. (1962a). *Plant anatomy*. [Hebrew]. Tel-Aviv, Hakibbutz Hameuhad, 476 pp.

- FAHN, A. (1962b). Xylem structure and annual rhythm of cambial activity in woody species of east mediterranean regions. *News Bull. Int. Ass. Wood Anatomists*: 2-6.
- FAHN, A. (1963). Xylem structure and the annual rhythm of cambial activity in woody species. *La-Yaarot* 13: 5-9.
- FAHN, A. (1964). Some anatomical adaptations of desert plants. *Phytomorphology* 14: 93-102.
- FAHN, A. (1969). Histaglut anatomit shel tzimche midbar. [Hebrew]. *Mada* 13: 327-345.
- FAHN, A. (1974). *Plant anatomy* (2nd ed.). Oxford, Pergamon.
- FAHN, A. (1975). A burned wood specimen from an archeological excavation in Jerusalem. *Int. Assoc. Wood Anat. News Bull.* 2: 23-24.
- FAHN, A. (1979). *Secretory tissues in plants*. London, Academic Press. 302 pp.
- FAHN, A. (1983a). *Plant anatomy* (3rd ed.). Oxford, Pergamon.
- FAHN, A. (1983b). Obituary: Prof. Michael Zohary, 1898-1983. *Israel J. Bot.* 32:179-180.
- FAHN, A., ARNON, N. (1963). The living wood fibres of Tamarix aphylla and the changes occurring in them in transition from sapwood to heartwood. *New Phytol.* 62: 99-104.
- FAHN, A., ARZEE, Tova (1959). Vascularization of articulated Chenopodiaceae and the nature of their fleshy cortex. *Amer. J. Bot.* 46: 330-338.
- FAHN, A., BENAYOUN, J. (1976). Ultrastructure of resin ducts in Pinus halepensis development, possible sites of resin synthesis and mode of its elimination from the protoplast. *Ann. Bot. (London)* 40: 857-863.
- FAHN, A., BENOUAICHE, P. (1979). Ultrastructure, development and secretion in the nectary of banana flowers. *Ann. Bot. (London)* 44: 85-93.
- FAHN, A., BROIDO, Sybil (1963). The primary vascularization of the stems and leaves of the genera Salsola and Suaeda (Chenopodiaceae). *Phytomorphology* 13: 156-165.
- FAHN, A., DEMBO, Nima (1965). Structure and development of the epidermis in articulated Chenopodiaceae. *Israel J. Bot.* 13: 177-192.
- FAHN, A., EVERET, R. F. (1974). Ultrastructure of the secretory ducts of Rhus glabra L. *Amer. J. Bot.* 16: 1-14.
- FAHN, A., GRUNDWAG, M. (1969). The relation of embryology to the low seed set in Pistacia vera (Anacardiaceae). *Phytomorphology* 19: 225-235.
- FAHN, A., KLARMAN-KISLEV, N., ZIV, D. (1961). The abnormal flower and fruit of May-flowering dwarf Cavendish bananas. *Bot. Gaz.* 123: 116-125.
- FAHN, A., KOTLER, M. (1972). The development of the flower and nectary of the dwarf Cavendish banana. In: *Adv. Pl. Morph.*: 153-169. [V. Puri Commemoration Volume].
- FAHN, A., RACHMILEVITZ, Talia (1970). Ultrastructure and nectar secretion in Lonicera japonica. In: *New Res. Pl. Anat.*: 51-56.
- FAHN, A., RACHMILEVITZ, Talia (1975). An auto-radiographical study of nectar secretion in Lonicera japonica Thunb. *Ann. Bot. (London)* 39: 975-976.
- FAHN, A., SARNAT, Carmela (1963). Xylem structure and annual rhythm of development in trees and shrubs of the desert. IV. Shrubs. *Bull. Res. Council Israel* 11D: 198-209.
- FAHN, A., SHCHORI, Y. (1968). The organization of the secondary conducting tissues in some species of the Chenopodiaceae. *Phytomorphology* 17: 147-154.
- FAHN, A., SHIMONY, Carmela (1977). Development of the glandular and non-glandular leaf hairs of Avicennia marina (Forsskal) Vierh. *Bot. J. Linn. Soc.* 74: 37-46.

- FAHN, A., SHOMER, I., BEN-GERA, I. (1974). Occurrence and structure of epicuticular wax on the juice vesicles of citrus fruits. *Ann. Bot. (London)* 38: 869-872.
- FAHN, A., STOLER, S., FIRST, T. (1963). Vegetative shoot apex in banana and zonal changes as it becomes reproductive. *Bot. Gaz.* 124: 246-250.
- FAHN, A., WAISEL, Y., BENJAMINI, L. (1968). Cambial activity in *Acacia raddiana* Savi. *Ann. Bot. (London)* 32: 677-686.
- FAHN, A., WERKER, Ella (1972). Anatomical mechanisms of seed dispersal. *Seed Biol.* 1: 151-221.
- FAHN, A., ZAMSKI, E. (1970). The influence of pressure, wind, wounding and growth substances on the rate of resin duct formation in *Pinus halepensis* wood. *Israel J. Bot.* 19: 429-446.
- FAHN, A., ZOHARY, M. (1955). On the pericarpial structure of the legumen, its evolution and relation to dehiscence. *Phytomorphology* 5: 99-111.
- FAHN, A. & al. (1963). Dendrochronological studies in the Negev. *Israel Explor. J.* 13: 291-299.
- FAHN, A. ♀ BERNSTEIN, Z. & FAHN, A. (1960) — GRUNDWAG, M. & FAHN, A. (1969) — JOEL, D. M. & FAHN, A. (1975, 1979, 1980a-c) — KIRSCHNER, H. & al. (1971) — KUPFERSCHMID-WEISSBLÜTT, M. & FAHN, A. (1965) — LORCH, J. & FAHN, A. (1959) — RACHMILEVITZ, Talia & FAHN, A. (1973, 1975, 1982) — SHIMONY, Carmela & FAHN, A. (1968) — SHIMONY, Carmela & al. (1973) — SHOMER, I. & al. (1975) — STERN-COHEN, S. & FAHN, A. (1964) — WAISEL, Y. & FAHN, A. (1965a-c) — WAISEL, Y. & al. (1966a-b, 1970) — WERKER, Ella & FAHN, A. (1967, 1968, 1969, 1975, 1981) — ZOHARY, M. & FAHN, A. (1941, 1947, 1950, 1952, 1957, 1981).
- FAHRINGER, J. P. (1912-1913). Eine wissenschaftliche Studienreise nach der europäischen Türkei und nach Kleinasien. *Jber. 2. deutschen Staats-Oberrealschule in Brünn*: 3-42.
- FAIRCHILD, D. (1910). The discovery of wild wheat. *Science* 13: 376-377.
- FAIZYAR, A. (1971). *List of plant pests and diseases of economic importance in Afghanistan*. FAO, Cairo, 32 pp.
- FAKTOROVSKY, E. ♀ EIG, A. & FAKTOROVSKY, E. (1924).
- FALAKAY, A. A. ♀ ABOULROOS, S.A. & FALAKAY, A. A. (1983).
- FALCON, N. L. (1973). The Mesandam (Northern Oman) Expedition 1971/2. *Geogr. J.* 139: 1-19.
- FARAG, I. ♀ CARPENTIER, A. & FARAG, I. (1948).
- FARAH, E. (1932). Le Rheum Ribes-Rhabarb de Syrie. *Ann. Fac. Franç. Méd. Pharm. Beyrouth* 1: 253-264.
- FARIAS, R. M. ♀ WILLIAMS, J. T. & FARIAS, R. M. (1972).
- FARRAG, Ec-el Din (1948). Pharaonic fruits, vegetables and ornamental plants. [Arabic]. *Agr. Sci. Gizah* 1: 199-214.
- FATATRY, I. E. ♀ HADDAD, D. A. & al. (1959).
- FATHI, S. M., EL-HUSSEINI, T. M., ABU-ZINADA, A. H. (1975). Seasonal variations of soil microflora and their activities in the Riyadh region, Saudi Arabia. II. Fungi. *Bull. Fac. Sci. Riyadh Univ.* 7: 17-29.
- FAURE, J., PIETRERA, D. (1969). Contribution à l'étude cytotaxonomique des Rubiacées de Grèce. *Ann. Fac. Sci. Marseille* 42: 271-283.
- FAUREL, L. ♀ DUBUIS, A. & FAUREL, L. (1964, 1965).
- FAUROT, L. ♀ BORNET, E. (1888).
- FAVARGER, C. (1972). Sur quelques Arenaria d'Europe et d'Asie occidentale. *Bot. Not.* 125: 465-477.

- FAVARGER, C. (1977). *Cerastium ligusticum* and *C. dominici* in Turkey. *Notes Roy. Bot. Gard. Edinburgh* 35: 315-318.
- FAVARGER, C. ♀ ARYAVAND, A. & FAVARGER, C. (1980) — CONTANDRIOPoulos, Juliette & FAVARGER, C. (1980).
- FAYED, A. A. ♀ EL SHARKAWI, H. M. & FAYED, A. A. (1975) — EL-SHARKAWI, H. M. & al. (1982).
- FEDDE, F. (1905). Papaveraceae novae vel notabiles in Herbario Boissier et Barbey-Boissier. *Bull. Herb. Boissier, Ser. 2*, 5: 165-171, 445-448.
- FEDDE, F. (1913). Ein neuer Mohn (Papaver oligactis) aus West-Persien. *Repert. Spec. Nov. Regni Veg.* 12: 90-91.
- FEDOROV, A. A. (1952). The history of highland flora of Caucasus in the quaternary time as an example in the autochthonal evolution of tertiary floristical foundation. [Russian]. *Materials on the quaternary period of the USSR* 3: 49-86. (Moscow.).
- FEDOROV, A. A. (1958). On the floristic connection of East Asia with Caucasus. *Mater. Istorii Fl. Rastitel'n. SSSR* 3: 230-248.
- FEDOROV, A. A. ♀ TAKHTAJAN, A. L. & FEDOROV, A. A. (1945).
- FEDTSCHENKO, B. A. (1909). Geographical and botanical results of travels in 1901 and 1904. [Russian]. *Trudy Imp. S.-Petersburgsk. Bot. Sada* 30: 1-133, map.
- FEDTSCHENKO, B. A. (1938). Materials for a flora of Afghanistan. [Russian]. *Sborn. Rabot. Posv. Pam. Akad. A. V. Fomin Izd. Akad. Nauk SSSR*: 26-37. Kiev.
- FEDTSCHENKO, B. A. (1945). The investigators of the flora of Iran. [Russian]. *Bot. Žurn. SSSR*. 30: 31-43.
- FEDTSCHENKO, B. A. (1950). Notulae de Flora Iranica. *Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk SSSR* 13: 36-37.
- FEDTSCHENKO, B. A., GONTSCHAROW, N. F. (1929). Novyj vid Satureia Srednej Azii. *Trudy Glavn. Bot. Sada* 41: 117-118.
- FEDTSCHENKO, B. A. ♀ FEDTSCHENKO, O. A. (1905-1923).
- FEDTSCHENKO, Olga (1903-1905). *Flora Pamira*. St. 3 vols. Petersbourg.
- FEDTSCHENKO, O. A., FEDTSCHENKO, B. A. (1905-1923). Conspectus florae turkestanicae. *Beih. Bot. Centralbl. (B)* 18: 199-221; 19: 292-342; 20: 296-341; 22: 197-221; 23: 341-386; 24: 67-84; 26: 157-188; 28: 1-88; 29: 226-277; 31: 111-175; 40: 172-222.
- FEINBRUN, Naomi (1930a). Beiträge zur Kenntnis der Variabilität von *Aegilops ventricosa* Tausch. *Repert. Spec. Nov. Regni Veg.* 28: 65-66.
- FEINBRUN, Naomi (1930b). Useful wild plants in Palestine. [Hebrew]. *Hassadeh* 10: 298-301, 362-368.
- FEINBRUN, Naomi (1931a). Beiträge zur Kenntnis der Umbelliferen. *Reprum Europ. Medit.* 3: 373-376.
- FEINBRUN, Naomi (1931b). Beiträge zur Kenntnis der Umbelliferen Transjordaniens. *Repert. Spec. Nov. Regni Veg.* 29: 133-136.
- FEINBRUN, Naomi (1933a). Ein Beitrag zur Kenntnis der Flora des Amanus-Gebirges (Syrien). *Beih. Bot. Centralbl. (B)* 51: 374-388.
- FEINBRUN, Naomi (1933b). On the vegetation of Tel-Aviv. [Hebrew]. *Hatteva Vehaaretz* 2: 124-128.
- FEINBRUN, Naomi (1933c). Über die Variabilität von *Trigonella monspeliaca* L. und die pflanzengeographischen Verhältnisse ihrer Formen. *Beih. Bot. Centralbl. (B)* 51: 389-396.

- FEINBRUN, Naomi (1938a). Alexander Eig (Biography). [Hebrew]. *Hatteva Vehaaretz* 5: 412-418.
- FEINBRUN, Naomi (1938b). The genus *Bellevalia* in Palestine. [Hebrew]. *Magnes Year Book*: 388-389.
- FEINBRUN, Naomi (1938c). New data on some cultivated plants and weeds of the Early Bronze Age in Palestine. *Palest. J. Bot. Jerusalem Ser.* 1: 238-240.
- FEINBRUN, Naomi (1938-1940). A monographic study on the genus *Bellevalia* Lapeyr. (Caryology, Taxonomy, Geography). *Palest. J. Bot. Jerusalem Ser.* 1: 42-54, 131-142, 336-409.
- FEINBRUN, Naomi (1939). The plant world of Tel-Aviv. [Hebrew]. *Hatteva Vehaaretz* 6: 124-128.
- FEINBRUN, Naomi (1940). Poa series Roshev. of Palestine and Syria. *Bull. Misc. Inform.* 7: 277-285.
- FEINBRUN, Naomi (1941). The genus *Ornithogalum* in Palestine and neighbouring countries. *Palest. J. Bot. Jerusalem Ser.* 2: 132-150.
- FEINBRUN, Naomi (1942). On the occurrence of *Drosera rotundifolia* L. in Lebanon. *Palest. J. Bot. Jerusalem Ser.* 2: 251-252.
- FEINBRUN, Naomi (1943). Allium sectio *Porrum* of Palestine and the neighbouring countries: Syria and Iraq. *Palest. J. Bot. Jerusalem Ser.* 3: 1-21.
- FEINBRUN, Naomi (1944a). A new *Rheum* species from Palestine. *Palest. J. Bot. Jerusalem Ser.* 3: 117-118.
- FEINBRUN, Naomi (1944b). Materials for a revised flora of Palestine. I. *Proc. Linn. Soc. London* 157: 46-53.
- FEINBRUN, Naomi (1945). The genus *Rhamnus* in Palestine. *Palest. J. Bot. Jerusalem Ser.* 3: 167-169.
- FEINBRUN, Naomi (1947). A new nettle from Huleh. *Palest. J. Bot. Jerusalem Ser.* 4: 114-115.
- FEINBRUN, Naomi (1948). Further studies on Allium of Palestine and the neighbouring countries. *Palest. J. Bot. Jerusalem Ser.* 4: 144-157.
- FEINBRUN, Naomi (1949). Plants new for Palestine. III. *Palest. J. Bot. Jerusalem Ser.* 4: 237-238.
- FEINBRUN, Naomi (1950). Chromosome counts in Palestinian Allium species. *Palest. J. Bot. Jerusalem Ser.* 5: 13-16.
- FEINBRUN, Naomi (1953). The genus *Colchicum* of Palestine and neighbouring countries. *Palest. J. Bot. Jerusalem Ser.* 6: 71-95.
- FEINBRUN, Naomi (1957). The genus *Crocus* in Israel and neighbouring countries. *Kew Bull.* 12: 269-285.
- FEINBRUN, Naomi (1958a). Chromosome numbers and evolution in the genus *Colchicum*. *Evolution* 12: 173-188.
- FEINBRUN, Naomi (1958b). Chromosome numbers in *Crocus*. *Genetica* 29: 172-192.
- FEINBRUN, Naomi (1959). Spontaneous Pineta in the Lebanon. *Bull. Res. Council Israel* 7D: 132-153.
- FEINBRUN, Naomi (1960). Materials for a revised flora of Palestine. II. *Bull. Res. Council Israel* 8D: 169-172.
- FEINBRUN, Naomi (1961). Revision of the genus *Hyacinthella* Schur. *Bull. Res. Council Israel* 10D: 324-347.
- FEINBRUN, Naomi (1963a). Chromosomes of some East-Mediterranean Papaver species. *Caryologia* 16: 649-652.

- FEINBRUN, Naomi (1963b). Taxonomic studies on Papaver sect. Orthorhoeades of Palestine and of some other mediterranean countries. *Israel J. Bot.* 12: 74-96.
- FEINBRUN, Naomi (1966). The genus Iphiona in Palestine. *Israel J. Bot.* 15: 22-24.
- FEINBRUN, Naomi (1968a). The genus Lycium in the Flora Orientalis region. *Collect. Bot. (Barcelona)* 7: 359-379.
- FEINBRUN, Naomi (1968b). Species of Lycium in Palestine. [Hebrew]. *Mada* 13: 221-224.
- FEINBRUN, Naomi (1970). A taxonomic review of European Cuscutae. *Israel J. Bot.* 19: 19-29.
- FEINBRUN, Naomi (1977). The genus Echinopsis in Palestine. *Notes Roy. Bot. Gard. Edinburgh* 35: 235-245.
- FEINBRUN, Naomi (1979). A new Iris from Israel. *Notes Roy. Bot. Gard. Edinburgh* 37: 75-78.
- FEINBRUN, Naomi, ATSMON, D. (1960). Chromosome counts in Israéli Cistaceae. *Caryologia* 13: 240-246.
- FEINBRUN, Naomi, HEDGE, I. C. (1968). Satureia thymbrifolia Hedge & Feinbrun, sp. nov. *Israel J. Bot.* 17: 213-216.
- FEINBRUN, Naomi, KOLLMANN, Fania (1968). A cyto-taxonomic study in Palestinian Anagallis arvensis L. *Notes Roy. Bot. Gard. Edinburgh* 28: 173-186.
- FEINBRUN, Naomi, KOPPEL, Ruth (1960). *Wild plants in the land of Israel*. Tel Aviv, Hakibbutz Hameuchad, 185 pp., pl.
- FEINBRUN, Naomi, RAHAT, Anna, TAS, J. (1960). Further studies in atmospheric pollen in Jerusalem. *Bull. Res. Council Israel* 8D: 31-40.
- FEINBRUN, Naomi, SHMIDA, A. (1977). A new review of the genus Crocus in Israel and neighbouring countries. *Israel J. Bot.* 26: 172-189.
- FEINBRUN, Naomi, STEARN, W. (1958). A revision of Sternbergia (Amaryllidaceae) in Palestine. *Bull. Res. Council Israel* 6D: 167-173.
- FEINBRUN, Naomi, STEARN, W. (1964). Typification of Lycium barbarum L., L. afrum L. and L. europeum L. *Israel J. Bot.* 12: 114-123.
- FEINBRUN, Naomi, TAS, J. (1962). A survey of airborne pollen in Jerusalem. *Acta Allergol.* 17: 246-267.
- FEINBRUN, Naomi, TAUB, Sarah (1964). The Cuscuta species of Palestine. *Israel J. Bot.* 13: 1-23.
- FEINBRUN, Naomi, ZOHARY, M. (1952-1959). *Flora of the Land of Israel*. Iconographia. Tel Aviv & Jerusalem, 3 folders of plates.
- FEINBRUN, Naomi, ZOHARY, M. (1955). A geobotanical survey of Transjordan. *Bull. Res. Council Israel* 5D: 5-35.
- FEINBRUN, Naomi ♀ EIG, A. & FEINBRUN, Naomi (1932, 1940, 1947) — EIG, A. & al. (1930-1938, 1931, 1948, 1954) — HEDGE, I. C. & FEINBRUN, Naomi (1968) — WEITZ, Shulamith & FEINBRUN, Naomi (1972) — ZOHARY, M. & FEINBRUN, Naomi (1930, 1948, 1951, 1955, 1966) — ZOHARY, M. & al. (1949-1958).
- FEINBRUN-DOTHAN, Naomi ♀ ZOHARY, M. & FEINBRUN-DOTHAN, Naomi (1966).
- FELDMAN, M. (1977). Historical aspects and significance of the discovery of wild sheats. *Stadler Symp., Univ. of Mo., Columbia, Mo.* 9: 121-146.
- FELDMAN, M. (1978). New evidence on the origin of the B genome of wheat. *Proc. 5th Int. Wheat Genet. Symp.*: 120-132.
- FELDMAN, M. (1981). The wild gene resources of wheat. *Sci. Amer.* 245: 102-112.

- FELDMAN, M., KISLEV, M. (1977). *Aegilops searsii*, a new species of section Sitopsis (Platystachys). *Israel J. Bot.* 26: 190-201.
- FELDMAN, M. ♀ HILLEL, J. & al. (1973) — KUSHNIR, U. & al. (1977).
- FELDMAN, M. W. ♀ FELDMAN, M.
- FELDMAN, U. (1947a). New trees in Palestine B: the Goyava. [Hebrew]. *Hatteva Vehaaretz* 3: 215-216.
- FELDMAN, U. (1947b). A survey of scientific botanical work in Palestine. [Hebrew]. *Hatteva Vehaaretz* 7: 13-31, 81-93, 145-153.
- FELDMANN, Geneviève ♀ FELDMANN, J. & FELDMANN, Geneviève (1961).
- FELDMANN, J., FELDMANN, Geneviève (1961). Une nouvelle Rhodophycée méditerranéenne: *Caulacanthus rayssiae* sp. nov. *Bull. Res. Council Israel* 10D: 59-65.
- FELIKS, J. (1957). *Plant world of the Bible*. [Hebrew]. Tel Aviv, Massada, 318 pp., 100 pl.
- FELUX, F. ♀ PODLECH, D. & FELUX, F. (1974).
- FENZL, E. (1842). *Pugillus plantarum novarum Syriae et Tauri occidentalis primus*. Vindobonae, 18 pp.
- FENZL, E. (1843). *Illustrationes et descriptiones plantarum novarum Syriae et Tauri occidentalis*. Stuttgart, Schweizerbart, viii, 84 pp., 20 pl.
- FENZL, E. (1860). *Diagnoses plantarum orientalium et observationes botanicae*. Paris, 71 pp.
- FENZL, E. (1866). Diagnoses plantarum orientalium et observationes botanicae. In: TCHI-HATCHEFF, P. DE, *Asie mineure. Partie 3: botanique*. Paris.
- FENZL, E. ♀ ENDLICHER, S. & FENZL, E. (1836).
- FERBER, Ilana ♀ POR, F. D. & al. (1972).
- FERGUSON, I. K. (1966). Contributions to the flora of Iraq: II. *Kew Bull.* 20: 249-250.
- FERNANDEZ, J. ♀ BLATTER, E. & FERNANDEZ, J. (1933-1935).
- FEUELL, A. J., JARVIS, M. W. (1954). Pyrethrum flowers from Aden. *Colon. Pl. Anim. Prod.* 4: 260-262.
- FEUELL, A. J., JARVIS, M. W. (1955). The genus Rauwolfia: some aspects of its botany, chemistry and medicinal uses. *Colon. Pl. Anim. Prod.* 5: 1-33.
- FEURSTEIN, I. ♀ SEGAL, R. & al. (1983).
- FERRY, P. (1957). Where are the Cedars of Lebanon? *Nat. Hist.* 66: 130-131.
- FIELD, D. V. (1970). *Edithcolea grandis*. *Bot. Mag.* 177: t. 562.
- FIELD, D. V. (1981a). A new *Huernia* (Asclepiadaceae) from Saudi Arabia, with notes on related species. *Kew Bull.* 35: 753-757.
- FIELD, D. V. (1981b). A new species of *Rhytidocaulon* (Asclepiadaceae) from Saudi Arabia. *Kew Bull.* 36: 51-54.
- FIELD, H. (1932). Ancient wheat and barley from Kish, Mesopotania. *Amer. Anthropol.*, N.S. 34: 303-309.
- FIELD, H. (1953-1972). *Bibliography of southwestern Asia*. 7 vols. Compilation a. subject index. Supplements 1-8. Coral Gables, Fla., Univ. Miami Press. 22 plates.
- FIGARI, A. (1864-1865). *Studii scientifici sull'Egitto e sue adiacenze, compresa la Penisola dell'Arabia Petrea, con accompagnamento di carta geografico-geologica*. 2 vols. Lucca.

- FIGARI, A. (1866). *Etudes géographiques de l'Egypte, de la Péninsule de l'Arabie Petrée et de la Palestine*. Paris.
- FIGARI, A., HUSSON, A. H. (1845-1846). Extrait du Journal d'un voyage géologique à Gebel-Zeyt etc. *Bull. Soc. Géogr.*, Ser. 3, 3(18): 353-357; 5(25): 32-40; 5(28): 238-250; 6(32): 111-127; (34): 248-267.
- FIGARI, A., HUSSON, A. H. (1895). L'exploration scientifique de l'Egypte sous le règne de Mohamed Ali: IV. Considérations générales sur la géographie botanique de la vallée d'Egypte et de ses dépendances. *Rev. Egypte Paris* 2: 517-544.
- FIGARI, A., NOTARIS, G. DE (1853). Nuovi materiali per l'algologia del Mare Rosso. *Mem. Reale Accad. Sci. Torino*, Ser. 2, 13: 133-169. 6 figs.
- FIGARI, A. ♀ NOTARIS, G. DE & FIGARI, A. (1852-1853).
- FIORI, A. (1935). Piante raccolte nelle isole dell'Egeo dal Dott. Giuseppe Jannone Ladispoto. *Nuovo Giorn. Bot. Ital.* n. s. 42: 242-243.
- FIRST, T. ♀ FAHN, A. & al. (1963).
- FISCH, D. S. (1910). The park and gardens of Yildiz, Constantinople. *J. Roy. Hort. Soc.* 36: 108-111.
- FISCHER, D. (1970). Waldverbreitung bäuerliche Waldwirtschaft und kommerzielle Waldnutzung in östlichen Afghanistan. *Afghanische Studien* 2: 139 pp.
- FISCHER, E. (1929). Eine Phalloidee aus Palästina: Phallus roseus Delile und die Gattung Itajahya Alfr. Möller. *Ber. Deutsch. Bot. Ges.* 47: 288-295.
- FISCHER, F. E. L., MEYER, C. A. (1835-1836). Animadversiones botanicae nonnullae, novarum que aut non rite cognitarum plantarum diagnoses. *Ann. Sci. Nat. Bot.*, Ser. 2, 4: 332-343; 5: 120-128.
- FISCHER, F. E. L., MEYER, C. A. (1836). Animadversiones botanicae nonnullae, novarum que generum et specierum diagnoses. *Ann. Sci. Nat. Bot.*, Ser. 2, 5: 180-190, 291-304.
- FISCHER, F. E. L., MEYER, C. A. (1854). Plantes nouvelles recueillies par Pierre de Tchihatcheff en Asie Mineure pendant l'année 1849. *Bull. Soc. Bot. France* 1: 30-36.
- FISCHER, M. (1970). Zur Cytotaxonomie der Verwandtschaftsgruppe um Veronica orientalis Mill. emend. Ait. in der Türkei. *Österr. Bot. Z.* 118: 131-161.
- FISCHER, M. (1972). Neue Taxa, Chromosomenzahlen und Systematik von Veronica subsect. Acinofolia (Römp.) Stroh. *Österr. Bot. Z.* 121: 413-437.
- FISCHER, M. (1977a). Two new Veronica species (Scrophulariaceae) of Turkey and Iraq. *Pl. Syst. Evol.* 128: 237-241.
- FISCHER, M. (1977b). Taxa et nomina nova generis Veronica (Scrophulariaceae) Turciae. (New taxa and new names in the genus Veronica (Scrophulariaceae) from Turkey). *Pl. Syst. Evol.* 128: 293-297.
- FISCHER, M. ♀ OZTURK, A. & FISCHER, M. (1982).
- FISCHER, P. J. ♀ MONOD, M. & FISCHER, P. J. (1983).
- FISCHER, T. (1881). Die Dattelpalme. *Petermanns Geogr. Mitt. Ergänzungsband* 64: 85 pp.
- FISCHER VON WALDHEIM, A. (1879). Über die von G. Ehrenberg in Ägypten in Nubien gesammelten Brandpilze. *Verh. Bot. Vereins. Prov. Brandenburg* 21, Sitzungsber. p. 25.
- FISH, D. S. (1912). Plants cultivated in Egypt. *Bull. Alexandria Hort. Soc.*: 6.
- FLAKSBERGER, C. A. (1915). Determination of wheat. *Trudy Prikl. Bot.* 8: 9-209.
- FLAKSBERGER, C. A. (1926). A contribution to the study of wild Monococcum and Diococcum. *Trudy Prikl. Bot.* 16: 200-203.

- FLAKSBERGER, L. (1928). The emmers (*Triticum diococcum Schrnk.*) of ancient Egypt and of modern times. [Russian]. *Trudy Prikl. Bot.* 19: 497-518.
- FLEISCHMANN, H. (1911). Ophrys Schulzei Bornm. & Fleischm. *Mitth. Thüring. Bot. Vereins, N.F.*, 28: 60-61.
- FLEISCHMANN, H. (1923). Neue Ophrys-Arten aus Asien, gesammelt von J. Bornmüller und Th. Strauss. *Ann. Naturhist. Mus. Wien* 36: 7-14.
- FLEISCHMANN, H. (1925). Beitrag zur Orchideenflora der Insel Kreta. *Österr. Bot. Z.* 74: 180-194.
- FLORA AZERBAIDJANA (1950-1961). Baku, Akad. Nauk Azerbaidjanskoi SSR. 8 vols.
- FLORIN, H. (1934). Über einige neue oder wenig bekannte asiatische Ephedra-Arten der Sect. *Pseudobaccatae* Stapf. *Kongl. Svenska Vetenskapsakad. Handl., Ser. 3*, 12: 1-44.
- FLOYER, E. A. (1882). *Unexplored Baluchistan. A survey with observations astronomical, geographical, botanical, etc. of a route through Mekran, Bashkurd, Persia, Kurdistan and Turkey.* London.
- FLOYER, E. A. (1892). Disappearance of desert plants in Egypt. *Kew Bull.*: 287-293.
- FLOYER, E. A. (1893). *Etude sur le Nord-Etbai, entre le Nile et la Mer Rouge.* Cairo, Imprimerie Nationale, 192 pp.
- FLÜGEL, H. (1963). Algen und Problematica aus dem Perm Süd-anatoliens und Irans. *Sber. Öst. Akad. Wiss. Math.-Naturw. Kl. Abt. 1*, 172, 1, 2: 85-95.
- FODA, H. A. ♀ MONTASIR, A. H. & FODA, H. A. (1956).
- FOGED, N. (1959). Diatoms from Afghanistan. *Biol. Skr.* 11: 1-95.
- FOGED, N. (1980). Diatoms in Egypt. *Nova Hedwigia* 33: 626-707.
- FÖLG, F. (1929). Eine naturwissenschaftliche Reise in das Amanusgebirge. *Arch. Naturgesch.*: 88-130, ill.
- FOLGNER, V. (1897). Beiträge zur Systematik und pflanzengeographischen Verbreitung der Pomaceen (II. Die geographische Verbreitung der Pomaceae). *Österr. Bot. Z.* 47: 199-206.
- FOMIN, A. (1906). Salines et autres formations botaniques qui avoisinent dans la Transcaucasie orientale et australe. *Věstn. Tiflissk. Bot. Sada*: 2.
- FOMIN, A. ♀ KUZNETZOV, N. I. & al. (1911-1913).
- FONCK, L. (1898). Die biblische Lilie. *Stimmen aus Maria Laach* 54: 151-168.
- FONCK, L. (1900). *Streifzüge durch die biblische Flora.* Freiburg Br., Herder, xiii, 167 pp.
- FORBES, E. ♀ SPRATT, Th. A. B. & FORBES, E. (1847).
- FORBES, H. O. (1903). *The natural history of Sokotra and Abd-el-Kuri.* Liverpool, the free public Museum, xlvii, 598 pp.
- FORBES, R. (1921). Across the Libyan Desert to Kufara. *Geogr. J.* 58: 81-101, 161-178.
- FORMAN, L. L. (1980). *Cocculus balfourii* (Menispermaceae) in Oman (Dhofar). *Kew Bull.* 35: 379-381.
- FORMANEK, E. (1891). Beiträge zur Flora des Balkans, Bosphorus und Kleinasiens. *Verh. Brünner Naturf. Vereins* 29: 113-158.
- FORSKÅL, P. (1775). *Flora aegyptiaco-arabica, sive descriptiones plantarum quas per Aegyptum inferiorem et Arabiam felicem detexit, illustravit Petrus Forskål.* Post mortem auctoris edidit Carsten Niebuhr. Hauniae, Moeller. 32, cxxvi, 219 pp., map.

- FORSKÅL, P. (1776). *Icones rerum naturalium, quas in itinere orientali depingit curavit.* Edidit Carsten Niebuhr. Havniae, Moeller. 4, 15 pp., 43 pl.
- FORSYTH MAJOR, C. I. & MAJOR, C. J. Forsyth
- FORTI, A. (1905). Appunti algologici per l'Anatolia. *Nuova Notarisia* 16: 11-14.
- FORTI, A. (1927a). La propagazione dell'*Halophila stipulacea* Asch. anche nel Mediterraneo. *Nuovo Giorn. Bot. Ital.* 34: 714-716.
- FORTI, A. (1927b). Nuove segnalazioni di alghe passivamente trasportate a traverso il canale di Suez, poi naturalizzate. *Nuovo Giorn. Bot. Ital.* 34: 1443-1451, pl. 20-25.
- FORTI, A., MARCELLO, A., PAMPANINI, R. (1932). Una escursione botanica in Tripolitania 16 Marzo-25 Aprilie 1931. *Atti Ist. Veneto Sci.* 92: 179-241. ill. map.
- FOSTER, R. (1959). *Subject index to bibliographies on south-western Asia: i-v, part 3: Botany.* Coral Gables, Fla., University of Miami Press, iv, 27 pp.
- FOUAD, Z. & BATANOUNY, K. H. & FOUAD, Z. (1965).
- FOURON, R. & FURON, R.
- FOX, Helen M. (1953). Spring flowers in Israel. *Bull. Amer. Rock Gard. Soc.* 11: 108-115.
- FRAAS, C. (1845). *Synopsis plantarum floriae classicae.* München, E. A. Fleischmann, xxxvii, 320 pp.
- FRAGOSO, R. G. (1916). Pugillus mycetorum Persiae. *Bol. Soc. Esp. Hist. Nat.* 16: 167-174.
- FRAGOSO, R. G. (1918). Pugillus secundus mycetorum Persiae (Lecti a Ferd. Martinez de la Escalera). *Bol. Soc. Esp. Hist. Nat.* 18: 78-85.
- FRAHM, J. P. (1983). The taxonomic status of *Neckera besseri* (Lob.) Jur. and *Homalia webbiana* Mont. *J. Bryol.* 12: 337-341.
- FRANCHET, A. (1887). Plantes du voyage au Golfe de Tadjourah: Gulf of Aden. *J. Bot. (Paris)* 1: 118.
- FRANCHET, A. (1896). Note sur une collection de plantes rapportées du Pamir en 1894 par M. E. de Poncins. *Bull. Mus. Natl. Hist. Nat., Bot.* 2: 342-347.
- FRANK, Z. (1975). Fungi and bacteria in Aleppo pine. [Hebrew]. *La-Yaaran* 25: 53-54.
- FRANZÉN, R., GUSTAVSSON, L. A. (1983). Chromosome numbers in flowering plants from the high mountains of Sterea Ellas, Greece. *Willdenowia* 13: 103-106.
- FRANZÉN, R. & ANDERSSON, I. A. & al. (1983).
- FRASER-JENKINS, C. R. & DEMIRIZ, H. & al. (1981) — PARRIS, B. S. & FRASER-JENKINS, C. R. (1980).
- FREIDLANDER, M., LIPKIN, Y. (1982). Rearing of agarophytes and carrageenophytes under field conditions in the eastern Mediterranean. *Bot. Mar.* 25: 101-105.
- FREIDLANDER, M., LIPKIN, Y., YAPHE, W. (1981). Composition of agars from *Gracilaria* cf. *verrucosa* and *Pterocladea capillacea*. *Bot. Mar.* 24: 595-598.
- FREISLEBEN, R. (1940a). Die Gersten und Weizen der Deutschen Hindukush-Expedition 1935. *Angew. Bot.* 22: 105-132.
- FREISLEBEN, R. (1940b). Die Gersten der Deutschen Hindukusch-Expedition 1935. *Kühn-Arch.* 54: 295-368.
- FREISLEBEN, R. (1940c). Die phylogenetische Bedeutung asiatischer Gersten. *Züchter* 12: 257-272.

- FREISLEBEN, R. (1941). Anschauungen über die Abstammung der Kulturgesten auf Grund des Materials der Deutschen Hindukusch-Expedition 1935. *Fortschr. Fortschr.* 17: 140-142.
- FREITAG, H. (1971a). Die natürliche Vegetation Afghanistans. Beiträge zur Flora und Vegetation Afghanistans, I. *Vegetatio* 22: 285-344.
- FREITAG, H. (1971b). Zur Kenntnis afghanischer Plumbaginaceen (Beiträge zur Flora und Vegetation Afghanistans, II). *Ann. Naturhist. Mus. Wien* 75: 67-75.
- FREITAG, H. (1972a). Interesting and new Labiateae and Capparidaceae from Afghanistan (Beiträge zur Flora und Vegetation Afghanistans, III). *Notes Roy. Bot. Gard. Edinburgh* 31: 351-357.
- FREITAG, H. (1972b). Neue Arten aus Afghanistan: Amygdalus browicci und Leontice silvatica. *Bot. Jahrb. Syst.* 91: 470-478.
- FREITAG, H. (1975). The genus Piptatherum (Gramineae) in Southwest Asia. *Notes Roy. Bot. Gard. Edinburgh* 33: 341-408.
- FREITAG, H. (1977). Amygdalus wendelboi (Rosaceae), a new species from S. Iran. *Iranian J. Bot.* 1: 117-120.
- FREITAG, H. (1983). Astragalus kavirensis, eine neue Art von Astragalus sect. Ammodendron (Leguminosae) aus dem Iran. [German; English abstract]. *Willdenowia* 13: 133-136.
- FREITAG, H., WENDELBO, P. (1970). The genus Bellevalia in Afghanistan. Studies in the flora of Afghanistan. *Israel J. Bot.* 19: 220-224.
- FREITAG, H. ♀ MEHER-HOMJI, V. M. & al. (1973) — RIEDL, H. & FREITAG, H. (1972).
- FREMY, P., NASR, A. H. (1938). Two new Cyanophceae from the Red Sea. *Bull. Fac. Sci. Egypt. Univ.* 18: 31-34, plates 1-2.
- FREMY, P., RAYSS, Tscharna (1938). Algues des sources thermales de Kallirrhoë (Transjordanie). *Palest. J. Bot. Jerusalem Ser.* 1: 27-34.
- FRESENIUS, J. B. (1834). Beiträge zur Flora von Aegypten und Arabien. I-II. *Abh. Mus. Senckenberg* 1: 65-94, 165-188.
- FREY, W. (1969). Beiträge zur Moosflora Afghanistans. I. Bartramiaceae. *Nova Hedwigia* 17: 351-357.
- FREY, W. (1972). Beiträge zur Moosflora Afghanistans II. Die pleurokarpen Laubmoose. *Bryologist* 75: 125-135.
- FREY, W. (1974). Die Lebermoose des Iran und Afghanistans. *Bryologist* 77: 48-56.
- FREY, W., KÜRSCHNER, H. (1977). Studies on the bryophyte flora and vegetation of the Mohammed Reza Shah National Park, N. Iran. *Iranian J. Bot.* 1: 137-153.
- FREY, W., KÜRSCHNER, H. (1979). Die epiphytische Moosvegetation im hyrkanischen Waldgebiet (Nordiran). *Beih. Tübinger Atlas des Vorderen Orients, Reihe A (Naturwiss.* 5: 99 pp., Wiesbaden.
- FREY, W., KÜRSCHNER, H. (1981). The bryological literature of south west Asia. *J. Hattori Bot. Lab.* 50: 217-229.
- FREY, W., KÜRSCHNER, H. (1982). The first records of bryophytes from Saudi Arabia. Studies in Arabian Bryophytes. I. *Lindbergia* 8: 157-160.
- FREY, W., KÜRSCHNER, H. (1983). Photosynthetic pathways and ecological distribution of halophytes from some inland salines of Turkey, Jordan and Iran. [German; English abstract]. *Flora M.G.O.* 173: 293-310.
- FREY, W., MAYER, H. J. (1971). Botanische Literatur über den Iran. *Bot. Jahrb. Syst.* 91: 348-382.

- FREY, W., PROBST, W. (1973). Die Polstermoosvegetation in Karadj Tal (Elbursgebirge, Iran). *Bot. Jahrb. Syst.* 93: 404-423.
- FREY, W., PROBST, W. (1974a). Vegetationsanalytische Untersuchungen im Dünengebiet von Balbosar (Kaspisches Meer, Iran). *Bot. Jahrb. Syst.* 94: 96-113.
- FREY, W., PROBST, W. (1974b). Hängeformen von *Pseudoleskeella laxiramea* (Schiffner) Broth. und *Leukodon immersus* Lindr. (Musci) im südkaspischen Waldgebiet. *Bot. Jahrb. Syst.* 94: 267-282.
- FREY, W., PROBST, W. (1974c). Vegetationszonierung an Süßwasserquellen des Maherlu Salzsee bei Shiraz (Iran). *Vegetatio* 29: 109-114.
- FREY, W., PROBST, W. (1977). *Pyrola secunda* (Pyrolaceae), new to Iran. *Iranian J. Bot.* 1: 121-122.
- FREY, W. ♀ BORCHERS, Eva & al. (1982) — BRECKLE, S.-W. & FREY, W. (1974) — BRECKLE, S.-W. & al. (1969, 1975) — CARLE, R. & FREY, W. (1977).
- FREYN, J. (1886a). Ranunculaceae in O. Stapf. Die botanischen Ergebnisse der Polak'schen Expedition nach Persien. *Denkschr. Akad. Wiss. Wien* 51: 290-295.
- FREYN, J. (1886b). Ranunculaceae in O. Stapf. Beiträge zur Flora von Lycien, Carien und Mesopotamien. *Denkschr. Akad. Wiss. Wien* 51: 357-358.
- FREYN, J. (1888). Beitrag zur Flora von Syrien und des cilicischen Taurus. *Deutsch. Bot. Monatschr.*: 81-87.
- FREYN, J. (1889). *Colchicum bornmülleri* sp. n. und biologisches über dieselbe. *Ber. Deutsch. Bot. Ges.* 7: 319-321.
- FREYN, J. (1890-1894). Plantae novae orientales. *Österr. Bot. Z.* 40: 399-404, 441-447; 41: 9-12, 54-60, 361-366, 404-408; 42: 8-14, 46-50, 80-84, 120-124, 165-170, 204-208, 235-242, 266-271, 341-349, 375-379; 43: 372-377, 413-420; 44: 27-29, 61-67, 98-103, 144-148, 217-220, 257-265, 294-298, 324-327, 391-394.
- FREYN, J. (1902). Plantae novae orientales. VI. Verzeichnis der von P. Sintenis in Ost. Masenderan gesammelten Pflanzen. *Bull. Herb. Boissier* 2: 833-851, 897-917.
- FREYN, J. (1903-1904). Plantae ex Asia Media (Fragmentum). *Bull. Herb. Boissier* 3: 557-572, 685-700, 857-872, 1053-1068; 4: 33-48, 443-458, 755-770; Opus posthumum 1105-1120.
- FRIEDMAN, E. I., GALUN, Margalith (1974). Desert algae, lichens and fungi. *Desert Biol.* 2: 165-212.
- FRIEDMAN, E. I. ♀ FRIEDMANN, I.
- FRIEDMAN, J. (1971). The effect of competition by adult *Zygophyllum dumosum* Boissier on seedlings of *Artemisia herba alba* Asso in the Negev desert of Israel. *J. Ecol.* 59: 775-782.
- FRIEDMAN, J., ELBERSE, W. Th. (1976). Competition between two desert varieties of *Medicago laciniata* (L.) Mill. under controlled conditions. *Oecol. (Berlin)* 22: 321-339.
- FRIEDMAN, J., GUNDERMAN, N., ELLIS, M. (1978). Water response of the hydrochastic skeletons of the true rose of Jericho (*Anastatica hierochuntica* L.). *Oecologia (Berlin)* 32: 289-301.
- FRIEDMAN, J., ORSHAN, G. (1974). Allopatric distribution of two varieties of *Medicago laciniata* (L.) Mill. in the Negev desert. *J. Ecol.* 62: 107-114.
- FRIEDMAN, J., ORSHAN, G. (1975). Distribution, emergence and survival of *Artemisia herba-alba* Asso in the desert of Israel in relation to distance from the adult plants. *J. Ecol.* 63: 627-632.
- FRIEDMAN, J., ORSHAN, G., ZIGLER-CFIR, Y. (1977). Suppression of annuals by *Artemisia herba-alba* in the Negev desert of Israel. *J. Ecol.* 65: 413-426.

- FRIEDMAN, J., SHAPIRA, Zvia, WAISEL, Y. (1965). Tamarix, a promising tree for fuel-break in Israel. *Israel J. Bot.* 14: 208.
- FRIEDMAN, J., STEIN, Zippora (1978a). Modes of seed dispersal and regeneration of *Anastatica hierochuntica* L. [abstract]. *Israel J. Bot.* 27: 43.
- FRIEDMAN, J., STEIN, Zippora (1978b). Inhibitory effects of various salt solutions on seed germination of *Anastatica hierochuntica* L. [abstract]. *Israel J. Bot.* 27: 43-44.
- FRIEDMAN, J., STEIN, Zippora (1979-1980). The Rose of Jericho: symbol of resurrection. *Israel-Land & Nature* 5: 76-80.
- FRIEDMAN, J., STEIN, Zippora (1980). The influence of seed dispersal mechanisms on the dispersion of *Anastatica hierochuntica* (Cruciferae) in the Negev desert, Israel. *J. Ecol.* 68: 43-50.
- FRIEDMAN, J., WAISEL, Y. (1963). Contributions to the arboreal flora of Israel: *Tamarix aphylla* (L.) Karst. [Hebrew]. *La-Yaarot* 13: 131-136.
- FRIEDMAN, J., WAISEL, Y. (1964). Contributions to the arboreal flora of Israel: *Tamarix aphylla* (L.) Karst. [Hebrew]. *La-Yaarot* 13: 156-161.
- FRIEDMAN, J., WAISEL, Y. (1966). The influence of wind velocity and fuel density on the burning of the litter of *Pinus halepensis* and *Tamarix aphylla*. *La-Yaarot* 16: 89-94.
- FRIEDMAN, J. ♀ WAISEL, Y. & FRIEDMAN, J. (1960, 1965).
- FRIEDMANN, I. (1955). On *Cladophora kerkennae* Hamel and *C. echinus* (Bias.). *Bull. Res. Council Israel* 5D: 59-64.
- FRIEDMANN, I. (1961). *Chroococcidiopsis Kashaii* sp. n. and the genus *Chroococcidiopsis*. Studies on cave algae from Israel. III. *Österr. Bot. Z.* 108: 354-367.
- FRIEDMANN, I. (1962). The ecology of the atmophytic nitrate alga *Chroococcidiopsis Kashaii* Friedmann. Studies on the cave algae from Israel. IV. *Arch. Mikrobiol.* 42 + 45.
- FRIEDMANN, I., LIPKIN, Y., OCAMPO-PAUS, Roseli (1967). Desert algae of the Negev (Israel). *Phycologia* 6: 185-200, pl.
- FRIEDMANN, I., OCAMPO-PAUS, Roseli (1965). *Bracteacoccus minor* (Chodat) Petrová var. *desertorum* n. var., a remarkable alga from the Negev. *Nova Hedwigia* 10: 481-494, pl.
- FRIEDMANN, I. ♀ LIPKIN, Y. & FRIEDMANN, I. (1967).
- FRIEND, H. (1924). Garden-craft in the Canticles. *Gard. Chron.* 75: 318, 360; 76: 26-27, 130-131, 166, 234-235, 268, 318-319, 354-355, 406-407, 436.
- FRIES, E. (1845). Botanisch-antiquarischer Ausflug zu den Nymphaeaceen der Griechen. *Hornsch. Arch. Skand. Beitrag Naturgesch.* 1: 221-247.
- FRIIS, I. (1978). A reconsideration of the genera *Monotheca* and *Spiniluma* (Sapotaceae). *Kew Bull.* 33: 91-98.
- FRIIS, I. (1983). Phytogeography of the tropical north-east African mountains. *Bothalia* 14: 525-532.
- FRIIS, I., VOLLESEN, K. (1982). New taxa from the Imatong Mountains, south Sudan. *Kew Bull.* 37: 465-479.
- FRITSCH, K. (1900). Beiträge zur Flora von Constantinople. *Denkschr. Akad. Wiss. Wien* 68: 219-250.
- FRIVALDSZKY VON FRIVALD, E. (1835-1840). Plantae novae turcicae ex Balcano. *Magyar Tud. Társ. Evk.* 2: 235-241; 3: 156-170; 4: 194-207.
- FRIVALDSZKY VON FRIVALD, E. (1836). Succinctae diagnoses specierum plantarum novarum anno 1835 in Turcia Europaea collectarum. *Flora* 19: 433-448.

- FRÖDIN, J. (1932). Quelques traits de la végétation et de l'habitat pastoral de la Turquie du Nord. *Geogr. Annlr.* 14: 209-243.
- FRÖHLICH, J. (1950). Bryophyten aus Iran. (Rechingeri iter iranicum secundum No. 9). *Ann. Naturhist. Mus. Wien* 57: 37-41.
- FRÖHLICH, J. (1952-1953). Berichtigung zu Bryophyten aus Iran. (Rechingeri iter iranicum secundum No. 9). *Ann. Naturhist. Mus. Wien* 59: 118.
- FRÖHLICH, J. (1955). Die von Dr. A. Gilli in den Jahren 1949-1951 in Zentral-ost und Nordost-Afghanistan gesammelten Bryophyten. *Mitt. Thüring. Bot. Ges.* 1: 59-70.
- FRÖHLICH, J. (1959). Bryophyten aus Vorderasien. *Ann. Naturhist. Mus. Wien* 63: 31-32.
- FRÖHLICH, J. (1964). Bryophyten aus Afghanistan und Nordwest-Pakistan. *Ann. Naturhist. Mus. Wien* 67: 149-158.
- FRÖHNER, S. (1979). Two new endemic species of Alchemilla from Iraq. *Candollea* 34: 237-278.
- FUCHS, C. ♀ GARTY, J. & al. (1977).
- FULLERTON, Alice, LINDSAY, Nancy (1938). Plant hunting in Iran; two women in a Persian village *Country life* 84: 454-481.
- FÜRER AB HAIMENDORFF, Ch. (1621). *Itinerarium Aegypti, Arabiae, Palestinae, Syriae, aliarumque Regionum orientalium*. Norimbergae, 2 plates in 1.
- FURNESTIN, M. L., BALANCA, J. (1968). Chaetognathes de la Mer Rouge (Archipel Dahlac). *Bull. Sea Fish. Res. Station Israel* 52: 3-20.
- FURSE, P. (1963-1965). Some Iranian and Turkish mountain plants. *Bull. Alpine Gard. Soc. Gr. Brit.* 31: 295-304; 32: 273-278; 33: 295-302.
- FURON, R. ♀ BOUREAU, E. & FURON, R. (1950) — BOUREAU, E. & al. (1950).
- FURSE, P. (1965a). Delphiniums in Turkey, Iran and Afghanistan. *Delphinium Soc. Yearb.* 37: 93-100.
- FURSE, P. (1965b). Irises in Iran and Afghanistan, 1964. *Iris Year Book*: 100-112.
- FURSE, P. (1965c). Tulips in Iran and Afghanistan, 1964. *Daffodil Tulip Year Book* 31: 61-73.
- FURSE, P. (1965-1966). Iran and Afghanistan, 1964. *J. Roy. Hort. Soc.* 90: 462-475, 504-509; 91: 18-26.
- FURSE, P. (1968a). Afghanistan, 1966. *J. Roy. Hort. Soc.* 93: 20-30, 92-97, 114-124.
- FURSE, P. (1968b). Colchicum and Merendera in Turkey, Iran and Afghanistan. *Lily Year Book* 31: 106-115.
- FURSE, P. (1968c). Delphinium in Iran and Afghanistan. *Delphinium Soc. Yearb.* 40: 75-82.
- FURSE, P. (1968d). Some Iranian Irises. *J. Roy. Hort. Soc.* 93: 394-398.
- FURSE, P. (1968e). Tulips in Iran and Afghanistan, 1966. *Daffodil Tulip Year Book* 33: 83-92.
- FURSE, P. (1969). Flora of the Hindu Kush. *Bull. Alpine Gard. Soc. Gr. Brit.* 37: 283-298.
- FURSE, P. (1970). Exploring for Fritillaries in west and central Asia. *Lily Year Book* 33: 111-115.
- FURSE, P. (1971). Oncocyclus and Regelia Irises in Turkey, Iran and Afghanistan. *Iris Year Book*: 119-132.
- FURSE, P. ♀ WENDELBO, P. & FURSE, P. (1969).