

# K

Objekttyp: **Index**

Zeitschrift: **Boissiera : mémoires de botanique systématique**

Band (Jahr): **39 (1987)**

PDF erstellt am: **20.06.2024**

## **Nutzungsbedingungen**

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

## **Haftungsausschluss**

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

---

## K

---

- KADMAN, A., GAZIT, S., ZIV, G. (1978). Experiments with the selection of mango rootstocks for the southern Arava. *Israel J. Bot.* 27: 34.
- KADMAN-ZAHAVI, Avishag (1955). Notes on the germination of *Atriplex rosea*. *Palest. J. Bot. Jerusalem Ser.* 6: 375-378.
- KADRY, Abd-el-Rahman, TEWFIC, H. (1956). Seed germination in *Orobanche crenata* Forssk.: Egypt. *Svensk Bot. Tidskr.* 50: 270-286.
- KAEVER, M. (1969). Neue Dasycladaceen-Afghanopolia fragilis n. gen. n. sp. und Gympolia (Polytripa) paktia n. sp. aus dem Mittel-Eozän von Ost-Afghanistan. *Argum. Palaeobot.* 3: 15-42.
- KAGAN-ZUR, Varda, LIPS, S. H. (1983). A particulate cytoplasmic fraction enhancing photosynthesis of isolated pea chloroplasts. I. Kinetic aspects and some characteristics of the phenomenon. *Israel J. Bot.* 32: 203-212.
- KAHAN, D. (1961). Thermophilic micro-organisms of uncertain taxonomic status from the hot springs of Tiberias (Israel). *Nature* 192: 1212-1213.
- KAHANE, I. ✧ GALE, J. & al. (1969).
- KAHLER, A. L., ALLARD, R. W., KRZAKOWA, M. (1980). Associations between isozyme phenotype and environment in the slender wild oat (*Avena barbata*) in Israel. *Theor. Appl. Genet.* 56: 31-47.
- KAISER, A. (1887-1889). Reisen durch die Sinai-Halbinsel und nach dem nördlichen Arabien. *Ber. Tätigk. St. Gallischen Naturwiss. Ges.:* 96-159.
- KAISER, A. (1922). Die Sinaiwüste. *Mitth. Thurgauischen. Naturf. Ges.* 24: 1-106.
- KAISER, A. (1924). Der heutige Stand der Mannafrage. *Mitth. Thurgauischen. Naturf. Ges.* 25: 59 pp.
- KAISER, A. (1928). *Wanderungen und Wandlungen in der Sinaiwüste (1886/1927)*. Vortrag gehalten an der Jahresversammlung der Thurgauischen Naturforschenden Gesellschaft, Münchwilen, 29. Sept. 1928, 67 pp.
- KAISER, A. (1930). Neue naturwissenschaftliche Forschungen auf der Sinaihalbinsel (bes. Mannafrage). *Z. Deutsch. Paläst. Vereins* 53: 63-75, ill.
- KAISI, K. ✧ ABDIN, G. & al. (1957).
- KALIR, A., POLJAKOFF-MAYBER, Alexandra (1981). Changes in activity of malate dehydrogenase, catalase, peroxidase and superoxide dismutase in leaves of *Halimione portulacoides* L. Aellen exposed to high sodium chloride concentrations. *Ann. Bot. (London)* 47: 75-85.
- KALYMBELOW, B. (1956). Flora mycologia Turcomaniae austro-occidentalis. *Plantae Cryptogamicae Ser.* 2, 11: 175-312.
- KAMAL, M. A. M., REFAII, F. Y., BISHAY, R. (1958). Ash content and its correlation to some biochemical constituents in different varieties of Egyptian wheat kernels. *Alexandria J. Agric. Res.* 6: 3-12.
- KAMAL EL-DIN, H. ✧ ZAHRAN, M. A. (1972).
- KAMARI, G. ✧ PHITOS, D. & KAMARI, G. (1973, 1974).

- KAMEL, M. Y. ⇨ EZZ-EL-DIN, M. Taha & KAMEL, M. Y. (1962).
- KAMEL, S. M. ⇨ MOUSTAFA, A. F. & al. (1976).
- KAMELIN, R. V. (1965). O redovom endemizmu flory Srednei Azii. *Bot. Žurn. SSSR* 50: 1702-1710.
- KAMES, H. S. ⇨ MAULOOD, B. K. & al. (1979).
- KAMM, A. (1950). *Discovery of the 'mother barley' in Israel*. [Hebrew]. Tel Aviv, Sifriat Hassadeh, 39 pp.
- KAMM, A. (1973). Discovery of the first cultivated wheat in Israel. [Hebrew]. *Teva Vaaretz* 15: 100-104.
- KAMM, A. (1974). Non-brittle tapes in a wild population of *Triticum dicoccoides* Körn in Israel. *Israel J. Bot.* 23: 43-58.
- KAPLAN, A., GALE, J. (1972). Effect of sodium chloride salinity on the water balance of *Atriplex halimus*. *Austral. J. Biol. Sci.* 25: 895-903.
- KAPLAN, J. & al. (1958). The vegetative propagation of *Eucalyptus camaldulensis* and *Pinus halepensis*. [Hebrew]. *La-Yaaran* 8: 5-8.
- KAPLAN, J. ⇨ COHEN, O. P. & al. (1966) — ZOHARY, M. & al. (1958).
- KAPPEN, L. (1982). Lichen oases in hot and cold deserts. *J. Hattori Bot. Lab.* 53: 325-330.
- KAPPEN, L., LANGE, O. L., SCHULZE, E. D., BUSCHBOM, U., EVENARI, M. (1979). Ecophysiological investigations on lichens of the Negev Desert. VII. The influence of the habitat exposure on dew imbibition and photosynthetic productivity. *Flora M.G.O.* 169: 216-229.
- KAPPEN, L., LANGE, O. L., SCHULZE, E. D., EVENARI, M., BUSCHBOM, U. (1972). Extreme photosynthetic activity of the desert plant *Artemisia herba-alba* Asso. *Oecol. (Berlin)* 10: 177-182.
- KAPPEN, L., LANGE, O. L., SCHULZE, E. D., EVENARI, M., BUSCHBOM, U. (1979). Ecophysiological investigations on lichens of the Negev Desert. VI. Annual course of photosynthetic production of *Ramalina maciformes* (Del.) Bory. *Flora M.G.O.* 168: 85-108.
- KAPPEN, L., NÖVIG, M., MAIER, M. (1978). Seasonal relations between the content of amino acids and freezing tolerance of leaves *Halimione portulacoides* under different salt stress. *Biochem. Physiol. Pflanzen* 172: 297-304.
- KAPPEN, L., ÖRTLİ, J., LANGE, O. L., SCHULZE, E. D., EVENARI, M. (1975). Seasonal and diurnal causes of water relations of the arido-active plant *Hammada scoparia* in the Negev desert. *Oecol. (Berlin)* 21: 175-192.
- KAPPEN, L. ⇨ EVENARI, M. & al. (1975, 1976, 1977) — LANGE, O. & al. (1974, 1975) — SCHULZE, E. D. (1972, 1973, 1974, 1976).
- KAPSANAKI, E., PANTIDOU, M. (1980). Contribution to the knowledge of Greek mycoflora. I. Erysiphaceae of Kriti (Crete). *Nova Hedwigia* 32: 245-259.
- KARAHAN, O. (1959). Die häufigsten Ackerunkräuter des Cukurova-Gebiets. [Turkish]. *Zir. Müc. Enst. Yay.* 13: 11.
- KARAMANOGLU, K., ÖZKARAGFÖZ, K. (1967). A preliminary report on the allergenic plants of Ankara. *Ann. Allergy* 25: 23-28.
- KARELIN, G. (1839). Enumeratio plantarum quas in Turcomania et Persia boreali legit. *Bjull. Moskovsk. Obšč. Isp. Prir. Otd. Biol.* 12: 141-177.
- KAREN, A., EVENARI, M. (1974). Some ecological aspects of distribution and germination of *Pancreium maritimum* L. *Israel J. Bot.* 23: 202-215.
- KARLEN, T. ⇨ ANDERSSON I. A. & al. (1983).

- KARSCHON, R. (1951). Le choix des essences pour les reboisements en Israel. *J. Forest. Suisse* 102.
- KARSCHON, R. (1953). The hammada in Wadi Araba, its properties and possibilities of afforestation. *Ilanoth* 2: 17-45.
- KARSCHON, R. (1961a). *Acacia albida* Del. in Israel and the Near East. [Hebrew]. *La-Yaaran* 11: 4-6.
- KARSCHON, R. (1961b). Contributions to the arboreal flora of Israel: *Acacia raddiana* Savi and *A. tortilis* Hayne. *La-Yaaran* 11: vi-xvi.
- KARSCHON, R. (1962a). *Casuarina* introduction trials (preliminary results). [Hebrew]. *La-Yaaran* 12: 41-43.
- KARSCHON, R. (1962b). Contributions to the arboreal flora of Israel: *Calligonum comosum* L'Her. [Hebrew]. *La-Yaaran* 12: 18-23.
- KARSCHON, R. (1962c). Contributions to the arboreal flora of Israel: *Hyphaene thebaica* (Del.) Mart. [Hebrew]. *La-Yaaran* 12: 134-137.
- KARSCHON, R. (1963). The introduction of eucalyptus in Palestine. [Hebrew]. *La-Yaaran* 13: 3-5.
- KARSCHON, R. (1965). On the transpiration of *Cupressus sempervirens* L. and *Cupressus atlantica* Gaussen. *La-Yaaran* 15: 74-76.
- KARSCHON, R. (1966). Environment and tree growth in the Rift Valley oasis of Ein Hatseva. [Hebrew]. *La-Yaaran* 16: 1-20.
- KARSCHON, R. (1968a). El-Hamma. [Hebrew]. *La-Yaaran* 18: 95-98.
- KARSCHON, R. (1968b). L'arbre et la forêt en région aride: exemple du Néguev. *Bois Forêts Trop.* 122: 25-40.
- KARSCHON, R. (1968c). Trees and shrubs introduced to Golan. [Hebrew]. *La-Yaaran* 18: 109-111.
- KARSCHON, R. (1969a). Contribution to the arboreal flora of Israel. *Haloxylon persicum* Bge. [Hebrew]. *La-Yaaran* 19: 17-23.
- KARSCHON, R. (1969b). On the occurrence of *Quercus ithaburensis* Decne, North of Lake Tiberias. [Hebrew]. *La-Yaaran* 19: 77-78.
- KARSCHON, R. (1970a). Contribution to the arboreal flora of Israel: *Calotropis procera* (Willd.) R. Br. [Hebrew]. *La-Yaaran* 20: 41-48.
- KARSCHON, R. (1970b). The seedling morphology of *Anabasis articulata* (Forssk.) Moq. [Hebrew]. *La-Yaaran* 20: 89-90.
- KARSCHON, R. (1972a). Leaf surface temperature relation in *Begonia masoniana* Irmsch. ex Ziesenh. and their significance. *Oecol. Pl.* 7: 347-356.
- KARSCHON, R. (1972b). A summary of ecotypic variation in *Eucalyptus camaldulensis* Dehn. (Engl. ed.). *Oxford Univ. Forest. Soc. J. ser.* 7: 9-13.
- KARSCHON, R. (1972c). A summary of ecotypic variation in *Eucalyptus camaldulensis* Dehn. [Hebrew ed.]. *La-Yaaran* 22: 44-47.
- KARSCHON, R. (1972d). Leaf temperatures of *Begonia masoniana* Irmsch. ex Ziegenh. and their significance. *Oecol. Pl.* 7: 357-370.
- KARSCHON, R. (1972e). Leaf temperatures in *Ficus religiosa* L. *Div. For. Agric. Res. Org. Ilanoth:* 41.
- KARSCHON, R. (1973). Contributions to the arboreal flora of Israel: *Balanites aegyptiaca* (L.) Del. [Hebrew and English]. *La-Yaaran* 23: 42-46, 71-75.
- KARSCHON, R. (1974a). Coppice regeneration of *Eucalyptus camaldulensis* Dehn. following flooding. *La-Yaaran* 24: 46-47, 53-54.

- KARSCHON, R. (1974b). The relation of seed origin to growth of *Eucalyptus camaldulensis* Dehn. in Israel. *Israel J. Agric. Res.* 23: 159-173.
- KARSCHON, R. (1975a). On the occurrence of *Acacia radeana* Savi and *Acacia albida* Delile in Jericho. *Boissiera* 24A: 311-312.
- KARSCHON, R. (1975b). Seedling morphology and seed germination of *Arbutus andrachne* L. [Hebrew]. *La-Yaaran* 25: 1-2, 31-32.
- KARSCHON, R. (1981). Natural occurrences of Aleppo pine in the Judean Mountains in the 19th and early 20th centuries. *Leafl. Dept. For. Agric. Res. Org. Ilanot* No. 71.
- KARSCHON, R., KOLAR, M. (1970). *Eucalyptus viminalis* Labill. in Golan. [Hebrew]. *La-Yaaran* 20: 23-24.
- KARSCHON, R., PINHAS, L. (1969). Leaf temperatures in ecotypes of *Eucalyptus camaldulensis* Dehn. *Z. Schweiz. Forstver.* 46: 261-269.
- KARSCHON, R., WEINSTEIN, A. (1977). New data on the occurrence of *Antirrhinum siculum* Mill. in Israel. *Israel J. Bot.* 26: 32-35.
- KARSCHON, R., WEINSTEIN, A. (1978). The epiphyte flora of Phoenix L. in Israel. *Agric. Res. Organ. Div. Ilanot Leafl.*: 64.
- KARSCHON, R., ZOHAR, Y. (1968). The arboreal vegetation of Golan. [Hebrew]. *La-Yaaran* 18: 23-49.
- KARSCHON, R. ⇨ CHUDNOFF, M. & KARSCHON, R. (1960) — DANIN, A. & al. (1982) — GRUNWALD, Clara & KARSCHON, R. (1979) — WEINSTEIN, A. & KARSCHON, R. (1981) — ZOHAR, Y. (1975).
- KARYAGIN, I. I., SOSNOWSKY, D. I. (1950-1961). *Flora Azerbaidjana*. 8 vols. Baku, Akad. Nauk SSR.
- KARYAGIN, I. I., SOSNOWSKY, D. I. (1953). *Flora Apsherona*. Baku, Akad. Nauk Azerb. SSR, 437 pp.
- KASAPLIGIL, B. (1952). The forest vegetation in the Mediterranean regions of Turkey. [Turkish; English abstract]. *Istanbul Univ. Orman Fak. Derg. Ser. 2, 2*: 47-65.
- KASAPLIGIL, B. (1955). *A bibliography on the botany and forestry of the Hashemite Kingdom of Jordan*. FAO Amman, 17 pp.
- KASAPLIGIL, B. (1956a). *An ecological survey of the vegetation in relation to forestry and grazing*. Report to the Government of the Hashemite Kingdom of Jordan. FAO/156/9/7164, Report JOR (FO). 39 pp., 2 maps, 1 transect. (Mimeographed).
- KASAPLIGIL, B. (1956b). Floral organogenesis. [Turkish]. *Biologi* 6: 31-42.
- KASAPLIGIL, B. (1956c). *Plants of Jordan with notes on their ecology and economic uses*. FAO and Forestry Dept., Amman, 130 pp.
- KASAPLIGIL, B. (1956d). *Report to the Hashemite Kingdom of Jordan of an ecological survey of the vegetation in relation to forestry and grazing*. FAO 549, 39 pp., 1 map.
- KASAPLIGIL, B. (1961). Naturgeschichtliche Beobachtungen und floristische Studien. Beynamer Wald Ankara. *Wiss. Ber. Bot. Inst. Ege Univ.* 1: 1-35, ill.
- KASAPLIGIL, B. (1964). Contribution to the histotaxonomy of *Corylus* (Betulaceae). *Adansonia* 4: 43-90.
- KASAPLIGIL, B. (1966). Additamenta ad floram Jordanicae. *J. Arnold Arbor.* 47: 160-170, ill.
- KASEM, M. Y. ⇨ MOSTAFA, M. A. & KASEM, M. Y. (1972).
- KASHKAROV, D. N., KOROVIN, E. P. (1936). *Zhyzn pustijni*. Moscow, 251 pp.

- KASHKAROV, D. N., KOROVIN, E. P. (1942). *La vie dans les déserts*. Ed. française par Théodore Monod. Paris, Payot, 360 pp., ill.
- KASHKAROV, D. N. ✧ KOROVIN, E. P. & KASHKAROV, D. N. (1934).
- KASIM, M. K. ✧ HUSSAIN, S. M. & KASIM, M. K. (1976).
- KASSAS, M. (1952a). Habitat and plant communities in the Egyptian desert. I. Introduction. *J. Ecol.* 40: 342-351.
- KASSAS, M. (1952b). On the distribution of *Alhagi maurorum* in Egypt. *Proc. Egypt. Acad. Sci.* 8: 140-155.
- KASSAS, M. (1953a). Habitat and plant communities in the Egyptian desert. II. The features of a desert community. *J. Ecol.* 41: 248-256.
- KASSAS, M. (1953b). Landforms and plant cover in the Egyptian desert. *Bull. Soc. Géogr. Egypte* 26: 193-206.
- KASSAS, M. (1955). Rainfall and vegetation belts in arid North-East Africa. Plant ecology. Proc. Montpellier Symp.: 49-59. UNESCO.
- KASSAS, M. (1956a). Landform and plant cover in the Omdurman desert, Sudan. *Bull. Soc. Géogr. Egypte* 29: 43-58.
- KASSAS, M. (1956b). The mist oasis of Erkwit, Sudan. *J. Ecol.* 44: 180-194, ill.
- KASSAS, M. (1957). On the ecology of the Red Sea coastal lands. *J. Ecol.* 45: 187-203.
- KASSAS, M. (1960). Certain aspects of landform effects on plants water resources. *Bull. Soc. Géogr. Egypte* 33: 45-52.
- KASSAS, M. (1961). Certain aspects of landform effects on plants water resources. *Arid Zone Res.* 16: 71-76.
- KASSAS, M. (1971). The river Nile ecological system. A study towards an international programme. *Biol. Conserv.* 4: 19-25.
- KASSAS, M. (1977). Arid and semi-arid lands: problems and prospects. *Agro-Ecosystems* 3: 185-204.
- KASSAS, M., EL-ABYAD, M. S. (1962). On the phytosociology of the desert vegetation of Egypt. *Ann. Arid Zone* 1: 54-83.
- KASSAS, M., GIRGIS, W. A. (1964). Habitat and plant communities in the Egyptian desert. V. The limestone plateau. *J. Ecol.* 52: 107-119.
- KASSAS, M., GIRGIS, W. A. (1965). Habitat and plant communities in the Egyptian desert. VI. The units of a desert ecosystem. *J. Ecol.* 53: 715-728.
- KASSAS, M., GIRGIS, W. A. (1970a). Habitat and plant communities in the Egyptian desert. VII. Geographical facies of plant communities. *J. Ecol.* 58: 335-350.
- KASSAS, M., GIRGIS, W. A. (1970b). Plant life in the Nubian desert east of the Nile, Egypt. *Bull. Inst. Egypte* 51: 47-71.
- KASSAS, M., IMAM, M. (1954). Habitat and plant communities in the Egyptian desert. III. The Wadi bed ecosystem. *J. Ecol.* 42: 424-441.
- KASSAS, M., IMAM, M. (1957). Climate and microclimate in the Cairo desert. *Bull. Soc. Géogr. Egypte* 30: 25-52.
- KASSAS, M., IMAM, M. (1959). Habitat and plant communities in the Egyptian desert. IV. The gravel desert. *J. Ecol.* 47: 289-310.
- KASSAS, M., ZAHRAN, M. A. (1962). Studies on the ecology of the Red Sea coastal land. I. The district of Gebel Ataqa and El Galala El Bahariya. *Bull. Soc. Géogr. Egypte* 35: 129-175.

- KASSAS, M., ZAHRAN, M. A. (1965). Studies on the ecology of the Red Sea coastal land. II. The district of El-Galala El-Qibliya to Hurghada. *Bull. Soc. Géogr. Egypte* 38: 155-193.
- KASSAS, M., ZAHRAN, M. A. (1967). On the ecology of the Red Sea Littoral salt sea marsh in Egypt. *Ecol. Monogr.* 37: 297-315.
- KASSAS, M., ZAHRAN, M. A. (1971). Plant life on the coastal mountains of the Red Sea, Egypt. *J. Indian Bot. Soc.* 50: 571-589.
- KASSAS, M. ⇨ EMBERGER, L. & al. (1972).
- KATCHALSKY, E. ⇨ RAYSS, Tscharna & KATCHALSKY, E. (1938).
- KATENIN, A. E. ⇨ MAKAROVA, I. I. & KATENIN, A. E. (1983) — ZHUKOVA, A. L. & KATENIN, A. E. (1975).
- KATZNELSON, J. (1965). A taxonomic revision of sect. Calycomorphum of the genus *Trifolium*. 2. The anemochoric species. *Israel J. Bot.* 14: 171-183.
- KATZNELSON, J. (1967). Observations on the distribution and seed size of *Trifolium subterraneum* in Israel. *Israel J. Agric. Res.* 17: 139-144.
- KATZNELSON, J. (1969). The edaphic adaptations of some closely related clovers. *Oecol. Pl.* 4: 211-224.
- KATZNELSON, J. (1970). Edaphic factors in the distribution of subterranean clover in the Mediterranean region. *Proc. Int. Grassland Congr.* 11: 192-196.
- KATZNELSON, J. (1971). Population studies in annual clovers. *Israel J. Bot.* 20: 241-262.
- KATZNELSON, J. (1972). Chemical contents of clover leaves grown on different soils. *Oecol. Pl.* 7: 371-402.
- KATZNELSON, J. (1974). Biological flora of Israel. 5. The subterranean clovers of *Trifolium subsect. calycomorphum* Katzn. *Trifolium subterraneum* L. (sensu lato). *Israel J. Bot.* 23: 69-108.
- KATZNELSON, J., MORLEY, F. H. W. (1965a). Speciation processes in *Trifolium subterraneum* L. *Israel J. Bot.* 14: 15-35.
- KATZNELSON, J., MORLEY, F. H. W. (1965b). A taxonomic revision of sect. Calycomorphum of the genus *Trifolium*. 1. The geocarpic species. *Israel J. Bot.* 14: 112-134.
- KATZNELSON, J., ZOHARY, D. (1967). Diploid and tetraploid *Hordeum bulbosum* L. *Israel J. Bot.* 16: 57-62.
- KATZNELSON, J., ZOHARY, D. (1970). Seed dispersal in *Trifolium* sect. Calycomorphum. *Israel J. Bot.* 19: 114-120.
- KATZNELSON, J. ⇨ PUTIYEVSKY, E. & KATZNELSON, J. (1972) — SELIGMAN, N. & al. (1959) — TADMOR, N. H. & al. (1977) — ZOHARY, D. & KATZNELSON, J. (1958).
- KAUL, R. N. (1970). *Afforestation in arid zones. Monographiae Biologicae*, 20. Den Haag, Junk, 435 pp.
- KAYACIK, H. (1954). *Picea* in Turkey and an investigation about their geographical distribution. [Turkish; English abstract]. *Ormanc. Arast. Enst. Derg., Sayi* 1, ve. 2.
- KAYACIK, H. (1954, 1963). *Picea* in Turkey and an investigation about their geographical distribution. I, II. [Turkish; English abstract]. *Istanbul Univ. Fen Fak. Mecm.* 4: 44-64; 13: 1-10, ill.
- KAYACIK, H. (1955a). The distribution of *Picea orientalis* (L.) Carr. *Kew Bull.*: 481-490.
- KAYACIK, H. (1955b). The flora of Belgrad Forest. [Turkish; English abstract]. *Istanbul Univ. Fen Fak. Mecm. Ser. A*, 5: 77-90, ill., map.

- KAYACIK, H. (1956). Local peat formation on the Amanus mountains and an investigation on their flora. [Turkish; English abstract]. *Istanbul Univ. Orman Fak. Derg.* 6: 108-113.
- KAYACIK, H. (1957a). Beobachtungen über die lokale Verbreitung der Pinie, *Pinus pinea* L., in der Nähe von Gemlik, an der Marmarameerküste. [Turkish; English abstract]. *Istanbul Univ. Orman Fak. Derg.* 7: 7-21.
- KAYACIK, H. (1957b). Eine botanische Reise in die Umgebung von Mersin und Maras. [Turkish]. *Istanbul Univ. Orman Fak. Derg. Seri B*, 7: 16-25.
- KAYACIK, H. (1959). Hatay Mesesi *Quercus pseudo Cerris* Boissier Kabukların dan Faydalanma İmkanları. [Turkish; German abstract]. *Istanbul Univ. Orman Fak. Derg.* 9: 11-21.
- KAYACIK, H. (1963). Türkiye Kamları ve Bunların coğrafi Vavilovari Üzernide Arastirmalar. *Istanbul Univ. Orman Fak. Derg. Ser. A*, 13: 1-10.
- KEIMER, L. (1924). *Die Gartenpflanzen im alten Ägypten: Ägyptologische Studien, mit einem Geleitwort von Georg Schweinfurth*. Hamburg & Berlin.
- KEIMER, L. (1926). Bibliographie des ouvrages de G. Schweinfurth (1858-1925). *Bull. Soc. Géogr. Egypte* 14: 73-112.
- KEIMER, L. (1927a). Flechtwerk aus *Halfagras* im alten und neuen Ägypten. *Orient. Lit. Z.* 30: 75-85, 145-154.
- KEIMER, L. (1927b). Georges Schweinfurth et ses recherches sur la flore pharaonique. *Rev. Egypte Ancienne* 1: 198-202.
- KEIMER, L. (1928a). Note sur la représentation exacte d'une feuille de *Nymphaea lotus* L. sur un bas-relief de basse époque. *Ann. Serv. Antiq. Egypte* 28: 38-42.
- KEIMER, L. (1928b). Sprachliches und sachliches zu 'elko', Frucht der Sykomore: eine etymologisch-archäologisch-botanische Untersuchung. *Acta Orientalia, Leyden* 6: 288-304.
- KEIMER, L. (1956). L'Acacia égyptien. [French and English editions]. *Egypt Travel Mag.* 18: 16-19.
- KESSLER, C. VON (1897). Über eine neue *Daphne*-Art aus Persien (*Daphne stapfii* Bornm. & Keissl.). *Verh. Zool.-Bot. Ges. Wien* 47: 35-38.
- KELL, V., SAAD, M. A. H. (1975). Untersuchungen über das Phytoplankton und einige Umweltparameter des Shatt al-Arab (Irak). *Int. Rev. Ges. Hydrobiol.* 60: 409-421.
- KELL, V. & SAAD, M. A. H. & KELL, V. (1975).
- KELLER, B. (1925). Die Vegetation auf den Salzböden der russischen Halbwüste und Wüsten. *Z. Bot.* 18: 113-137.
- KELLER, R. (1892). Neue Standorte und Formen orientalischer Potentillen. *Bot. Jahrb. Syst.* 14: 495-516.
- KELLY, K., SCHNADELBACH, R. T. (1976). *Landscaping the Saudi Arabian Desert*. Philadelphia, 182 pp.
- KENDALL, C. G., SKIPWITH, P. A. (1968). Recent algal mats of Persian Gulf Lagoon. *J. Sedim. Petrol.* 38: 1040-1058.
- KENNETH, A. (1962). On the taxonomy, morphology and geographical origins of *Pyrenosphora teres* Drechsler and allied species. *Bull. Res. Council Israel* 11D: 55-77.
- KENNETH, R. G. (1964). Downy mildew of ryegrass in Israel caused by *Sclerophthora lolii* sp. nov. *Israel J. Bot.* 12: 136-139.
- KENNETH, R. G., AVIZOHAR-HERSHENZON, Zehara (1971). Species of *Cortinarius* in Israel. *Israel J. Bot.* 20: 293-296.
- KENNETH, R. G. & UZIEL, Aviva & al. (1981).



- KENT, D. H. (1967). *Index to botanical monographs*. London, Academic Press, 163 pp.
- KEREN, Aliza, EVENARI, M. (1974). Some ecological aspects of distribution and germination of *Pancreaticum maritimum* L. *Israel J. Bot.* 23: 202-215.
- KEREN, Naomi ⇨ KOLLER, D. & al. (1968).
- KEREN, O. ⇨ WITZTUM, A. & KEREN, O. (1978a-b).
- KERFOOT, O. (1961a). *Juniperus procera* Endl. (the African pencil cedar) in Africa and Arabia. I. Taxonomic affinities and geographical distribution. *E. African Agric. Forest. J.* 26: 170-177.
- KERFOOT, O. (1961b). The vegetation of the East Aden Protectorate. *La-Yaaran* 11: iii-v.
- KERN, J. H. ⇨ GRADSTEIN, S. R. & KERN, J. H. (1968).
- KERS, L. F. (1966). On the identity of *Cleomis angustifolia* Forsk. and *Cleomis arabica* L. *Acta Horti Berg.* 20: 335-342.
- KERSTAN, G. (1937). Die Waldverteilung und Verbreitung der Baumarten in Ost-Afghanistan und in Chitral. *Deutsche Forsch., N.F.*, 1: 141-167.
- KERSTEN, O. (1879). Umwanderung des Todten Meeres im Frühjahr 1874. *Z. Deutsch. Paläst. Vereins* 2: 201-244.
- KESSLER, A. (1953). Survey of airborne pollen and fungus spores in Israel, 1951-1952. *Ann. Allergy* 11: 322-328.
- KESSLER, A. (1954). Survey of airborne pollen and mold spores in Israel, 1953. *Ann. Allergy* 12: 261-262.
- KETENOGLU, O. ⇨ AKMAN, Y. & KETENOGLU, O. (1976).
- KEZCHOWELI, H. H. (1972). *Agrogeobotanische Karte*. Grusinische SSR. Tblisi.
- KHABIRI, E. (1952-1958). Contributions à la mycoflore de l'Iran. I, II, III. *Rev. Mycol.* 17: 154-157; 21: 174-176; 23: 408-412.
- KHABIRI, E. (1955). Thallophytes: I. Algae. [Farsi]. *Teheran Univ. Publ.* 279: 442 pp.
- KHABIRI, E. (1956). Archegoniatae. [Farsi]. *Teheran Univ. Publ.* 388: 186 pp.
- KHABIRI, E. (1962). Thallophytes. II. Fungi. [Farsi]. *Teheran Univ. Publ.* 753: 350 pp.
- KHAFAGY, S. M. ⇨ HADDAD, D. A. & al. (1959).
- KHALID, A. ⇨ SALIM, K. & KHALID, A. (1970).
- KHALIFA, S. F., HAMED, K. A. Kh. (1979). Studies on stem anatomy of some taxa of the Boraginaceae with reference to its taxonomic value. *Proc. Saudi Biol. Soc.* 3: 193-212.
- KHALIFA, S. F., ISHAK, I. F. (1979). Amalgamation of micro- and macro-morphological characters for identification of some Malvaceous species. *Proc. Saudi Biol. Soc.* 3: 167-192.
- KHALIFA, T. ⇨ BATANOUNY, K. H. & KHALIFA, T. (1970).
- KHAN, M. I. R. (1979). Taming the desert of Abu Dhabi, U. A. E. *Pakistan J. Forest.* 29: 1-13.
- KHAN, M. I. R., BEG, A. R. (1968). A phytogeographical excursion in Afghanistan. *Pakistan J. Forest.* 18: 287-300.
- KHAN, M. S. (1963a). Critical notes on *Euphorbia chesneyi* (Klotzsch & Garcke) Boiss. and related species. *Notes Roy. Bot. Gard. Edinburgh* 24: 231-236.
- KHAN, M. S. (1963b). Taxonomic revision of *Euphorbia* in Turkey. *Notes Roy. Bot. Gard. Edinburgh* 25: 71-161.
- KHAN, M. S. ⇨ DAVIS, P. H. & KHAN, M. S. (1961, 1963).

- KHANMICHUM, V. M. (1983). A new species of the genus *Cancrinia* (Asteraceae) from Tuva ASSR. [Russian]. *Bot. Žurn.* 68: 402-405.
- KHARADZE, A. L. (1938). K Sistematike Kavkazskikh Predstavitelei Tsikla *Minuartia imbricata* (M. B.) G. Wor. s.l. *Trudy Tbilissk. Bot. Inst.* 2: 191-214.
- KHATIB, A. (1959). *Contribution à l'étude systématique, anatomique, phylogénique et écologique des Chénopodiacées de la Syrie*. Mémoire présenté à la Faculté des sciences de l'Université de Montpellier, Damas.
- KHATTAB, A., EL HADIDI, M. N. (1971). Results of a botanic expedition to Arabia in 1944-1945. *Publ. Cairo Univ. Herb.* 4: 1-95.
- KHODAIR, A. A. ✧ ELWAN, S. H. & al. (1960).
- KHOURY, R. (1953). Kaff Maryam (La rose de Jericho). *Bull. Inst. Désert Egypte* 3: 30-34.
- KHUDAIRI, A. K., ABDOUL-WAHAB, S. (1956). Studies on the germination of *Prosopis* seeds. *Bull. Coll. Arts Sci. Baghdad* 1: 66-76.
- KHUSH, G. S. (1963). Cytogenetic and evolutionary studies in *Secale*, III. Cytogenetics of weedy ryes and origin of cultivated rye. *Econ. Bot.* 17: 60-71.
- KIEPERT, H. (1882). Vorbericht über Prof. B. Haussknecht's orientalische Reisen. *Z. Ges. Erdk. Berlin* 1882: 219-229.
- KIGEL, J. ✧ KOLLER, D. & al. (1968).
- KIGEL, J., GIBLY, A., NEGBI, M. (1979). Seed germination in *Amaranthus retroflexus* L. as affected by the photoperiod and age during flower induction of the parent plants. *J. Exp. Bot.* 30: 997-1002.
- KIGEL, J., KOLLER, D. (1970). Analysis of the control of development in *Oryzopsis miliacea* by the light environment. *J. Exp. Bot.* 21: 1003-1016.
- KIGEL, J., SEEMANN, Vardit, MAYAK, S. (1981). Environmental effects on the developmental morphology of *Ruscus hypophyllum* L. *Israel J. Bot.* 30: 65-74.
- KIHARA, H., TANAKA, M. (1958). Morphological and physiological variation among *Aegilops squarrosa* strains collected in Pakistan, Afghanistan and Iran. *Preslia* 30: 241-251.
- KIHARA, H., YAMASHITA, K., TANAKA, M. (1965). Morphological, physiological, genetical and cytological studies in *Aegilops* and *Triticum* collected from Pakistan, Afghanistan, and Iran. *Results of the Kyoto Univ. Sci. Exped. to the Karakoran and Hindukush* 1: 1-118.
- KILBERTUS, G., BIZOT, M. (1971). Contribution à la connaissance de la flore des Muscinées d'Afghanistan. *Bull. Acad. Soc. Lorraine Sci.* 10: 67-74.
- KILBERTUS, G., PIERRE, J.-F. (1970). Etude hydrologique, microbiologique et algologique des eaux du Kaboul (Afghanistan). *Bull. Acad. Soc. Lorraine Sci.* 9: 433-448.
- KILBERTUS, G. ✧ HAYON, J. C. & al. (1970).
- KILDJUSCHEVSKY, I. D. (1975). Ad floram hepaticarum RSSA Komi. [Russian]. *Nov. Sist. Nizsh. Rast.* 1975: 301-306.
- KILINC, M. (1977). New floristic records from AS (Kastamonu-Corum). *Commun. Fac. Sci. Univ. Ankara* 21: 29-42.
- KILLERMANN, S. (1916a). Bestimmungstabelle der in der palästinensischen Flora besonders im Frühjahr vorkommenden höheren Pflanzen nach dem natürlichen System. *Z. Deutsch. Paläst. Vereins* 39: 1-93.
- KILLERMANN, S. (1916b). *Die Blumen des Heiligen Landes. Botanische Auslese einer Frühjahrsfahrt durch Syrien und Palästina*. Leipzig, J. C. Heinrich, 169 pp., ill.

- KILLIAN, C. (1931-1932). Recherches écologiques sur les fluctuations saisonnières de la transpiration chez les végétaux du climat méditerranéen. *Bull. Soc. Bot. France* 68: 460-501; 69: 185-220.
- KILLIAN, C. (1942). *Bromus rubens* L. Contribution à l'étude des plantes annuelles xérophytiques du désert. *Ber. Schweiz. Bot. Ges.* 52: 215-238.
- KILLIAN, C., LEMÉE, G. (1956). Les xérophytes: leur économie d'eau. In: RUHLAND, W., *Handbuch der Pflanzenphysiologie* 3: 787-824. Berlin, Springer.
- KILPPER, K. (1975). Paleobotanical investigations in northern Iran. I. Evidence for non-marine Triassic on the northern slope of the Albourz Mountains. *Rev. Palaeobot. Palynol.* 19: 139-153.
- KIMBALL, K. D., KIMBALL, S. F. (1977). Seasonal phytoplankton variations in the shallow Pahlavi Mordab, Iran. *Hydrobiologia* 55: 49-53.
- KIMBALL, S. F. ✧ KIMBALL, K. D. & KIMBALL, S. F. (1977).
- KIMOR, B. (1965). Problems in the vertical distribution of the phytoplankton in the Mediterranean Sea. *Israel J. Bot.* 14: 203.
- KIMOR, B. (1971). Some aspects in the vertical distribution of the microplankton in the Gulf of Elat (Red Sea). Ocean World, Tokyo. *Proc. Oceanogr. Assem.*, D2-A-11: 442-444.
- KIMOR, B. (1972). Contribution to the knowledge of Suez Canal migration. The Suez Canal migration. The Suez Canal as a link and a barrier in the migration of planktonic organisms. *Israel J. Zool.* 21: 391-403.
- KIMOR, B. (1973). Plankton relations of the Red Sea, Persian Gulf and Arabian Sea. In: ZEITZSCHEL, B. (ed.), *The biology of the Indian Ocean*: 221-232. Springer, Berlin.
- KIMOR, B., BORDOUGO, Y. (1967). Cruise to the eastern Mediterranean. Cyprus, 3. Plankton report. *Sea Fish. Res. Stat. Haifa Bull.* 45: 6-31.
- KIMOR, B., POLLINGHER, U. (1965). The plankton algae of Lake Tiberias. *Sea Fish Res. Stat. Haifa, Contrib.* 78, Ser. A, 1: 76.
- KIMOR, B., POLLINGHER, U. (1966a). Characteristic features in seasonal fluctuations and concentrations of the phytoplankton in Lake Tiberias during the last two years. *Fischeries and Fish Breeding in Israel* 1: 21-26.
- KIMOR, B., POLLINGHER, U. (1966b). Characteristic features in seasonal composition and fluctuation of phytoplankton in Lake Tiberias during the years 1964 and 1965. *Mekoroth Alon Techni* 2: 21-23.
- KIMOR, B. ✧ POLLINGHER, U. & KIMOR, B. (1965, 1970).
- KINAWY, M. ✧ YOUSSEF, E. & KINAWY, M. (1971).
- KING, R. A. ✧ MILLER, A. G. & al. (1982).
- KINSKY, J. ✧ NAVEH, Z. & KINSKY, J. (1975).
- KIRCHHOFF, C., PODLECH, D. (1974). Eine neue und interessante *Astragalus*-Art aus der Türkei. *Mitt. Bot. Staatssamml. München* 11: 431-435.
- KIRKWOOD, Grace ✧ CHAUDHARY, S. A. & al. (1976).
- KIRSCHNER, H., SACHS, T., FAHN, A. (1971). Secondary xylem reorientation as a special case of vascular tissue differentiation. *Israel J. Bot.* 20: 184-198.
- KISHK, F. ✧ EL-GHONEMY, A. A. & al. (1977).
- KISLEV, M. (1979-1980). *Triticum parvicoccum* sp. nov., the oldest naked wheat. *Israel J. Bot.* 28: 95-107.
- KISLEV, M. ✧ FELDMAN, M. & KISLEV, M. (1977).

- KITAMURA, S. (1956). New species from Afghanistan collected by the Kyoto University Expedition 1955. *Acta Phytotax. Geobot., Kyoto* 16: 131-140; 17: 33-40, 131-142.
- KITAMURA, S. (1960, 1964). *Flora of Afghanistan. Results of the Kyoto University expedition to the Karakorum and Hindukusch*. Vol. 2, 3. Kyoto.
- KITAMURA, S. (1963). New species from W. Pakistan and Afghanistan. *Acta Phytotax. Geobot., Kyoto* 19: 97-106.
- KITAMURA, S. (1964). Plants of West Pakistan and Afghanistan. Results of the Kyoto University expedition to the Karakoram and Hindukush, 3: 1-283.
- KITANOV, B. ♂ STOJANOV, N. & KITANOV, B. (1943).
- KITTO, J. (1841). *Palestine: the physical geography and natural history of the Holy Land*. London, Charles Knight, 438 pp.
- KITTON, F. (1884). On some diatoms from the island of Socotra. *J. Linn. Soc., Bot.* 20: 513-515.
- KJAER, A. ♂ HEDGE, I. C. & al. (1980).
- KLARMAN-KISLEV, N. ♂ FAHN, A. & al. (1961).
- KLEIN, J. C. (1982). Les groupements chionophiles de l'Alborz central (Iran). Comparaison avec leur homologues d'Asie centrale. *Phytocoenologia* 10: 463-486.
- KLEIN, S., NEGBI, M., WITZTUM, A., ROTHBERG, L. (1971). The role of the endosperm in uptake and distribution of exogenous leucine in germinating lettuce seeds. *New Phytol.* 70: 139-143.
- KLEMENT, O. ♂ SCHUBERT, R. & KLEMENT, O. (1971).
- KLINGGRAEFF, C. J. VON (1880). Palästina und seine Vegetation. *Österr. Bot. Z.* 30: 23-29, 54-58, 94-98, 128-132, 156-161, 197-201, 227-232, 252-256.
- KLIPHUIS, E., BARKOUDAH, Y. I. (1977). Chromosome numbers in some Syrian angiosperms. *Acta Bot. Neerl.* 26: 239-249.
- KLUNZINGER, C. B. (1878). Die Vegetation der ägyptisch-arabischen Wüste bei Koseir. *Z. Ges. Erdk. Berlin* 13: 432-462.
- KLUYKOV, E. V. ♂ PIMENOV, M. G. & KLUYKOV, E. V. (1980).
- KNAPP, J. A. (1889). Die Heimat der *Syringa persica* L. *Österr. Bot. Z.* 39: 430-432.
- KNAPP, R. (1967). Neue geobotanische Untersuchungen in Afrika und Griechenland. *Ber. Deutsch. Bot. Ges.* 79: 413-422.
- KNEUCKER, A. (1903-1904). Botanische Ausbeute einer Reise durch die Sinaihalbinsel von 27. März bis 13. April 1902. *Allg. Bot. Z. Syst.* 9-10: 125-129, 146-151, 165-167, 184-189, 203-264, 4-16.
- KNEUCKER, A. (1904). Botanische Reise nach der Sinaihalbinsel. Vorbericht. II. *Allg. Bot. Z. Syst.* Nos. 5/6, 10, 12. 9 pp.
- KNEUCKER, A. (1905). Über meine Reisen am Sinai und die Flora der Sinaihalbinsel. *Bot. Jahrb. Syst., Beibl.* 79: 19-21.
- KNEUCKER, A. (1912). Die phytogeographischen Verhältnisse des sinaitischen Teiles der arabischen Wüste. *Verh. Ges. Deutsch. Naturf.* 83, 2: 399-450.
- KNEUCKER, A. (1916). Einige noch nicht veröffentlichter Pflanzenformen in der Sinaihalbinsel. *Allg. Bot. Z. Syst.* 22: 1-4.
- KNEUCKER, A. (1926). Eine neue Flechte von Sinai und vom Ufer des Toten Meeres. *Allg. Bot. Z. Syst.* 30/31 (Nos. 1-12): 43.
- KNIGHT, Margery ♂ HARVEY-GIBSON, R. J. & KNIGHT, Margery (1913, 1915).

- KOACH, J., WOOL, D. (1977). Geographic distribution and host specificity of gall forming aphids (Homoptera, Fordinae) on Pistacia trees in Israel. *Marcellia* 40: 207-216.
- KOCH, K. (1847). Beiträge zur Flora des nordlichen Küstenlandes Kleinasien. *Linnaea* 19: 1-67.
- KOCH, K. (1848-1851). Beiträge zu einer Flora des Orients. *Linnaea* 21: 289-443, 609-736; 22: 177-338, 597-752; 23: 577-713; 24: 305-480.
- KOCH, W. ♀ LANGE, O. L. & al. (1969, 1970).
- KOCH, W., LANGE, O. L., SCHULZE, E. D. (1971). Ecophysiological investigations on wild and cultivated plants in the Negev desert. I. Methods: a mobile laboratory for measuring carbon dioxide and water vapour exchange. *Oecol. (Berlin)* 8: 296-309.
- KOENIGUER, J.-C. ♀ BOUREAU, E. & KOENIGUER, J.-C. (1983).
- KOGAN, Shulamith ♀ ASCHNER, M. & KOGAN, Shulamith (1959).
- KÖHLER, L. ♀ INHELDER, A. & KOHLER, L. (1931).
- KOIE, M. (1945). Beitrag zur Flora Südwest-Irans. I. In: *Danish Scientific Investigations in Iran, Part iv*: 9-55. Copenhagen, Munksgaard.
- KOIE, M., RECHINGER, K. H. (1954-1965). Symbolae Afghanicae. I-VI. *Biol. Skr.* 8, 1: 1-80; 8, 2: 1-215; 9, 3: 1-208; 10: 1-194; 13: 1-267; 14: 1-94.
- KOIE, M., RECHINGER, K. H. (1955). Beitrag zur Flora Südwest-Irans. II. *Dansk Bot. Ark.* 15: 1-56.
- KOKKINI, Stella ♀ PAPANICOLAOU, K. & KOKKINI, Stella (1982) — PAPANICOLAOU, K. & al. (1983).
- KOKTAY, P. ♀ DEMIRIZ, H. & KOKTAY, P. (1969).
- KOKWARO, J. O., GILLETT, J. B. (1980). Notes on the Anacardiaceae of Eastern Africa. *Kew Bull.* 34: 745-760.
- KOLAKOVSKIJ, A. (1961). Rastitelnyi mir Kolchidy. The flora and vegetation of Colchida. *Proc. Study of the fauna and flora of the USSR, New Ser., Sect. Bot.* 10(18): 1-461.
- KOLAR, M. ♀ KARSCHON, R. & KOLAR, M. (1970).
- KOLBE, R. W., KRIEGER, W. (1942). Süßwasseralgen aus Mesopotamien und Kurdistan. *Ber. Deutsch. Bot. Ges.* 60: 336-355.
- KOLLER, D. (1955a). Germination regulating mechanisms in some desert seeds. II. *Zygophyllum dumosum* Boiss. *Bull. Res. Council Israel* 4: 381-387.
- KOLLER, D. (1955b). Germination regulating mechanisms in some desert seeds. *Palest. J. Bot. Jerusalem Ser.*, 6: 149-157.
- KOLLER, D. (1955c). The regulation of germination in seeds (review). *Bull. Res. Council Israel* 5D: 85-108.
- KOLLER, D. (1956). Germination regulating mechanisms in some desert seeds. III. *Calligonum comosum* L'Her. *Ecology* 37: 430-433.
- KOLLER, D. (1957). Germination regulating mechanisms in some desert seeds. IV. *Atriplex dimorphostegia* Kar. & Kir. *Ecology* 38: 1-13.
- KOLLER, D. (1959). Germination. *Sci. Amer.* 132: 75-83.
- KOLLER, D. (1962). Seed germination. *Rev. Pl. Physiol.* 13: 437-464.
- KOLLER, D. (1964a). Germination-regulating mechanisms in some desert seeds. VII. *Artemisia monosperma*. *Pl. Cell Physiol.* 5: 85-100.

- KOLLER, D. (1964b). The survival value of germination-regulating mechanisms in the field. *Herbage Abstr.* 34: 1-7.
- KOLLER, D. (1968). The physiology of dormancy and survival of plants in desert environments. *XXIIIrd Symp. Soc. Exp. Biol.*: 449-469.
- KOLLER, D. (1970a). Analysis of the dual action of white light on germination of *Atriplex dimorphostegia* (Chenopodiaceae). *Israel J. Bot.* 19: 499-516.
- KOLLER, D. (1970b). Characteristics of the photosynthetic apparatus derived from its response to natural complexes of environmental factors (ed. I. Setlik). In: Prediction and measurement of photosynthetic productivity. PUDOC, Wageningen: 283-294.
- KOLLER, D. (1970c). The partitioning of resistances to photo-synthetic CO<sub>2</sub> uptake in the leaf. *New Phytol.* 69: 971-981.
- KOLLER, D. (1972). Environmental control of seed germination (ed. T. T. Kozlowski). In: Seed biology. Academic Press, New York, 11: 1-101.
- KOLLER, D., COHEN, D. (1959). Germination-regulation mechanisms in some desert seeds. VI. *Convolvulus lanatus* Vahl., *Convolvulus negevensis* Zoh. and *Convolvulus secundus* Desr. *Bull. Res. Council Israel* 7D: 175-180.
- KOLLER, D., HIGHKIN, H. R. (1960). Environmental control of reproductive development in *Hordeum bulbosum*, a perennial pasture grass. *Amer. J. Bot.* 47: 843-847.
- KOLLER, D., HIGHKIN, H. R., CASO, O. H. (1960). Effects of gibberellic acid on stem apices of vernalizable grasses. *Amer. J. Bot.* 47: 518-524.
- KOLLER, D., KIGEL, J., KEREN, Naomi (1968). Analysis of environmental control of development in *Oryzopsis miliacea*. *Israel J. Bot.* 17: 133-154.
- KOLLER, D., NEGBI, M. (1955). Germination regulating mechanisms in some desert seeds. V. *Colutea istria* Mill. *Bull. Res. Council Israel* 5D: 73-84.
- KOLLER, D., NEGBI, M. (1957). Hastening the germination of *Panicum antidotale* Retz. *Bull. Res. Council Israel* 5D: 225-238.
- KOLLER, D., NEGBI, M. (1959). The regulation of germination in *Oryzopsis miliacea*. *Ecology* 40: 20-36.
- KOLLER, D., ROTH, Nurit (1963). Germination-regulating mechanisms in some desert seeds. VII. *Panicum turgidum* (Gramineae). *Israel J. Bot.* 12: 64-73.
- KOLLER, D., ROTH, Nurit (1964). Studies on the physiological and ecological significance of amphicarphy in *Gymnarrhena micrantha* (Compositae). *Amer. J. Bot.* 51: 26-35.
- KOLLER, D., SACHS, M., NEGBI, M. (1964a). Spectral sensitivity of seed germination in *Artemisia monosperma*. *Pl. Cell Physiol.* 5: 79-84.
- KOLLER, D., SACHS, M., NEGBI, M. (1964b). Germination-regulating mechanisms in some desert seeds. VIII. *Artemisia monosperma*. *Pl. Cell Physiol.* 5: 84-100.
- KOLLER, D., SAMISH, Y. (1964). A null-point compensating systems for simultaneous and continuous measurement of net photosynthesis and transpiration by controlled gas-stream analysis. *Bot. Gaz.* 125: 81-88.
- KOLLER, D., TADMOR, N. H., HILLEL, D. (1958). Experiments in the propagation of *Atriplex halimus* for desert pasture and soil conservation. *Israel J. Agric. Res.* 9: 83-106.
- KOLLER, D. ♂ CASO, O. H. & al. (1960) — EVENARI, M. & KOLLER, D. (1956a-b) — EVENARI, M. & al. (1966) — KIGEL, J. & KOLLER, D. (1970) — LESHEM, Y. & KOLLER, D. (1964, 1965) — NEGBI, M. & KOLLER, D. (1963, 1964) — NEGBI, M. & al. (1968) — NOTHMANN, J. & KOLLER, D. (1974, 1975a-b) — OFIR, M. & KOLLER, D. (1972, 1974) — OFIR, M. & al. (1967) — ROTH-BEJERANO, N. & KOLLER, D. (1966,

1971) — SCHWARTZ, A. & KOLLER, D. (1975, 1979) — TADMOR, N. H. & al. (1958) — WHITEMAN, P. C. & KOLLER, D. (1964, 1965) — WURZBURGER, Judith & KOLLER, D. (1973, 1976) — WURZBURGER, Judith & al. (1971, 1975) — ZIV, Meira & al. (1976).

- KOLLMANN, Fania (1969). Cytotaxonomic polymorphism in the *Allium erdelii* group. *Israel J. Bot.* 18: 61-76.
- KOLLMANN, Fania (1970a). New chromosome counts in *Allium* species of Palestine and Mount Hermon. *Israel J. Bot.* 19: 245-248.
- KOLLMANN, Fania (1970b). *Allium descendens* L., a nomen ambiguum. *Taxon* 19: 789-792.
- KOLLMANN, Fania (1970c). Karyotypes of three *Allium* species of the Erdelli group. *Caryologia* 23: 647-655.
- KOLLMANN, Fania (1971a). *Allium ampeloprasum* L. in Israel (taxonomy). *Israel J. Bot.* 20: 263-272.
- KOLLMANN, Fania (1971b). *Allium descendens* in the Mediterranean. *Notes Roy. Bot. Gard. Edinburgh* 31: 119-124.
- KOLLMANN, Fania (1972). *Allium ampeloprasum*. A polyploid complex. II. Meiosis and relationship between the ploidy types. *Caryologia* 25: 295-312.
- KOLLMANN, Fania (1973). Karyology of some species of *Allium* section *Molium* in Israel. *Israel J. Bot.* 22: 92-112.
- KOLLMANN, Fania (1974). Notes on *Allium phaneranthrum*. *Notes Roy. Bot. Gard. Edinburgh* 33: 305.
- KOLLMANN, Fania (1975). *Allium desertorum* and *A. sindjarense* in Palestine. *Notes Roy. Bot. Gard. Edinburgh* 33: 437-440.
- KOLLMANN, Fania, FEINBRUN, Naomi (1968). A cyto-taxonomic study in Palestinian *Anagallis arvensis* L. *Notes Roy. Bot. Gard. Edinburgh* 28: 173-186.
- KOLLMANN, Fania, ÖZHATAY, N., KOYUNÇU, M. (1983). New *Allium* taxa from Turkey. *Notes Roy. Bot. Gard. Edinburgh* 41: 245-267.
- KOLLMANN, Fania, SHMIDA, A. (1977). *Allium* species of Mt. Hermon. I. Taxonomy. *Israel J. Bot.* 26: 128-148.
- KOLLMANN, Fania & FEINBRUN, Naomi & KOLLMANN, Fania (1968) — SHMIDA, A. & KOLLMANN, Fania (1977) — WEISSMANN-KOLLMANN, Fania (1965).
- KOMAROV, V. L., GONTSCHAROW, N. F., OBCHINNIKOV, P. N. (1947-1957). *Flora of the Tadzhik*. Vols 1, 5. S.S.R. Moscow, Akad. Nauk SSSR.
- KOMAROVSKY, B. (1951). Some characteristic water-blooms in Lake Tiberias and fish ponds in the Jordan Valley. *Int. Ass. Theor. Appl. Limnol.* 11: 219-223.
- KOMAROVSKY, B. (1952). A comparative examination of the relationship between the 'limiting elements' and the development of the phytoplankton in several types of artificial fish-ponds. *Bamidgeh* 4: 138-176.
- KOMAROVSKY, B. (1958). Contribution to the knowledge of the plankton of Lake Huley. *Fishermen's Bull.* 15: 20-25.
- KOMAROVSKY, B. (1959). The plankton of Lake Tiberias. *Bull. Res. Council Israel* 8B: 65-96.
- KOMAROVSKY, B., EDELSTEIN, Tikva (1960). Diatomeae and Cyanophyceae occurring on deep-water algae in the Haifa Bay area. *Bull. Res. Council Israel* 9D: 73-92.
- KOMAROVSKY, B. & KIMOR, B. [change of name] — EDELSTEIN, Tikva & KOMAROVSKY, B. (1961).

- KONIS, E. (1949). The resistance of Maquis plants to supra-maximal temperatures. *Ecology* 30: 425-429.
- KONIS, E. (1950a). The effect of leaf temperature on transpiration. *Ecology* 31: 147-148.
- KONIS, E. (1950b). On the temperature of Opuntia joints. *Palest. J. Bot. Jerusalem Ser. 5*: 46-55.
- KONIS, E. ⇨ EVENARI, M. & KONIS, E. (1938).
- KONOKENKO, A. V. ⇨ KOTELINA, N. S. & al. (1977).
- KOPP, H. (1981). *Agrageographie der Arabischen Republik Yemen*. Erlangen, 293 pp.
- KOPPE, F. (1976). Beobachtungen über die Moosvegetation und Moosflora von Zypern. *Herzogia* 4: 95-136.
- KOPPEL, Ruth ⇨ FEINBRUN, Naomi & KOPPEL, Ruth (1960) — ZOHARY, M. & al. (1949-1958).
- KORBONSKAJA, J. I. (1969). *Opređitel Rzhavchinnykh Gribov Srednei Azii i Yuzhnogo Kazakhstana. (Handbook of Rust Fungi from middle Asia and South Kazakhstan)*. [Russian]. Akad. Nauk Tadzh. SSR., 219 pp.
- KORBWE, G. W. (1868). Specimen florum cryptogamiae septem insularum. Lichens. *Verh. Zool.-Bot. Ges. Wien* 18: 425-426.
- KOROVIN, E. P. (1934). *Rastityelnost' Sredney Azii i Yuzhnogo Kazakhstana*. [Russian]. Moskva-Tashkent, 480 pp.
- KOROVIN, E. P. (1935). Ocherki po istorii razvitiya rastitelnost'i Sredney Azii. I. Pustinya Betpakdala Tsentral'nyy Kazakstan. [Russian]. *Bjull. Sredne-Aziatsk. Gosud. Univ.* 20: 183-212.
- KOROVIN, E. P. (1947). Generis Ferula (Tourn) L. monographia illustrata. *Akad. Nauk Uzbek. SSR* 91 pp., ill.
- KOROVIN, E. P., KASHKAROV, D. N. (1934). The desert types of Turkestan. [Russian]. *Trudy Bot. Inst. Akad. Nauk SSSR, Ser. 3, Geobot.* 1: 301-331.
- KOROVIN, E. P. ⇨ KASHKAROV, D. N. & KOROVIN, E. P. (1936, 1942).
- KOSHKELOVA, E. N. (1971a). Species fungorum promycoflorae Turkomaniae novae in arboribus decorativis inventae. [Russian]. *Nov. Sist. Vyssh. Rast.* 8: 216-224.
- KOSHKELOVA, E. N. (1971b). Parasitic fungi occurring in south-eastern and central Kara-Kum Desert. [Russian]. *Mikol. Fitopathol.* 5: 472-474.
- KOSINOVA, Jana (1972). On the weed flora and vegetation in Egypt. *Egypt. Bot. Soc. Yearb.* 2: 1-6.
- KOSINOVA, Jana (1974a). Studies on the weed flora of cultivated land in Egypt. 3. Distributional types. *Bot. Jahrb. Syst.* 94: 449-458.
- KOSINOVA, Jana (1974b). Studies on the weed flora of cultivated land in Egypt. 4. Mediterranean and tropical elements. *Candollea* 29: 281-295.
- KOSINOVA, Jana (1975). Weed communities of winter crop in Egypt. *Preslia* 47: 58-74.
- KOSINOVA, Jana ⇨ CHRTEK, J. & KOSINOVA, Jana (1969) — EL-HADIDI, M. N. & KOSINOVA, Jana (1971) — EL-HADIDI, M. N. & al. (1970) — IMAM, M. & KOSINOVA, Jana (1972) — TÄCKHOLM, Vivi & al. (1968).
- KOTELINA, N. S., ARCHEGOVA, I. B., BRATENKOVA, E. S., KONOKENKO, A. V., SHVETSOVA, V. M., ROSHCHEVSKAYA, R. A. (1977). Changes of grass stand and soil during sown meadow development in the tundra of Komi ASSR. [Russian]. *Bot. Zh.* 62: 654-663.
- KOTLABA, I. (1976). Contribution to the knowledge of the Turkish macromycetes. *Česká Mykol.* 30: 156-169.
- KOTLER, M. ⇨ FAHN, A. KOTLER, M. (1972).



- KOTON, A. ✧ PORATH, D. & al. (1979).
- KOTSCHY, T. (1856). Aus dem Bulghar Dagh des cilicischen Taurus. *Z. Allg. Erdk., N.S.*, 1: 121-139.
- KOTSCHY, T. (1857). Allgemeiner Überblick der Nil-Länder und ihrer Pflanzenbekleidung. *Bonplandia* 5: 174-180.
- KOTSCHY, T. (1858a). *Reise in den cilicischen Taurus über Tarsus*. Gotha, 443 pp.
- KOTSCHY, T. (1858b). Die Vegetation und der Canal auf dem Isthmus von Suez. *Österr. Bot. Wochenbl.* 8: 41-54.
- KOTSCHY, T. (1858-1862). *Die Eichen Europas und des Orients*. Wien und Ollmütz, Hölzel, 40 pl., with text.
- KOTSCHY, T. (1861). Umriss von Süd-Palästina im Kleide der Frühlingsflora. *Verh. Zool.-Bot. Ges. Wien* 2: 245-260.
- KOTSCHY, T. (1862). Reise nach Cypern und Kleinasien. *Österr. Bot. Z.* 12: 275-279.
- KOTSCHY, T. (1862-1863). Über Reisen und Sammlungen des Naturforschers in der asiatischen Türkei, in Persien und den Nilländern. *Schriften Vereins Verbreit. Naturwiss. Kenntn. Wien* 3: 253-296.
- KOTSCHY, T. (1864a). *De plantis Nilotico-aethiopicis quas collegit Knoblecher*. Wien, Gerold. 15 pp., 3 pl.
- KOTSCHY, T. (1864b). Der Libanon und seine Alpenflora. *Verh. Zool.-Bot. Ges. Wien*: 3-38.
- KOTSCHY, T. (1864c). Die Sommerflora des Antilibanon und hohen Hermon. Vorgetragen in der Sityung vom 6. Nov. 1861. *Verh. Zool.-Bot. Ges. Wien*: 43 pp.
- KOTSCHY, T. (1864d). *Über Reisen und Sammlungen des Naturforschers in der asiatischen Türkei, in Persien und der Nilländern*. Wien, Jacob & Holzhausen, 46 pp.
- KOTSCHY, T. (1865a). Plantae Arabiae in ditionibus Hedschas Asyr et El-Arysch a medico germanico nomine ignoto, in El Arysch defuncto, annis 1836-1838 collectae, quas determinavit Dr. Theodorus Kotschy. *Sitzungsber. Akad. Wiss. Math. Naturwiss. Kl. Wien* 52(1): 251-264, 7 pl.
- KOTSCHY, T. (1865b). Dr. Theodor Kotschy's Reise in den Amanus 1862, 1. *Petermanns Geogr. Mitt.*: 340-347.
- KOTSCHY, T. (1867). Aufzählung sämtlicher zur Zeit bekannten Phanerogamen und Gefässkryptogamen-Arten aus dem Gesamtgebiet der Nil-Länder. In: SCHWEINFURTH, G., *Beitrag zur Flora Aethiopiens*. Vol. 1: 253-311.
- KOTSCHY, T., ANTOINE, F. (1853). Eine neue Tanne vom Taurus-Gebirge. *Österr. Bot. Z.* 3: 409-410.
- KOTSCHY, T., PEYRITSCH, J. (1867). *Plantae Tinneanae, ad flumen Bahr-el-Ghasal...* Vindobona. 6, vii, 54 pp., 25 pl.
- KOTSCHY, T. ✧ UNGER, F. KOTSCHY, T. (1865).
- KOTTE, W. (1935). Vegetationsbilder aus Zentral-Anatolien. *Repert. Spec. Nov. Regni Veg. Beih.* 81: 160-164, ill.
- KOUSOURIS, T., NIKOLAIDOU, A., BOGDANOS, C. (1973). Etude préliminaire du phytobenthos de la région de Lindos de l'île de Rhodos. [Greek]. *Ocean. Limn. Inst., Ocean. Fish. Research* 11: 715-743.
- KOUTSTAAL, B. P. ✧ CRUNDWELL, A. C. & al. (1978).
- KOYAMA, T. (1957). Cyperaceae of the vascular collection made by Kyoto University expedition to Afghanistan in 1955. *Acta Phytotax. Geobot., Kyoto* 17: 46-51.

- KOYUNÇU, M. (1980). New and interesting Turkish records of *Allium*. *Notes Roy. Bot. Gard. Edinburgh* 38: 417-421.
- KOYUNÇU, M. ⇨ KOLLMAN, Fania & al. (1983).
- KRALIK, L. ⇨ COSSON, E. (1854).
- KRAMER, J. E. (1935). The drugs of the Bible. *Amer. J. Pharm.* 107: 280-300.
- KRAMER, W. (1978). Contribution to the taxonomy and distribution of several taxa of *Tortula* Hedw. sect. *Rurales* De Not. (Musci) with bistratose lamina. *Bryologist* 81: 378-385.
- KRASCHENINNIKOV, H. M. (1929). *Compositae Asiae Mediae et Orientalis novae. Repert. Spec. Nov. Regni Veg.* 26: 26-30.
- KRASNOBOROV, I. M. & al. (1982). The 6th supplement to the flora of Tuva ASSR. [Russian]. *Bot. Zh.* 67: 1517-1521.
- KRASNOBOROV, I. M. ⇨ LOMONOSOVA, M. N. & KRASNOBOROV, I. M. (1982).
- KRASSKE, G. ⇨ LEGLER, F. & KRASSKE, G. (1940).
- KRAUS, W. (1972). *Afghanistan: Natur, Geschichte und Kultur, Staat, Gesellschaft und Wirtschaft*: 50-67. Erdmann Ländermonographie 3, Tübingen. 488 pp.
- KRAUSE, K. (1905). Beiträge zur Kenntnis der Flora von Aden. *Bot. Jahrb. Syst.* 35: 682-749.
- KRAUSE, K. (1913). Über die Vegetationsverhältnisse des Ararat in Hoch-Armenien. *Verh. Bot. Vereins. Prov. Brandenburg* 54: 27-33.
- KRAUSE, K. (1914). Die floristischen Beziehungen des Araratgebietes. *Bot. Jahrb. Syst., Beibl.* 52, 115: 26-41.
- KRAUSE, K. (1915). Über die Vegetationsverhältnisse des westlichen und mittleren Kleinasiens. *Bot. Jahrb. Syst., Beibl.* 53, 116: 284-313, 3 pl.
- KRAUSE, K. (1917). Die Wälder Kleinasiens. *Arch. Wirtschaftsforsch. Orient* 3: 161-201.
- KRAUSE, K. (1919). Über türkische Gärten und Gartenwirtschaft. *Arch. Wirtschaftsforsch. Orient* 4: 443-453.
- KRAUSE, K. (1921). Revision der Gattung *Androcymbium* Willd. *Notizbl. Bot. Gart. Mus. Berlin* 7: 512-526.
- KRAUSE, K. (1925). Waldverwüstung im Orient. *Naturwissenschaften* 13: 834-836.
- KRAUSE, K. (1926a). Über den giftigen Honig des pontischen Kleinasiens. *Naturwissenschaften* 14: 976-978.
- KRAUSE, K. (1926b). Über die Verbreitung der Pinie in Kleinasien. *Mitt. Deutsch. Dendrol. Ges.* 37: 271-275.
- KRAUSE, K. (1926-1934). Beiträge zur Flora Kleinasiens. *Repert. Spec. Nov. Regni Veg.* 22: 293-303; 24: 37-48; 25: 86-95; 26: 322-337; 28: 77-80; 113: 139; 30: 226-232; 33: 321-338.
- KRAUSE, K. (1927). Über die Heimat der Kirsche und ihr Vorkommen im pontischen Kleinasien. *Naturwissenschaften* 15: 425-428.
- KRAUSE, K. (1927, 1931). Die botanische Literatur über die Türkei. *Repert. Spec. Nov. Regni Veg.* 24: 113-126; 29: 136-141.
- KRAUSE, K. (1929, 1930). Die in der Türkei vorkommenden Bäume und Sträucher. *Repert. Spec. Nov. Regni Veg.* 27: 322-337; 28: 157-187.
- KRAUSE, K. (1929a). Die Vegetationsverhältnisse der milesischen Halbinsel. In: WIELAND, T., *Die milesische Landschaft*: 27-44. Berlin.

- KRAUSE, K. (1929b). Zur pflanzengeographischen Gliederung Kleinasien. *Naturwissenschaften* 17: 402-405.
- KRAUSE, K. (1930). Salzpflanzen in Kleinasien. *Naturwissenschaften* 18: 346-349.
- KRAUSE, K. (1932). Über die Vegetationsverhältnisse des Argaeus (Erciyas Dag) in Kleinasien. *Naturwissenschaften* 20: 241-244.
- KRAUSE, K. (1933). Über die Vegetationsverhältnisse des nördlichen Kleinasien. *Bot. Jahrb. Syst.* 65: 349-379.
- KRAUSE, K. (1934-1937). *Ankaranin floru*. 2 vols. Ankara.
- KRAUSE, K. (1935). Über die pflanzengeographische Gliederung der Türkei. *Proc. Int. Bot. Cong.* 6: 87-89.
- KRAUSE, K. (1940). Über die Flora des Gebietes von Kayserie und des Erciyas Dag in Anatolien. *Bot. Jahrb. Syst.* 71: 32-137.
- KRAUSE, W., KLEMENT, F. (1962). Zur Kenntnis der Flora und Vegetation auf den Serpentinstandorten des Balkan. 5. Flechten und Flechten-Gesellschaften aus Nord Euböa, Griechenland. *Nova Hedwigia* 4: 189-202.
- KRAUSEL, R. (1939). Ergebnisse der Forschungsreisen Prof. E. Stromers in den Wüsten Ägyptens. *Abh. Bayer. Akad. Wiss., Math.-Naturwiss. Abt., N.F.*, 47: 1-140.
- KREEB, K. (1964). *Ökologische Grundlagen der Bewässerungs-Kulturen in den Subtopen*. Stuttgart, 149 pp.
- KREMER, J. P. (1866). *Description du Populus euphratica*. Paris, Baillière, 4 pp., pl.
- KREMPELHUBER, A. (1867). Lichen esculentus Pall., ursprünglich eine steinbewohnende Flechte. *Verh. Zool.-Bot. Ges. Wien* 17: 599-606.
- KRIEGER, W. ⇨ KOLBE, R. W. & KRIEGER, W. (1942).
- KRIKUN, J., SPIEGEL, Y., HAAS, J., DODD, J., LIVESCU, L. (1982). The influence of vesicular-arbuscular mycorrhiza on phosphorus nutrition of pepper seedling in a loessial soil. [Hebrew; English abstract]. *Hassadeh* 62: 989-991.
- KRIKUN, J. ⇨ DODD, J. & al. (1983).
- KRISA, B. ⇨ CHRTEK, J. & KRISA, B. (1963).
- KRONFELD, M. (1889). Monographie der Gattung Typha Tourn. (Typhinae Agdh., Typhaceae Schur.-Engl.). *Verh. Zool.-Bot. Ges. Wien* 39: 89-192.
- KRUMBEIN, E. W., COHEN, Y., SHILO, Miriam (1977). Solar lake (Sinai). IIX. Stromatolitic cyanobacterial mats. *Limnol. & Oceanogr.* 22: 635-656.
- KRUMBEIN, E. W. ⇨ COHEN, Y. & KRUMBEIN, E. W. (1977).
- KRYSHTOFOVICH, A. N. (1929). Evolution of the tertiary flora in Asia. *New Phytol.* 28: 303-312.
- KRZAKOWA, M. ⇨ KAHLER, A. L. & KRZAKOWA, M. (1980).
- KUCKUCK, H. (1956). Report to the Government of Iran on distribution and variation of cereals in Iran. *FAO Report* 517: 1-22.
- KUCKUCK, H., SCHIEMANN, Elisabeth (1957). Über das Vorkommen von Spelz und Emmer (*Triticum spelta* L. und *T. dicoccum* Schubl.) im Iran. *Z. Pflanzenzücht.* 38: 383-396.
- KUDER, G. (1974). Aufforstung und Landespflege in Israel. I. *Unser Wald*: 17-21.
- KUDRYASHEV, S. N. (1940). New species of plants from the Pamiro-Alai and Hindukush. *Bot. Mater. Gerb. Inst. Bot. Uzbeksk. Fil. Akad. Nauk SSSR* 1: 3-18.
- KUGLER, J. ⇨ GERLING, D. & al. (1976).

- KUHN, M. (1883). Über Farne und Charen von der Insel Socotra. *Ber. Deutsch. Bot. Ges.* 1: 238-242.
- KÜKENTHAL, G. (1897). Caricae orientales a J. Bornmüller in Anatolia et Persia 1889, 1890 et 1892-1893 lectae. *Österr. Bot. Z.* 47: 133-137.
- KUKKONEN, Ilkka, UOTILA, P. (1976). Finnish botanical expedition to West-Central Asia in 1972. *Pamphlet Bot. Mus. Univ. Helsinki* 7: 1-21.
- KUKKONEN, Ilkka & JALAS, J. & al. (1976).
- KULL, U. (1974). Streifzüge durch die Vegetation Kretas. *Natur & Mus.* 104: 120-127.
- KULL, U., BRECKLE, S.-W. (1972). Osmotische Verhältnisse und Zuckergehalte im Jahresgang bei Bäumen Ost-Afghanistans. II. *Ceris griffithii* und *Pistacia cabulica*. *Flora* 161: 586-603.
- KULL, U. & BRECKLE, S.-W. & KULL, U. (1971, 1973).
- KULLER, Z. & WAISEL, Y. & al. (1972).
- KULTIASOV, M. V. (1929). Enumeratio specierum gen. Cousinia a cl. Czerniakowska a. 1924 et 1925 in Persia collectarum. *Acta Univ. Asiae Mediae, Ser. 8b, Bot.* fasc. 7, 8 pp.
- KULTIASOV, M. V. (1946). Studies on the formation of the flora of the arid deserts and steppes of central Asia. In: Materials on the history of the flora and vegetation of the USSR. [Russian]. *Akad. Nauk SSSR Moscow* 2: 257-282.
- KUMLER, M. L. (1969). Plant distribution on hills surrounding Kabul, Afghanistan. *Illinois State Acad. Sci.* 62: 141-153.
- KUNGEL, G. (1977). *The vegetation of Hormoz, Qeshm and neighbouring islands (southern Persian Gulf area)*. Vaduz, 186 pp.
- KUNTH, K. S. (1826). Recherches sur les plantes trouvées dans les tombeaux Egyptiens par M. Passalacqua. *Ann. Sci. Nat. Bot.* 8: 418-423.
- KUPERNIK, G. & LITAV, M. & al. (1963a-b, 1971).
- KUPFERSCHMID-WEISSBLÜTT, M., FAHN, A. (1965). Anatomical aspects of leaf xerophytism in some plants of the Mediterranean maquis. [Hebrew]. *La-Yaaran* 15: 1-15, 31-32.
- KUPICHA, F. K. & GREENS, P. S. & KUPICHA, F. K. (1979).
- KÜRSCHNER, H. (1982). Vegetation und Flora der Hochregionen der Aladağları und Erciyes Dağı (Turkei). *Beih. Tübinger Atlas Vorderer Orient, Reihe A (Naturwiss.)* 10: 232 pp.
- KÜRSCHNER, H. (1983). Vegetationsanalytische Untersuchungen an Halophytenfluren Zentralanatolien (Turkei). *Beih. Tübinger Atlas Vorderer Orient, Reihe A (Naturwiss.)* 11: 88 pp.
- KÜRSCHNER, H. & FREY, W. & KÜRSCHNER, H. (1977, 1979).
- KURUP, P. A. (1956). Antibiotic principle of the leaves of *Withania somnifera*. *Curr. Sci.* 25: 57-58.
- KUSHNIR, E., TIETZ, A., GALUN, Margalith (1978). 'Oil hyphae' of endolithic lichens and their fatty acid composition. *Protoplasma* 97: 47-60.
- KUSHNIR, T. (1947). *Iris atrofusca* Baker. *Bull. Amer. Iris Soc.* 106: 83-90.
- KUSHNIR, T. (1948). The origin of fig tree and flowering problems. [Hebrew]. *Hassadeh* 29: 371-373.
- KUSHNIR, T. (1950). The orchids of Palestine. [Hebrew]. *Hatteva Vehaaretz* 8: 25-29.
- KUSHNIR, U., GALIL, J., FELDMAN, M. (1977a). Cytology and distribution of *Ornithogalum* in Israel. I. Section *Heliocharmos* Bak. *Israel J. Bot.* 26: 63-82.
- KUSHNIR, U., GALIL, J., FELDMAN, M. (1977b). Cytology and distribution of *Ornithogalum* in Israel. II. Section *Beryllis* (Salisb.) Bak. *Israel J. Bot.* 26: 83-92.

- KUSNEZOW, N. I. (1891). *Die elemente des Mediterrangebietes im westlichen Transkaukasien*. [Russian]. Petersbourg, 190 pp.
- KUTIEL, Pua, DANIN, A., ORSHAN, G. (1979). Vegetation of the sandy soils near Caesarea, Israel. I. Plant communities, environment and succession. *Israel J. Bot.* 28: 20-35.
- KUZMENKO, L. V. (1976a). Distribution des Coccolithophoridae dans la mer d'Oman. [Russian]. *Gidrobiol. Žurn. SSSR* 12: 30-36.
- KUZMENKO, L. V. (1976b). Répartition du phytoplancton dans la mer d'Arabie. [Russian]. *Biol. Mor. U.S.S.R., S.S.S.R.* 19: 55-60.
- KUZMENKO, L. V. (1977). Répartition du phytoplancton dans la mer d'Oman. [Russian]. *Okeanologija* 1: 111-118.
- KUZNETZOV, N. I. (1909). Principi dyeleniya Kavkaza na botanico-geographicheskiye provintsii. *Zap. Imp. Akad. Nauk, Ser. 8*, 24: 172 pp.
- KUZNETZOV, N. I. (1910). Die Herkunft der xerophytischen Flora des Kaukasus. *Trudy Bot. Muz. Imp. Akad. Nauk.* 7: 10-70.
- KUZNETZOV, N. I., BUSCH, N., FOMIN, A. (1911-1913). *Flora Caucasica critica*. Vols. 1-4. Jurjew.