

# L

Objektyp: **Index**

Zeitschrift: **Boissiera : mémoires de botanique systématique**

Band (Jahr): **39 (1987)**

PDF erstellt am: **20.06.2024**

## **Nutzungsbedingungen**

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

## **Haftungsausschluss**

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

---

## L

---

- LABAN, P. (1973). *Pinus halepensis and P. brutia in Israel*. Agric. Univ. Forest. Dept., Wageningen.
- LA BILLARDIÈRE, J. J. H. (1791-1812). *Icones plantarum Syriae rariorum*. Paris, 6 pts, pls.
- LABORDE, L. DE (1836). *Journey through Arabia Petraea to Mount Sinai, and the excavated City of Petra, the Edom of the Prophecies*. London, J. Murray, 331 pp., map.
- LABORDE, L. DE, LINANT (1830). *Voyage de l'Arabie Pétrée*. IV, 87 pp., ill., pl. Paris, Giard. P. 81-87 Flore de l'Arabie Pétrée. Plantes recueillies par M. Léon de Laborde, nommées, classées et décrites par M. Débile...
- LACAITA, C. C. (1919). A revision of some critical species of *Echium* as exemplified in the Linnean and other herbaria with a description of *Echium judaeum* a new species from Palestine. *J. Linn. Soc., Bot.* 44: 363-438.
- LACAITA, C. C. (1920). *Quercus aegilops*. *Kew Bull.*: 100-105.
- LACAITA, C. C. (1923). Notes on some oriental *Onosmas*. *J. Bot. London* 61: 280-283.
- LACE, J. H., HEMSLEY, U. B. A. (1891). Sketch of the vegetation of British Baluchistan with descriptions of new species. *J. Linn. Soc., Bot.* 28: 288-327.
- LACHOVER, D. & TADMOR, N. H. & LACHOVER, D. (1967).
- LACK, H. W. (1979a). *Current projects on the Mediterranean flora*. OPTIMA Secretariat, Botanical Garden and Botanical Museum, Berlin, Berlin Dahlem, 118 pp.
- LACK, H. W. (1979b). The Turkish and Caucasian collections of C. Koch. II. Caucasia. *Notes Roy. Bot. Gard. Edinburgh* 37: 79-94.
- LACK, H. W. & EDMONDSON, J. R. & LACK, H. W. (1977).
- LADIZINSKY, G. (1971). Biological Flora of Israel 2. *Avena L.* *Israel J. Bot.* 20: 133-151.
- LADIZINSKY, G. (1975a). Collection of wild cereals in the Upper Jordan Valley. *Econ. Bot.* 29: 264-267.
- LADIZINSKY, G. (1975b). On the origin of the broad bean, *Vicia faba L.* *Israel J. Bot.* 24: 80-88.
- LADIZINSKY, G. (1975c). Seed protein electrophoresis of the wild and cultivated species of section *Faba* of *Vicia*. *Euphytica* 24: 785-788.
- LADIZINSKY, G. (1975d). A new *Cicer* from Turkey. *Notes Roy. Bot. Gard. Edinburgh* 34: 201-202.
- LADIZINSKY, G. (1976). On the origin of chickpea *Cicer arietinum L.* *Euphytica* 25: 211-217.
- LADIZINSKY, G. (1979a). The origin of lentil and its wild gene pool. *Euphytica* 28: 172-187.
- LADIZINSKY, G. (1979b). Seed dispersal in relation to the domestication of Middle East legumes. *Econ. Bot.* 33: 284-289.
- LADIZINSKY, G. (1979c). Species relationships in the genus *Lens* as indicated by seed-protein electrophoresis. *Bot. Gaz.* 140: 449-451.
- LADIZINSKY, G., ADLER, A. (1975). The origin of chickpea as indicated by seed protein electrophoresis. *Israel J. Bot.* 24: 183-189.
- LADIZINSKY, G., ADLER, A. (1976). Genetic relationships among the annual species of *Cicer L.* *Theor. Appl. Genet.* 48: 197-302.

- LADIZINSKY, G., SAKAR, D. (1982). Morphological and cytogenetical characterization of *Vicia montbretii* Fisch. & Mey. (Synonym: *Lens montbretii* (Fisch. & Mey.) Davis & Plitmann). *Bot. J. Linn. Soc.* 85: 209-212.
- LADIZINSKY, G., ZOHARY, D. (1968). Genetic relationships between diploids and tetraploids in series Eubarbatae of *Avena*. *Canad. J. Genet. Cytol.* 10: 68-81.
- LADIZINSKY, G. ♂ DANIN, A. & LADIZINSKY, G. (1971).
- LAFLINT, T. (1973). Bryophytes new to Crete. *J. Bryol.* 7: 417-420.
- LAHHAM, R. J. ♂ BOULOS, L. & LAHHAM, R. J. (1977a-b).
- LAKOWITZ, K. (1929). Verzeichnis der in Griechenland und auf der Insel Kreta während 1928 gesammelten Pflanzen. *Verh. Westpreuss. Bot.-Zool. Vereins* 51: 61-68.
- LALANDE, R. (1967). Généralités sur la végétation du Safed-Koh et de son prolongement occidental. *Bull. Soc. Hist. Nat. Toulouse* 103: 297-304.
- LALL, S. S. (1970). Materials for a flora of Turkey. XXI. Scrophularia. *Notes Roy. Bot. Gard. Edinburgh* 30: 129-140.
- LAMB, J. M. (1936). Lichens from Bahrein Island. *J. Bot. London* 74: 346-351.
- LAMBERT, A. B. (1837). Note on the mustard seed of the scriptures. *Trans. Linn. Soc. London* 17: 449-450.
- LAMI, R. (1932). Quelques algues du grand Lac Amer (Basse-Egypte) récoltées par M. le Professeur Gruvel, en avril 1932. *Rev. Algol.* 6: 355-356.
- LÄMMERMAYER, L. (1926). *Fagus silvatica* und *Fagus orientalis*. In: HANNIG, E. & WINKLER, H., *Pflanzenareale*. Reihe 1, Heft 2: 30-32. Jena, G. Fischer, map.
- LAMOND, J. ♂ VALENTINE, D. H. & LAMOND, J. (1978).
- LAMOND, J. M. (1970). The Afghanistan collections of William Griffith. *Notes Roy. Bot. Gard. Edinburgh* 30: 159-176.
- LAMOND, J. M. (1973). The Transcaucasian and Iranian collections of J. N. Szovits. *Notes Roy. Bot. Gard. Edinburgh* 32: 239-245.
- LAMOND, J. M. (1977). Notes on Parsa's Flora of Iran, vols. 8 and 9. *Notes Roy. Bot. Gard. Edinburgh* 35: 349-364.
- LAMOND, J. M. ♂ HEDGE, I. C. & LAMOND, J. M. (1963, 1973, 1978, 1980) — HEDGE, I. C. & al. (1971).
- LAMPREY, H. F., HALEVY, G., MAKACHA, S. (1974). Interactions between *Acacia*, seed beetles and large herbivores. *E. African Wild.* 12: 81-85.
- LANDAU, N. (1956). Flowering responses of some Palestinian Legumes to photoperiod and temperature. *Nature* 178: 128-129.
- LANDAU, N. (1957). Effect of length of day and temperature on the development of some annual legumes indigenous in Israel. *Bull. Res. Council Israel* 5D: 245-256.
- LANDOLT, E. ♂ DAFIS, S. & LANDOLT, E. (1975).
- LANGE, M. (1953). Some Gasteromycetes from Afghanistan. *Bot. Tidsskr.* 50: 79-80.
- LANGE, O. L. (1969). Experimentall-ökologische Untersuchungen an Flechten der Negev-Wüste. I. *Flora Abt. B* 158: 324-359.
- LANGE, O. L. (1980). Moisture content and CO<sub>2</sub> exchange of lichens. I. Influence of temperature on moisture-dependant net photosynthesis and dark respiration in *Ramalina maciformis*. *Oecol. (Berlin)* 45: 82-87.

- LANGER, O. L., EVENARI, M. (1971). Experimentall-ökologische Untersuchungen an Flechten der Negev-Wüste. IV. Wachstumsmessungen an *Caloplaca aurantiaca* (Pers.) Hellb. *Flora* 160: 100-104.
- LANGER, O. L., EVENARI, M., KAPPEN, L., BUSCHBOM, U. (1974). The temperature related photosynthetic capacity of plants under desert conditions. I. Seasonal changes of photosynthetic response to temperature. *Oecol. (Berlin)* 17: 97-110.
- LANGER, O. L., KOCH, W., SCHULZE, E. D. (1969). CO<sub>2</sub>-Gaswechsel und Wasserhaushalt von Pflanzen in der Negev Wüste am Ende der Trockenzeit. *Ber. Deutsch. Bot. Ges.* 82: 39-61.
- LANGER, O. L., SCHULZE, E. D. (1972). Eco-physiological investigations in the Negev desert. I. The relationship between transpiration and net photosynthesis measured with a mobile field laboratory. *Intern. Symp. Eco-physiol. Found. of Ecosystems. Productivity in Arid Zone, Leningrad*: 57-62.
- LANGER, O. L., SCHULZE, E. D., KAPPEN, L., EVENARI, M., BUSCHBOM, U. (1975). CO<sub>2</sub> exchange pattern of *Caralluma negevensis* a CAM plant of the Negev desert. *Photosynthetica* 9: 318-326.
- LANGER, O. L., SCHULZE, E. D., KAPPEN, L., BUSCHBOM, U., EVENARI, M. (1975). Photosynthesis of desert plants as influenced by internal and external factors. In: (ed.) GATES, D. M. & SCHMERL, B. R., *Perspectives of biophysical ecology*, 12: 121-144. Berlin, Springer.
- LANGER, O. L., SCHULZE, E. D., KOCH, W. (1970). Experimentell-ökologische Untersuchungen an Flechten der Negev-Wüste. II. CO<sub>2</sub>-Gaswechsel und Wasserhaushalt von *Ramalina maciformis* (Del.) Bory am natürlichen Standort während der sommerlichen Trockenperiode. *Flora M.G.O.* 159: 38-62.
- LANGER, O. L., TENHUNEN, J. D. (1981). Moisture content and CO<sub>2</sub> exchange of lichens. II. Depression of net photosynthesis in *Ramalina maciformis* at high water content is caused by increased thallus carbon dioxide diffusion resistance. *Oecol. (Berlin)* 51: 426-429.
- LANGER, O. L., TENHUNEN, J. D. (1982). Water relations and photosynthesis of desert Lichens. *J. Hattori Bot. Lab.* 53: 309-313.
- LANGER, O. L. & EVENARI, M. & al. (1975, 1976, 1977) — KAPPEN, L. & al. (1972, 1975, 1979) — KOCH, W. & al. (1971) — RUNDEL, P. W. & LANGER, O. L. (1980) — SCHULZE, E. D. & al. (1972, 1976).
- LANGER-DE LA CAMP, M. (1939). Die Weizen der Deutschen Hindukush-Expedition 1935. *Landw. Jahrb.* 88: 14-133.
- LANGER, J. & HEPHER, B. & LANGER, J. (1970).
- LANGERON, M. (1927). Annotations et additions à la flore crétoise. *Bull. Soc. Bot. France* 54: 130-139.
- LANSING, Caroline (1956). Notes on gardens in Egypt. *Amer. Docum.* 5070: 21-27.
- LAROQUE, J. DE (1715). *Voyage dans l'Arabie Heureuse, 1708-1710, par l'océan oriental et le détroit de la Mer Rouge, avec la relation d'un voyage fait du port de Moka à la cour du roy d'Yemen, 1711-1713*. Paris, Cailleau, 403 pp.
- LAROQUE, J. DE (1722). *Voyage de Syrie et du Mont-Liban...* 2 vols. en 1. Paris, A. Caillau.
- LAROQUE, J. DE (1726). *A voyage to Arabia the Happy, by the way of the Eastern Ocean and the Straits of the Red Sea, performed by the French for the first time in A. D. 1708, 1709, and 1710, etc.* London.
- LARSEN, K. (1955). Cytotaxonomical studies on the Mediterranean flora. *Bot. Not.* 108: 263-275.

- LARSEN, K. (1956). Chromosome studies in some Mediterranean and South European flowering plants. *Bot. Not.* 109: 293-307.
- LASÈGUE, A. (1845). *Musée botanique de M. Benjamin Delessert. Notices sur les collections de plantes et la bibliothèque qui le composent; contenant l'intérêt de la botanique.* Paris, (xii) + 588 pp.
- LAUDON, J. R. (1961). Notes on Geranium in Africa and Arabia. *Bol. Soc. Brot.* ser. 2, 35: 59-73.
- LAUENER, L. A. (1964). New species and records of Aconitum. *Notes Roy. Bot. Gard. Edinburgh* 26: 1-10.
- LAUENER, L. A. (1965). A note on Aconitum leucanthum (Brühl) Stapf. *Notes Roy. Bot. Gard. Edinburgh* 26: 331.
- LAUER, P., TACKHOLM, Vivi, ABERG, E. (1950). Les plantes découvertes dans les souterrains de l'enceinte du Roi Zoser à Saqqara. *Bull. Inst. Egypte* 23: 121-157.
- LÄUCHLI, A. ✧ WINTER, K. & al. (1976).
- LAVEE, H. ✧ GALUN, Margalith & LAVEE, H. (1966).
- LAVIS, J. D. ✧ REICHSTEIN, T. & al. (1973).
- LAVRANOS, J. J. (1962). Two new species of Caralluma from south-western Arabia. *J. S. African Bot.* 28: 209-213.
- LAVRANOS, J. J. (1963a). Stapeliaceae of tropical Arabia. *Cactus* 18(78): 83-86.
- LAVRANOS, J. J. (1963b). Three new species of Caralluma from south-western Arabia. *J. S. African Bot.* 29: 103-110.
- LAVRANOS, J. J. (1963c). Two new species of Huernia from south-western Arabia. *J. S. African Bot.* 29: 97-101.
- LAVRANOS, J. J. (1964a). A new Caralluma from the Hadramaut, Southern Arabia. *J. S. African Bot.* 30: 21-23.
- LAVRANOS, J. J. (1964b). New Stapelieae from Southern Arabia. *J. S. African Bot.* 30: 87-91.
- LAVRANOS, J. J. (1964c). Note on Echinopsis squamulata (Ocne) Bally (Southern Arabia). *J. S. African Bot.* 30: 15-19.
- LAVRANOS, J. J. (1964d). On a Huernia from Nigeria and a Caralluma from south-western Arabia. *J. S. African Bot.* 30: 25.
- LAVRANOS, J. J. (1964e). On the taxonomic status of an Arabian Aloe. *J. S. African Bot.* 30: 83-85.
- LAVRANOS, J. J. (1965a). New Stapelieae from southern Arabia. *Cact. Succ. J. (Los Angeles)* 37: 106-111.
- LAVRANOS, J. J. (1965b). Notes on the Aloes of Arabia with descriptions of six new species. *J. S. African Bot.* 31: 55-81.
- LAVRANOS, J. J. (1966). On the occurrence and taxonomy of Adenium in Tropical Africa and Socotra. *Cact. Succ. J. (Los Angeles)* 38: 19-23.
- LAVRANOS, J. J. (1967). Notes on the succulent flora of southern Arabia. *Cact. Succ. J. (Los Angeles)* 39: 3-7; 12-127; 167-172.
- LAVRANOS, J. J. (1971a). The Stapelieae of Socotra. *Cact. Succ. J. (Los Angeles)* 42: 133-138.
- LAVRANOS, J. J. (1971b). Notes on the succulent flora of north east Africa and southern Arabia. *Cact. Succ. J. (Los Angeles)* 43: 60-67.
- LAVRANOS, J. J. (1971c). The Island of Abd-el-Kuri and its peculiar Euphorbia. *Cact. Succ. J. (Los Angeles)* 43: 109-111.

- LAVRANOS, J. J. (1971d). *Senecio deflersii* O. Schwartz, a very rare and unusual species from the Southern Yemen. *Cactus Succ. J. (Los Angeles)* 43: 150-152.
- LAVRANOS, J. J. (1972). A new *Sarcostemma* from Socotra. *Natl. Cact. Succ. J.* 27: 37.
- LAVRANOS, J. J. (1974a). Notes on the succulent flora N.E. Africa and Arabia. *Cact. Succ. J. (Los Angeles)* 46: 125-130.
- LAVRANOS, J. J. (1974b). Plant hunting on Socotra. *Excelsa* 4: 25-28.
- LAVRANOS, J. J. (1974c). *Sarcostemma vanlessenii*. A new species from Yemen. *Natl. Cact. Succ. J.* 29: 35.
- LAVRANOS, J. J. (1975a). Succulent plants of southern Arabia. *Excelsa* 5: 45-46.
- LAVRANOS, J. J. (1975b). Note on the northern temperate element in the flora of the Ethio-Arabian region. *Boissiera* 24: 67-69.
- LAVRANOS, J. J. (1977). *Caralluma shadhbana*. *Fl. Pl. Africa* 44: t. 1743.
- LAVRANOS, J. J. (1978). On the Mediterranean and western Asiatic floral element in the area of the Gulf of Aden. *Bot. Jahrb. Syst.* 99: 152-167.
- LAVRANOS, J. J. (1979). *Caralluma dioscoridis* Lavranos. *Asclepiadaceae* 18: 10-12.
- LAVRANOS, J. J., BILAJDI, A. S. (1971). Two new species from southern Yemen. *Cact. Succ. J. (Los Angeles)* 43: 204-208.
- LAVRANOS, J. J., MORTIMER, K. V. (1970). *Rhytidocaulon fulleri*. A new Stapeliad from the Dhofar Coast, Muscat and Oman, southern Arabia. *Natl. Cact. Succ. J.* 25: 2-4.
- LAVRANOS, J. J., NEWTON, L. E. (1977). Two new species of *Aloe* from Arabia. *Cact. Succ. J. (Los Angeles)* 49: 113-116.
- LAVRANOS, J. J., NEWTON, L. E. (1979). New Stapeliaceae from the Yemen Arab Republic. *Cact. Succ. J. (Los Angeles)* 51: 233-237.
- LAVRANOS, J. J. & NEWTON, L. E. & LAVRANOS, J. J. (1979).
- LAVRENKO, A. N. & AVERYANOV, L. V. & al. (1982).
- LAVRENKO, E. M. (1950). Osnoviye chert'i botaniko-geographicheskogo razdyleniya S.S.S.R. i sopredel'nykh stran. (Basic features of the botanic-geographical distribution of the U.S.S.R. and adjacent countries). *Probl. Bot.* 1: 530-548.
- LAVRENKO, E. M. (1962). Osnoviye chert'i botanicheskoy geographiy pust'in Evraziy i Severnoy Afriki. *Komarovskii Čtenija* 15: 1-167.
- LAVRENKO, E. M. (1965). Subdivision into provinces of the Central-Asiatic and Irano-Turanian sub-regions of the Afro-Asiatic desert region. [Russian]. *Bot. Žurn.* 50: 3-15.
- LAVRENKO, E. M. (1969). Über die Lage des eurasiatischen Steppengebietes in dem System der pflanzengeographischen Gliederung des aussertropischen Eurasiens. *Vegetatio* 19: 11-20.
- LAVRENKO, E. M. (1973). On some structural peculiarities of the vegetation communities of the steppes of Central Asia. [Russian]. *Bot. Žurn.* 58: 1603-1607.
- LEACH, L. C. (1976). A preliminary review of the prominently papillose *Huernia* species (Asclepiadaceae). *J. S. Afr. Bot.* 42: 439-487.
- LEBLEBICI, E. (1974). Bati anadolu karayosunlari. Bozdağ ve yöreleri. *Bitki* 1: 563-775. Flora Turkey- 4190 -LEBLEBICI, E. & WALTHER, K. & LEBLEBICI, E. (1969).
- LEBRUN, J.-P. (1977, 1979). *Eléments pour un Atlas des plantes vasculaires de l'Afrique sèche*. Vol. 1 (1977), vol. 2 (1979). Maisons-Alfort.
- LE COQ, A. (1917). Eine Liste von osttürkischen Pflanzennamen. *Bässler-Arch.* 6: 118-129.

- LEGLER, F., KRASSKE, G. (1940). Diatomeen aus dem Van-See (Armenien). Beiträge zur Ökologie der Brackwasserdiatomeen. *Beih. Bot. Centralbl. (B)* 60: 335-345.
- LE HOUÉROU, H. N. (1960). Contribution à l'étude de la flore de la Libye (Province de Tripolitaine). *Bull. Soc. Hist. Nat. Afrique N.* 51: 175-200
- LEIBOWITZ, J. ✧ HAVIVI, E. & LEIBOWITZ, J. (1958).
- LEIN, A. (1949). Asiatische Weizensortimente. *Kühn-Arch.* 62: 216-310.
- LEMÉE, G. ✧ KILLIAN, C. & LEMÉE, G. (1956).
- LEMOINE, Marie (1965). Algues calcaires (Mélobésiées) recueillies par le Professeur Drach (croisière de la Calypso en Mer Rouge, 1952). *Bull. Inst. Océanogr. Monaco* 64(1131): 20 pp.
- LEMOINE, Marie (1966). Algues calcaires recueillies dans la Mer Rouge, en particulier dans le Golfe d'Eilat. *Bull. Sea Fish. Res. Station Israel* 42: 27 pp., ill.
- LENDZIAN, K. ✧ BATANOUNY, K. H. & al. (1972).
- LÉONARD, J. (1971). Aperçu de la flore et de la végétation du Jebel Uweinat (désert de Libye), résumé. *Mitt. Bot. Staatssamml. München* 10: 476-477.
- LÉONARD, J. (1979). Contribution à la connaissance de la flore de l'Iran. I. *Bull. Jard. Bot. Natl. Belgique* 49: 449-455.
- LÉONARD, J. (1980a). Contribution à la connaissance de la flore de l'Iran. II. Petiniota J. Léonard, genre asiatique nouveau de Crucifères. *Bull. Jard. Bot. Natl. Belgique* 50: 227-232.
- LÉONARD, J. (1980b). Contribution à la connaissance de la flore de l'Iran. III. Les espèces iraniennes du genre Ietracme Bunge (Crucifères). *Bull. Jard. Bot. Natl. Belgique* 50: 233-235.
- LÉONARD, J. (1980c). Contribution à la connaissance de la flore de l'Iran. IV. Cithareloma Bunge, genre irano-touranien de Crucifères nouveau pour l'Iran. *Bull. Jard. Bot. Natl. Belgique* 50: 371-374.
- LÉONARD, J. (1980d). Chrozophora sabulosa Kar. & Kir. *Bol. Soc. Brot., Ser. 2*, 53: 465-467.
- LÉONARD, J. (1981). Contribution à l'étude de la flore et de la végétation des déserts d'Iran. I. Des Charophytes aux Monocotylédones. *Jard. Bot. Nat. Belg.* 1: 100 pp.
- LÉONARD, J. (1983). Une combinaison nouvelle dans une espèce asiatique du genre Matthiola R. Br. (Cruciferae). *Bull. Jard. Bot. Natl. Belgique* 53: 293.
- LEONHARD, R. (1915). *Paphlagonia. Reisen und Forschungen im nördlichen Kleinasien. XIV.* Berlin, R. Reimer, 401 pp., ill.
- LEOPOLD, A. (1920). The forestry of the Hebrew prophets. *J. Forest.* 18: 412-419.
- LEPPE, L. ✧ SCHWARZ, O. & LEPPE, L. (1975).
- LERCHE, J. J. J. (1773). Descriptio plantarum quarundan partim minus cognitarum Astrachanensium et Persiae provinciarum Caspio mari adjacentium. *Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur., Appendix* 5: 161-206.
- LESHEM, B. (1965). The annual activity of intermediary roots of Aleppo pine. *Forest Sci.* 11: 191-198.
- LESHEM, B. (1966). The annual activity of intermediary roots of Aleppo pine. [Hebrew]. *La-Yaaran* 16: 27-34.
- LESHEM, B. (1970). Resting roots of Pinus halepensis, structure, function and reaction to water stress. *Bot. Gaz.* 131: 99-104.
- LESHEM, B. (1974). The relation of the collapse of the primary cortex to the suberization of the endodermis in roots of Pinus halepensis Mill. *Bot. Gaz.* 135: 58-60.

- LESHEM, Y., KOLLER, D. (1964). The control of flowering in the strawberry *Fragaria ananassa* Duch. *Ann. Bot. (London)* 28: 569-578.
- LESHEM, Y., KOLLER, D. (1965). The control of runner development in the strawberry *Fragaria ananassa* Duch. *Ann. Bot. (London)* 29: 699-709.
- LESHEM, Y., LEVISON, E. (1972). Regulation mechanism in the salt mangrove *Avicennia marina* growing on the Sinai littoral. *Oecol. Pl.* 7: 167-176.
- LESHEM, Y. ✧ WURZBURGER, Judith (1967, 1974, 1975).
- LESSANI, H. ✧ SANEI CHARIAT-PANAHI, M. & al. (1982).
- LESTER-GARLAND, L. V. (1921). Some plants from Jebel Marra. *J. Bot.* 59: 46-48.
- LETOURNEUX, A. (1889). Note sur un voyage botanique à Tripoli de Barbarie. *Bull. Soc. Bot. France* 36: 91-99.
- LEUTE, G.-H., SPETA, F. (1972). Umbelliferen-Studien zur 'Flora Iranica'. I. *Österr. Bot. Z.* 120: 289-311.
- LEUTENEGGER, S. (1977). Symbiosis between larger foraminifera and unicellular algae in the Gulf of Elat. *Utrecht Micropaleont. Bull.* 15: 225-239.
- LÉVEILLÉ, H., VANIOT, E. (1903). Renonculacées et Oenothéracées d'Orient. *Bull. Acad. Int. Géogr. Bot.* 12: 567.
- LÉVEILLÉ, M. H. (1844). Champignons exotiques. *Ann. Sci. Nat. Bot., Ser. 3*, 2: 178.
- LEVEY, M. (1961). Notes on Babylonian botanical gardens. *Isis* 52: 94-95.
- LEVI, E. ✧ YECHILEVICH-AUSTER, M. & al. (1983).
- LEVIN, M. ✧ ZOHARY, M. & al. (1955).
- LEVISON, E. ✧ LESHEM, Y. & LEVISON, E. (1972).
- LEV-YADUN, S. ✧ LIPHSHITZ, Nili & al. (1979, 1981).
- LEWIN, B. (1953). The Book of Plants of Abu Hanifa el-Dinawari; edited from the MS. in the Library of Istanbul. *Uppsala Univ. Årsskr.* 10: 1-225.
- LEWIN, L. (1921). Über einige Pflanzen aus dem Küstengebiet von Belutschistan. *Bot. Jahrb. Syst., Beih.* 123: 31-36.
- LEWIS, G. ✧ HILLCOAT, D. & al. (1980).
- LEWIS, P. ✧ BURTT, B. L. & LEWIS, P. (1949-1954).
- LIBIZOV, N. I. ✧ GUBANOV, I. A. & LIBIZOV, N. I. (1970).
- LIETH, H. ✧ WALTER, H. & LIETH, H. (1960).
- LINANT ✧ LABORDE, L. DE & LINANT (1830).
- LINCHEVSKY, I. A. (1941). Botanical results of the German Hindu Kush Expedition of 1935. [Russian]. *Sovetsk. Bot.* 1-2: 192-193.
- LINCHEVSKY, I. A. (1960). Nouvelles espèces du genre *Acantholimon* Boiss. rencontrées en Asie centrale. *Bot. Mater. Gerb. Bot. Inst. Komarova Akad. Nauk SSSR* 21.
- LINCHEVSKY, I. A., PROZOROVSKY, A. V. (1944). K. poznaniu rastitel'nosti Afganistana (The vegetation of Afghanistan). *Bot. Žurn. SSSR* 29: 114-123.
- LINCHEVSKY, I. A., PROZOROVSKY, A. V. (1949). The basic principles of the distribution of the vegetation of Afghanistan. *Kew Bull.*: 179-214.
- LINDAU, G. (1901). Über das Vorkommen des Pilzes des Taumellolchs in altägyptischen Samen. *Sitzungsber. Akad. Wiss. Berlin* 35: 1031.



- LINDAU, G. (1922). Fossile Samen von Troja. *Praehist. Blätter*, 6 pp.
- LINDBERG, H. (1946). Iter Cyprium. Contributie ad cognitionum Florae Insulae Cypri. *Acta Soc. Sci. Fenn., Ser. B*, 2, 7: 1-37.
- LINDE-LAURSEN, I., BOTHMER, R. VON, JACOBSON, N. (1979). C-banding pattern of Asiatic taxa of *Hordeum*. *Barley Genet. Newsl.* 9.
- LINDEMANN, E. (1924). Peridineen aus dem Goldenen Horn und dem Bosphorus. *Bot. Arch.* 5: 216-233.
- LINDENBEIN, W. (1940). Ursprungszentren, Kulturstromverbreitung und Einzelwanderung bei kultivierten *Andropogon*-Arten. *Bot. Jahrb. Syst.* 71: 337-340.
- LINDER, S. (1918). Hierobotaniska notiser fran en resa en Palestina. *Svensk Bot. Tidskr.* 12: 265-267.
- LINDER, S. (1934). Svensk botanisk forskning i Palestina. *Svensk Jerusalem Foreningen Tidskr.* 53: 39-55.
- LINDSAY, Nancy & FULLERTON, Alice & LINDSAY, Nancy (1938).
- LINNÉ, C. VON (1756). *Flora palaestina. (Benedictus Johan Strand)*. Dissertation. Upsaliae, 32 pp.
- LIPHSCHITZ, Nili, ARZEE, Tova, WAISEL, Y. (1965). The annual rhythm of phellogen activity in *Robinia pseudacacia*. *Israel J. Bot.* 14: 204.
- LIPHSCHITZ, Nili, ILAN, A., ESHEL, A., WAISEL, Y. (1974). Salt glands of leaves of Rhodes grass. (*Chloris gayana* Kth.). *Ann. Bot. (London)* 38: 459-462.
- LIPHSCHITZ, Nili, LEV-YADUN, S., WAISEL, Y. (1979). Dendrochronological investigations in the Mediterranean Basin. *Pinus nigra* of South Anatolia (Turkey). *La-Yaaran* 29: 3-11.
- LIPHSCHITZ, Nili, LEV-YADUN, S., WAISEL, Y. (1981). The annual rhythm of activity of the lateral meristems (cambium and phellogen) in *Cupressus sempervirens* L. *Ann. Bot. (London)* 47: 485-496.
- LIPHSCHITZ, Nili, WAISEL, Y. (1967). Dendrochronological studies in Israel. I. *Quercus boissieri* of Mt. Meron. [Hebrew]. *La-Yaaran* 17: 78-91.
- LIPHSCHITZ, Nili, WAISEL, Y. (1970a). The effect of buds and leaves on radial growth of *Populus euphratica* Oliv. *Israel J. Bot.* 20: 329-330.
- LIPHSCHITZ, Nili, WAISEL, Y. (1970b). Effects of environment on relations between extension and cambial growth of *Populus euphratica* Oliv. *New Phytol.* 69: 1059-1064.
- LIPHSCHITZ, Nili, WAISEL, Y. (1970c). The effect of water stresses on radial growth of *Populus euphratica* Oliv. [Hebrew]. *La-Yaaran* 20: 53-61.
- LIPHSCHITZ, Nili, WAISEL, Y. (1970d). Phellogen initiation in the stems of *Eucalyptus camaldulensis* Dehn. *Austral. J. Bot.* 18: 185-189.
- LIPHSCHITZ, Nili, WAISEL, Y. (1972a). Dendroarcheology, archaeological discoveries of wood. [Hebrew]. *Mada* 17: 162-167.
- LIPHSCHITZ, Nili, WAISEL, Y. (1972b). Dendroarchaeological investigation in Israel. *Israel J. Bot.* 21: 125.
- LIPHSCHITZ, Nili, WAISEL, Y. (1973a). Dendroarchaeological investigation in Israel (Tel Beersheba and Arad in Northern and Eastern Negev). *Israel Explor. J.* 23: 30-36.
- LIPHSCHITZ, Nili, WAISEL, Y. (1973b). The effects of human activity on composition of the natural vegetation during historic periods. *Proc. 4th Sci. Conf. Israel Ecol. Soc.* F: 1-18.
- LIPHSCHITZ, Nili, WAISEL, Y. (1974a). Existence of salt glands in various genera of the Gramineae. *New Phytol.* 73: 507-513.

- LIPHSCHITZ, Nili, WAISEL, Y. (1974b). The effects of human activity on composition of the natural vegetation during historic periods. *La-Yaaran* 24: 9-15, 27-30.
- LIPHSCHITZ, Nili, WAISEL, Y. (1976). Dendrological investigations in Israel (St. Catherine's Monastery in southern Sinai). *Israel Explor. J.* 26: 29-44.
- LIPHSCHITZ, Nili & WAISEL, Y. & LIPHSCHITZ, Nili (1968, 1970a-c, 1972, 1974, 1976, 1978) — WAISEL, Y. & al. (1967, 1970, 1972) .
- LIPKIN, Y. (1971). *Flora and vegetation in the Suez Canal a hundred years after its opening*. The Hebrew University-Smithsonian Institution Joint Program 'Biota of the Red Sea and the Eastern Mediterranean'.
- LIPKIN, Y. (1972a). Marine algal and seagrass flora of the Suez Canal. *Israel J. Zool.* 21: 405-446.
- LIPKIN, Y. (1972b). Vegetation of the Bitter Lakes in the Suez Canal water system. *Israel J. Zool.* 21: 447-457.
- LIPKIN, Y. (1973a). *Wolffia arrhiza* rediscovered in Israel. [Hebrew]. *Teva Vaaretz* 15: 66-67.
- LIPKIN, Y. (1973b). *Wolffia arrhiza* (L.) Hork. ex Wimmer on the Golan Plateau. *Israel J. Bot.* 22: 175-177.
- LIPKIN, Y. (1975a). Ecological distribution of *Caulerpa* in the Red Sea. *J. Mar. Biol. Assoc. India* 15: 160-167.
- LIPKIN, Y. (1975b). A history, catalogue and bibliography of Red Sea seagrasses. *Israel J. Bot.* 24: 89-105.
- LIPKIN, Y. (1975c). Halophyla stipulacea, a review of a successful immigration. *Aquat. Bot.* 1: 203-215.
- LIPKIN, Y. (1975d). Halophyla stipulacea in Cyprus and Rhodes, 1967-1970. *Aquat. Bot.* 21: 309-320.
- LIPKIN, Y. (1975e). On the male flower of *Halophila stipulacea*. *Israel J. Bot.* 24: 198-200.
- LIPKIN, Y. (1978). Quantitative aspects of Red Sea seagrasses. Int. Ecol. Congr. 2, Jerusalem.
- LIPKIN, Y. (1979). Quantitative aspects of seagrass communities, particularly of those dominated by *Halophila stipulacea*, in Sinai (Northern Red Sea). *Aquat. Bot.* 7: 119-128.
- LIPKIN, Y., FRIEDMANN, I. (1967). Persistent juvenile stage of *Caulerpa racemosa* (Forsskal) Agardh in the Eastern Mediterranean. *Pubbl. Staz. Zool. Napoli* 35: 243-249.
- LIPKIN, Y., SAFRIEL, U. (1971). Intertidal zonation of rocky shores at Mikhmoret (Mediterranean, Israel). *J. Ecol.* 59: 1-30.
- LIPKIN, Y. & FREIDLANDER, M. & LIPKIN, Y. (1982) — FREIDLANDER, M. & al. (1981) — FRIEDMANN, I. & al. (1967).
- LIPS, S. H. & KAGAN-ZUR, Varda & LIPS, S. H. (1983).
- LIPSCHITZ, S. J. (1971). A note on the genus *Pterochaenia* (Benth.) Lipschitz. [Russian]. *Bot. Zhurn.* 56: 1150-1152.
- LIPSKY, V. I. (1894). *Plantae Ghilanenses in itinere per Persiam borealem anno 1893 lectae*. *Trudy Imp. S.-Peterburgsk. Bot. Sada* 13: 219-232.
- LIPSKY, V. I. (1899). *Flora Kavkaza*. [Trsl. by National Lending Library Translating Programme, RTS 7292, Boston, Spa., Yorkshire, England, 1972]. *Trudy Tbilissk. Bot. Inst.* 4: 153-155.
- LIPSKY, V. I. (1900). *Contributio ad floram Asiae Mediae*. *Trudy Glavn. Bot. Sada* 18: 1-146.
- LIPSKY, V. I. (1902-1905). *On the Botanical Institutions and Gardens of Southern Europe and Northern Africa*. [Russian]. St. Petersburg.

- LIPSCOMBE-VINCETT, Betty A. (1977). *Wild flowers of central Saudi Arabia*. Farrington, Oxon, E. W. Classey, 114 pp.
- LISKER, N. ✧ JOFFE, A. Z. & LISKER, N. (1969).
- LITARDIÈRE, R. DE (1942). Festucae Graeciae, énumération des Festuca récoltés par C. de Regel en Grèce. *Candollea* 9: 138-141.
- LITAV, M. (1965). Effects of soil type and competition on the occurrence of *Avena sterilis* L. in the Judean Hills (Israel). *Israel J. Bot.* 14: 74-89.
- LITAV, M. (1966). Investigations into the mechanism of root competition. *Israel J. Bot.* 15: 77-78.
- LITAV, M. (1967). Micro-environmental factors and species interrelationships in three batha associations in the foothill region of the Judean hills. *Israel J. Bot.* 16: 79-99.
- LITAV, M. (1972). Factors determining the distribution pattern of *Hyparrhenia hirta* (L.) Stapf on different expositions and slopes in the Judean Hills. *Israel J. Bot.* 21: 76-89.
- LITAV, M., AGAMI, M. (1973). *Quercus boissieri* in the Judean Mountains. [Hebrew]. *Teva Vaaretz* 15: 94-96.
- LITAV, M., AGAMI, M. (1976). Relationships between water pollution and the flora of the coastal rivers of Israel. *Aquat. Bot.* 2: 23-41.
- LITAV, M., HARPER, J. L. (1967). A method for studying spatial relationships between the root systems of two neighbouring plants. *Pl. & Soil* 36: 389-392.
- LITAV, M., KUPERNIK, G., ORSHAN, G. (1963a). The role of competition as a factor in determining the distribution of dwarf shrub communities in the Mediterranean territory of Israel. *J. Ecol.* 51: 467-480.
- LITAV, M., KUPERNIK, G., ORSHAN, G. (1963b). Ecological studies on some sub-lithophytic communities in Israel. *Israel J. Bot.* 12: 41-54, ill.
- LITAV, M., KUPERNIK, G., ORSHAN, G. (1971). Biological flora of Israel. 1. *Sarcopoterium spinosum* (L.) Sp. *Israel J. Bot.* 20: 48-64.
- LITAV, M., SELIGMAN, N. G. (1970a). Competition between *Oryzopsis holciformis* (M. B.) Hack and annual plants. I. Performance of *Oryzopsis* as affected by presence of annuals, nutrient supply and differential sowing times. *Israel J. Bot.* 18: 149-170.
- LITAV, M., SELIGMAN, N. G. (1970b). Competition between *Oryzopsis holciformis* (M. B.) Hack and annual plants. II. Performance of *O. holciformis* and two annuals when grown in mixtures of different ratios. *Israel J. Bot.* 19: 517-528.
- LITAV, M., SELIGMAN, N. G. (1977). Competition between *Medicago polymorpha* and *Avena sativa* under conditions of constant density. *Israel J. Bot.* 26: 53-62.
- LITAV, M. ✧ LITVAK, M. [change of name] — AGAMI, M. & al. (1976) — WAISEL, Y. & al. (1975).
- LITTLE, E. L. Jr. ✧ CRITCHFIELD, W. B. & LITTLE, E. L. Jr. (1966).
- LITTMAN, H. Z. ✧ BLOCH, R. & al. (1944).
- LITVAK, M. (1952). Relic of oak forest in Aqua-Bella. [Hebrew]. *La-Yaaran* 3: 29-30.
- LITVAK, M. (1955). Influence of *Tamarix* on sandy soil. [Hebrew]. *La-Yaaran* 5: 12-18.
- LITVAK, M. (1957). The influence of *Tamarix aphylla* on soil composition in the Northern Negev of Israel. *Bull. Res. Council Israel* 6D: 38-45.
- LITVAK, M. (1958). An example of plant-soil relationship at Ilanoth. [Hebrew]. *La-Yaaran* 8: 3-4.
- LITVAK, M. ✧ LITAV, M. [change of name].
- LIVESCU, L. ✧ KRIKUN, J. & al. (1982).

- LJUBARSKAJA, L. B. (1974). *Leafy mosses of the southeastern part of the Bolshoi Caucasus (Azerbaijan)*. Acad. Sci. Azerb. SSR, Baku.
- LJUBARSKAJA, L. B. (1978). New moss species for the flora of Azerbaijan. *Dokl. Akad. Nauk SSSR* 34: 57-59
- LJUBARSKAYA, L. B. ⇨ LJUBARSKAJA, L. B.
- LLIMONA, X. (1982). Lichens of the arid Mediterranean area and North Africa. *J. Hattori Bot. Lab.* 53: 345-349.
- LLOYD LIBRARY (1911-1918). *Bibliographical contributions of the Lloyd Library*. 3 vols. Cincinnati.
- LÖFFLER, H. (1959). Limnologische Beobachtungen an iranischen Binnengewässern. *Hydrobiologia* 8: 201-278.
- LOHWAG, I. ⇨ PETRAK, F. & LOHWAG, I. (1974).
- LOISEL, R. ⇨ QUÉZEL, P. & al. (1980).
- LOJACONO-POJERO, M. ⇨ MATTEI, G. E. & LOJACONO-POJERO, M. (1908).
- LOMONOSOVA, M. N., KRASNOBOROV, I. M. (1982). A new species of the genus *Elytrigia* (Poaceae) from the Tuvanian ASSR. [Russian]. *Bot. Žurn.* 67: 1138-1139.
- LONG, D. G. (1979). Some additions to the bryophyte flora of Iraq. *Rev. Bryol. Lichénol.* 45: 103-105.
- LONG, D. G. (1982). Collection and preservation of Bryophytes in Arabia. *Bull. Emirates Nat. Hist. Group Abu Dhabi* 18: 18-19.
- LONG, E. J. (1959). The Garden of Our Lord. *Amer. Forests* 65: 34-36.
- LONG, G. A. (1955). The study of natural vegetation as a basis for pasture improvement in the western desert of Egypt. *Bull. Inst. Désert Egypte* 5: 18-45.
- LONG, G. A. (1956a). *Etude phyto-écologique de la région de Hermel et Qa'a*. Rapport au Gouvernement du Liban, Rome.
- LONG, G. A. (1956b). *Phyto-ecological map of Ras El Hikma*. FAO 56/9/7130: 1-5.
- LONG, G. A. (1957). *The bioclimatology and vegetation of Eastern Jordan*. FAO/572/1109: 97 pp., map.
- LONG, G. A., AYYAD, M. A. (1956). *Phytosociological map of Ras El Hikma*. FAO 56/9/7130 (special publication).
- LONGHITANO, N. ⇨ GIACOMINI, V. & LONGHITANO, N. (1979a-b).
- LONGO, B. (1912). Ancora sul *Ficus carica*. *Ann. Bot. (Rome)* 10: 147-158.
- LORCH, J. (1958). *Rhus pentaphylla* Desf., a first record from the Eastern Mediterranean. *Bull. Res. Council Israel* 6D: 259.
- LORCH, J. (1959). A preliminary report on the pollen flora of Lake Hula, Israel. *Bull. Res. Council Israel* 7D: 85-89.
- LORCH, J. (1962). A revision of *Crypsis* Ait. s.l. (Gramineae). *Bull. Res. Council Israel* 11D: 91-116.
- LORCH, J. (1966). A Pleistocene florule from the central Jordan Valley. *Israel J. Bot.* 15: 31-34.
- LORCH, J. (1967a). A Jurassic florule from Sinai. *Israel J. Bot.* 16: 29-37.
- LORCH, J. (1967b). A Jurassic flora of Makhtesh Ramon, Israel. *Israel J. Bot.* 16: 131-155.
- LORCH, J. (1968). Some Jurassic conifers from Israel. *J. Linn. Soc., Bot.* 61: 177-188.

- LORCH, J., FAHN, A. (1959). A new species of Leguminosylon from the Mio-pliocene of Israel. *Bull. Res. Council Israel* 7D: 65-70.
- LORCH, J. ✧ CHALONER, G. & LORCH, J. (1960) — GRAMBAST, L. & LORCH, J. (1964).
- LORET, J. A. (1845). *Wanderungen im Morgenlande während der Jahre 1842-1843*. Mannheim, 348 pp.
- LORENTZ, P. G. (1867). *Über die Moose die Ehrenberg in den Jahren 1820-1826 in Egypten, der Sinai-Halbinsel und Syrien gesammelt hat*. Berlin, 57 pp.
- LORENZONI, Francesca C. ✧ COLOMBO, Paola M. & al. (1983).
- LORENZONI, G. G. (1966). Cenni sulla vegetazione delle spiagge della Tripolitania (Libia). *Giorn. Bot. Ital.* 73: 212-214.
- LORET, V. (1886, 1893, 1894). Recherches sur plusieurs plantes connues des anciens Egyptiens. *Recueil Trav. Phil. Arch. Egypt. & Assyr. Paris* 7: 101-114; 15: 105-130; 16: 1-14, 92-102.
- LORET, V., POISSON, J. (1895). Les végétaux antiques du Musée égyptien du Louvre. *Recueil Trav. Phil. Arch. Egypt. & Assyr. Paris* 17: 177-199.
- LORIA, M., NOY-MEIR, I. (1979). Dynamics of some annual populations in a desert loess plain. *Israel J. Bot.* 28: 211-225.
- LORIMER, J. G. (1977). *Gazetteer of the Persian Gulf, Oman and central Arabia*. Calcutta, 6 pts. in two volumes, 4968 pp. [reprint of the 1914 ed. 2].
- LOUIS, H. (1939). Das natürliche Pflanzenkleid Anatoliens geographisch gesehen. *Geogr. Abhandl. Reihe 3*, 12: 1-32, 4 maps and transects.
- LOUVET, P. ✧ BOUREAU, E. & al. (1983).
- LOVE, L. D. ✧ STARK, N. & al. (1969).
- LOVEL, J. (1959). A preliminary report on the pollen flora of Lake Hula, Israel. *Bull. Res. Council Israel* 7D: 85-89.
- LOVIS, J. D. ✧ DEMIRIZ, H. & al. (1981).
- LÖW, I. (1881). *Aramäische Pflanzennamen*. Leipzig, W. Engelmann, 490 pp.
- LÖW, I. (1909). Der Biblische 'ezov'. *Sitzungsber. Akad. Wiss. Wien* 161: 30 pp.
- LÖW, I. (1922). Semitische Färbereipflanzen. *Z. Semitol.* 1: 97-162.
- LÖW, I. (1924-1938). *Die Flora der Juden*. 4 vols. Vienna, R. Löwit & Kohut Foundation.
- LÖW, I. (1938). The myrtle. [Hebrew]. *Hatteva Vehaaretz* 5: 517-519.
- LOWNE, B. T. (1867). On the vegetation of the western and southern shores of the Dead Sea. *J. Linn. Soc., Bot.* 9: 201-208.
- LÜBBEN, H. (1961). Vegetationszonen (Floregürtel) und -stufen der Türkei. [Turkish]. *Ege Univ. Conf.* 1: 26-31.
- LUDWIG SALVATOR, Archduke of Austria (1873). *Yachtreise in den Syrten*. Prague, 400 pp., ill., map.
- LUNDGREEN, F. (1917, 1918). Pflanzen im Neuen Testament. *Neue Kirchl. Z.* 27: 827-842; 28: 811-830.
- LUPO, A. ✧ GERLING, D. & al. (1976).
- LUSINA, G. (1931). Le piante raccolte dal Marchese S. Patrizi-Montoro nell'interno della Cirenaica. *Ann. Bot. (Rome)* 19: 340-344.
- LÜTTGE, U. ✧ WINTER, K. & al. (1976).
- LYLE, Lilian (1926). Flora of the canal and lakes (Algae). In: FOX, H. M., Cambridge Expedition to the Suez Canal, 1924. I. General part. *Trans. Zool. Soc. London* 22: 39-41, tab. 16.

- LYLE, Lilian (1930). Algae of the Suez Canal. *J. Bot.* 68: 327-333.
- LYS, P. (1932). Le chanvre indien au Liban. *Ann. Fac. Franç. Méd. Pharm. Beyrouth* 1: 333-343.
- LYS, P. (1939). Champignons comestibles et vénéneux du Liban. *Ann. Fac. Franç. Méd. Pharm. Beyrouth*: 6.
- LYS, P., ADES, J. (1954). *Petite flore simplifiée du Liban*. Laboratoire Bot. Fac. Franc. Méd., Beyrouth.
- LYSHEDE, O. B. (1977a). Structure of the epidermal and subepidermal cells of some desert plants of Israel. *Anabasis articulata* and *Calligonum comosum*. *Israel J. Bot.* 26: 1-10.
- LYSHEDE, O. B. (1977b). Anatomical features of some stem assimilating desert plants of Israel. *Bot. Tidsskr.* 71: 225-230.
- LYUBARSKAYA, L. B. ⇨ LJUBARSKAJA, L. B.