

Zeitschrift: Boissiera : mémoires de botanique systématique
Herausgeber: Conservatoire et Jardin Botaniques de la Ville de Genève
Band: 39 (1987)

Artikel: Bibliography of Botanical Research of the Middle Eastern Region
Autor: Yudkiss, Hedda / Heller, David
Register: W
DOI: <https://doi.org/10.5169/seals-895485>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 25.01.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

W

- WAGENITZ, G. (1955). Pollenmorphologie und Systematik in der Gattung *Centaurea* L. *Flora* 142: 213-279.
- WAGENITZ, G. (1956). Die Gattung *Psammogeton* Edgew. *Ber. Deutsch. Bot. Ges.* 69: 227-238.
- WAGENITZ, G. (1956-1957). Zur Gattung *Lepyrodiclis* Fenzl. (Caryophyllaceae). *Ann. Naturhist. Mus. Wien* 61: 74-77.
- WAGENITZ, G. (1958). Die Gattung *Myoporden* Boiss. (Compositae-Cynareae). *Ber. Deutsch. Bot. Ges.* 71: 271-277.
- WAGENITZ, G. (1959). Neue und bemerkenswerte Chenopodiaceen Inneranatoliens. *Ber. Deutsch. Bot. Ges.* 72: 151-158.
- WAGENITZ, G. (1960a). *Centaurea* L. sect. *Cynaropsis*, eine neue Sektion der Gattung aus Vorderasien. *Willdenowia* 2: 469-494.
- WAGENITZ, G. (1960b). *Centaurea sieheana* spec. nov. aus dem Taurus-Gebirge. *Willdenowia* 2: 240-416.
- WAGENITZ, G. (1960c). Joseph Bornmüller, 1826-1948. *Willdenowia* 2: 343-360.
- WAGENITZ, G. (1960d). Über einige Arten der Gattung *Centaurea* aus der Türkei. *Willdenowia* 2: 456-468.
- WAGENITZ, G. (1960e). Pflanzen von der Orientreise Tourneforts im Herbar Willdenow in Berlin. *Willdenowia* 3: 109-136.
- WAGENITZ, G. (1962). Zur Kenntnis der Flora und Vegetation Anatoliens (Ergebnisse einer Reise im Herbst 1957). *Willdenowia* 3: 221-288.
- WAGENITZ, G. (1965). Zur Systematik und Nomenklatur einiger Arten von *Filago* L. emend. Gaertn. subgen. *Filago* ('*Filago germanica*'-Gruppe). *Willdenowia* 4: 37-59.
- WAGENITZ, G. (1968a). *Filago desertorum* Pomel und *F. hurdwarica* (DC.) Wagenitz, zwei verkannte Arten der *Filago germanica*-Gruppe aus Nordafrika, Vorder- und Zentralasien. *Willdenowia* 4: 283-298.
- WAGENITZ, G. (1968b). Weitere Beiträge zur Kenntnis der Gattung *Filago* (Compositae-Inuleae). *Willdenowia* 5: 55-66. ill.
- WAGENITZ, G. (1969). Abgrenzung und Gliederung der Gattung *Filago* L. s.l. (Compositae-Inuleae). *Willdenowia* 6: 395-435.
- WAGENITZ, G. (1970a). A key to the species of *Filago* L. s.l. (Compositae) in Palestine with notes on the distribution. *Israel J. Bot.* 19: 260-265.
- WAGENITZ, G. (1970b). Die Gattung *Filago* L. s.l. (Compositae-Inuleae) in der Ägäis. *Willdenowia* 6: 115-138.
- WAGENITZ, G. (1970c). Über die Verbreitung einiger *Filago*-Arten. *Repert. Spec. Nov. Regni Veg.* 81: 107-117.
- WAGENITZ, G. (1970d). Beiträge zur Kenntnis der Gattung *Centaurea* L. I. Zur Taxonomie der türkischen Arten der Sektionen *Acrolophus* und *Acrocentron*. *Willdenowia* 6: 479-507.
- WAGENITZ, G. (1971a). *Centaurea pseudocadmea* eine neue Art der Sektion *Phalolepis* aus Griechenland. *Ann. Naturhist. Mus. Wien* 75: 243-247.

- WAGENITZ, G. (1971b). Zur taxonomischen Stellung und Nomenklatur von *Micropus longifolius* (Compositae-Inuleae). *Österr. Bot. Z.* 119: 339-403.
- WAGENITZ, G. (1983). Rechinger, K. H. (ed.), Flora Iranica. Flora des iranischen Hochlandes und der umrahmenden Gebirge. Persien, Afghanistan, Teile von West-Akademische Druck- und Verlagsanstalt, Graz, 1982. Lfg. 151-156. *Bot. Jahrb. Syst.* 104: 291-292.
- WAGENITZ, G., DITTRICH, M., DAMBOLDT, J. (1982). *Centaurothamnus*, a new genus of the Compositae-Cardueae from Arabia. [German; French and English abstracts]. *Candollea* 37: 101-115.
- WAGENITZ, G., ESFANDIARI, E. (1983). Zwei neue Arten der Gattung *Centaurea* (Compositae) aus dem Iran. *Willdenowia* 13: 137-140.
- WAGNER, J. (1935). Beiträge zur Flora von Griechenland. *Repert. Spec. Nov. Regni Veg.* 38: 281-288.
- WAGNER, R. (1909). Zur Morphologie der *Buchingera axillaris* Boiss. & Hohenack. *Österr. Bot. Z.* 59: 378-384.
- WAHL, I. (1957). Saia, a new east variety in Israel. [Hebrew]. *Hassadeh* 38: 28-30.
- WAHL, I. (1960). The effect of *Rhamnus palestina* on the origin and persistence of oat crown rust races. *Phytopathology* 50: 562-567.
- WAHL, I. (1950). Boletus mushrooms in Herzl Forest. [Hebrew]. *Haya'ar* 2: 7-10.
- WAHL, I. & ANIKSTER, Y. & WAHL, I. (1979) — ANIKSTER, Y. & al. (1971, 1972) — GERICHTER-AMITAI, Z. K. & al. (1971).
- WAINES, J. G., JOHNSON, B. L. (1972). Genetic differences between *Aegilops longissima*, *A. sharonensis* and *A. bicornis*. *Canad. J. Genet. Cytol.* 14: 411-416.
- WASEL, Y. (1957). Germination behaviour of some halophytes. *Bull. Res. Council Israel* 6D: 187-189.
- WASEL, Y. (1958). Dew absorption by plants of arid zones. *Bull. Res. Council Israel* 6D: 180-186.
- WASEL, Y. (1959a). Ecotypic variation in *Nigella arvensis* L. *Evolution* 13: 469-475.
- WASEL, Y. (1959b). Endurance of a drought period beyond the wilting point. *Bull. Res. Council Israel* 7D: 44-46.
- WASEL, Y. (1960a). Ecological studies on *Tamarix aphylla* (L.) Karst. I. Distribution and reproduction. *Phyton (Horn)* 15: 7-17.
- WASEL, Y. (1960b). Ecological studies on *Tamarix aphylla* (L.) Karst. II. The Water economy. *Phyton (Horn)* 15: 17-27.
- WASEL, Y. (1961). Ecological studies on *Tamarix aphylla* (L.) Karst. III. The salt economy. *Pl. & Soil* 13: 356-364.
- WASEL, Y. (1962a). Ecotypic differentiation in the flora of Israel. II. Chromosome counts in some ecotype pairs. *Bull. Res. Council Israel* 11D: 174-176.
- WASEL, Y. (1962b). Ecotypic differentiation in the flora of Israel. IV. Seedling behaviour of some ecotype pairs. *Phyton (Horn)* 18: 151-156.
- WASEL, Y. (1962). Presowing treatments and their relation to growth and to drought, frost and heat resistance. *Physiol. Pl.* 15: 43-46.
- WASEL, Y. (1963). Ecotypic differentiation in the flora of Israel. III. Anatomical studies of some pairs. *Bull. Res. Council Israel* 11D: 183-190.
- WASEL, Y. (1966). Phanerogams from Lake Kinnereth. [Hebrew]. *Mekoroth Alon Techni* 2: 32-34.

- WASEL, Y. (1967). A contribution to the knowledge of the phanerogamous vegetation of Lake Tiberias. *Bull. Sea Fish. Res. Station Israel* 44: 3-16.
- WASEL, Y. (1968). Salt secretion in *Aeluropus littoralis* (Wild.) Parl. *Israel J. Bot.* 17:126.
- WASEL, Y. (1971). Patterns of distribution of some xerophytic species in the Negev, Israel. *Israel J. Bot.* 20: 101-110.
- WASEL, Y. (1972). *Biology of halophytes*. New York, Academic Press, xiii, 395 pp.
- WASEL, Y. (1974). Ecology: concepts and processes. [Hebrew]. Tel-Aviv University, Dept. of Botany, 170 pp.
- WASEL, Y., ARZEE, Tova, LIPHSCHITZ, Nili (1970). Periderm development and phellogen activity in the shoots of *Acacia radiana* Savì. *New Phytol.* 69: 395-401.
- WASEL, Y., ESHEL, A. (1971). Localization of ions in the mesophyll cells of the succulent halophyte *Suaeda monoica* Forssk. by X-ray microanalysis. *Experientia (Basel)* 27: 230-232.
- WASEL, Y., FAHN, A. (1965a). Cambial activity in woody plants. *Israel J. Bot.* 14: 52.
- WASEL, Y., FAHN, A. (1965b). The effects of environment on wood formation and cambial activity in *Robinia pseudacacia* L. *New Phytol.* 64: 436-442.
- WASEL, Y., FAHN, A. (1965c). A radiological method for the determination of cambial activity. *Physiol. Pl.* 18: 44-46.
- WASEL, Y., FRIEDMAN, J. (1960). Germination and seedling survival of *Quercus calliprinus* Webb. [Hebrew]. *La-Yaaran* 9: 10-13.
- WASEL, Y., FRIEDMAN, J. (1965). The selection of suitable *Tamarix* trees for plantation on expose coasts in Israel. *La-Yaaran* 15: 34-36.
- WASEL, Y., LIPHSCHITZ, Nili (1968). Dendrochronological studies in Israel. II. *Juniperus phoenicea* of North and Central Sinai. [Hebrew]. *La-Yaaran* 18: 21-22.
- WASEL, Y., LIPHSCHITZ, Nili (1970a). Effects of environment on relations between extension and cambial growth of *Populus euphratica* Oliv. *New Phytol.* 69: 1059-1064.
- WASEL, Y., LIPHSCHITZ, Nili (1970b). Environmental effects on wood production and cambial activity in *Ziziphus spina christi* (L.) Willd. *Israel J. Bot.* 19: 592-598.
- WASEL, Y., LIPHSCHITZ, Nili (1970c). Phellogen initiation in the stems of *Eucalyptus camaldulensis* Dhn. *Austral. J. Bot.* 18: 185-189.
- WASEL, Y., LIPHSCHITZ, Nili (1972). *Water plants of Israel*. [Hebrew]. Tel-Aviv, Nature Reserve Authority, 81 pp.
- WASEL, Y., LIPHSCHITZ, Nili (1974). Existence of salt glands in various genera of the Gramineae. *Phytologia* 73: 50-513.
- WASEL, Y., LIPHSCHITZ, Nili (1976). Dendroarcheological investigations in Israel II. South Sinai, St. Catherine Monastery. *Israel Explor. J.* 26: 39-44.
- WASEL, Y., LIPHSCHITZ, Nili (1978). Structure and function of salt glands in two subfamilies (Panicoideae and Chloridoideae) of the Gramineae. *Int. Ecol. Congr., 2. Jerusalem*.
- WASEL, Y., LIPHSCHITZ, Nili, ARZEE, Tova (1967). Phellogen activity in *Robinia pseudacacia* L. *New Phytol.* 66: 331-335.
- WASEL, Y., LIPHSCHITZ, Nili, FAHN, A. (1970). Cambial activity in *Zygophyllum* Boiss. *Ann. Bot. (London)* 34: 409-414.
- WASEL, Y., LIPHSCHITZ, Nili, KULLER, Z. (1972). Patterns of water movement in trees and shrubs. *Ecology* 53: 520-523.

- WASEL, Y., LITAV, M., AGAMI, M. (1975). *Coastal plants of Israel*. [Hebrew]. Tel-Aviv University, Dept. of Botany, 94 pp.
- WASEL, Y., NOAH, Ilana, FAHN, A. (1966a). Cambial activity in *Eucalyptus camaldulensis* Dehn. I. The relation to extension growth in young saplings. [Hebrew]. *La-Yaaran* 16: 59-72.
- WASEL, Y., NOAH, Ilana, FAHN, A. (1966b). Cambial activity in *Eucalyptus camaldulensis* Dehn. II. The production of phloem and xylem elements. *New Phytol.* 65: 319-324.
- WASEL, Y., ORSHAN, G., ZOHARY, M., KAPLAN, Y. (1961). Effect of sand mulch on sprouting and establishment of *Tamarix aphylla* cuttings and *Eucalyptus gomphocephala* seedlings. *Bull. Res. Council Israel* 9D: 149-154.
- WASEL, Y., OVADIA, S. (1972). Biological flora of Israel. 3. *Suaeda monoica* Forssk. ex. J. F. Gmel. *Israel J. Bot.* 21: 42-52.
- WASEL, Y., POLLAK, G. (1969). Estimation of water stresses in the active root zone of some native halophytes in Israel. *J. Ecol.* 57: 789-794.
- WASEL, Y., POLLAK, G., COHEN, Y. (1978). *The ecology of vegetation in Israel*. [Hebrew]. Ramat Aviv, Division of Ecology, Tel Aviv Univ.
- WASEL, Y., RECHAV, Y. (1973). Ecotypic differentiation in *Phragmites communis*. *Hydrobiologia* 12: 259-266.
- WASEL, Y., SHAPIRA, Zvia (1971). Functions performed by roots of some submerged hydrophytes. *Israel J. Bot.* 20: 69-77.
- WASEL, Y., SHAPIRA, Zvia (1973). Root activity in submerged water plants. [Hebrew]. *Teva Vaaretz* 16: 221-224.
- WASEL, Y. ✧ AGAMI, M. & al. (1976) — BEER, S. & al. (1975) — FAHN, A. & al. (1968) — FRIEDMAN, J. & WASEL, Y. (1963, 1964, 1966) — FRIEDMAN, J. & al. (1965) — LIPSCHITZ, Nili (1967, 1970, 1972, 1973, 1974, 1979, 1981) — OTTERMAN, J. & WASEL, Y. (1975) — POLLAK, G. & WASEL, Y. (1971) — SHOMER-ILAN, A. & WASEL, Y. (1975, 1976, 1979, 1981) — TADMOR, N. H. & WASEL, Y. (1967) — ZOHAR, Y. & al. (1975) — ZOHARY, M. & al. (1958).
- WALKER, C. C. (1978). The true *Caralluma* (*Caralluma* R. Brown section *Caralluma*). *Asclepiadaceae* 12: 13-18.
- WALKER, C. C. (1980). A stick *Ceropegia* from the Yemen — *C. rupicola* Deflers. *Asclepiadaceae* 19: 18-21.
- WALLES, B. (1983). Fahn, A., Plant anatomy (3rd ed.), 1982. *Nordic J. Bot.* 3: 492.
- WALSINGHAM, F. G. ✧ BROWN, T. W. & WALSINGHAM, F. G. (1917).
- WALLACE, A. ✧ EL-GHONEMY, A. A. & al. (1977).
- WALTER, H. (1947). *Die Vegetation Osteuropas*. Berlin, P. Parey, 180 pp.
- WALTER, H. (1954). *Grundlagen der Pflanzenverbreitung*. Einführung in die Phytologie, 3: 2. Arealkunde. Stuttgart, E. Ulmer, 245 pp.
- WALTER, H. (1955). Die Klimadiagramme als Mittel zur Beurteilung der Klimaverhältnisse für ökologische, vegetationskundliche und landwirtschaftliche Zwecke. *Ber. Deutsch. Bot. Ges.* 68: 331-344.
- WALTER, H. (1956a). Das Problem der zentralanatolischen Steppe. *Naturwissenschaften* 43: 97-102.
- WALTER, H. (1956b). Vegetationsgliederung Anatoliens. *Flora* 143: 295-326.
- WALTER, H. (1971). *Ecology of tropical and subtropical vegetation*. Edinburgh, Oliver & Boyd, xviii, 559 pp., ill., maps.

- WALTER, H. (1974). *Die Vegetation Osteuropas, Nord- und Zentralasiens. (Vegetationsmonographien der einzelnen Grossräume, VII)*. Stuttgart, Fischer, 452 pp.
- WALTER, H., LIETH, H. (1960). *Klimadiagramm-Weltatlas*. Jena, G. Fischer.
- WALTER, H., STRAKA, H. (1970). *Arealkunde*. Stuttgart, E. Ulmer, 478 pp.
- WALTHER, K. (1967). Beiträge zur Moosflora Westanatoliens: I. *Mitt. Staatsinst. Allg. Bot. Hamburg* 12: 129-186.
- WALTHER, K. (1970). Beiträge zur Moosflora Westanatoliens: II. *Mitt. St. Staatsinst. Allg. Bot. Hamburg* 13: 167-180.
- WALTHER, K. (1975a). Beiträge zur Flora Nordostanatoliens. *Beitr. Naturk. Forsch. Südwestdeutschl.* 34: 411-427.
- WALTHER, K. (1975b). Zur moosvegetation der Liquidambar-Walter Sud-Anatoliens. *Phytocoenologia* 2: 13-18.
- WALTHER, K. (1979). Die epiphytischen Moosgesellschaften des Nif Dag bei Izmir, Westanatolien. *Doc. Phytosociol., N.S.*, 4: 943-950.
- WALTHER, K., LEBLEBICI, E. (1969). Die Moosvegetation des Karagöl-Gebietes im Yamanlar Dag nördlich Izmir. *Ege Univ. Fen. Fak. Monogr.* 10: 1-48.
- WALTON, K. & GIMINGHAM, C. H. & WALTON, K. (1954).
- WANSCHER, J. H. (1962). On the flora and vegetation of Anatolia. *Willdenowia* 3: 221-288.
- WARBURG, O. (1910). Über die Kulturpflanzen Palästinas. *Welt* 14: 1023-1027.
- WARBURG, O. (1929). Heimat und Geschichte der Lilie (*Lilium candidum*). *Repert. Spec. Nov. Regni Veg., Beih.* 56: 167-204.
- WARBURG, O., EIG, A. (1926). *Pisum fulvum* Sibth. & Smith n. var. *amphicarpum*. *Agric. Recs. Tel-Aviv* 1: 1-6.
- WARBURG, O., EIG, A. (1928). Zwei neue Leguminosen aus der Ebene Esdraëlon in Palästina. *Repert. Spec. Nov. Regni Veg.* 25: 350-352.
- WARBURG, O., EIG, A. (1929). *Callitriche naftolskyi* spec. nov. *Repert. Spec. Nov. Regni Veg.* 26: 437-439.
- WARBURG, O. & EIG, A. & WARBURG, O. (1928).
- WARD, F. K. (1918). A Mesopotamian calendar. *Gard. Chron.* 63: 252-253.
- WARD, F. K. (1919). Flowers of the desert. *Gard. Chron.* 65: 133-134.
- WASHBOURN, R., JONES, R. F. (1937). Percy Sladen Expedition to Lake Huleh, Palestine. *Proc. Linn. Soc. London* 149: 97-99.
- WASHBOURN, R. & JONES, R. F. & WASHBOURN, R. (1940).
- WASHBURN, E. & SHIBER, J. G. & WASHBURN, E. (1978).
- WASYLIK, K. (1975). Notes on fresh water algae of Iran. [Polish]. *Fragm. Florist. Geobot.* 21: 369-397.
- WATLING, R., SWEENEY, Janis (1974). Larger fungi from Iran. *Notes Roy. Bot. Gard. Edinburgh* 33: 333-339.
- WATSON, J. F. L. S. (1983). A new species of the conifer *Frenelopsis* from the Cretaceous of Sudan. *Bot. J. Linn. Soc.* 86: 161-167.
- WATSON, Joan, ALVIN, K. L. (1976). Silicone rubber casts of silicified plants from the Cretaceous of Sudan. *Palaeontology* 19: 641-650.

- WATT, G. (1891). *Report of the botanical collections made in South-West Persia by Major H. A. Sawyer*. Report of a reconnaissance in the Bakhtiary country, S. W. Persia. Appendix A. Simla.
- WEAVER, R. J. (1960). Grape growing in Greece. *Econ. Bot.* 14: 207-224.
- WEBB, D. A. (1966). The flora of European Turkey. *Proc. Roy. Irish Acad. (B)* 65: 1-100.
- WEBB, P. B. (1854). *Fragmenta florulae Aethiopico-aegyptiacae ex plantis praecipue ab Antonio Figari Musaeo J. R. Florentino missis*. Paris, V. Masson, 72 pp.
- WEBER, W. A. (1965). Iranian plants collected by Per Wendelbo in 1959. VIII. Lichens. *Arbok Univ. Bergen Mat.-Naturvitensk. Ser.* 14: 8 pp.
- WEINERT, E., AL-HILLI, M. (1975). The vegetation of Jabal Sanam, South Iraq. *Bull. Coll. Sci. Baghdad* 16: 3-28.
- WEINSTEIN, A., KARSCHON, R. (1981). Notes on the weed flora of Bedouin gardens in north-eastern Sinai. *Spec. Publ. Agric. Res. Organ., Bet Dagan, Israel* 191.
- WEINSTEIN, A., SCHILLER, G. (1979). Afforestation and tree planting in Sinai. II. North-Western Sinai. *La-Yaaran* 29: 13-16.
- WEINSTEIN, A. ♦ DANIN, A. & al. (1982) — KARSCHON, R. & WEINSTEIN, A. (1977, 1978).
- WEISS, Eva (1966, 1968, 1969). References on forestry and forestry products. *The National and University Institute of Agriculture, Bull.* 30, 35 and 37.
- WEISS, Eva (1972). References on forestry and forest products 1971. *Leaflet. Div. For. Agric. Res. Org. Ilanot*: 43.
- WEISS, E. H. ♦ SCHIECHTL, H. M. & al. (1965).
- WEISS, M. E. (1869). Beiträge zur Flora von Griechenland und Creta. *Verh. Zool.-Bot. Ges. Wien* 19: 37-54, 741-758.
- WEISSMANN-KOLLMANN, Fania (1965). A taxonomic study in *Dianthus* of Palestine and of the neighbouring countries. *Israel J. Bot.* 14: 141-148.
- WEISSMANN-KOLLMANN, Fania ♦ KOLLMANN, Fania
- WEITZ, J. (1936). Le pin d'Alep en Palestine. *Bull. Silva Mediterr.* 10: 110-141.
- WEITZ, J. (1970). Eucalyptus in Israel. [Hebrew]. *La-Yaaran* 18: 81-94.
- WEITZ, Shulamith, FEINBRUN, Naomi (1972). Cytology and systematics of *Narcissus tazetta* L. in Israel. *Israel J. Bot.* 21: 9-20.
- WEITZ, Shulamith, HEYN, Chaia C. (1981). Intra-specific differentiation within the cosmopolitan moss species *Funaria hygrometrica* Hedw. *Bryologist* 84: 315-334.
- WEITZ, Shulamith ♦ WEITZ-INGBER, Shulamith (1983).
- WEITZ-INGBER, Shulamith (1983). Documentation of intraspecific plant character diversity. *Israel J. Bot.* 32: 67-74.
- WEITZ-INGBER, Shulamith ♦ WEITZ, Shulamith
- WELTZIEN, E. (1982). Barley collection and evaluation in Syria and Jordan. *Pl. Genet. Res. Newsl. IBPGR* 52: 5-6.
- WENDELBO, P. (1951). Kornugras fra Afghanistan. *Blyttia* 9: 120-122.
- WENDELBO, P. (1952). Plants from Tirich Mir. A contribution to the flora of Hindukush. *Nytt Mag. Bot.* 1: 1-70.
- WENDELBO, P. (1957). A study in the *Primula rosea* aggregate. *Aarbok Univ. Bergen, Mat.-Naturvitensk. Rekke* 1: 27 pp.

- WENDELBO, P. (1959). Two new species of *Dionysia* from Afghanistan. *Bot. Not.* 112: 495-501.
- WENDELBO, P. (1960a). *Daphne rechingeri*, a new species from Caspian forests. *Nytt Mag. Bot.* 8: 207-209.
- WENDELBO, P. (1960b). Fra en botanisk reise i Persia. *Naturen* 84: 245-253.
- WENDELBO, P. (1961a). Studies in Primulaceae. I. A monograph of the genus *Dionysia*. *Aarbok Univ. Bergen, Mat.-Naturvitensk. Ser.* 3: 89 pp.
- WENDELBO, P. (1961b). Studies in Primulaceae. II. An account of *Primula* subgenus *Sphondylia* (Sun. Sect. *Floribundae*) with a review of the subdivision of the genus. *Aarbok Univ. Bergen, Mat.-Naturvitensk. Ser.* 11: 1-49.
- WENDELBO, P. (1961c). Studies in Primulaceae. III. *Arbok Univ. Bergen Mat.-Naturvitensk. Ser.* 19: 1-31.
- WENDELBO, P. (1962a). Iranian plants collected by Per Wendelbo in 1959. V. (With contributions by P. Aellen, H. Schiman-Czeika, H. Horn af Rantzien, A. Huber-Morath, P. Raven, H. Riedl, G. Eagenitz). *Aarbok Univ. Bergen, Mat.-Naturvitensk. Ser.* 1: 56 pp.
- WENDELBO, P. (1962b). Studies in oriental Liliiflorae. I-II. *Nytt Mag. Bot.* 9: 211-214.
- WENDELBO, P. (1963). Studies in oriental Liliiflorae. III-IV. *Nytt Mag. Bot.* 10: 1-84.
- WENDELBO, P. (1964a). *Erodium dimorphum* sp. nov., an alpine species from northern Iran. *Bot. Not.* 117: 18-32.
- WENDELBO, P. (1964b). Liliaceae, Amaryllidaceae and Iridaceae. In: RECHINGER, K. H., *Flora of Lowland Iraq*: 143-164.
- WENDELBO, P. (1964c). On the genus *Eremurus* (Liliaceae) in south-west Asia. *Aarbok Univ. Bergen, Mat.-Naturvitensk. Ser.* 5: 45 pp.
- WENDELBO, P. (1964d). Studies in Primulaceae IV. The genus *Dionysia* in Afghanistan with descriptions of 6 new species. *Aarbok Univ. Bergen, Mat.-Naturvitensk. Ser.* 19: 1-28.
- WENDELBO, P. (1964e). Two new species of *Scrophularia* from East Afghanistan. *Bot. Not.* 117: 366-370.
- WENDELBO, P. (1965). The genus *Pedicularis* in Afghanistan with notes on the floral morphology of *P. bicornuta*. (Studies in the flora of Afghanistan II). *Nytt Mag. Bot.* 12: 123-134.
- WENDELBO, P. (1966a). Further notes on *Eremurus* in Afghanistan. (Studies in the flora of Afghanistan V). *Acta Horti Gothob.* 28: 57-63.
- WENDELBO, P. (1966b). A new species of *Corydalis* sect. *Oocapnos* from Afghanistan. *Bot. Not.* 119: 243-248.
- WENDELBO, P. (1966c). New taxa and synonyms in *Allium* and *Nectaroscordum* of SW Asia. *Acta Horti Gothob.* 28: 15-55.
- WENDELBO, P. (1966d). Trekk av Afghanistans plantegeografi. *Göteborgska Vetensk. Samhällets Handl.* 5: 1-20.
- WENDELBO, P. (1967a). The genus *Allium*. A Lily group discussion opened by Dr. P. Wendelbo. *Lily Year Book*: 1-15.
- WENDELBO, P. (1967b). A new *Dionysia* (Primulaceae) from the Bakhtiari mountains of Iran. *Bot. Not.* 120: 144-148.
- WENDELBO, P. (1967c). New species of *Allium* from W. Pakistan. *Nytt Mag. Bot.* 14: 101-104.
- WENDELBO, P. (1967d). New species of *Bellevalia*, *Ornithogalum* and *Tulipa* from Iran. *Nytt Mag. Bot.* 14: 96-100.

- WENDELBO, P. (1968). Some new species of *Allium* from Afghanistan (Studies in the Flora of Afghanistan IX). *Bot. Not.* 121: 269-277.
- WENDELBO, P. (1969a). *Eremurus* of south-west Asia: II. Naming of oriental *Eremurus* species. *Lily Year Book* 32: 64-69.
- WENDELBO, P. (1969b). New subgenera, sections and species of *Allium*. *Bot. Not.* 122: 25-37.
- WENDELBO, P. (1969c). Two new species of *Iris* from Afghanistan. (Studies in the Flora of Afghanistan X). *Bot. Not.* 122: 204-206.
- WENDELBO, P. (1970). New and noteworthy species of Primulaceae from the 'Flora Iranica'-Area. *Bot. Not.* 123: 300-309.
- WENDELBO, P. (1971). On xeromorphic adaptations in the genus *Dionysia* (Primulaceae). *Ann. Naturhist. Mus. Wien* 75: 249-254.
- WENDELBO, P. (1973). Contributions to the flora of Iraq. 12. New species and new combinations in the Liliaceae. *Kew Bull.* 28: 29-35.
- WENDELBO, P. (1974). *Tulipa kurdica* sp. nov. from Iraq. *Bot. Not.* 127: 276-277.
- WENDELBO, P. (1976a). An annotated check-list of the ferns of Iran. *Iranian J. Bot.* 1: 11-17.
- WENDELBO, P. (1976b). Another new *Dionysia* (Primulaceae) from the Bakhtiari Mts. of Iran. *Iranian J. Bot.* 1: 71-73.
- WENDELBO, P. (1976c). *Corydalis firouzii* sp. nov. (Fumariaceae) in N. Iran. *Iranian J. Bot.* 1: 61-63.
- WENDELBO, P. (1977a). *Pedicularis rechingeri* (Scrophulariaceae). *Iranian J. Bot.* 1: 113-115.
- WENDELBO, P. (1977b). *Tulips and Irises of Iran and their relatives*. Teheran, Arianmehr Botanical Garden, 83 pp., pl.
- WENDELBO, P. (1980a). New species of *Dionysia*, *Kickxia* and *Onobrychis* from Iran. *Notes Roy. Bot. Gard. Edinburgh* 38: 105-110.
- WENDELBO, P. (1980b). Notes on *Hyacinthus* and *Bellevalia* (Liliaceae) in Turkey and Iran. *Notes Roy. Bot. Gard. Edinburgh* 38: 423-434.
- WENDELBO, P., FURSE, P. (1969). *Eremurus* of south-west Asia (how they grow and how to name them). *Lily Year Book* 32: 56-63.
- WENDELBO, P., HEDGE, I. C. (1964). Studies in the flora of Afghanistan. 1. *Arbok Univ. Bergen Mat.-Naturvitensk. Ser.* 18: 1-56.
- WENDELBO, P. & ASSADI, M. & WENDELBO, P. (1977) — BENTZER, B. & al. (1972) — FREITAG, H. & WENDELBO, P. (1970) — HEDGE, I. C. & WENDELBO, P. (1963, 1964, 1969, 1970, 1972, 1978) — IRANSHAHR, M. & WENDELBO, P. (1976) — PEDERSEN, K. & WENDELBO, P. (1966) — PERSSON, K. & WENDELBO, P. (1979a-d, 1982) — RECHINGER, K. H. & WENDELBO, P. (1967, 1976).
- WENZEL, H. (1937). Forschungen in Inneranatolien II. Die Steppe als Lebensraum. *Schr. Geogr. Inst. Kiel* 7: 1-144.
- WENZIG, T. (1886). Die Eichen Europas, Nordafrikas und des Orients. *Jahrb. Königl. Bot. Gart. Berlin* 4: 182-183.
- WERKER, Ella, DAFNI, A., NEGBI, M. (1973). Variability in *Prosopis farcata* in Israel: anatomical features of the seed. *Bot. J. Linn. Soc.* 66: 225-232.
- WERKER, Ella, FAHN, A. (1967). Vegetative shoot apex and the development of leaves in articulated Chenopodiaceae. *Phytomorphology* 16: 393-401.
- WERKER, Ella, FAHN, A. (1968). Site of resin synthesis in cells of *Pinus halepensis* Mill. *Nature* 218: 388-389.

- WERKER, Ella, FAHN, A. (1969). Resin ducts of *Pinus halepensis* Mill. their structure, development and pattern of arrangement. *Bot. J. Linn. Soc.* 62: 379-411.
- WERKER, Ella, FAHN, A. (1975). Seed anatomy of *Pancratium* species from three different habitats. *Bot. Gaz.* 136: 396-403.
- WERKER, Ella, FAHN, A. (1981). Secretory hairs of *Inula viscola* (L.) Ait. — development, ultra-structure, and secretion. *Bot. Gaz.* 142: 461-476.
- WERKER, Ella, MANY, Tally (1974). Heterocarpy and its ontogeny in *Aellenia autrani* (Post) Zoh. light- and electron-microscope study. *Israel J. Bot.* 23: 134-144.
- WERKER, Ella & DAFNI, A. & WERKER, Ella (1982) — FAHN, A. & WERKER, Ella (1972) — GRUNDWAG, M. & WERKER, Ella (1976) — NEVO, A. & al. (1974).
- WERNER, R. G. (1954). Notes de lichénologie libano-syrienne. I. *Bull. Soc. Bot. France* 102: 350-356.
- WERNER, R. G. (1955). Notes de lichénologie libano-syrienne. II. *Bull. Soc. Bot. France* 102: 350-356.
- WERNER, R. G. (1956). Notes de lichénologie libano-syrienne. III. *Bull. Soc. Bot. France* 103: 461-467.
- WERNER, R. G. (1957). Notes de lichénologie libano-syrienne. IV. *Bull. Soc. Bot. France* 104: 321-327.
- WERNER, R. G. (1958). Notes de lichénologie libano-syrienne. V. *Bull. Soc. Bot. France* 105: 238-245.
- WERNER, R. G. (1959). Notes de lichénologie libano-syrienne. VI. *Bull. Soc. Bot. France* 106: 332-337.
- WERNER, R. G. (1963). Notes de lichénologie libano-syrienne. VII. *Bull. Soc. Bot. France* 110: 311-315.
- WERTH, E. (1930). Die ältesten Kulturpflanzen und Haustiere Vorderasiens. *Sber. Ges. Naturf. Freunde Berlin*: 263-273.
- WERTH, E. (1932). Die wilde Feige im östlichen Mittelmeergebiet und die Herkunft der Feigenkultur. *Ber. Deutsch. Bot. Ges.* 50: 539-557.
- WERTHEIM, G. (1955). New observations on gall profucing aphids on *Pistacia atlantica* in Israel. *Bull. Res. Council Israel* 4: 392-394.
- WEST, W. A. (1967). *Iris antilibanotica*. *Aril Yearb.*: 64-66.
- WETTSTEIN, R. VON (1885a). Die botanischen Ergebnisse der Polak'schen Expedition nach Persien im Jahre 1882. *Sitzungsber. Akad. Wiss. Wien Math.-Naturwiss. Kl.*, Abt. ii, 1-4.
- WETTSTEIN, R. VON (1885b). Die botanische Expedition des Dr. O. Stapf nach Persien. *Österr. Bot. Z.* 35: 281-283.
- WETTSTEIN, R. VON (1889a). Die *Astragalus*-Arten aus der Sektion *Melanocercis*. *Verh. Zool.-Bot. Ges. Wien Sitzungsber.* 39: 35.
- WETTSTEIN, R. VON (1889b). Beiträge zur Flora des Orients. Bearbeitung der von A. Helder 1885 in Pisidien und Pamphylien gesammelten Pflanzen. *Sitzungsber. Akad. Wiss. Wien Math.-Naturwiss. Kl.* Abt. 1, 98: 348-398.
- WETTSTEIN, R. VON (1889c). Die Gattungen *Erysimum* und *Cheiranthus*. Ein Beitrag zur Systematik der Cruciferen. *Österr. Bot. Z.* 39: 243-247, 281-284.
- WETTSTEIN, R. VON (1906). Sokotra. In: KARSTEN, G. & SCHENCK, H. *Vegetationsbilder* 3(5): 25-30.

- WETTSTEIN, R. VON (1918). Botanische Reiseeindrücke auf einer Fahrt nach Konstantinopel. *Verh. Zool.-Bot. Ges. Wien* 68: 241-242.
- WETTSTEIN, R. VON (1919). Nachtrag zu der Notiz über die Auffindung von *Rhododendron ponticum* L. von der Balkanhalbinsel. *Österr. Bot. Z.* 68: 98.
- WETZSTEIN, J. G. (1884). Vorkommen von Trüffeln in Syrien. *Sber. Bot. Ver. Brandenburg* 22: 126.
- WEYMOUTH, Carolyn, CHAUDHARY, S. A. (1974). Karyotypes of *Iris* subgenus *Susiana* species in Lebanon and Syria. *Bot. Not.* 127: 514-521.
- WEYMOUTH, Carolyn & CHAUDHARY, S. A. & al. (1976).
- WHEELER, G. (1682). *A journey into Greece by George Wheeler Esqu. in company of Dr. Spon of Lyons*. London, W. Cademan, 7, 1, 483 pp.
- WHITE, G. F. (ed.) (1956). *The future of arid lands. Papers and recommendations from the International Arid Lands Meetings*. Washington, American Association for the Advancement of Science, ix, 453 pp.
- WHITE, L. P. (1969). Vegetation arcs in Jordan. *J. Ecol.* 57: 461-464.
- WHITEMAN, P. C., KOLLER, D. (1964). Saturation deficit of the mesophyll evaporating surfaces in a desert halophyte. *Sci.* 146: 1320-1321.
- WHITEMAN, P. C., KOLLER, D. (1965). Environmental control of photosynthesis and transpiration in *Pinus halepensis*. *Israel J. Bot.* 13: 166-176.
- WHITTAKER, R. H. & NAVEH, Z. (1979a-b) — NOY-MEIR, I. & WHITTAKER, R. H. (1977) SHMIDA, A. & WHITTAKER, R. H. (1979).
- WHYTE, R. O. (1950). The phytogeographical zones of Palestine. *Geogr. Rev.* 40: 600-614.
- WHYTE, R. O. (1959). International approach to plant exploration and introduction. *Euphytica* 8: 196-208.
- WHYTE, R. O. (1971). The archaeology, history and taxonomic geography of the Gramineae. *Pl. Introd. Newslett. FAO* 24: 32-36.
- WICKENS, G. E. (1969a). J. D. Pfund, a botanist in the Sudan with the Egyptian Military Expeditions, 1875-1876. *Kew Bull.* 24: 191-216.
- WICKENS, G. E. (1969b). A revision of *Symphytum* in Turkey and adjacent areas. *Notes Roy. Bot. Gard. Edinburgh* 29: 157-180.
- WICKENS, G. E. (1969c). A study of *Acacia albida* Del. (Mimosoideae). *Kew Bull.* 23: 181-202.
- WICKENS, G. E. (1969d). Some additions and corrections to F. W. Andrew's Flowering Plants of the Sudan. *Forests Bull. Sudan (N.S.)* 14: 1-49.
- WICKENS, G. E. (1972). Dr. G. Schweinfurth's journeys in the Sahara. *Kew Bull.* 27: 129-146.
- WICKENS, G. E. (1975a). Changes in the climate and vegetation of the Sudan since 20.000 B.P. *Boissiera* 24: 43-65.
- WICKENS, G. E. (1975b). Quarternary plant fossil from the Jebel Marra volcanic complex and their paleoclimatic intervention. *Paleogeogr. Paleoclimatol. Paleoecol.* 17: 109-122.
- WICKENS, G. E. (1975c). A revision of the *Kickxia aegyptiaca* complex (Scrophulariaceae). *Kew Bull.* 30: 205-213.
- WICKENS, G. E. (1976). Speculations on long distance dispersal and the flora of Jebel Marra, Sudan Republic. *Kew Bull.* 31: 105-150.
- WICKENS, G. E. (1977). *The flora of Jebel Marra (Sudan Republic) and its geographical affinities*. Kew Bull. Additional Series 5. 368 pp.

- WICKENS, G. E. (1979). A new species of *Umbilicus* (Crassulaceae) from the Sudan Republic. *Kew Bull.* 33: 421-422.
- WICKENS, G. E. (1982). Studies in the flora of Arabia: III. A biographical index of plant collectors in the Arabian peninsula (including Socotra). *Notes Roy. Bot. Gard. Edinburgh* 40: 301-330.
- WICKENS, G. E. ✧ RADWANSKI, S. A. & WICKENS, G. E. (1967).
- WIDLER, B. E., BOCQUET, G. (1979). *Brassica insularis* Moris.: Beispiel eines messinischen Verbreitungsmusters. [German, French and English abstracts]. *Candollea* 34: 133-151.
- WILBER, D. (1962). *Annotated bibliography of Afghanistan*. 2nd ed. New Haven, 259 pp.
- WILCOX, H. (1975). Results of examination of twigs and roots of Aleppo pine in the Sha'ar haGay forest and its surroundings. *La-Yaaran* 25: 49-51.
- WILLIAMS, Christine A., DEMISSIE, A., HARBOURNE, J. B. (1983). Flavonoids as taxonomic markers in Old World *Lupinus* species. *Biochem. Syst. Ecol.* 11: 221-231.
- WILLIAMS, F. N. (1893). A monograph of the genus *Dianthus* L. *J. Linn. Soc. Bot.* 29: 346-478.
- WILLING, E., WILLING, Barbara (1979). OPTIMA-Projekt 'Kartierung der mediterranen Orchideen' 1. Index der Verbreitungskarten für die Orchideen Europas und der Mittelmeerlande. Beih. Veröff. Naturschutz Landschaftspflege Baden-Württemberg 14: 1-163.
- WILLIAMS, J. T., FARIAS, R. M. (1972). Utilization and taxonomy of the desert grass *Panicum turgidum*. *Econ. Bot.* 26: 13-20.
- WILSON, A. T. (1926). A summary of scientific research in the Persian Gulf. *J. Bombay Nat. Hist. Soc.* 31: 638-654.
- WIMMER, J. (1902). *Palästinas Boden mit seiner Pflanzen- und Tierwelt vom Beginn der biblischen Zeiten bis zur Gegenwart*. Köln, Bachem, 128 pp.
- WIMSHURST, C. (1920). *A note on the wheats and barleys of Mesopotamia*. Basrah, Dept. Agr.
- WINKLER, C. (1892-1893). Synopsis specierum generis *Cousinia* Cass. *Trudy Imp. S.-Peterburgsk. Bot. Sada* 12: 179-286.
- WINKLER, C., BORNMÜLLER, J. (1895, 1897). Cousinien des Orients. *Bull. Herb. Boissier* 3: 561-569; 5: 164-170.
- WINKLER, C. ✧ BORNMÜLLER, J. & WINKLER, C. (1895) — BUHSE, F. A. & WINKLER, C. (1899).
- WINTER, K. (1981). C₄ plants of high biomass in arid regions of Asia. Occurrence in C₄ photosynthesis in Chenopodiaceae and Polygonaceae from the Middle East and USSR. *Oecol. (Berlin)* 48: 100-106.
- WINTER, K., TROUGHTON, J. H. (1978). Photosynthetic pathways in plants of coastal and inland habitats of Israel and the Sinai. *Flora M.G.O.* 167: 1-34.
- WINTER, K., TROUGHTON, J. H., EVENARI, M., LÄUCHLI, A., LÜTTGE, U. (1976). Mineral ion composition and occurrence of CAM-like diurnal malate fluctuations in plants of coastal habitats of Israel and the Sinai. *Oecol. (Berlin)* 25: 125-143.
- WIRSZUBSKY, A. ✧ YASHOUV, A. (1955).
- WIRTH, V. ✧ POELT, J. & WIRTH, V. (1968).
- WIRZBERG, B. (1963). The utilization of run-off water in desert afforestation. *La-Yaaran* 13, 1: 10-11.
- WIRZBERG, B. ✧ HETH, D. & al. (1967).
- WISNIEWSKI, T. (1938). Verzeichnis der von Bornmüller verfassten Arbeiten. *Repert. Spec. Nov. Regni Veg. Beih.* 100: 11-27.

- WISSMANN, H. VON (1939). Die Klima- und Vegetationsgebiete Eurasiens. *Z. Ges. Erdk. Berlin* 1/2: 1-14.
- WISSMANN, H. VON (1948). Pflanzenklimatische Grenzen der warmen Tropen. *Erdkunde* 2: 81-92.
- WISSMANN, H. VON & RATHJENS, C. & WISSMANN, H. (1934, 1947).
- WITCOMBE, J. R. (1983). A provisional world list of Barley expeditions. *Pl. Genet. Res. Newsl. IBPGR* 53: 25-36.
- WITCOMBE, J. R., BOURGOIS, J.-J., RIFAIE, R. (1982). Germplasm collections from Syria and Jordan. *Pl. Genet. Res. Newsl. IBPGR* 50: 2-8.
- WITTMACK, L. (1913). Paul Ascherson. *Ber. Deutsch. Bot. Ges.* 31: (102)-(110).
- WITZTUM, A. (1977). An ecological niche for *Lemna gibba* L. that depends on seed formation. *Israel J. Bot.* 26: 36-38.
- WITZTUM, A., KEREN, O. (1978a). Factors affecting abscission in *Spirodela oligiorrhiza* (Lemnaceae). I. Ultraviolet radiation. *New Phytol.* 80: 107-110.
- WITZTUM, A., KEREN, O. (1978b). Factors affecting abscission in *Spirodela oligiorrhiza* (Lemnaceae). II. Sucrose. *New Phytol.* 80: 111-115.
- WITZTUM, A., ZAMSKI, E. (1969). Methods for observations on rain droplets in resin duct cells of *Pinus halepensis* Mill. *Israel J. Bot.* 18: 55-59.
- WITZTUM, A. & BIEDNER, B. & al. (1977) — GUTTERMAN, Y. & WITZTUM, A. (1977) — GUTTERMAN, Y. & al. (1967, 1969a-b, 1973) — KLEIN, S. & al. (1971).
- WOENIG, F. (1886). *Die Pflanzen des alten Ägyptens*. Leipzig, W. Friedrich, 425 pp.
- WOLFF, H. (1925). *Stefanoffia*, eine neue Umbelliferen-Gattung von der Balkanhalbinsel und aus Kleinasien. *Notizbl. Bot. Gart. Mus. Berlin* 9: 281-282.
- WOOD, D. (1979). Collecting in Yemen Arab Republic. *Pl. Genet. Res. Newsl.* 40: 23-26.
- WOOD, J. R. I. (1980). A new species of *Dicliptera* (Acanthaceae) from the southern Red Sea area. *Kew Bull.* 34: 737-739.
- WOOD, J. R. I. (1982a). The identity of *Acacia cerfota* (Forssk.) Schweinf. (Leguminosae-Mimosoideae). *Kew Bull.* 37: 451-454.
- WOOD, J. R. I. (1982b). The genus *Ocimum* (Labiatae) in Forsskal's 'Flora of Aegyptiaco-Arabica'. *Kew Bull.* 37: 597-603.
- WOOD, J. R. I. & CARTER, Susan & WOOD, J. R. I. (1982) — HEPPER, F. N. & WOOD, J. R. I. (1979, 1982).
- WOOL, D. (1983). The special world of gall producing insects. *Teva Vaaretz* 25(5): 8-11.
- WOOL, D. & KOACH, J. & WOOL, D. (1977).
- WORONICHIN, N. N. & ELEKIN, A. & WORONICHIN, N. N. (1908).
- WORTHINGTON, E. B. (1946). *Middle East science, a survey of subjects other than agriculture*. London, H. M. Stationery Office, 239 pp.
- WRIGHT, H. E., Jr., McANDREWS, J. H., VAN ZEIST, W. (1967). Modern pollen rain in western Iran and its relation to plant geography and quaternary vegetational history. *J. Ecol.* 55: 415-443.
- WRIGHT, H. E., Jr., VAN ZEIST, W. (1963). Preliminary pollen studies at lake Zeribar, Zagros mountains, SW-Iran. *Sci.* 140: 65-67.
- WRIGHT-SMITH, W. (1955). *Primula davisii*, a new species from Turkey. *Notes Roy. Bot. Gard. Edinburgh* 22: 45-46.

- WULF, E. V. (1939). Neue Daten zur Geographie der östlichen Buche. [Russian]. *Sovetsk. Bot.* 3: 77-81.
- WULF, E. V. (1943). *An introduction to historical plant geography, translated by E. Brissenden.* Waltham, Mass. Chronica Bot., N. S. 10. XV, 223 pp.
- WUNDER, H. & POELT, J. & WUNDER, H. (1970).
- WURST, P. (1930). *Aus der Pflanzenwelt Palästinas.* Leitfaden der Botanik, Haifa (Ph. Wurst), iv, 201 pp.
- WURZBURGER, Judith, KOLLER, D. (1973). Onset of seed dormancy in *Aegilops kotschy* Boiss. and its experimental modification. *New Phytol.* 72: 1057-1061.
- WURZBURGER, Judith, KOLLER, D. (1976). Differential affects of the parental photothermal environment on development of dormancy in caryopses of *Aegilops kotschy*. *J. Exp. Bot.* 27: 43-48.
- WURZBURGER, Judith, KOLLER, D., LESHEM, Y. (1976). Correlative aspects of imposition of dormancy in *Aegilops kotschy*. *Pl. Physiol.* 57: 670-671.
- WURZBURGER, Judith, LESHEM, Y. (1967). Gibberellin and hull controlled inhibition of germination in *Aegilops kotschy* Boiss. *Israel J. Bot.* 16: 181-186.
- WURZBURGER, Judith, LESHEM, Y., KOLLER, D. (1974). The role of gibberellin and the hulls in the control of germination in *Aegilops kotschy* caryopses. *Canad. J. Bot.* 52: 1579-1601.
- WURZBURGER, Judith, LESHEM, Y., KOLLER, D. (1975). On the mode of GA action in break of dormancy in *Aegilops kotschy* grains. *Israel J. Bot.* 24: 48.