

**Zeitschrift:** Boissiera : mémoires de botanique systématique  
**Herausgeber:** Conservatoire et Jardin Botaniques de la Ville de Genève  
**Band:** 53 (1997)

**Artikel:** Systematics of Viola subsection Boreali-Americanae  
**Autor:** Gil-Ad, Nir L.  
**Bibliographie:** Literature Cited  
**DOI:** <https://doi.org/10.5169/seals-895424>

#### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

#### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

#### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 11.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

# CHAPTER 8

## LITERATURE CITED

- ALEXANDER, E. J. (1952). Violaceae. Pp. 553-567 in Gleason, H. A., *The New Britton and Brown Illustrated Flora of the Northeastern United States and Adjacent Canada*, Vol. 2: The Choripetalous Dicotyledoneae. The New York Botanical Garden and Harper Press, New York.
- ALLARD, H. A. & W. W. GARNER (1940). Further observations of the response of various species of plants to length of day. *U.S. Dept. Agric. Tech. Bull.* 727: 1-64.
- ANDERSON, E. (1948). Hybridization of the habitat. *Evolution* 2: 1-9.
- ANDERSON, E. (1949). *Introgressive Hybridization*. John Wiley & Sons, Inc., New York.
- ANDERSON, E. (1954). An analysis of introgression in a population of stemless white violets. *Ann. Missouri Bot. Gard.* 41: 263-269.
- ANDERSON, E. & L. HUBRICHT (1938). The evidence for introgressive hybridization. *Amer. J. Bot.* 25: 396-402.
- ANDERSON, P. D. (1983). *The dynamics and longevity of Viola fimbriatula seeds in the soil (nitrate)*. Ph.D. Dissertation, Harvard University. 179 pages.
- BAIRD-BRAINERD, V. (1938). The violet water-colors of Major John Eatton LeConte. *Amer. Midl. Naturalist* 20: 245-247.
- BAIRD-BRAINERD, V. (1942). *Wild Violets of North America*. University of California Press, Berkeley and Los Angeles.
- BALLARD, H. E., JR. (1992). *Systematics of Viola section Viola in North America north of Mexico*. M.S. Thesis, Central Michigan University, Mount Pleasant, Michigan. 255 pages.
- BALLARD, H. E., JR. (1994). Violets of Michigan. *Michigan Bot.* 33: 131-199.
- BALLARD, H. E., JR. & S. C. GAWLER (1994). Distribution, habitat and conservation of *Viola novae-angliae*. *Michigan Bot.* 33: 35-52.
- BASKIN, J. M. & C. C. BASKIN (1970). New county records for the cedar glade endemic *Viola egglestonii*. *J. Tennessee Acad. Sci.* 45: 60.
- BASKIN, J. M. & C. C. BASKIN (1975a). Geographical distribution of the cedar glade endemic *Viola egglestonii*. *Rhodora* 77: 427-429.
- BASKIN, J. M. & C. C. BASKIN (1975b). Observations on the ecology of the cedar glade endemic *Viola egglestonii*. *Amer. Midl. Naturalist* 93: 320-329.
- BASKIN, J. M. & C. C. BASKIN (1978). On the occurrence of the cedar glade endemic *Viola egglestonii* in Kentucky. *Trans. Kentucky Acad. Sci.* 39: 74-75.
- BASKIN, J. M., C. C. BASKIN. & J. R. ALDRICH (1987). The cedar glade endemic *Viola egglestonii* Brainerd: New to Indiana and eastern Tennessee. *Castanea* 52: 68-71.
- BEATTIE, A. J. (1969). The floral biology of three species of *Viola*. *New Phytol.* 68: 1187-1201.
- BEATTIE, A. J. (1971). Pollination mechanisms in *Viola*. *New Phytol.* 70: 343-360.
- BEATTIE, A. J. (1974). Floral evolution in *Viola*. *Ann. Missouri Bot. Gard.* 61: 781-793.
- BEATTIE, A. J. (1976). Plant dispersion, pollination and gene flow in *Viola*. *Oecologia* 25: 291-300.
- BEATTIE, A. J. (1978). Plant-animal interactions affecting gene flow in *Viola*. Pp. 151-164 in RICHARDS, J. A. (ed.), *The Pollination of Flowers by Insects*. Academic Press, New York.
- BEATTIE, A. J. (1979). Neighborhood size in *Viola*. *Evolution* 33: 1226-1229.
- BEATTIE, A. J. & N. LYONS (1975). Seed dispersal in *Viola* (Violaceae): Adaptations and strategies. *Amer. J. Bot.* 62: 714-722.
- BECKER, W. (1910). *Viola Europaea*. Dresden. 153 pages.
- BECKER, W. (1922). *Violae Mexicanae Pringleanae novae*. *Repert. Spec. Nov. Regni Veg.* 18: 125.
- BECKER, W. (1925). *Viola*. Pp. 363-376 in ENGLER, A. & K. PRANTL, *Die Natürlichen Pflanzenfamilien*. ed. 2, 21 Band. Parietales und Opuntiales. Duncker and Humblot, Berlin.
- BICKNELL, E. P. (1913). *Viola obliqua* Hill and other violets. *Bull. Torrey Bot. Club* 40: 261-270.

- BORGSTRÖM, G. (1939). Formation of cleistogamic and chasmogamic flowers in wild violets as a photoperiodic response. *Nature* 144: 514-515.
- BRAINERD, E. (1904a). Notes on New England violets. *Rhodora* 6: 8-17.
- BRAINERD, E. (1904b). Hybridism in the genus *Viola*. *Rhodora* 6: 213-223.
- BRAINERD, E. (1905). Notes on New England Violets, - II. *Rhodora* 7: 1-8, plate 50.
- BRAINERD, E. (1906a). Hybridism in the genus *Viola*, - II. *Rhodora* 8: 6-10.
- BRAINERD, E. (1906b). Hybridism in the genus *Viola*, - III. *Rhodora* 8: 49-61, plates 66-70.
- BRAINERD, E. (1907a). The behavior of seedlings of certain violet hybrids. *Science* 25: 940-944.
- BRAINERD, E. (1907b). The older types of North American violets. - I. *Rhodora* 9: 93-98.
- BRAINERD, E. (1907c). Mendel's law of dominance in the hybrids of *Viola*. *Rhodora* 9: 211-216.
- BRAINERD, E. (1910a). The evolution of new forms in *Viola* through hybridism. *Amer. Naturalist* 44: 229-236.
- BRAINERD, E. (1910b). *Viola palmata* and its allies. *Bull. Torrey Bot. Club* 37: 581-590.
- BRAINERD, E. (1910c). Five new species of *Viola* from the south. *Bull. Torrey Bot. Club* 37: 523-528, plates 34, 35.
- BRAINERD, E. (1911). Further notes on the stemless violets of the south. *Bull. Torrey Bot. Club* 38: 1-9.
- BRAINERD, E. (1912). Violet hybrids between species of the *palmata* group. *Bull. Torrey Bot. Club* 39: 85-97.
- BRAINERD, E. (1913a). Four hybrids of *Viola pedatifida*. *Bull. Torrey Bot. Club* 40: 249-260.
- BRAINERD, E. (1913b). Notes on new or rare violets of northeastern America. *Rhodora* 15: 112-115.
- BRAINERD, E. (1915). *Viola septentrionalis* in British Columbia. *Rhodora* 17: 70-71.
- BRAINERD, E. (1921). Violets of North America. *Vermont Agric. Exp. Sta. Bull.* 224: 1-172.
- BRAINERD, E. (1924). Some natural violet hybrids of North America. *Vermont Agric. Exp. Sta. Bull.* 239: 1-205.
- BRAUN, E. L. (1950). *Deciduous Forests of Eastern North America*. Blakiston Company, Philadelphia.
- BRAUN, E. L. (1955). The phytogeography of unglaciated eastern United States and its interpretation. *Bot. Rev.* 21: 297-375.
- BRITTON, N. L. (1897). Two undescribed eastern species. *Bull. Torrey Bot. Club* 24: 92-93.
- BRITTON, N. L. (1901). *Manual of the Flora of the Northern States and Canada*. Henry Holt & Co., New York.
- BRIZICKY, G. K. (1961). The genera of Violaceae in the southeastern United States. *J. Arnold Arbor.* 42: 321-333.
- BÜLOW-OLSEN, A. (1984). Diplochory in *Viola*: A possible relation between seed dispersal and soil seed bank. *Amer. Midl. Naturalist* 112: 251-259.
- CAMP, W. H. (1947). Origin and development of natural floristic areas with special reference to North America. *Ecol. Monogr.* 17: 159-183.
- CAMP, W. H. (1961). The pattern of variability and evolution in plants. Pp. 44-70 in WANSTALL, P. J. (ed.), *A Darwin Centenary*. The Botanical Society of the British Isles Conference Report No. 6, London.
- CANNE, J. M. (1987). Determinations of chromosome numbers in *Viola* (Violaceae). *Canad. J. Bot.* 65: 653-655.
- CHOUARD, P. (1948). Diversité des types de comportement au photo- et au thermopériodisme dans le genre *Viola* (Violettes et Pensées). *Compt. Rend. Acad. Sci. Paris* 226: 1831-1833.
- CLAUSEN, J. (1927). Chromosome number and the relationship of species in the genus *Viola*. *Ann. Bot. (London)* 41: 677-714.
- CLAUSEN, J. (1929). Chromosome number and the relationship of some North American species of *Viola*. *Ann. Bot. (London)* 43: 741-764.
- CLAUSEN, J. (1951). *Stages in the Evolution of Plant Species*. Cornell University Press, Ithaca.
- CLAUSEN, J. (1964). Cytotaxonomy and distribution ecology of western North American violets. *Madroño* 17: 173-204.
- COOK, R. E. & E. E. LYONS (1983). The biology of *Viola fimbriatula* in a natural disturbance. *Ecology* 64: 654-660.
- CRACRAFT, J. (1989). Speciation and its ontology: The empirical consequences of alternative species concepts for understanding patterns and processes of differentiation. Pp. 28-59 in OTTE, D. & J. A. ENDLER (eds.), *Speciation and its Consequences*, Sinauer Associates, Sunderland.
- CRITCHFIELD, W. B. (1980). Origins of eastern deciduous forest in Proceedings, dendrology in the eastern deciduous forest biome, September 11-13, 1979. VPI and State University School of Forestry and Wildlife Resources Publ. FWS-2-80, pages 1-14.

- CRONQUIST, A. (1981). *An Integrated System of Classification of Flowering Plants*. Columbia University Press, New York. [Violaceae pages 402-404].
- CULVER, D. C. & A. J. BEATTIE (1978). Myrmecochory in *Viola*: Dynamics of seed-ant interactions in some West Virginia species. *J. Ecol.* 66: 53-72.
- CULVER, D. C. & A. J. BEATTIE (1980). The fate of *Viola* seeds dispersed by ants. *Amer. J. Bot.* 67: 710-714.
- CURTIS, W. F. (1984). Photosynthetic potential of sun and shade *Viola* species. *Canad. J. Bot.* 62: 1273-1278.
- CURTIS, W. F. & D. T. KINCAID (1984). Leaf conductance of *Viola* species from sun and shade habitats. *Canad. J. Bot.* 62: 1268-1272.
- DAVIS, P. H. & V. H. HEYWOOD (1963). *Principles of Angiosperm Taxonomy*. D. Van Nostrand Company, Princeton, New Jersey.
- DELCOURT, P. A. & H. R. DELCOURT (1993). Chapter 4: Paleoclimates, Paleovegetation, and Paleofloras during the Late Quaternary. In Flora of North America Editorial Committee, *Flora of North America* 1: Introduction. Oxford University Press, New York.
- DOWELL, P. (1910). The violets of Staten Island. *Bull. Torrey Bot. Club* 37: 163-179.
- ELLIOTT, S. (1817). *A Sketch of Botany of South Carolina and Georgia*, Volume I.
- EVANS, L. T. (1956). Chasmogamous flowering in *Viola palustris* L. *Nature* 178: 1301.
- EWAN, J. (1979). Addenda on Thomas Walter (c. 1740-1789). *Taxon* 28: 345-346.
- EXELL, A. W. (1925). The phylogeny of Violaceae. *J. Bot.* 63: 330-333. [an English abstract of Melchior 1925b].
- FABIJAN, D. M., J. G. PACKER & K. E. DENFORD (1987). The taxonomy of the *Viola nuttallii* complex. *Canad. J. Bot.* 65: 2562-2580.
- FERNALD, M. L. (1935). Critical plants of the Upper Great Lakes Region of Ontario and Michigan. Part III. *Rhodora* 37: 272-301.
- FERNALD, M. L. (1950). *Gray's Manual of Botany*. Eighth Edition. American Book Company, New York. [Viola pages 1022-1042].
- GATES, B. N. (1943). Carunculate seed dissemination by ants. *Rhodora* 45: 438-445.
- GERSHOY, A. (1928). Studies in North American violets. I. General considerations. *Vermont Agric. Exp. Sta. Bull.* 279: 1-18.
- GERSHOY, A. (1934). Studies in North American violets. III. Chromosome numbers and species characters. *Vermont Agric. Exp. Sta. Bull.* 367: 1-146.
- GIL-AD, N. L. (1995). *Systematics and evolution of Viola L. subsection Boreali-Americanae (W. Becker) Brizicky*. Ph.D. Dissertation, The University of Michigan. Available from University Microfilms, Inc., Ann Arbor, Michigan. 443 pages.
- GIL-AD, N. L. (in press). The micromorphologies of seed coats and petal trichomes of the taxa of *Viola* subsection Boreali-Americanae (Violaceae) and their utility in discerning orthospecies from hybrids. *Brittonia* 50.
- GINGINS, M. F. de (1823). *Mémoire sur la Famille des Violacées*. J. J. Paschoud, Genève. 28 pages, Tab I, Tab II.
- GINGINS, M. F. de (1824). Violarieæ, pp. 287-306 in CANDOLLE, A. P. de, *Prodromus Systematis Naturalis Regni Vegetabilis*, Pars Prima. Paris.
- GLEASON, H. A. & A. CRONQUIST (1963). *Manual of Vascular Plants of Northeastern United States and Adjacent Canada*. D. Van Nostrand Company, Princeton, New Jersey. [Violaceae pages 475-482].
- GLEASON, H. A. & A. CRONQUIST (1991). *Manual of Vascular Plants of Northeastern United States and Adjacent Canada*. Second Edition, The New York Botanical Garden, Bronx, New York. [Violaceae pages 157-163].
- GODRON, D. A. (1857). *Flore de Lorraine*. Deuxième édition, tome premier, Grimblot, Raybois et Comp., Nancy.
- GOOD, R. (1974). *The Geography of Flowering Plants*. Forth Edition. Longmans, London and New York.
- GOTTLIEB, L. D. (1972). Levels of confidence in the analysis of hybridization in plants. *Ann. Missouri Bot. Gard.* 59: 435-446.
- GRANT, V. (1981). *Plant Speciation*. Columbia University Press, New York.
- GRAY, A. (1848). *Manual of the Botany of the Northern United States*. James Munro & Company, Boston and Cambridge.
- GRAY, A. (1856). *Manual of the Botany of the Northern United States*. Second Edition, George P. Putnum & Co., New York.
- GRAY, A. (1859). *Manual of the Botany of the Northern United States*. Third Edition, Ivison, Phinney & Co., New York.
- GRAY, A. (1886). Memoranda of a revision of the North American violets. I. *Bot. Gaz.* 11: 253-256.

- GRAY, A. (1889). *Manual of the Botany of the Northern United States*. Sixth Edition, American Book Company, New York.
- GREENE, E. L. (1896a). New and noteworthy species. *Pittonia* 3: 86-90.
- GREENE, E. L. (1896b). Remarks on acaulescent violets. *Pittonia* 3: 139-145.
- GREENE, E. L. (1898). New or noteworthy violets. *Pittonia* 3: 313-318.
- GREENE, E. L. (1899). Four new violets. *Pittonia* 4: 64-67.
- GREENE, E. L. (1900). Notes on Violets. *Pittonia* 4: 139-142.
- GREENE, E. L. (1902). New or noteworthy violets. *Pittonia* 5: 87-106.
- GREENE, E. L. (1913). Certain violet names. *Amer. Midl. Naturalist* 3: 79-85.
- GREUTER, W., H. M. BURDET, W. G. CHALONER, V. DEMOULIN, D. L. HAWKSWORTH, P. M. JØRGENSEN, D. H. NICOLSON, P. C. SILVA, P. TREHANE & J. MCNEILL (eds.) (1994). *International Code of Botanical Nomenclature (Tokyo Code)* adopted by the Fifteenth International Botanical Congress, Yokohama, August-September 1993. *Regnum Veg.* 131, The International Association of Plant Taxonomy and Koeltz Scientific Books, Königstein.
- HARDIN, J. W. (1958). The annotation of introgressants. *Taxon* 7: 52-53.
- HARMS, V. L., D. F. HOOPER & L. BAKER (1985). Four violets new to the Saskatchewan flora and other rare violets of east-central Saskatchewan. *Canad. Field-Naturalist* 99: 498-502.
- HEISER, C. B., JR. (1973). Introgression re-examined. *Bot. Rev.* 39: 347-366.
- HEKKING, W. H. A. (1988). Violaceae. Part I – Rinorea and Rinoreocarpus. *Fl. Neotrop. Monogr.* 46: [i-ii], 1-207-[208].
- HILL, JOHN (1768). *Hortus Kewensis*. Richard Baldwin, London.
- HILL, JOHN (1769). *Hortus Kewensis*. Second Edition. Richard Baldwin, London.
- HOLDsworth, M. (1966). The cleistogamy of *Viola cunninghamii*. *Trans. Roy. Soc. New Zealand, Bot.* 3: 169-174.
- HOLMGREN, P. K., N. H. HOLMGREN & L. C. BARNETT (1990). *Index Herbariorum, Part I: The Herbaria of the World*, Eighth Edition. The New York Botanical Garden, Bronx, New York.
- HOUSE, H. D. (1905). Notes on New Jersey violets. *Bull. Torrey Bot. Club* 32: 253-260, plates 16-18.
- HOUSE, H. D. (1924). Annotated list of ferns and flowering plants of New York State. Family 83 Violaceae DC. *New York State Mus. Bull.* 254: 503-512.
- HOUSE, H. D. (1935). *Wild Flowers*. The Macmillan Company, New York.
- HUBBARD, M. M. (1955). *Population Studies in Stemless Blue Violets*. M.S. Dissertation, The University of Connecticut. 39 pages.
- HUSE, R. D. & K. L. KELLY (1984). *A contribution toward standardization of color names in horticulture*. American Rhododendron Society, Tigard.
- KELLY, K. L. (1965). *ISCC-NBS Color Name Charts Illustrated with Centroid Colors*. Standard Sample # 2106, Suppl. to Natl. Bur. Standards Circ. 553. U. S. Government Printing Office, Washington, DC.
- KLÄBER, D. (1976). *Violets of the United States*. Fairleigh Dickinson University Press, and A. S. Barnes & Company, Inc. Cranbury.
- KUPFFER, K. R. (1903). Beschreibung dreier neuer Bastarde von *Viola uliginosa* nebst Beiträgen zur Systematik der Veilchen. *Oesterr. Bot. Z.* 53: 324-331.
- LECONTE, J. (1828). Observations on the North American species of the genus *Viola*. *Ann. Lyceum Nat. Hist. New York* 2: 135-153.
- LÉVESQUE, L & P. DANSEREAU (1966). Études sur les violettes jaunes caulescentes de l'Est de l'Amérique du Nord. I. Taxonomie, nomenclature, synonymie et bibliographie. *Nat. Canad.* 93: 489-569.
- LINNAEUS, C. (1753). *Species Plantarum*. Vol. II. Stockholm.
- LITTLE, R. J. (1993). *Viola*. Pp. 1089-1092 in HICKMAN, J. C. (ed.), *The Jepson Manual: Higher Plants of California*. University of California Press, Berkeley.
- LITTLE, R. J. (1996). Nomenclatural correction in *Viola* (Violaceae). *Phytologia* 80: 295.
- LITTLE, R. J & L. E. MCKINNEY (1992). A nomenclatural change in *Viola* (Violaceae). *Phytologia* 72: 77-78.
- LÖVE, A. & D. LÖVE (1966). Cytotaxonomy of the alpine vascular plants of Mount Washington. *Univ. Colorado Stud. Ser. Biol.* 24: 1-74.
- LÖVE, A. & D. LÖVE (1982). IOPB Chromosome Number Reports. LXXV. *Taxon* 31: 344-360.
- MADGE, M. A. P. (1929). Spermatogenesis and fertilization in the cleistogamous flower *Viola odorata* var. *praecox* Hort. *Ann. Bot. (London)* 43: 545-577.

- MAYERS, A. M. & E. M. LORD (1983a). Comparative flower development in the cleistogamous species *Viola odorata*. I. A growth rate study. *Amer. J. Bot.* 70: 1548-1555.
- MAYERS, A. M. & E. M. LORD (1983b). Comparative flower development in the cleistogamous species *Viola odorata*. II. An organographic study. *Amer. J. Bot.* 70: 1556-1563.
- MCCULLOUGH, H. (1941). Studies in soil reactions of species of violets. *Amer. J. Bot.* 28: 934-941.
- MCKINNEY, L. E. (1992). A Taxonomic revision of the acaulescent blue violets (*Viola*) of North America. *Sida Bot. Misc.* 7: I-VI, 1-60.
- MCKINNEY, L. E. & K. E. BLUM (1978). Leaf variation in five species of acaulescent blue violets (*Viola*). I. *Castanea* 43: 95-107.
- MCKINNEY, L. E. & K. E. BLUM (1981). A preliminary study of a polyploidy complex in *Viola*. *Castanea* 46: 281-290.
- MCKNIGHT, K. H. (1977). A note on the ISCC-NBS Centroid Color Charts. *McIlvainea* 3: 4-11.
- MELCHIOR, H. (1925a). Violaceae, pp. 329-363 in ENGLER, A. & K. PRANTL, *Die Natürlichen Pflanzenfamilien* ed. 2, 21 Band. Parietales und Opuntiales. Duncker and Humblot, Berlin.
- MELCHIOR, H. (1925b). Die phylogenetische Entwicklung der Violaceen und die natürlichen verwandtschaftsverhältnisse ihrer Gattungen. *Feddes. Repert. Spec. Nov. Regni. Veg.* 36: 83-125.
- MIYAJI, Y. (1929). Studien über Zahlenverhältnisse der Chromosomen bei der Gattung *Viola*. *Cytologia* 1: 28-58.
- NEWBRO, G. E. (1936). The Violaceae of Iowa. *Stud. Nat. Hist. Iowa Univ.* 17: 51-76.
- NEWELL, S. J., O. T. SOLBRIG & D. T. KINCAID (1981). Studies on the population biology of the genus *Viola* III. The demography of *Viola blanda* and *Viola pallens*. *J. Ecol.* 69: 997-1016.
- NIXON, K. C. & Q. D. WHEELER (1990). An amplification of the phylogenetic species concept. *Cladistics* 6: 211-223.
- NUTTALL, T. (1818). *Genera of North American Plants*. Philadelphia.
- OHKAWARA, K. & S. HIGASHI (1994). Relative importance of ballistic and ant dispersal in two diplochorous *Viola* species (Violaceae). *Oecologia* 100: 135-140.
- PALMER, E. J. & J. A. STEYERMARK (1958). Plants new to Missouri. *Brittonia* 10: 109-120.
- PLUKENET, L. (1705). *Amaltheum Botanicum*. Volume IV. London.
- POHL, R. W. (1965). Dissecting equipment and materials for the study of minute plant structures. *Rhodora* 67: 96.
- POLLARD, C. L. (1896). The purple-flowered, stemless violets of the Atlantic Coast. *Proc. Biol. Soc. Washington* 10: 85-92.
- POLLARD, C. L. (1898). Further observations on the eastern acaulescent violets. *Bot. Gaz. (Crawfordsville)* 26: 325-342.
- PURSH, F. T. (1813). *Flora Americae Septentrionalis; or, A Systematic Arrangement and Description of Plants of North America*. 2 volumes. White, Cochrane & Company, London.
- REICHE, K. & P. TAUBERT (1895). Violaceae. Pp. 322-336 in ENGLER, A. & K. PRANTL, *Die Natürlichen Pflanzenfamilien*. III Teil, 6 Abt. W. Engelmann, Leipzig.
- RIESEBERG, L. H. & S. BRUNSFELD (1992). Molecular evidence and plant introgression. Pp. 151-176 in SOLTIS, D. E., P. S. SOLTIS & J. J. DOYLE (eds.), *Molecular Systematics of Plants*. Chapman and Hall, New York.
- RIESEBERG, L. H. & J. F. WENDEL (1993). Introgression and its consequences in plants. Pp. 70-109 in HARRISON, R. G. (ed.), *Hybrid Zones and The Evolutionary Process*. Oxford University Press, New York.
- ROYAL HORTICULTURAL SOCIETY (1966). *R.H.S. Colour Chart*, Edition 1. Royal Horticultural Society, London.
- RUSSELL, N. H. (1952). An example of Introgressive hybridization between *Viola papilionacea* Pursh and *V. nephrophylla* Greene. *Proc. Iowa Acad. Sci.* 59: 134-140.
- RUSSELL, N. H. (1953). A resurvey of the violets of Iowa. *Proc. Iowa Acad. Sci.* 60: 217-227.
- RUSSELL, N. H. (1954). Three field studies of hybridization in the stemless white violets. *Amer. J. Bot.* 41: 679-686.
- RUSSELL, N. H. (1955). Local introgression between *Viola cucullata* Ait. and *V. septentrionalis* Greene. *Evolution* 9: 436-440.
- RUSSELL, N. H. (1956a). Hybridization between *Viola pedatifida* and its relatives. *Castanea* 21: 133-140.
- RUSSELL, N. H. (1956b). Techniques for species comparison in violets. *Proc. Iowa Acad. Sci.* 63: 157-160.
- RUSSELL, N. H. (1958a). The nature of *Viola missouriensis* Greene. *Proc. Iowa Acad. Sci.* 65: 96-101.
- RUSSELL, N. H. (1958b). The violets of Tennessee 1. Keys to the species and distribution maps. *Castanea* 23: 63-76.
- RUSSELL, N. H. (1959). The violets of Minnesota. *Proc. Minnesota Acad. Sci.* 25/26: 126-191.
- RUSSELL, N. H. (1960). Studies in the photoperiodic responses of violets (*Viola*). *SouthW. Naturalist* 5: 177-186.

- RUSSELL, N. H. (1965). Violets (*Viola*) of the central and eastern United States: An introductory survey. *Sida* 1: 1-113.
- RUSSELL, N. H. & M. COOPERRIDER (1955). Prediction of introgression in *Viola*. *Amer. Midl. Naturalist* 54: 42-51.
- RUSSELL, N. H. & F. S. CROSSWHITE (1963). An analysis of variation in *Viola nephrophylla*. *Madroño* 17: 56-65.
- RUSSELL, N. H. & A. C. RISER (1960). The hybrid nature of *Viola emarginata* (Nuttall) LeConte. *Brittonia* 12: 298-305.
- SCHWEINITZ, L. D. de (1822). Art. X. Attempt of a monography of the Linnean genus *Viola*, comprising all the species hitherto observed in North America. *Amer. J. Sci. Arts* 5: 48-81.
- SHAVER, J. M. (1959). Heterophyllous leaves in the palmately lobed *Viola egglestonii* Brainerd. *J. Tennessee Acad. Sci.* 34: 40-46.
- SOLBRIG, O. T. (1981). Studies on the population biology of the genus *Viola*. II. The effect of plant size on fitness in *Viola sororia*. *Evolution* 35: 1080-1093.
- SOLBRIG, O. T., S. J. NEWELL & D. T. KINCAID (1980). I. The population demography of *Viola sororia*. *J. Ecol.* 68: 521-546.
- STAFLEU, F. A. & R. S. COWAN (1976). Taxonomic Literature. Second Edition. Volume I: A-G. *Regnum Veg.* Vol. 94. Scheltema & Holkema, Bohn.
- STAFLEU, F. A. & R. S. COWAN (1988). Taxonomic Literature. Second Edition. Volume VII: W-Z. *Regnum Veg.* Vol. 116. Scheltema & Holkema, Bohn.
- STEBBINS, G. L., JR. (1950). *Variation and Evolution in Plants*. Columbia University Press, New York.
- STEBBINS, G. L., JR. (1969). The significance of hybridization for plant taxonomy and evolution. *Taxon* 18: 26-35.
- STEYERMARK, J. A. (1963). *Flora of Missouri*. The Iowa State University Press, Ames.
- STONE, W. (1903). Racial variation in plants and animals with special reference to the violets of Philadelphia and vicinity. *Proc. Acad. Nat. Sci. Philadelphia* 55: 656-699.
- SWINK, F. & G. WILHELM (1994). *Plants of the Chicago Region*. Forth Edition, Indiana Academy of Science, Indianapolis.
- TAYLOR, R. L. & R. P. BROCKMAN (1966). Chromosome numbers of some western Canadian plants. *Canad. J. Bot.* 44: 1093-1103.
- TERRELL, E. E. (1963). Symbols and terms for morphological intergradation and hybridization. *Taxon* 12: 105-108.
- THÉRON, M. A. 1939. Recherches morphologiques et cytologiques sur les fleurs de *Viola odorata*. *Rev. Cytol. Biol. Veg.* 6: 101-120.
- THORNE, R. F. (1993). Chapter 6: phytogeography. In Flora of North America Editorial Committee, *Flora of North America*, 1: Introduction, Oxford University Press, New York.
- TORREY, J. & A. GRAY (1838). *A Flora of North America*, Vol. 1, New York, London, and Paris.
- TUCKER, A. O., M. J. MACIARELLO & S. S. TUCKER (1991). A survey of color charts for biological descriptions. *Taxon* 40: 201-214.
- VALENTINE, D. H. (1962). Variation and evolution in the genus *Viola*. *Preslia* 34: 190-206.
- VALENTINE, D. H., H. MERXMÜLLER & A. SCHMIDT (1968). *Viola*. Pp. 270-282 in TUTIN, T. G., V. H. HEYWOOD, N. A. BURGES, D. M. MOORE, D. H. VALENTINE, S. M. WALTERS & D. A. WEBB, *Flora Europaea*. Vol. 2: Rosaceae to Umbelliferae, Cambridge University Press, Cambridge.
- VOSS, E. G. (1985). *Michigan Flora Part II – Dicots (Saururaceae-Cornaceae)*. Cranbrook Inst. Sci. Bull. 59 and University of Michigan Herbarium, Bloomfield Hills.
- WAGNER, W. H., JR. (1968). Hybridization, taxonomy, and evolution. Pp. 113-138 in HEYWOOD, V. H. (ed.), *Modern Methods in Plant Taxonomy*. Academic Press, London.
- WAGNER, W. H., JR. (1983). Reticulistics: The recognition of hybrids and their role in Cladistics and classification. Pp. 63-79 in PLATNICK, N. I. & V. A. FUNK (eds.), *Advances in Cladistics*. Vol. 2, Columbia University Press, New York.
- WALTER, T. (1788). *Flora Caroliniana*. John Fraser. London.
- WEBER, W. A. (1987). *Colorado Flora: Western Slope*. Colorado Associated University Press, Boulder, Colorado.
- WEBER, W. A. (1990). *Colorado Flora: Eastern Slope*. University Press of Colorado, Niwot, Colorado.
- WEST, G. (1930). Cleistogamy in *Viola riviniana* with special reference to its cytological aspects. *Ann. Bot. (London)* 44: 87-109.
- WILDENOW, C. L. (1806). *Hortus Berolinensis*, Part 1. Berolini.

- WILLIS, J. C. (1966). *A Dictionary of Flowering Plants and Ferns*. Seventh Edition revised by H. K. Airy Shaw. Cambridge University Press, Cambridge. [*Viola* pages 1181-1182].
- WRIGHT, H. E., Jr. (1968). The roles of pine and spruce in the forest history of Minnesota and adjacent areas. *Ecology* 49: 937-955.
- YOST, S. E. (1984). *Habitat partitioning in Viola sororia and V. fimbriatula*. Ph.D. Dissertation, The City University of New York. 111 pages.
- YOST, S. E. (1987). The effect of shade on petiole length in the *Viola fimbriatula-sagittata* complex (Violaceae). *Brittonia* 39: 180-187.

---

Addresses of the author: University of Michigan Herbarium North University Building, Ann Arbor, MI 48109-1057 U.S.A.

Current address: The Hebrew University Herbarium, Berman Building, The Hebrew University of Jerusalem, Giv-at Ram Campus, Jerusalem 91904 Israel.