

<b>Zeitschrift:</b>	Boissiera : mémoires de botanique systématique
<b>Herausgeber:</b>	Conservatoire et Jardin Botaniques de la Ville de Genève
<b>Band:</b>	61 (2005)
<b>Artikel:</b>	Catalogue of the Hedwig-Schwägrichen herbarium (G). Part 1, Type material and a review of typifications for the Hedwig moss names
<b>Autor:</b>	Price, Michelle J.
<b>Kapitel:</b>	Literature cited
<b>DOI:</b>	<a href="https://doi.org/10.5169/seals-1036223">https://doi.org/10.5169/seals-1036223</a>

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 11.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## **Literature cited**



- ALLEN, B. & R. E. MAGILL (2003). A revision of *Pilotrichella* (Lembophyllaceae: Musci). *Acta Acad. Paed. Agriensis, Sect. Biol.* 24: 43-83.
- ANDO, H. (1973). Studies on the genus *Hypnum* II. *J. Sci. Hiroshima Univ., Ser. B, Div. 2, Bot.* 14: 165-207.
- ANDO, H. (1986). Studies on the genus *Hypnum* Hedw. (IV). *Hikobia* 9: 467-484.
- ANDO, H. (1989). Studies on the genus *Hypnum* Hedw. (VI). *Hikobia* 10: 269-291.
- ARZENI (1954). The Pterobryaceae of the southern United States, Mexico, Central America, and the West Indies. *Amer. Midl. Naturalist* 52: 1-67.
- BARTLETT, J. K. & D. H. VITT (1986). A survey of species in the genus *Blindia* (Bryopsida, Seligeriaceae). *New Zealand J. Bot.* 24: 203-246.
- BEDNAREK-OCHYRA, H. & R. OCHYRA (1994). Lectotypification of *Racomitrium aciculare* (Musci, Grimmiaceae). *Fragm. Florist. Geobot.* 39: 103-111.
- BRASSARD, G. R. (1980). The moss genus *Timmia*. 2. Sect. *Timmiaurea*. *Lindbergia* 6: 129-136.
- BRASSARD, G. R. (1984). The moss genus *Timmia*. 3. Sect. *Timmia*. *Lindbergia* 10: 33-40.
- BREMER, B. (1980). A taxonomic revision of *Schistidium* (Grimmiaceae, Bryophyta) 2. *Lindbergia* 6: 89-117.
- BRIDEL, S. E. (1798). *Muscologia Recentiorum*. Vol. 2(1). C. G. Ettinger: Gotha, Germany.
- BRIQUET, J. (1940). Biographies des Botanistes à Genève de 1500 à 1931. *Ber. Schweiz. Bot. Ges.* 50a.
- CAO, T. & D. H. VITT (1986). A taxonomic revision and phylogenetic analysis of *Grimmia* and *Schistidium* (Bryopsida; Grimmiaceae) in China. *J. Hattori Bot. Lab.* 61: 123-247.
- CAO, T. & C. GAO (1988). Studies of Chinese Bryophytes (2). *Trematodon* Michx. (Musci, Dicranaceae). *J. Hattori Bot. Lab.* 65: 323-334.
- CANO, M. J. & M. T. GALLEGOS (2003). Lectotypification of twenty names of taxa referable to *Tortula* Hedw. (Pottiaceae, Bryophyta). *Taxon* 52: 611-618.
- CARDOT, J. (1899). Études sur la flore bryologique de l'Amérique du Nord. Révision des types d'Hedwig et de Schwaegechen. *Bull. Herb. Boissier* 7: 300-336, 338-380.
- CROSBY, M. R. (1969). A revision of the tropical American genus *Pilotrichum*. *Bryologist* 72: 275-343.
- CROSBY, M. C., R. E. MAGILL, B. ALLEN & S. HE (1999). A checklist of Mosses. Missouri Botanical Garden, St. Louis: U. S. A.
- DEGUCHI, H. (1984). Studies on some Patagonian species of Grimmiaceae (Musci, Bryophyta). In: INOUE, H. (ed.), *Studies on Cryptogams in Southern Chile*: 17-72. Tokyo.
- DILLENIUS, J. J. (1741). *Historia muscorum*. Oxford: England.
- DIXON, N. H. (1933). The nomenclature on the Species Muscorum. *Rev. Bryol. Lichénol.* 6: 93-115.
- FIFE, A. J. (1996). Lectotypification of *Weissia radians* Hedw., a neglected name for a widespread Australasian moss species, with notes on the status of *Funaria glabra* Tayl. and the typification of some other Hedwigian names. *J. Bryol.* 19: 39-48.
- FLORSCHÜTZ, P. A. (1960). Introduction to Hedwig's "Species Muscorum". In: [Facsimile edition to] HEDWIG, J., *Species Muscorum Frondosorum*: v-xxii. H. R. Engelmann (J. Cramer), Weinheim.
- FLORSCHÜTZ, P. A. (1964). Musci. In: LANJOUW, J. (ed.), *Flora of Suriname* 6: 1-271.
- FLORSCHÜTZ -DE WAARD, J. (1986). Musci (Part II). In: STOFERS, A. L. & J. C. LINDEMAN (eds.), *Flora of Suriname* 6: i-x, 273-361.
- FRAHM, J.-P. (2000). The life and work of Johannes Hedwig. *Nova Hedwigia* 70: 1-13.
- FRAHM, J.-P. & P. GEISSLER (1985). Lectotypification von *Dicranum flexuosum* Hedw. (*Campylopus flexuosus* (Hedw.) Brid.). *Cryptogamie, Bryol. Lichénol.* 6: 287-290.
- FRAHM, J.-P. & P. ISOVIITA (1988). Type revision of European mosses 2. Atractylocarpous, *Campylopus* and *Paraleucobryum*. *Lindbergia* 14: 89-96.
- FRAHM, J.-P., V. KUNERT, I. FRANZEN, D.-T. HOANG & M. WILLMERTH (1998a). Revision der Gattung *Dichodontium* (Musci, Dicranaceae). *Trop. Bryol.* 14: 109-118.
- FRAHM, J.-P., V. BUCHBENDER, S. LACHMANN, K. REIFENRATH & F. WERNER (1998b). Revision der Gattung *Oncophorus* (Musci, Dicranaceae). *Trop. Bryol.* 14: 119-131.
- FRAHM, J.-P., T. KLÖCKER, R. SCHMIDT & C. SCHÖTER (2000a). Revision der Gattung *Amphidium* (Musci, Dicranaceae). *Trop. Bryol.* 18: 171-184.
- FRAHM, J.-P., J. AHMED, M. HAGEN & M. PELES (2000b). Revision der Gattung *Rhabdoweisia* (Musci, Dicranaceae). *Trop. Bryol.* 18: 161-172.
- FRISVOLL, A. A. (1983). A taxonomic revision of the *Racomitrium canescens* group (Bryophyta, Grimmiaceae). *Gunneria* 41.
- FRISVOLL, A. A. (1984). Lectotypification of *Racomitrium affine*, *R. heterostichum*, *R. microcarpon*, *R. obtusum*, and *R. sudeticum*. *J. Hattori Bot. Lab.* 57: 299-318.

- FRISVOLL, A. A. (1986). Lectotypification of *Racomitrium lanuginosum* (Hedw.) Brid. *Lindbergia* 12: 83-86.
- GEISSLER, P. (1984). Notulae bryofloristicae helveticae. *Candollea* 39: 641-646.
- GEISSLER, P. (1985). Notulae bryofloristicae helveticae II. *Candollea* 40: 193-200.
- GEISSLER, P. (2000). The Hedwig herbarium and its importance for the nomenclature of mosses. *Nova Hedwigia* 70: 15-23.
- GEISSLER, P. & J.-P. FRAHM (1995). Lectotypification of *Barbula ruralis* Hedw. (*Tortula ruralis* (Hedw.) Gärten., Meyer & Scherb.). *Cryptogamie, Bryol. Lichénol.* 16: 157-164.
- GEISSLER, P. & E. MAIER (1995). Lectotypifications of Central European *Grimmia* species (Musci, Grimmiaceae). *Candollea* 50: 495-514.
- GREUTER, W. (2000). International code of botanical nomenclature (St. Louis Code) (editor). *Regnum Veg.* 138.
- GUERRA, J. & R. M. CROS (2003). Phascum, Acaulon, Aschisma, Protobryum, Leptophascum. *Flora Brio-fíctica Ibérica* 2.
- GUERRA, J. & R. M. CROS (2004). Eucladium, Gymnostomum, Gyroweisia, Hymenostelium, Leptobarbula. *Flora Brio-fíctica Ibérica* 8.
- GUERRA, J., R. M. ROS & J. S. CARRIÓN (1992). The taxonomic status of *Tortula muralis* var. *baetica* (Musci, Pottiaceae): a comparative study. *J. Bryol.* 17: 275-283.
- HE, S. (1997). A revision of *Homalia* (Musci: Neckeraceae). *J. Hattori Bot. Lab.* 81: 1-52.
- HEDENÄS, L. (1989a). The genera *Scorpidium* and *Hamatocaulis*, gen. nov., in Northwestern Europe. *Lindbergia* 15: 8-36.
- HEDENÄS, L. (1989b). The genus *Sanionia* (Musci) in Northwestern Europe, a taxonomic revision. *Ann. Bot. Fenn.* 26: 399-419.
- HEDENÄS, L. (1992). Taxonomic and nomenclatural notes on the genera *Calliergonella* and *Breidleria*. *Lindbergia* 16: 161-168.
- HEDENÄS, L. (1993). A generic revision of the Warnstorffia-*Calliergon* group. *J. Bryol.* 17: 447-479.
- HEDENÄS, L. (1994). The *Hedwigia ciliata* complex in Sweden, with notes on the occurrence of the taxa in Fennoscandia. *J. Bryol.* 18: 139-157.
- HEDENÄS, L. (1996). Taxonomic and nomenclatural notes Australian Brachytheciaceae (Musci). *Nova Hedwigia* 62: 451-465.
- HEDENÄS, L. (1997). A partial generic revision of *Campylium* (Musci). *Bryologist* 100: 65-88.
- HEDENÄS, L & P. ISOVIITA (1996a). Proposals to conserve the names *Hypnum plumosum* and *H. salebrosum* (Brachytheciaceae, Musci) with conserved types. *Taxon* 45: 535-537.
- HEDENÄS, L & P. ISOVIITA (1996b). Proposal to reject the name *Hypnum polymorphum* Hedw. (Musci, Amblystegiaceae). *Taxon* 45: 689-690.
- HEDENÄS, L. & P. GEISSLER (1999). Lectotypification of Hedwig names: holarctic pleurocarpous mosses. *Candollea* 54: 417-432.
- HEDWIG, J. (1782). *Fundamentum historiae naturalis muscorum frondosorum, concernens eorum flores, fructus, seminalem propagationem, adjecta generum dispositione methodical, iconibus illustrates.* 2 vols. Lipsiae [Leipzig].
- HEDWIG, J. (1784). *Theoria generationis et frutificationis plantarum cryptogamicarum Linnaei mere propriis observations et experimentis superstructa; dissertation quae praemio ab Academia imperiali Petropolitana pro anno 1783 proposito ornata est...* Petropoli [St. Petersberg].
- HEDWIG, J. (1787-1797). *Descriptio et adumbratio microscopico-analytica muscorum frondosorum nec non aliorum vegetantium e classe cryptogamica Linnaei novorum dubiisque vexatorum.* M.D. 4 vols. Lipsiae [Leipzig]. [NB: Published in four volumes under title 'Stirpes cryptogamicae novae aut dubiae iconibus adumbratae, additaque historia analytica' see TL2. 2527].
- HEDWIG, J. (1798). *Theoria generations et frutifications plantarum cryptogamicarum Linnaei, retracta et aucta. C. tab. Coloratis.* Ed. 2. Lipsae [Leipzig].
- HEDWIG, J. (1799). *Filicum genera et species recentiori methodo accommodatae analytice descriptae a Ioanne Hedwig... iconibusque ad naturam pictis illustratae a Romano Adolpho filio... Lipsiae [Leipzig].*
- HEDWIG, J. (1801). *Species muscorum frondosorum descriptae et tabulis aeneis lxxvii coloratis illustratae. Opus posthumum editum a Frederico Schwaegrichen...* Lipsae [Leipzig].
- HOFMANN, H. (1997). A monograph of the genus *Palamocladium* (Brachytheciaceae, Musci). *Lindbergia* 22: 3-20.
- HOFMANN, H. (1998). A monograph of the genus *Homalothecium* (Brachytheciaceae, Musci). *Lindbergia* 23: 119-159.
- HORTON, D. G. (1983). A revision of the Encalyptaceae (Musci), with particular reference to the North America taxa. Part II. *J. Hattori Bot. Lab.* 54: 353-532.

- HYVÖNEN, J. (1987). A synopsis of the genus *Leptostomum* (Leptostomaceae, Musci). *Ann. Bot. Fenn.* 24: 63-72.
- HYVÖNEN, J. (1989). A synopsis of genus *Pogonatum* (Polytrichaceae, Musci). *Acta Bot. Fenn.* 138: 1-87.
- IRELAND, R. R. (1969). A taxonomic revision of the genus *Plagiothecium* for North America, north of Mexico. *Natl. Mus. Nat. Sci. Publ. Bot.* 1: 1-118.
- IRELAND, R. R. (2001). *Buckiella*, a new genus in the Hypnaceae (Musci). *Novon* 11: 55-62.
- ISOVIITA, P. (1981). *Isothecium alopecuroides*, comb. nova, and *I. myosuroides* (Musci): nomenclatural remark. *Ann. Bot. Fenn.* 18: 201-205.
- ISOVIITA, P. & R. OCHYRA (1990). Proposal to conserve *Drepanocladus* (Musci, Amblystegiaceae). *Taxon* 39: 348-351.
- KARCZMARZ, K. (1971). A monograph of the genus *Calliergon* (Sull.) Kindb. *Monogr. Bot.* 34: 1-209.
- KOCH, L. F. & H. A. CRUM (1956). Hedwig's Species *Muscorum* and its effective date of publication. *Taxon* 5: 130-133.
- KOPONEN, T. (1979). Miscellaneous notes on Mniaceae (Bryophyta), IV. Typification of Hedwig's species of Mniaceae. *Ann. Bot. Fenn.* 16: 79-89.
- KOPONEN, T. (1980). The typification of *Rhodobryum roseum* (Musci, Bryaceae). *Ann. Bot. Fenn.* 17: 192-194.
- KRUIJER, H. (2002). Hypopterygiaceae of the World. *Blumea Supplement* 13.
- LA FARGE-ENGLAND, C. & D. H. VITT (1985). A taxonomic study of *Tayloria hornschuchii* and *T. froelichiana* in North America. *Bryologist* 88: 82-93.
- LEWINSKY-HAAPASAARI, J. & P. ISOVIITA (1999). Lectotypification of *Orthotrichum anomalum* and *O. striatum* (Musci). *Lindbergia* 24: 145-148.
- LI, Z. H. (1985). A revision of Chinese species of *Fissidens* (Musci, Fissidentaceae). *Acta Bot. Fenn.* 129: 1-65.
- LIN, S.-H. (1983). A taxonomic revision of Phyllogoniaceae (Bryopsida). Part I. *J. Taiwan Mus.* 36: 37-86.
- LINNAEUS, C. (1753). *Species plantarum*. Salvius, Holmiae.
- LINNAEUS, C. (1762). *Species plantarum* ed. 2. Salvius, Holmiae.
- MAGOMBO, Z. (2003). Taxonomic revision of the moss family Diphysciaceae M.Fleisch. (Musci). *J. Hattori Bot. Lab.* 94: 1-86.
- MARGADANT, W. D. (1968). Early bryological literature. A descriptive bibliography of selected publications treating Musci during the first decades of the Nineteenth Century and especially the years of 1825, 1826 and 1827. Pittsburgh, Hunt Botanical Library.
- MARGADANT, W. D. & P. GEISSLER (1995). Seventeen proposals concerning nomina conservanda for genera of Musci. *Taxon* 44: 613-624.
- MILLER, N. G. & M. G. MANUEL (1982). *Trachyloma* (Bryophytina, Pterobryaceae): a taxonomic monograph. *J. Hattori Bot. Lab.* 51: 273-321.
- MUÑOZ, J. (1999). A revision of *Grimmia* (Musci, Grimmiaceae) in the Americas. 1. Latin America. *Ann. Missouri Bot. Gard.* 86: 118-191.
- NISHIMURA, N. (1985). A revision of the genus *Ctenidium* (Musci). *J. Hattori Bot. Lab.* 67: 203-242.
- NORDHORN-RICHTER, G. (1982). Die Gattung *Pohlia* Hedw. (Bryales, Bryaceae) in Deutschland und den angrenzenden Gebieten 1. Wenig bekannte und oft übersehenen *Pohlia*-Arten. *Lindbergia* 8: 139-147.
- OCHYRA, R. (1989a). Lectotypification of *Schistidium pulvinatum* (Hedw.) Brid. (Musci: Grimmiaceae) and its consequences. *Nova Hedwigia* 48: 85-106.
- OCHYRA, R. (1989b). Proposal to conserve *Schistidium* (Musci, Grimmiaceae) with a new type. *Taxon* 38: 665-669.
- OCHYRA, R. (1989c). Animadversions on the moss genus *Cratoneuron* (Sull.) Spruce. *J. Hattori. Bot. Lab.* 58: 1-82.
- OCHYRA, R. (1998). The moss flora of King George Island, Antarctica. Polish Academy of Sciences, W. Szafer Institute of Botany, Krakow, Poland.
- OCHYRA, R. & R. LEWIS-SMITH (1998). Antarctic species of the genus *Ditrichum* (Ditrichaceae, Bryopsida), with a description of *D. gemmiferum* sp. nov. *Ann. Bot. Fenn.* 35: 33-53.
- OCHYRA, R. & R. LEWIS-SMITH (1999). *Meesia uliginosa* Hedw. (Musci, Meesiaceae) in Antarctica. *Cryptog. Bryol.* 20: 5-10.
- PETERSEN, W. (1977). Clarification of the nomenclature of *Dicranum condensatum*. *Bryologist* 80: 365-368.
- PRICE, M. J. (2002). Designation of a lectotype for the moss *Weissia calycina* Hedw. (*Holomitrium calycinum* (Hedw.) Mitt.). *Candollea* 57: 45-53.
- PRICE, M. J., R. PALESE & L. KNEUBUEHL (2004). Catalogue des Types d'Hedwig: Electronic Publication: <http://www.ville-ge.ch/cjb/bd/hedwig/index.php>

- PURSELL, R. A. (1986). Typification of Hedwig's species of *Fissidens*. *Bryologist* 89: 35-41.
- ROBINSON, H. & M. S. IGNATOV (1997). *Brachythecium laetum* (Brid.) B.S.G. The correct name for the species commonly known as *Brachythecium oxycladon*. *Bryologist* 100: 359-361.
- SASTRE-DE JESUS, I. (1987). Revision of the Cyrtopodaceae and transfer of *Cyrtopodendron* to the Pterobryaceae. *Mem. New York Bot. Gard.* 45: 709-721.
- SAYRE, G. (1977). Authors of names of bryophytes and the present location of their herbaria. *Bryologist* 80: 502-521.
- SCHWÄGRICHEN, C. F. (1811-1816). *Species Muscorum Frondosorum, Supplementum Primum*. Leipzig (J. Barth) & Paris (Treuttel & Würz).
- SCHWÄGRICHEN, C. F. (1823-1827). *Species Muscorum Frondosorum, Supplementum Secundum*. Leipzig (J. Barth) & Paris (Treuttel & Würz).
- SCHWÄGRICHEN, C. F. (1827-1830). *Species Muscorum Frondosorum, Supplementum Tertium*. Leipzig (J. Barth) & Paris (Treuttel & Würz).
- SCHWÄGRICHEN, C. F. (1842). *Species Muscorum Frondosorum, Supplementum Quartum*. Leipzig (J. Barth) & Paris (Treuttel & Würz).
- SHAW, A. J. (1981a). A taxonomic revision of the propaguliferous species of *Pohlia* in North America. *J. Hattori Bot. Lab.* 50: 1-81.
- SHAW, A. J. (1981b). The nomenclature of *Pohlia annotina* (Hedw.) Lind. and related species. *Lindbergia* 7: 10-22.
- SMITH, G. L. (1971). A conspectus of the genera of Polytrichaceae. *Mem. New York Bot. Gard.* 21: 1-83.
- SNIDER, J. A. (1975). A revision of the genus *Archidium* (Muscii). *J. Hattori Bot. Lab.* 39: 105-201.
- SYED, H. (1973). A taxonomic study of *Bryum capillare* Hedw. and related species. *J. Bryol.* 7: 265-326.
- TOUW, A. (1971). A taxonomic revision of the Hypnodendraceae (Muscii). *Blumea* 19: 211-354.
- TOUW, A. & H. J. KNOL (1978). A note of Hedwig's plants of *Hypnum paelongum* and *H. hians*. *Lindbergia* 4: 197-198.
- VITT, D. H. (1976). The genus *Seligeria* in North America. *Lindbergia* 3: 241-275.
- VITT, D. H. (1980). A comparative study of *Andreaea acutifolia*, *A. mutabilis*, and *A. rupestris* New Zealand. *J. Bot.* 18: 367-377.
- VITT, D. H. (2000). The classification of mosses: Two-hundred years after Hedwig. *Nova Hedwigia* 70: 25-36.
- WAGENITZ, G. (2000). Bibliography of biographical literature on Johann Hedwig (1730-1799). *Nova Hedwigia* 70: 61-64.
- WILCZEK, R. & F. DEMARET (1982). Etude des types de huit espèces du groupe *Bryum capillare* Hedw. *Bull. Jard. Bot. Nat. Belg.* 52: 439-462.
- WISSEMAN, V. (2000). Bibliographie der Drucke und Manuskripte von Johannes Hedwig (1730-1799). *Nova Hedwigia* 70: 45-60.
- YIP, K. L. (2002). Lectotypification of *Pleuridium subulatum* and *P. acuminatum*. *Bryologist* 105: 259-261.
- ZANDER, R. H. (1978). *Didymodon liridus* Hornsch. in Spreng. replaces *D. trifarius* (Hedw.) Roehl. [= *Saelania glaucescens* (Hedw.) Broth.]. *Bryologist* 81: 421-423.
- ZANDER, R. H. (1979). Notes on *Barbula* and *Pseudocrossidium* (Bryopsida) in North America and an annotated key to the taxa. *Phytologia* 44: 177-214.
- ZANDER, R. H. (1995). Phylogenetic relationships of *Hyophiladelphus* gen. nov. (Pottiaceae, Musci) and a perspective on the cladistic method. *Bryologist* 98: 363-374.