

**Zeitschrift:** Boissiera : mémoires de botanique systématique  
**Herausgeber:** Conservatoire et Jardin Botaniques de la Ville de Genève  
**Band:** 61 (2005)

**Artikel:** Catalogue of the Hedwig-Schwägrichen herbarium (G). Part 1, Type material and a review of typifications for the Hedwig moss names  
**Autor:** Price, Michelle J.  
**Kapitel:** List of the Hedwig material present in G by basionym [part 3]  
**DOI:** <https://doi.org/10.5169/seals-1036223>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**


L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**


The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 11.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**




- BN:** *Leskea tamariscina* Hedw., Sp. Musc. Frond.: 212, tab. LI, f. 1-7. 1801.
- CN / SY:** *Hypopterygium tamariscinum* (Hedw.) Brid., Bryol. Univ. 2: 713. 1827.
- PL:** Insulae Australes et Jamaica.
- LI:** [*Pterygophyllum tamarisci* hb Brid. (two illegible words)].
- LT:** KRUIJER, 1996: 87. LT: Hedwig Plate, Sp. Musc. Frond.: 1801. t.51. f.1-7.
- TY:** Not in G – Hedwig Plate.
- Notes:** Specimen present in G seems to be a duplicate from the herbarium of Bridel.
- Figure:** Fig. 222.



- BN:** *Leskea trichomanoides* Hedw., Sp. Musc. Frond.: 231. 1801.
- CN / SY:** *Homalia trichomanoides* (Hedw.) Schimp., Bryol. Eur. 5: 55. 1850.
- PL:** Ad arborum truncos Germaniae frequens.
- LI:** *Hypnum complanatum* fronde pinnata ramosa: foliolis imbricatis acutis, complicatis compressis Linn. Spec. ed. II. 1588. 7.  
 \_\_\_\_\_ pennatum trichomanoides splendens ramosum Dill. Musc. 269. t. 34. f. 8.
- LT:** GEISSLER in MARGADANT & GEISSLER, 1995: 618. LT in G.
- TY:** LT in G.
- Figure:** Fig. 223.



- BN:** *Leskea undata* Hedw., Sp. Musc. Frond.: 214, tab. III, f. 7-12. 1801.
- CN / SY:** *Hookeriopsis undata* (Hedw.) A. Jaeger in Ber. Thätigk. St. Gallischen Naturwiss. Ges. 1875-76: 359. 1877.
- PL:** In insula Jamaica lectam misit. D. Swartz.
- LI:** *Leskea undata* Hedw. Spec. Musc. 214. tab 52. f. 7-12. Jamaica legit ac d. D. Swartz.
- LT:** LT designation not found.
- TY:** In G.
- Notes:** On the label undulata has had the 'du' crossed out in pen and the 'ul' crossed out in pencil, the later correction matching with the basionym as published.
- Figure:** Fig. 224.



- BN:** *Leskea varia* Hedw., Sp. Musc. Frond.: 216, tab. LIII, f. 15-20. 1801.
- CN / SY:** *Amblystegium varium* (Hedw.) Lindb., Musci Scand.: 32. 1879.
- PL:** Lancaster Pennsylvaniae. D. Mühlenberg.
- LI:** *Leskea varia* Sp. Musc. p. 216. t. 53. f. 15-20 Lancasteriae in Pensylv. legit. Muhlenb..
- LT:** OCHYRA, 1998: 224. LT in G; HEDENÄS & GEISSLER, 1999: 429. LT in G.
- TY:** LT in G.
- Figure:** Fig. 225.



- BN:** *Meesia dealbata* Hedw., Sp. Musc. Frond.: 174, tab. XLI, f. 6-9. 1801.
- CN / SY:** *Amblyodon dealbatus* (Hedw.) Bruch & Schimp., Bryol. Eur. 4: 7, 307. 1841.
- PL:** In alpibus Scotiae legit Dicksonus, reperit etiam in Suecia O. Swartz.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- LI - 1 of 2:** [*Meesia dealbata* 1. Sw. ad fontemarcis Upsaliae, aprili 2. Port de Salan, (illegible word) Gay. 3. von (illegible word) III. 39. 4. von (illegible word), darunter mese uliginosa.].
- Figure:** Fig. 226.



- BN:** *Meesia dealbata* Hedw., Sp. Musc. Frond.: 174, tab. XLI, f. 6-9. 1801.
- CN / SY:** *Amblyodon dealbatus* (Hedw.) Bruch & Schimp., Bryol. Eur. 4: 7, 307. 1841.
- PL:** In alpihus Scotiae legit Dicksonus, reperit etiam in Suecia O. Swartz.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- LI – 2 of 2:** [*Meesia dealbata* von Sw. b. *M. longicolla* Fk. lit. 1826. Rotschütz 1823, (illegible word) 1815].
- Figure:** Fig. 227.



**BN:** *Meesia longiseta* Hedw., Sp. Musc. Frond.: 173. 1801.

**CN / SY:** *Meesia longiseta* Hedw., Sp. Musc. Frond.: 173. 1801.

**PL:** In turfosis paludosis Sueciae, Berolini, Erlangae, in monte pinifero Franconiae.

**LT:** LT designation not found.

**TY:** In G – three herbarium sheets located.

**LI – 1 of 3:** *Meesia longiseta* Hedw. St. Crypt. 1. p. 56. f. 21, 22. *Mnium triquetr.* Linn. [a (illegible word) 1796 c. Michaux ad Richard d. Columella] b a Dr. Ehrhart.


**Figure:** Fig. 228.




- BN:** *Meesia longisetata* Hedw., Sp. Musc. Frond.: 173. 1801.
- CN / SY:** *Meesia longisetata* Hedw., Sp. Musc. Frond.: 173. 1801.
- PL:** In turfosis paludosis Sueciae, Berolini, Erlangae, in monte pinifero Franconiae.
- LT:** LT designation not found.
- TY:** In G – three herbarium sheets located.
- LI – 2 of 3:** *Meesia longisetata* Hedw. [b. Wulfen ad J. Hedw.].
- Figure:** Fig. 229.



- BN:** *Meesia longiseta* Hedw., Sp. Musc. Frond.: 173. 1801.
- CN / SY:** *Meesia longiseta* Hedw., Sp. Musc. Frond.: 173. 1801.
- PL:** In turfosis paludosis Sueciae, Berolini, Erlangae, in monte pinifero Franconiae.
- LT:** LT designation not found.
- TY:** In G – three herbarium sheets located.
- LI – 3 of 3:** [*Diplocoma hexastichum* Bipont Müller (illegible word) 25].
- Figure:** Fig. 230.




- BN:** *Meesia uliginosa* Hedw., Sp. Musc. Frond.: 173. 1801.
- CN / SY:** *Meesia uliginosa* Hedw., Sp. Musc. Frond.: 173. 1801.
- PL:** In pratis turfosis paludosis Hassiae, Saxoniae, aliisque Germaniae locis, in rupibus alpestribus calcaries Austriae vulgaris.
- LT:** OCHYRA & LEWIS-SMITH, 1999: 210. ST in G.
- TY:** ST in G – two herbarium sheets located.
- LI – 1 of 2:** *Meesia uliginosa* Hedw. Cryptog. p. 1. t. 1. f. 1-2. *Bryum trichodes* Linn. [b. *angustifolia* alp Helvet. c. *longirostris* Brid. (illegible word) d. *stricta* a. *Bridel* alp Carinth.].
- Figure:** Fig. 231.




- BN:** *Meesia uliginosa* Hedw., Sp. Musc. Frond.: 173. 1801.
- CN / SY:** *Meesia uliginosa* Hedw., Sp. Musc. Frond.: 173. 1801.
- PL:** In pratis turfosis paludosis Hassiae, Saxoniae, aliisque Germaniae locis, in rupibus alpestribus calcaries Austriae vulgaris.
- LT:** OCHYRA & LEWIS-SMITH, 1999: 6. ST in G.
- TY:** ST in G – two herbarium sheets located.
- LI – 2 of 2:** *Mesia uliginosa* Hedw. St. Cr. 1. t. 1.2.
- Figure:** Fig. 232.




- BN:** *Mnium chrysocomum* Hedw., Sp. Musc. Frond.: 74. 1801.
- CN / SY:** *Bretelia chrysocoma* (Hedw.) Lindb. in Öfvers. Förh. Kongl. Svenska Vetensk.-Akad. 20: 389. 1863.
- PL:** Locus in paludosis Scotiae, Cambriae, Angliae.
- LI:** [Bartramia arcuata a. Turn b. ins Bourbon Taylor].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 233.



- BN:** *Mnium crudum* Hedw., Sp. Musc. Frond.: 189. 1801.
- CN / SY:** *Pohlia cruda* (Hedw.) Lindb., Musci Scand.: 18. 1879.
- PL:** Locis udis, montosis ad saxa in Germania passim.
- LI:** *Bryum pendulum* hornum molle foliis et lanceolatis et gramineis Dill. H. M. 401. t. 51. f. 70 *Mnium crudum* antheris pendulis calyptra recurvata foliis pellucidis Linn. Spec. pl. 2. p. 1576. n. ii.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 234.



- BN:** *Mnium cuspidatum* Hedw., Sp. Musc. Frond.: 192, tab. XLV, f. 5-8. 1801.
- CN / SY:** *Plagiomnium cuspidatum* (Hedw.) T. J. Kop. in Ann. Bot. Fenn. 5: 146. 1968.
- PL:** Locus in umbrosis udiusculis silvarum virgultorumque.
- LI:** *Bryum pendulum* foliis variis pellucidis capsulis ovatis Dill. Musc. 413. t.53. f.79. β c et k.  
*Mnium cuspidatum* pedunculis aggregatis, foliis alternis acutis serratis Linn. Sp. II. 1577. 14. β. Syst. Nat. (illegible letter) 1333. β.
- LT:** KOPONEN, 1979: 85. LT in G.
- TY:** LT in G.
- Figure:** Fig. 235.



- BN:** *Mnium fontanum* Hedw., Sp. Musc. Frond.: 195. 1801.
- CN / SY:** *Philonotis fontanum* (Hedw.) Brid., Bryol. Univ. 2: 18. 1827.
- PL:** Locis paludosis apertis spongiosis.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- LI – 1 of 2:** *Mnium fontanum* [b. ex Oware Menzies c. ins. Martinic. Gott e Sieberianis d. rigida e Calabria e. c Calabria sub Conostomo novo Schl. = rigida f. humilis Brid. ex antillis (two illegible letters) g. Fabronia Mariana Gaudichaud h. diaphana Brid. mis.].
- Figure:** Fig. 236.



- BN:** *Mnium fontanum* Hedw., Sp. Musc. Frond.: 195. 1801.
- CN / SY:** *Philonotis fontanum* (Hedw.) Brid., Bryol. Univ. 2: 18. 1827.
- PL:** Locis paludosis apertis spongiosis.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- LI – 2 of 2:** *Mnium fontanum* caule simplici geniculatis inflexa. Linn. Spec. pl. 2. p. 1574. 2. Bryum palustre scapis teretibus stellatis, capsulis magnis subrotundis Dill. Musc. 340. t. 44. f. 2. [b. bryum lycopodiiforme Schlecht. 1810 c. Gronland (illegible word) d. (two illegible words) e. alpes Hornsch.].
- Figure:** Fig. 237.



**BN:** *Mnium hornum* Hedw., Sp. Musc. Frond.:  
188. 1801.

**CN / SY:** *Mnium hornum* Hedw., Sp. Musc. Frond.:  
188. 1801.

**PL:** Locis nemorosis umbrosis udis.

**LI:** *Bryum stellare hornum sylvarum*, capsulis  
magnis nutantibus Dill. Musc. 402. t. 51.  
f. 71. *Mnium hornum* antheris pendulis,  
pedunculo curvato, surculo simplici, foliis  
margine scabris. Linn. Sp. II. 1576. 10. Syst.  
Nat. X 1333. 10.

**LT:** KOPONEN, 1979: 85. LT in G.

**TY:** LT in G.


**Figure:** Fig. 238.




- BN:** *Mnium marchicum* Hedw., Sp. Musc. Frond.: 196. 1801.
- CN / SY:** *Philonotis marchica* (Hedw.) Brid., Bryol. Univ. 2: 23, 735. 1827.
- PL:** In ligno putrido natante in fluvio prope Spandau.
- LI:** [Bartramia marchica a. a. Crome b. Flörke in lign natant pr. Pickelsberg].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 239.



- BN:** *Mnium palustre* Hedw., Sp. Musc. Frond.: 188. 1801.
- CN / SY:** *Aulacomnium palustre* (Hedw.) Schwägr., Sp. Musc. Frond., Suppl. 3, 1(1): 216. 1827.
- PL:** In pratis et nemoribus humidis spongiosis ubique.
- LI:** *Mnium palustre* caule dichotomo, foliis subulatis Linn. Spec. ed. II. 1574. 3. *Mnium majus* ramis longioribus bifurcatis Dill. Musc. 233. t. 31. f. 3. von (2 illegible words) bey Leipzig.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 240.



- BN:** *Mnium pseudotriquetrum* Hedw., Sp. Musc. Frond.: 190. 1801.
- CN / SY:** *Bryum pseudotriquetrum* (Hedw.) P. Gaertn., B. Mey. & Scherb., Oekon. Fl. Wetterau 3: 102. 1802.
- PL:** Locis apricis udis paludosis Europae.
- LI:** DUBY-BOISSIER Herbarium: "Meesia longisetu Hostio Austr 94. Br. pstriq. Simile Timmiae austriacae, f. differt. Foliis supremis ovatis, l. ovatolanceolatis margine revolutis, quae integra videntur, (illegible word) conduplicatus, caulibus per id, quod margine valde revolutis lanceolatis (illegible word) deest (illegible word) basis. Habet aliquam similitudinem cum br. orbitale folia tortilia pedunculi (illegible word, illegible symbol) rigidi distinguunt".
- LT:** LT designation not found.
- TY:** In G ?
- Figure:** Fig. 241.



- BN:** *Mnium punctatum* Hedw., Sp. Musc. Frond.: 193. 1801.
- CN / SY:** *Rhizomnium punctatum* (Hedw.) T. J. Kop. in Ann. Bot. Fenn. 5: 143. 1968.
- PL:** In umbrosis humidis.
- LI:** *Bryum pendulum* serpillifolis rotundiore, pellucido, capsulis ovatis Dill. H. Musc. 416. t. 53. f. 81. *Mnium punctatum* pedunculis aggregatis, fol. obovatis, integerrimis, obtusis punctatis Linn. Spec. pl. 2. p. 1577 n. 14. Sp. M. p. 193.
- LT:** KOPONEN, 1979: 88. LT in G.
- TY:** LT in G.
- Figure:** Fig. 242.



- BN:** *Mnium roseum* Hedw., Sp. Musc. Frond.: 194. 1801.
- CN / SY:** *Rhodobryum roseum* (Hedw.) Limpr., Die Laubm. Deutschl. 2: 445. 1892.
- PL:** In umbrosis humidis.
- LI:** *Bryum stellare roseum maius, capsulis ovatis pendulis* Dill. H. Musc. 417. t. 52. f. 77.  
*Mnium proliferum pedunculis aggregatis fol. rosacea congestis, lanceolato acutis* Linn. Spec. pl. 2. 1578. 14.
- LT:** KOPONEN, 1980: 193. LT in G.
- TY:** LT in G.
- Figure:** Fig. 243.



- BN:** *Mnium sphaericarpon* Hedw., Sp. Musc. Frond.: 197. 1801.
- CN / SY:** *Philonotis sphaerocarpa* (Hedw.) Brid., Bryol. Univ. 2: 25. 1827.
- PL:** In Jamaica.
- LI:** [*Mnium sphaericarpon* H. Stirp. 3.p. (illegible symbol) t.38. a. e Rumania Swartz ad Hedw. Specimina picta b. (illegible word) c. Smidt am e Canaris .l. n. ad Taylor d. Palisot e Calabria .l. n.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 244.



- BN:** *Mnium stellare* Hedw., Sp. Musc. Frond.: 191, tab XLV, f. 1-4. 1801.
- CN / SY:** *Philonotis sphaerocarpa* (Hedw.) Brid., Bryol. Univ. 2: 25. 1827.
- PL:** Locus umbrosus; ad Malchin ducatus Megapol. Im Kahldischen Holze, im ersten hohlen Wege. Timm.
- LI:** *Mnium stellare* Spec. Musc. p.191. tab. 45. fig. 1-4. a specimina ab ipso Timmio accepta [b a Schleicher c. a Voit d a Blandow e. (two illegible words) hb. Bridel † Br. abruptinerve hb. Brid. 28. Grateloup].
- LT:** KOPONEN, 1979: 85. LT in G.
- TY:** LT in G.
- Figure:** Fig. 245.



- BN:** *Mnium tetragonum* Hedw., Sp. Musc. Frond.: 73. 1801.
- CN / SY:** *Conostomum tetragonum* (Hedw.) Lindb. in Öfvers. Förh. Kongl. Svenska Vetensk.-Akad. 20: 392. 1863.
- PL:** None.
- LI:** [*Conostomum boreale* a pita e Suec. Sw. b. e Groenland c. ex Angl. Turner.]
- LT:** LT designation not found.
- TY:** In G ?
- Figure:** Fig. 246.



**BN:** *Mnium turbinatum* Hedw., Sp. Musc. Frond.: 191. 1801.

**CN / SY:** *Bryum turbinatum* (Hedw.) Turner, Muscol. Hibern. Spic.: 127. 1804.

**PL:** Locis arenosis udis Saxoniae, Angliae.

**LI:** *Bryum rubens*. *Mnium turbinatum* Hedw. St. Cr. Vol. III. p. 22. t. 8. *Bryum palustre complicatum rubens, capsulis turbinatis pendulis.* Dill Musc. 406. t. 51. f. 74 [das Peristom ist zw. Glas. b. Funk].


**LT:** LT designation not found.

**TY:** In G.

**Figure:** Fig. 247.



- BN:** *Mnium undulatum* Hedw., Sp. Musc. Frond.: 195. 1801.
- CN / SY:** *Plagiomnium undulatum* (Hedw.) T. J. Kop. in Ann. Bot. Fenn. 5: 146. 1968.
- PL:** Locis umbrosis, humidis Europae.
- LI:** *Bryum dendroide polycephalis* (2 illegible characters) Dill. H. Musc. 400. t. 52. f. 76. *Mnium undulatum pendunculis aggregaris* pp. Linn. Sp. pl. p. 1578. *Planta discifera*.
- LT:** KOPONEN, 1979: 88. LT in G.
- TY:** LT in G.
- Figure:** Fig. 248.




- BN:** *Neckera cladorrhizans* Hedw., Sp. Musc. Frond.: 207, tab. XLVII, f. 1-7. 1801.
- CN / SY:** *Entodon cladorrhizans* (Hedw.) Müll. Hal. in *Linnaea* 18: 707. 1845.
- PL:** Lancaster Pennsylvaniae. Arborea.
- LI:** *Neckera cladorrhizans* Spec. Musc. p.207. t.47.f. 1-6. [b. Nepal.] In Pennsylvania circa Lancaster legit Rev. Muhlenberg.
- LT:** GEISSLER, 1984: 643. T in G.
- TY:** T in G.
- Notes:** Specific lectotype not designated.
- Figure:** Fig. 249.




- BN:** *Neckera composita* Hedw., Sp. Musc. Frond.: 203, tab. XLVI, f. 10-15. 1801.
- CN / SY:** *Pilotrichum compositum* (Hedw.) P. Beauv., Prodr. Aethéogam.: 82. 1805.
- PL:** Jamaica.
- LI:** *Neckera composita* Spec. Musc. p. 203. t. 46. f. 8-13 *Hypnum compositum* Swartz Prodr. p. 141. [b. var. longifolia c. St. Domingo Thonin] Insula Jamaica legit et misit D.O. Swartz.
- LT:** CROSBY, 1969: 299. LT in G.
- TY:** LT in G.
- Figure:** Fig. 250.



- BN:** *Neckera crispa* Hedw., Sp. Musc. Frond.: 200. 1801.
- CN / SY:** *Neckera crispa* Hedw., Sp. Musc. Frond.: 200. 1801.
- PL:** Habitat in silvaticis rupestribus; in regionibus calcareis frequentissima.
- LI:** *Hypnum crispum* surculis ramosis, frondibus subpinnatis foliis undulatis planis Linn. Spec. pl. 2. p. 1589. n. ii. *Hypnum pennatum undulatum crispum*, setis et capsulis brevibus Dill. H. Musc. 273. t. 36. f. 12.
- LT:** HEDENÄS & GEISSLER, 1999: 429. LT in G.
- TY:** LT in G.
- Figure:** Fig. 251.




- BN:** *Neckera curtispindula* Hedw., Sp. Musc. Frond.: 209. 1801.
- CN / SY:** *Antitrichia curtispindula* (Hedw.) Brid., Muscol. Recent. Suppl. 4: 136. 1819 [1818].
- PL:** Habitat in arborum truncis rupibusque Europae copiosissima.
- LI:** *Hypnum curtispindulum* surculis vagis teretibus foliis ovatis acutis patulis, antheris pendulis Linn. Spec. pl. 2. p. 1594. n. 31. *Hypnum dentatum curtispindulum*, viticulis rigidis Dill. H. M. 333. t. 43. f. 69. ad saxum lecta.
- LT:** HEDENÄS & GEISSLER, 1999: 429. LT in G.
- TY:** LT in G.
- Figure:** Fig. 252.



- BN:** *Neckera disticha* Hedw., Sp. Musc. Frond.: 201. 1801.
- CN / SY:** *Neckeropsis disticha* (Hedw.) Kindb. in Canad. Rec. Sci. 6: 21. 1894.
- PL:** Habitat in Jamaica et Hispaniola.
- LI:** *Neckera disticha* [Hedw. St. Cr. Vol. 3. p. t. 22. a Swartz. (two illegible words) b. *Pilotrichum truncatum* Palisot ex. Oware c. (illegible word) c. e Cuba. d. Guyanna (illegible word)].
- LT:** FLORSCHÜTZ, 1964: 267. T in G.
- TY:** T in G.
- Figure:** Fig. 253.



- BN:** *Neckera filicina* Hedw., Sp. Musc. Frond.: 204. 1801.
- CN / SY:** *Pirella filicina* (Hedw.) Cardot in Rev. Bryol. 40: 18. 1913.
- PL:** Habitat in Jamaica.
- LI:** [*Neckera filicina* Sw.].
- LT:** ARZENI, 1954: 29. T in NY.
- TY:** T in NY.
- Figure:** Fig. 254.



- BN:** *Neckera filiformis* Hedw., Sp. Musc. Frond.: 202. 1801.
- CN / SY:** *Cryphaea filiformis* (Hedw.) Brid., Muscol. Recent. Suppl. 4: 139. 1819 [1818].
- PL:** Habitat in Hispaniola.
- LI:** *Neckera filiformis* Hedw. St. Crypt. Vol. 3. p. 41. t. 16. *Fontinalis filiformis* Swartz. Prodr. p. 138. in Jamaica legit ac misit Cl. Swartz. [ad saxa rivorum pr. Tamaritti Brasil (illegible word) 1824].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 255.



- BN:** *Neckera heteromalla* Hedw., Sp. Musc. Frond.: 202. 1801.
- CN / SY:** *Cryphaea heteromalla* (Hedw.) D. Mohr, Tab. Calyptr. Operc. 1814.
- PL:** Habitat in Anglia.
- LI:** [*Neckera heteromalla* a hb Hg. America. b. hbar Dillen.].
- LT:** HEDENÄS & GEISSLER, 1999 : 429. LT in G.
- TY:** LT in G.
- Figure:** Fig. 256.



- BN:** *Neckera hypnoides* Hedw., Sp. Musc. Frond.: 203. 1801.
- CN / SY:** *Pilotrichum hypnoides* (Hedw.) P. Beauv., Prodr. Aethéogam.: 83. 1805.
- PL:** Habitat in Hispaniola.
- LI:** [*Neckera hypnoides* Sw. b. Owyhee Menz. (two illegible letters) n. 66.].
- LT:** CROSBY, 1969: 334. LT in BM, isolectotype in G.
- TY:** Iso-LT in G.
- Figure:** Fig. 257.



- BN:** *Neckera macropoda* Hedw., Sp. Musc. Frond.: 207. 1801.
- CN / SY:** *Entodon macropodus* (Hedw.) Müll. Hal. in *Linnaea* 18: 707. 1845.
- PL:** Habitat in America meridionali insulisque australibus.
- LI:** *Neckera macropoda* Hedw. St. Cr. Vol. III. p. t. 23. [b. Muhlenberg a. a. Sw.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 258.



- BN:** *Neckera pennata* Hedw., Sp. Musc. Frond.: 200. 1801.
- CN / SY:** *Neckera pennata* Hedw., Sp. Musc. Frond.: 200. 1801.
- PL:** Habitat in Anglia, Helvetia, Germania, Silesia, Nassovia, Erlangae, prope Rochlitz in Saxonia; in cortice arborum, maxime fagorum.
- LI:** *Neckera pennata* Hedwig. St. Cr. V.3. p. t. 19. [b.b. Komschatka].
- LT:** HEDENÄS & GEISSLER, 1999: 429. LT in G.
- TY:** LT in G.
- Figure:** Fig. 259.




- BN:** *Neckera planifolia* Hedw., Sp. Musc. Frond.: 206, tab. XLVIII, f. 1-3. 1801.
- CN / SY:** *Trachyloma planifolium* (Hedw.) Brid., Bryol. Univ. 2: 277. 1827.
- PL:** Insulae australes.
- LI:** [Neckera planifolia Hg. a. d. R. Brown. b. Java mont. Moluccas d. Reinwardt. Trachyloma Brid. 2. 227].
- LT:** MILLER & MANUEL, 1982: 297, 298. NT in G.
- TY:** NT in G.
- Figure:** Fig. 260.




- BN:** *Neckera pumila* Hedw., Sp. Musc. Frond.: 205. 1801.
- CN / SY:** *Neckera pumila* Hedw., Sp. Musc. Frond.: 205. 1801.
- PL:** Habitat in arborum truncis in silvis inter Troutbeck et Ambleside in Westmoreland in Anglia. Dicksono auctore.
- LI:** [*Neckera pumila* (illegible word) Britain LaPylaie c. Schleich. 4. 21. d. a Kamtschatka Tiles St. Crypt. III. p. 49. f. 20.].
- LT:** HEDENÄS & GEISSLER, 1999: 429. LT in G.
- TY:** LT in G.
- Figure:** Fig. 261.




- BN:** *Neckera seductrix* Hedw., Sp. Musc. Frond.: 208, tab. XLVII, f. 8-13. 1801.
- CN / SY:** *Entodon seductrix* (Hedw.) Müll. Hal. in *Linnaea* 19: 214. 1846.
- PL:** Lancaster Pennsylvaniae.
- LI:** *Neckera seductrix* Sp. Musc. p. 208. t.47. f.8-13 [b. a (two illegible words)] ad Lancaster Pennsylvaniae Rev Muhlenberg.
- LT:** HEDENÄS & GEISSLER, 1999: 429. LT in G.
- TY:** LT in G.
- Figure:** Fig. 262.




- BN:** *Neckera undulata* Hedw., Sp. Musc. Frond.: 201. 1801.
- CN / SY:** *Neckeropsis undulata* (Hedw.) Reichardt, Reise Novara 1: 181. 1870.
- PL:** Habitat in Jamaica; in arborum truncis, ut Dillenio videbatur.
- LI:** [*Neckera undulata* a. Guyan Rich, b. Oware Palisot c. Caribaes hb Hg d. Sw Jam].
- LT:** FLORSCHÜTZ, 1964: 269. T in G.
- TY:** T in G.
- Figure:** Fig. 263.




- BN:** *Neckera viticulosa* Hedw., Sp. Musc. Frond.: 209, tab. XLVIII, f. 4-8. 1801.
- CN / SY:** *Anomodon viticulosus* (Hedw.) Hook. & Taylor, Muscol. Brit.: 79. 1818.
- PL:** Locus ad arbores vetustas silvarum umbrosarum per omnem Europam, rarius in terra.
- LI:** *Hypnum viticulosum* surculis repentibus, ramis vagis, teretibus, foliis patulis acuminatis Linn. Sp. pl. 2. p. 1592. n. 25. *Hypnum subhirsutum* viticulis gracilibus erectis capsulis teretibus Dill. H. Musc. 307. t. 39. f. 43. Lips. lectus.
- LT:** GRANZOW DE LA CERDA in HEDENÄS & GEISSLER, 1999: 429. LT in G.
- TY:** LT in G.
- Figure:** Fig. 264.



- BN:** *Neckera viticulosa* var. *minor* Hedw., Sp. Musc. Frond.: 210. 1801.
- CN / SY:** *Anomodon minor* (Hedw.) Lindb. in Bot. Not. 1865: 196. 1865.
- PL:** Ad Lancaster Pennsylvaniae lectam, accipi a Rev. D. Mühlenberg.
- LI:** *Neckera viticulosa* var. *minor* foliis obtusioribus Spec. M. β p. 209 t.48. f.49. ad Lancaster Pennsylvaniae lecta a Rever. D. Muhlenberg.
- LT:** GRANZOW DE LA CERDA in HEDENÄS & GEISSLER, 1999: 430. LT in G.
- TY:** LT in G.
- Figure:** Fig. 265.




- BN:** *Octoblepharum albidum* Hedw., Sp. Musc. Frond.: 50. 1801.
- CN / SY:** *Octoblepharum albidum* Hedw., Sp. Musc. Frond.: 50. 1801.
- PL:** E Providentiae insula acceperat Dillenius, Swartz in Jamaica; procul dubio terrestre.
- LI:** *Octoblepharum albidum* Hedw. St. Crypt. Vol. III. p. 15. t. 6. A *Bryum albidum* Syst. Veg. p. Jamaica. Swartz.
- LT:** FLORSCHÜTZ, 1964: 112. T in G.
- TY:** T in G.
- Figure:** Fig. 266.




- BN:** *Orthotrichum anomalum* Hedw., Sp. Musc. Frond.: 162. 1801.
- CN / SY:** *Orthotrichum anomalum* Hedw., Sp. Musc. Frond.: 162. 1801.
- PL:** In saxis, muris, tegulis, in Germania vulgaris.
- LI:** *Polytrichum capsulis sessilibus, foliis brevibus rectis carinatis* Dill. Musc. 432. t. 55. f. 10. *Bryum striatum* Linn. Spec. II. 1579. 2. varietas. *Orthotrichum anomalum* Hedw. St. Crypt. Vol. 11. p. 102. t. 97.
- LT:** LEWINSKY-HAAPASAARI & ISOVIITA, 1999: 147. LT in G.
- TY:** LT in G.
- Figure:** Fig. 267.




- BN:** *Orthotrichum crispum* Hedw., Sp. Musc. Frond.: 162. 1801.
- CN / SY:** *Ulota crispa* (Hedw.) Brid., Muscol. Recent. Suppl. 4: 112. 1819 [1818].
- PL:** In saxis, arborum truncis per omnem Europam.
- LI:** *Bryum striatum* Linn. Spec. pl. 2. p. 1579. 2. *Polytrichum capillaceum crispum calyptris acutis pilosissimis* Dill. Musc. 433. t. 55. f. 11. *Orthotrichum crispum* Hedw. St. Crypt. Vol. II. p. 96. t. 35.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 268.




- BN:** *Orthotrichum striatum* Hedw., Sp. Musc. Frond.: 163. 1801.  
**CN / SY:** *Orthotrichum striatum* Hedw., Sp. Musc. Frond.: 163. 1801.  
**PL:** Ad truncos arborum fruticumque annosarum, muris tectisque ligneis in Europa.  
**LI:** *Bryum striatum* antheris sessilibus Linn. Sp. pl. 2. p. 1579. var. *Polytrichum capsulis sessilibus, foliis brevissimis rectis carinatis* Dill. H. M. 432. t. 55. f. 10. *Orthotrichum striatum* Hedw. St. Crypt. Vol. II. p. 99. t. 38.  
**LT:** LEWINSKY-HAAPASAARI & ISOVIITA, 1999: 147. LT in G.  
**TY:** LT in G.  
**Figure:** Fig. 269.




- BN:** *Phascum alternifolium* Hedw., Sp. Musc. Frond.: 24. 1801.
- CN / SY:** *Archidium alternifolium* Müll. Hal., Syn. Musc. Frond. 2: 517. 1851.
- PL:** Locis uliginosis Angliae a Dicksono detecta species.
- LI:** [Archidium profroides Phascum globiferum a. Bruch] and on a small packet attached to sheet [Bryum rubellum (illegible word), non pulchellum Phascum globiferum].
- LT:** SNIDER, 1975: 129. LT in BM.
- TY:** LT in BM.
- Notes:** Label information not compatible with protologue.
- Figure:** Fig. 270.




- BN:** *Phascum cohaerens* Hedw., Sp. Musc.  
 Frond.: 25, tab. I, f. 1-6. 1801.
- CN / SY:** *Ephemerum cohaerens* (Hedw.) Hampe in  
 Flora 20: 285. 1837.
- PL:** Pensilvania, in terra lutosa, densissima cohorte.
- LI:** *Phascum cohaerens* Sp. Musc. pag. 24. t. 1  
 f. 1-6. ad Lancaster Pennsylvaniae legit ac misit  
 Rev D. Muhlenberg.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 271.




- BN:** *Phascum crispum* Hedw., Sp. Musc. Frond.: 21. 1801.
- CN / SY:** *Phascum crispum* Hedw., Sp. Musc. Frond.: 21. 1801.
- PL:** Etiam gregarium ad semitas, tumulos pinguiores tenui gramine vestitos.
- LI:** *Phascum crispum* Hedw. cryptogam p. 23. t.9. [a. Mühlbergian (four illegible words or letters) differt a (illegible word) αα Palisot.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 272.




- BN:** *Phascum curvicollem* Hedw., Sp. Musc. Frond.: 21. 1801.
- CN / SY:** *Microbryum curvicolle* (Hedw.) R. H. Zander in Bull. Buffalo Soc. Nat. Sci. 32: 240. 1993.
- PL:** Locis lapidosis in saltu Davenstaedtensi 1784. primus detexit Cl. Ehrhart. (Lipsiae in aula horti Reicheliani D. Romanus Hedwigius) Goettingae in monte Heinberg Schrader, in Anglia, Basileae, Genevae Bridel.).
- LI:** *Phascum curvicollem* Hedw. St. Cr. 1.p.31 t. 11 exemplaria ab Ehrharto missa.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 273.




- BN:** *Phascum cuspidatum* Hedw., Sp. Musc. Frond.: 22. 1801.
- CN / SY:** *Phascum cuspidatum* Hedw., Sp. Musc. Frond.: 22. 1801.
- PL:** In hortorum areis ubique gregatim.
- LI:** *Phascum cuspidatum* caulescens fol ovatis cuspidatis patulis: terminalibus erectis conniventibus Schreb. Phasc. p. 8. n. 3. t. 1. f. 1. 2. *Phascum acaule* Linn. Sp. pl. 2. p. 1570. *Sphagnum acaulon* bulbiforme maius Dill. Musc. 251. t. 32. f. 11. [a. Pensilvan. b. Duval. c. curvisetum a Turn. d. curvisetum (four illegible words)].
- LT:** GUERRA in GUERRA & CROS, 2003: 6. LT in G.
- TY:** LT in G.
- Figure:** Fig. 274.



- BN:** *Phascum muticum* Hedw., Sp. Musc. Frond.: 23. 1801.
- CN / SY:** *Acaulon muticum* (Hedw.) Müll. Hal. in Bot. Zeitung (Berlin) 5: 99. 1847.
- PL:** Praeprimis locis limosis nudis, ut in coemeteriorum tumulis, muris argillaceis (ad latera fosarum scararum iuxta vias agrestes arenolosas).
- LI:** *Phascum muticum* acaule foliis ovatis muticis concavis conniventibus. Schreb Phasc. p. 8. t. 1. f. 11. 12 *Phascum acaulon bulbiforme minus*. Dill. H. M. p. 252. t. 32. f. 12. Linn. Sp. Pl. 2. p. 1570. n. 1. var. β.
- LT:** GUERRA in GUERRA & CROS, 2003: 16. LT in G.
- TY:** LT in G.
- Figure:** Fig. 275.




- BN:** *Phascum nitidum* Hedw., Sp. Musc. Frond.: 19. 1801.
- CN / SY:** *Pseudephemerum nitidum* (Hedw.) Reimers in Verh. Bot. Vereins Prov. Brandenburg 74: 152. 1933.
- PL:** Lipsiae in silva Lindenthaliensi, (in campis declivibus versus Schönfeld, Erlangae S.) et Chemnizii Saxonium.
- LI:** *Phascum nitidum* Hedw. St. Cr. I. p. 91. t. 34. [b. Lipsiae Schönfeld. c. Iserwiese (illegible word). d. var. repens Lips. Schönfeld. e. axillare in Turn] a Chemnitzii Sax. lectum.
- LT:** YIP, 2002: 256. T in G.
- TY:** T in G.
- Figure:** Fig. 276.




- BN:** *Phascum patens* Hedw., Sp. Musc. Frond.: 20. 1801.
- CN / SY:** *Physcomitriella patens* (Hedw.) Bruch & Schimp., Bryol. Eur. 1: 13, tab. 3: patens. 1849.
- PL:** Lipsiae in viis (limosis) udis silvarum depressarum, Junio, Augusta matura sporangia crepant.
- LI:** *Phascum patens* Hedw. St. Cr. 1. 28. t. 10. [a. ex Aegypto b. ex Pennsylvan Mhlbg. n. 801, n. 68 c recurvifol. a Turn. β (two illegible words) folio ultimo (two illegible words)].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 277.



- BN:** *Phascum piliferum* Hedw., Sp. Musc. Frond.: 20. 1801.
- CN / SY:** *Tortula acaulon* (With.) R. H. Zander in Bull. Buffalo Soc. Nat. Sci. 32: 378. 1993.
- PL:** In muris argillosis (ad latera arenosa-lutosa fossarum iuxta vias publicas elatiores prope Lipsiam, Berolinum, (Gotham, Megapolin, Clagenfurtum, Londinum, Vindobonam, In Galliae Campania) Vere.
- LI:** *Phascum piliferum* Schr. Phasc. t. 1.f. 6-7.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 278.



- BN:** *Phascum serratum* Hedw., Sp. Musc. Frond.: 23. 1801.
- CN / SY:** *Ephemerum serratum* (Hedw.) Hampe in Flora 20: 285. 1837.
- PL:** Locis udiusculis pinguescentibus; Lipsiae in coemeterii nosodochialis tumulis talparum inveteratis, in pratis humidis versus Schoenfeld frequens. (Erlangae ad stagnulum pone Alitz, in nemorosis Duc. Brunsv. Schrader.).
- LI:** *Phascum serratum* Schr. Ph. t.2. Lips. Lect. [a. ex Anglia Turner b. stoloniferum Turn. c (illegible word) Stark Siles.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 279.



- BN:** *Phascum subulatum* Hedw., Sp. Musc. Frond.: 19. 1801.
- CN / SY:** *Pleuridium subulatum* (Hedw.) Rabenh., Deutschl. Krypt.-Fl. 2(3): 79. 1848.
- PL:** None.
- LI:** *Phascum subulatum* Hedw. St. Cr. I. 93. t. 35. Lips. lect. [a. Pensilvan b 801. Muhlbg. n 68].
- LT:** YIP, 2002: 260. LT in G.
- TY:** LT in G.
- Figure:** Fig. 280.



**BN:** *Pohlia elongata* Hedw., Sp. Musc. Frond.: 171. 1801.

**CN / SY:** *Pohlia elongata* Hedw., Sp. Musc. Frond.: 171. 1801.


**PL:** In silvaticis ad vias cavas Chemnizii in Saxonia, Erlangae, Hannoverae, in Scotia, in alibus Austriacis, Styriacis.

**LI:** *Pohlia elongata* Hedw. St. Crypt. 1. p. 96. t. 36. [2. Hornschuch Gastein 2. id, ad (illegible word) 4. Hg. 5. (illegible word) longicolle Voit herbier 6. b. Graskog....im Silberthal Mielichhofer (illegible word) 7. Schleich. Cent. 2. 36. c vallee Sarvan 8. acuminata e 'nepaals' 8. acuminata ab Hornschuch (two illegible words)].

**LT:** LT designation not found.

**TY:** In G.

**Figure:** Fig. 281.



**BN:** *Polytrichum aloides* Hedw., Sp. Musc. Frond.: 96. 1801.

**CN / SY:** *Pogonatum aloides* (Hedw.) P. Beauv., Prodr. Aethéogam.: 84. 1805.

**PL:** In ericetis et viis cavis praeruptis, (in fissuris rupium arenosarum) haud infrequens in Europa. Lipsiae in pineto Lindenthaliensi et Bieniz ad scrobes passim.

**LI:** [*Polytrichum aloides* a. c. Duval. b. laterale a Bland. d. rubellum a Sw. e. Dicksoni in Turn. f. minim (illegible word). g. (illegible word) Schleich h. novo Friburgo Brasil ad (illegible word) Jun 1823 Beyrich i. Joze Dio in solo (two illegible words) 1822 Beyrich].

**LT:** LT designation not found.

**TY:** In G.

**Figure:** Fig. 282.




- BN:** *Polytrichum alpinum* Hedw., Sp. Musc. Frond.: 92, tab. XIX, f. 2 b. 1801.
- CN / SY:** *Polytrichastrum alpinum* (Hedw.) G. L. Sm. in Mem. New York Bot. Gard. 21(3): 37. 1971.
- PL:** Habitat in alpibus Scoticis, Scandinavicis, Tyrolensibus, Helveticis, in Sudetibus, Bructero Hercyniae etc.
- LI:** [*Polytrichum alpinum* e. (illegible word) b. ambiguum a Rich.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 283.




- BN:** *Polytrichum commune* Hedw., Sp. Musc. Frond.: 88. 1801.
- CN / SY:** *Polytrichum commune* Hedw., Sp. Musc. Frond.: 88. 1801.
- PL:** Vulgaris per totam Europam.
- LI:** [Polytrichum commune b. Muhlbg. 251. c. commerf. a. Linn ipso (illegible word) commune β (3 illegible words).].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 284.



- BN:** *Polytrichum convolutum* Hedw., Sp. Musc. Frond.: 94, tab. XX, f. 3-5. 1801.
- CN / SY:** *Pogonatum convolutum* (Hedw.) P. Beauv., Prodr. Aethéogam.: 84. 1805.
- PL:** Insula Bourbon, Commerson; Jamaica, Swartz, cuius benevolentiae debeo mea specimina.
- LI:** [*Polytrichum convolutum* ins. Borb. Commerf. Thoria b. ab Humboldt lectum dd Hook. = *Pol. semipellucidum* Hampe C.M.].
- LT:** HYVÖNEN, 1989: 33. LT in G.
- TY:** LT in G.
- Figure:** Fig. 285.




- BN:** *Polytrichum dendroides* Hedw., Sp. Musc. Frond.: 102. 1801.
- CN / SY:** *Dendrooligotrichum dendroides* (Hedw.) Broth., Nat. Pflanzenfam. 1(3): 681. 1905.
- PL:** In freti Magellanici silvis, quae alpebus subsunt. Raje Françoise de Bourguinville et Port Galant. Commerson 1767.
- LI – 1 of 2:** [*Polytrichum dendroides* Legit. Gay in Chile].
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 286.




- BN:** *Polytrichum dendroides* Hedw., Sp. Musc. Frond.: 102. 1801.
- CN / SY:** *Dendrooligotrichum dendroides* (Hedw.) Broth., Nat. Pflanzenfam. I(3): 681. 1905.
- LI – 2 of 2:** [*Polytrichum dendroides* Ad fretum Magellanicum Thonin].
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 287.



- BN:** *Polytrichum formsosum* Hedw., Sp. Musc. Frond.: 92, tab. XIX, f. 1 a. 1801.
- CN / SY:** *Polytrichastrum formsosum* (Hedw.) G. L. Sm. in Mem. New York Bot. Gard. 21(3): 37. 1971.
- PL:** Habitat circa Avipetras (die Vogelsteine) Sudetum. Ludwig.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- LI – 1 of 2:** [Pol. attenuata a Mz. formsosum b. (illegible word) Brid. z. 748. terra nova hbar Bridel. (nine illegible words)].
- Figure:** Fig. 288.



- BN:** *Polytrichum formosum* Hedw., Sp. Musc. Frond.: 92, tab. XIX, f. 1 a. 1801.
- CN / SY:** *Polytrichastrum formosum* (Hedw.) G. L. Sm. in Mem. New York Bot. Gard. 21(3): 37. 1971.
- PL:** Habitat circa Avipetras (die Vogelsteine) Sudetum. Ludwig.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- LI – 2 of 2:** [*Polytrichum formosum* Stans. Thuill. Fontainebl. b. a Richard.].
- Figure:** Fig. 289.



- BN:** *Polytrichum hercynicum* Hedw., Sp. Musc. Frond.: 94. 1801.
- CN / SY:** *Oligotrichum hercynicum* (Hedw.) DC. in Lam. & DC., Fl. Franç. 2: 492. 1805.
- PL:** Ad Rehberg Hercyniae inter Andreasberg et pontem Viadrinam ao. 1780. primus detexit Ehrhart (in Sudetibus, in Austriae alpinis).
- LI:** [*Polytrichum Hercynicum* 1. Hg. 2. Heryn. c. Host  $\sigma$  alp Lund. d. Catherinea (two illegible words). hb Brid. e. Catherinea (illegible word) Brid. (two illegible words.)].
- LT:** GEISSLER, 1985: 199. LT in G.
- TY:** LT in G.
- Figure:** Fig. 290.




- BN:** *Polytrichum juniperinum* Hedw., Sp. Musc. Frond.: 89, tab. XVIII, f. 6-10. 1801.
- CN / SY:** *Polytrichum juniperinum* Hedw., Sp. Musc. Frond.: 89. 1801.
- PL:** Locus montosus, subalpestris, delineata exempla ex Helvetia.
- LI:** [*Polytrichum juniperinum* b. *canescens* Rich. (illegible word) c. (illegible word) Lantz.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 291.



- BN:** *Polytrichum magellanicum* Hedw., Sp. Musc. Frond.: 101, tab. XX, f. 1-2. 1801.
- CN / SY:** *Polytrichadelphus magellanicus* (Hedw.) Mitt. in J. Proc. Linn. Soc., Bot. 4: 97. 1859.
- PL:** Fretum Magellanicum. Commerson detector.
- LI – 1 of 2:** [*Polytrichum magellanicum* a. Coinerf. Thorin = *P. magellanicum* Hedw. Sp. t.20 f.1. b. semiangulatum ad Brid. miserut) Persoon c Brasil c Pohl 447 6x13].
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 292.




- BN:** *Polytrichum magellanicum* Hedw., Sp. Musc. Frond.: 101, tab. XX, f. 1-2. 1801.
- CN / SY:** *Polytrichadelphus magellanicus* (Hedw.) Mitt. in J. Proc. Linn. Soc., Bot. 4: 97. 1859.
- PL:** Fretum Magellanicum. Commerson detector.
- LI – 2 of 2:** [*Polytrichum magellanicum* - *Polytrichum semi-angulatum* Pers. b. misit ad Raddon (illegible word) Catharinae (illegible word) a. Jozé Dio pr. Rio Janeiro Beyrich].
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 293.




**BN:** *Polytrichum nanum* Hedw., Sp. Musc. Frond.: 95. 1801.  
**CN / SY:** *Pogonatum nanum* (Hedw.) P. Beauv., Prodr. Aethéogam.: 84. 1805.

**PL:** In ericetis et viis caviis praeruptis, (in fissuris rupium arenosarum) haud infrequens in Europa. Lipsiae in pineto Lindenthalensi et Bieniz ad scrobes passim.  
**LI:** [*Polytrichum nanum* a Cassal b. int med. (illegible word) c. (illegible word) d. a Schl. ut var pedum longis pumilum a Gott Persoon b. Schleich supra Servan in (illegible word) im (illegible word). c. a (illegible word) d. a Schl ut var pedum longis pusillum a Bose e f. (four illegible words) ad Bridel].  
**LT:** LT designation not found.  
**TY:** In G.  
**Figure:** Fig. 294.




- BN:** *Polytrichum norwegicum* Hedw., Sp. Musc. Frond.: 99, tab. XXII, f. 1-4. 1801.
- CN / SY:** *Polytrichastrum sexangulare* (Brid.) G. L. Sm. in Mem. New York Bot. Gard. 21(3): 37. 1971.
- PL:** In alpebus Norwegiae vicinis.
- LI:** [Polytrichum sexangulare a. Egypt b. Hopp x Schrad. c. Schleinitz d. Breitkogl Glockner f. Lappon (illegible word)].
- LT:** SMITH, 1971: 37. LT – illustration by Oeder.
- TY:** Illustration.
- Notes:** Material present in G.
- Figure:** Fig. 295.




- BN:** *Polytrichum pensilvanicum* Hedw., Sp. Musc. Frond.: 96, tab. XXI, f. 1-6. 1801.
- CN / SY:** *Pogonatum pensilvanicum* (Hedw.) P. Beauv. in Mém. Soc. Linn. Paris 1: 461. 1823.
- PL:** Pensilvania circa Lancaster solo simili, quo *Polytrichum nanum* crescere solet, lectum misit Rev. D. Mühlenberg. Primum ibi Jo. Bartram, neque hactenus alibi inventum, *Pensilvanicum* cognominavi.
- LI:** [*Polytrichum pensilvanicum* a. Mhlbg b. Richard].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 296.




- BN:** *Polytrichum piliferum* Hedw., Sp. Musc.  
 Frond.: 90. 1801.
- CN / SY:** *Polytrichum piliferum* Hedw., Sp. Musc.  
 Frond.: 90. 1801.
- PL:** Locis editioribus siccioribus, in ericetis, muris argillaceis. Lipsiae ad Bieniz, Sct. Theclae, in muris pagorum, Schoenfeld. etc.
- LI:** [Polytrichum piliferum d. a Richard b. Schleich. c. Duval c alp Brid. c. Mandon R. subrigidi fol].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 297.



- BN:** *Polytrichum undulatum* Hedw., Sp. Musc. Frond.: 98. 1801.
- CN / SY:** *Atrichum undulatum* (Hedw.) P. Beauv., Prodr. Aethéogam.: 42. 1805.
- PL:** In silvis frondosis, pomaris virgultis, ad sepes nimis frequens, gregarium. Varietas solo macro limoso.
- LI:** [*Polytrichum undulatum* a. America (illegible word). b. var. Helv. c. Mandon a Rich. d. controvers d.d. Brid. 1800.].
- LT:** GEISSLER in MARGADANT & GEISSLER, 1995: 620. LT in G.
- TY:** LT in G.
- Figure:** Fig. 298.




- BN:** *Polytrichum undulatum* var. *minus* Hedw.,  
Sp. Musc. Frond.: 98. 1801.
- CN / SY:** *Atrichum tenellum* (Röhl.) Bruch & Schimp.,  
Bryol. Eur. 4: 237, 412. 1844.
- PL:** In silvis frondosis, pomaris virgultis, ad  
sepes nimis frequens, gregarium. Varietas  
solo macro limoso.
- LI:** [*Polytrichum undulatum* var *minus* Hg. an].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 299.



- BN:** *Polytrichum urnigerum* Hedw., Sp. Musc. Frond.: 100, tab. XXII, f. 5-7. 1801.
- CN / SY:** *Pogonatum urnigerum* (Hedw.) P. Beauv., Prodr. Aethéogam.: 84. 1805.
- PL:** In montosis, apricis ut plurimum Europae. In Jamaica. Linn..
- LI:** [*Polytrichum urnigerum* a Erl. b. (illegible word) c. alp. Brid. e. Duval 3 Schleich fasciculatum Rich 2 e Canada 1. 3 Mandon. flabellatum Thuill. 4. 5. capillare Lehman (illegible word) Helevt.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 300.




- BN:** *Pterigynandrum filiforme* Hedw., Sp. Musc. Frond.: 81. 1801.
- CN / SY:** *Pterigynandrum filiforme* Hedw., Sp. Musc. Frond.: 81. 1801.
- PL:** Inventor Cl. Timm saxis silvarum superstratum reperit ad Pisede, Ductatus Megapolitani. (in Austria Host., in Franconiae rupestribus calcareis. S.).
- LI:** *Pterigynandrum filiforme* Hedw. St. Cr. vol. II. p. t.7. *Hypnum filiforme* Timm. Fl. megap. n.
- LT:** HEDENÄS & GEISSLER, 1999: 430. LT in G.
- TY:** LT in G.
- Figure:** Fig. 301.



- BN:** *Pterigynandrum fulgens* Hedw., Sp. Musc. Frond.: 86. 1801.
- CN / SY:** *Phyllogonium fulgens* (Hedw.) Brid., Bryol. Univ. 2: 671. 1827.
- PL:** In arboribus rupibusque Jamaicae.
- LI:** *Pterigynandrum fulgens* St. Crypt. 4. p t. 39. *Hypnum fulgens* Swartz. Prodr. Jamaica. Lectum a D. Olof Swartz, ab eademque acceptus.
- LT:** FLORSCHÜTZ, 1964: 264. T in G; LIN, 1982: 53. HT in W.
- TY:** HT in W.
- Note:** Original Hedwig material is present in G.
- Figure:** Fig. 302.



- BN:** *Pterigynandrum gracile* Hedw., Sp. Musc. Frond.: 80. 1801.
- CN / SY:** *Pterogonium gracile* (Hedw.) Sm., Engl. Bot. 16: 1085. 1803.
- PL:** Arboribus, praesertim fagorum truncis adnascitur: hactenus in Anglia et Scotia prope Edinburg: etiam in saxis legisse Brewerum Dillenius habet.
- LI:** *Hypnum ornitopodioides* *Pterigynandrum gracile* Hedw. Stirp. crypt. vol IV. t. e Dillenii Herbario.
- LT:** HEDENÄS & GEISSLER, 1999: 430. LT in G.
- TY:** LT in G.
- Figure:** Fig. 303.



- BN:** *Pterigynandrum intricatum* Hedw., Sp. Musc. Frond.: 85, tab. XVIII, f. 1-5. 1801.
- CN / SY:** *Pylaisia intricata* (Hedw.) Schimp., Bryol. Eur. 5: 88, 89. 1854.
- PL:** In arborum truncis circa Lancaster Pensilvaniae. Mühlenberg.
- LI:** *Pterigynandrum intricatum* Sp. M. p. 85. t. 18. f. 1-5 ad Lancaster Pensylvaniae legit et misit Muhlenberg.
- LT:** GEISSLER in MARGADANT & GEISSLER, 1995: 622. LT in G.
- TY:** LT in G.
- Figure:** Fig. 304.




- BN:** *Pterigynandrum julaceum* Hedw., Sp. Musc. Frond.: 81. 1801.
- CN / SY:** *Leucodon julaceus* (Hedw.) Sull., Musci Allegh.: 87 [Schedae 25]. 1846.
- PL:** In arborum truncis in Pensilvania vulgaris.
- LI:** *Pterigynandrum julaceum* Hedw. St. Cr. 4. p. 51. t.20. *Hypnum julaceum* Linn.
- LT:** HEDENÄS & GEISSLER, 1999: 430. LT in G.
- TY:** LT in G.
- Figure:** Fig. 305.



- BN:** *Pterigynandrum subcapillatum* Hedw., Sp. Musc. Frond.: 83, tab. XVI, f. 7-12. 1801.
- CN / SY:** *Homalotheciella subcapillata* (Hedw.) Broth., Nat. Pflanzenfam. I(3): 1133. 1908.
- PL:** Stipitum putrescentium cortici inhaerentem accepi muscum e Pensilvania. Septembre.
- LI:** *Pterigynandrum subcapillatum* Spec. Musc. p.83. t. 16. f. 9-12. ad Lancaster Pennsylvania legit Muhlenberg.
- LT:** HEDENÄS & GEISLER, 1999: 430. LT in G.
- TY:** LT in G.
- Figure:** Fig. 306.



- BN:** *Pterigynandrum trichomitria* Hedw., Sp. Musc. Frond.: 82, tab. XVI, f. 1-6. 1801.
- CN / SY:** *Forsstroemia trichomitria* (Hedw.) Lindb. in Öfers. Förh. Kongl. Svenska Vetensk.-Akad. 19: 605. 1863.
- PL:** Arborum trunci circa Lancaster Pennsylvaniae, Mühlenberg: et in Flandria secundum Neckerum.
- LI:** *Pterigynandrum capillatum* Sp. Musc. p. 84. t. 17. f. 7-13. *Hypnum* Dill. t. 33. f. 18. Ad Lancaster Pennsylvaniae lecta ac missa a Rev. Muhlenberg.
- LT:** HEDENÄS & GEISSLER, 1999: 430. LT in G.
- TY:** LT in G.
- Figure:** Fig. 307.



**BN:** *Splachnum ampullaceum* Hedw., Sp. Musc. Frond.: 55. 1801.

**CN / SY:** *Splachnum ampullaceum* Hedw., Sp. Musc. Frond.: 55. 1801.

**PL:** Paludes cespitosae turfosae Sueciae, Daniae, Lapponiae, Germaniae in ducatu Oldenburgensi, Halae Saxonum, (in monte pinifero Francon., in Austria et in Pensilvania.) Francof. ad M.

**LI:** *Splachnum ampullaceum* Hedw. St. Cr.II. p.41. t.14. a.a.a Specimina in Duc. Megapolitano b.b. ibidem inter (illegible word), apophysi rubenta c.c.c. Halae in Sax. Lecta.

**LT:** LT designation not found.

**TY:** In G.

**Figure:** Fig. 308.



- BN:** *Splachnum angustatum* Hedw., Sp. Musc. Frond.: 51. 1801.
- CN / SY:** *Tetraplodon angustatum* (Hedw.) Bruch & Schimp., Bryol. Eur. 3: 214. 1844.
- PL:** In Lapponia, locis humidis.
- LI:** [*Splachnum angustatum* St. cr. II. p. 37. f. 12. a. a Linn (illegible word) ad J. Hedwig. b. a Suedetis Ludwig c. *Spl. setaceum* ab ipso Richardo non diversum ad fl. ? d. a Mühlenberg herb n. 20 miss 1816].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 309.



- BN:** *Splachnum brewerianum* Hedw., Sp. Musc. Frond.: 53. 1801.
- CN / SY:** *Tetraplodon mnioides* (Hedw.) Bruch & Schimp., Bryol. Eur. 3: 215. 1844.
- PL:** Angliae ericeta.
- LI:** Original Hedwig label missing.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 310.



- BN:** *Splachnum luteum* Hedw., Sp. Musc. Frond.: 56. 1801.
- CN / SY:** *Splachnum luteum* Hedw., Sp. Musc. Frond.: 56. 1801.
- PL:** In Lapponia, Westrobothnia.
- LI:** *Splachnum luteum* L. Hedw. St. Crypt. Vol. II t. 17. a. b Linndo jun - acceptum.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 311.



- BN:** *Splachnum mnioides* Hedw., Sp. Musc. Frond.: 51. 1801.
- CN / SY:** *Tetraplodon mnioides* (Hedw.) Bruch & Schimp., Bryol. Eur. 3: 215. 1844.
- PL:** Alpestribus locis provenit, (in Sudetibus, Krug, in Austria, Host.).
- LI:** [*Splachnum mnioides* St. crypt. t. 35.2. II a Linn fil. ad Joann Hedw.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 312.




- BN:** *Splachnum ovatum* Hedw., Sp. Musc. Frond.: 54, tab. VIII, f. 4-5. 1801.
- CN / SY:** *Splachnum sphaericum* Hedw., Sp. Musc. Frond.: 55. 1801.
- PL:** In pascuis humidis alpinum Scoticarum et Angliae septentrionalis.
- LI:** *Splachnum ovatum* Dicks. fasc. 2. p. t. Hedw. Sp. Musc. p. 54. t. 8. f. 4. 5. 6.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 313.





- BN:** *Splachnum serratum* Hedw., Sp. Musc. Frond.: 53, tab. VIII, f. 1-3, 6. 1801.
- CN / SY:** *Tayloria serrata* (Hedw.) Bruch & Schimp., Bryol. Eur. 3: 204, 284. 1844.
- PL:** In subalpinis Austriae, Schneeberg, Gauss dictis, invenit Froehlich.
- LI:** *Splachnum serratum* Hedw. Spec. p.53. t.8. f.1.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 315.



- BN:** *Splachnum sphaericum* Hedw., Sp. Musc. Frond.: 55. 1801.
- CN / SY:** *Splachnum sphaericum* Hedw., Sp. Musc. Frond.: 55. 1801.
- PL:** Locis spongiosis turfosis Lapponiae Lulensis primus invenit Ol. Swartz; in Carniolia obviam fuit R. Wulfen, ( in Hercymia Ehrharto. In Styria.).
- LI – 1 of 2:** *Splachnum sphaericum* Hedw. St. Crypt. Vol. II. p. 46. t. 16. ex alpebus Algoviae acc. Schreb.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 316.



- BN:** *Splachnum sphaericum* Hedw., Sp. Musc. Frond.: 55. 1801.
- CN / SY:** *Splachnum sphaericum* Hedw., Sp. Musc. Frond.: 55. 1801.
- PL:** Locis spongiosis turfosis Lapponiae Lulensis primus invenit Ol. Swartz; in Carniolia obviam fuit R. Wulfen, ( in Hercymia Ehrharto. In Styria.).
- LI – 2 of 2:** *Splachnum sphaericum* Hedw. St. Cr. Vol II p. 46. t. 16. e Sveciae Lappon.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 317.



- BN:** *Splachnum urceolatum* Hedw., Sp. Musc. Frond.: 52. 1801.
- CN / SY:** *Tetraplodon urceolatus* (Hedw.) Bruch & Schimp., Bryol. Eur. 3 : 217. 1844.
- PL:** Groenlandia, Islandia, (in ducatu Oldenburgico Roth. Fl. G. III. P.135.).
- LI:** *Splachnum urceolatum* Hedw. St. Crypt. Vol. II. p.37. t.13. e Groenlandi.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 318.



**BN:** *Splachnum vasculosum* Hedw., Sp. Musc.  
Frond.: 53. 1801.

**CN / SY:** *Splachnum vasculosum* Hedw., Sp. Musc.  
Frond.: 53. 1801.

**PL:** Paludes cespitosi Sueciae et in Bructero  
Germaniae, e.g. in dem Lerchenfelde  
zwischen der Achtermannshöhe und den  
kleinen Hirschörnern.

**LI:** *Splachnum* /: vasculosum / umbraculo  
ampullaceo subglobozo Linn. amoes. acad.  
2.p.282. ~~Spez. Plant. II. 1577. 4.~~  
*Splachnum vasculosum* Hedw. St. Crypt.  
Vol. II. p.44.t.15. [b. a Sw. c. a Desfontaines  
d (illegible word) pusillum hb (two illegible  
words) Palisot.] D. Schreber in Upsalia lectum.


**LT:** LT designation not found.

**TY:** In G.

**Figure:** Fig. 319.



- BN:** *Tetraphis pellucida* Hedw., Sp. Musc. Frond.: 45, tab. VII, f. 1 a-f. 1801.
- CN / SY:** *Tetraphis pellucida* Hedw., Sp. Musc. Frond.: 45. 1801.
- PL:** Locis umbrosis udis, truncos deiectos putrescentes, praecipue montosarum regionum.
- LI – 1 of 2:** *Mnium pellucidum* caule simplici foliis ovatis Linn. Spec. plant. 2. p. 1574. n.1. *Mnium serpilli* foliis tenuibus pellucidis Dill. Hist. Musc 232. t.31. f.2. *Tetraphis pellucida* Spec. Musc.p. t. f.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 320.




- BN:** *Tetraphis pellucida* Hedw., Sp. Musc. Frond.: 45, tab. VII, f. 1 a-f. 1801.
- CN / SY:** *Tetraphis pellucida* Hedw., Sp. Musc. Frond.: 45. 1801.
- PL:** Locis umbrosis udis, truncos deiectos putrescentes, praecipue montosarum regionum.
- LI – 2 of 2:** *Mnium pellucidum* Linn. Sp. II. 1574. 1. *Bryum alternans*, calyptra variegata et *scyphulis foliosis*. (illegible word) Helv. 118. t. 4. f. 8. *Tetraphis pellucida* Spec. Musc. p 45. t. 7. f. 1-af. Plantulae Scyphiferae.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 321.



- BN:** *Timmia austriaca* Hedw., Sp. Musc. Frond.: 176, tab. XLII, f. 1-7. 1801.
- CN / SY:** *Timmia austriaca* Hedw., Sp. Musc. Frond.: 176. 1801.
- PL:** In subalpinus Schneeberg, Austriae, Geuns dictis, invenit D. Froehlich.
- LI:** [Timmia austriaca] *Bryum speciosum* Spec. Musc. p. 176. t. 42 f. 1-7. [b. Heiligenblut c. Helvetia Schleich. d. Timmia Bavarica Hessler e Waldstein m (illegible word) a. Fx.] a D. Froelich inv in subalpinis Schneeberg Aust (illegible word) dictis.
- LT:** BRASSARD, 1980: 129. LT in G.
- TY:** LT in G.
- Figure:** Fig. 322.



- BN:** *Timmia megapolitana* Hedw., Sp. Musc. Frond.: 176. 1801.
- CN / SY:** *Timmia megapolitana* Hedw., Sp. Musc. Frond.: 176. 1801.
- PL:** In prato turfoso inter carices prope Malchin ductatus Megapolitiani, in America septentrionali.
- LI:** *Timmia megapolitana* Hedw. St. Cr. 1.83. t.31. d Malchin duc. Megap. a Dr. Timm.
- LT:** BRASSARD, 1984: 33. LT in G.
- TY:** LT in G.
- Figure:** Fig. 323.




- BN:** *Tortula muralis* Hedw., Sp. Musc. Frond.: 123. 1801.
- CN / SY:** *Tortula muralis* Hedw., Sp. Musc. Frond.: 123. 1801.
- PL:** In muris, tegulis, parietibus ad saxa vulgatissima.
- LI:** *Bryum murale* antheris erectis, foliis piliferis rectiusculis, surculis simplicibus cespitosus Linn. Sp. pl. 2. p. 1581. n. 8. *Bryum tegulare* humile pilosum & incanum Dill. H.M. 355. t. 45. f. 14.
- LT:** GUERRA & al., 1992: 275. LT in G.
- TY:** LT in G.
- Figure:** Fig. 324.




- BN:** *Tortula subulata* Hedw., Sp. Musc. Frond.: 122, tab. XXVII, f. 1-13. 1801.
- CN / SY:** *Tortula subulata* Hedw., Sp. Musc. Frond.: 122. 1801.
- PL:** Habitat in Europa ad aggeres. Praeprimis sylvaticas, vias cavas, et in fissuris rupium.
- LI:** *Tortula subulata* p. 122. p. 27. f. *Bryum subulatum* Linn. Sp. 1581. 6.
- LT:** GEISSLER in MARGADANT & GEISSLER, 1995: 623. LT in G.
- TY:** LT in G.
- Figure:** Fig. 325.



- BN:** *Tortula tortuosa* Hedw., Sp. Musc. Frond.: 124. 1801.
- CN / SY:** *Tortella tortuosa* (Hedw.) Limpr., Die Laubm. Deutschl. 1: 604. 1888.
- PL:** In montibus Pedemontii, Helvetiae, Galliae, Scotiae, Sueciae, Thuringiae, Hercyniae, in silvis arenosis Palatinatus, in rupibus calcareis Franconiae, Austriae, nec non in Virginia.
- LI:** [*Barbula tortuosa* a. J. Hedwig. b. alpes Carinth Horns. c. Ol. Swartz. c. George's Sound Menzies. d. Cap. b. Sp. Menz. e. Dicranum flexifol. Hook a Menz. Cap. b. Sp. f. Cap. b. Sp. Mz.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 326.



- BN:** *Trichostomum canescens* Hedw., Sp. Musc. Frond.: 111. 1801.
- CN / SY:** *Racomitrium canescens* (Hedw.) Brid., Muscol. Recent. Suppl. 4: 78. 1819 [1818].
- PL:** Lata grege inhabitat loca elatiora, aprica, arenosa, siccitate sterilia, maxime montosarum regionum Europae.
- LI:** DUBY-BOISSIER herbarium: "Trichostomum canescens (illegible word) 1797".
- LT:** FRISVOLL, 1983: 108. NT in G.
- TY:** NT in G.
- Figure:** Fig. 327.



- BN:** *Trichostomum cylindricum* Hedw., Sp. Musc. Frond.: 107, tab. XXIV, f. 7-13. 1801.
- CN / SY:** *Trichodon cylindricus* (Hedw.) Schimp. in Flora 50: 182. 1867.
- PL:** Tshochae in Lusatiae consitis, sub pinu picea Du Roi, invenit. Ludwig.
- LI:** *Trichostomum cylindricum* Spec. M. p. 107. t. 24. f. 7-13 Ludwig.
- LT:** SEPPELT in MARGADANT & GEISSLER, 1995: 617. LT in G.
- TY:** LT in G.
- Figure:** Fig. 328.

HERB. DUBY junct. Herb. BOISSIER 1886.



Trichost (fasciculare  
e rupibus Bruct.,  
Schw.  
Ex Herb. Schwägrichen.  
teste G. COLOMB-DUPLAN


*Racomitrium fasciculare* (Schrad.) Brid.

PARIS, Index bryologicus, / , p. 1073.

- BN:** *Trichostomum fasciculare* Hedw., Sp. Musc. Frond.: 110. 1801.
- CN / SY:** *Racomitrium fasciculare* (Hedw.) Brid., Muscol. Recent. Suppl. 4: 80. 1819 [1818].
- PL:** Habitat ad saxa in Bructero, Achtermannshoehe aliisque Hercyniae montibus.
- LI:** DUBY-BOISSIER herbarium: "Trichost fasciculare e rupibus (illegible word) Schw" In another hand 'Ex. Herb. Schwägrichen'.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 329.



- BN:** *Trichostomum fontinaloides* Hedw., Sp. Musc. Frond.: 114. 1801.
- CN / SY:** *Cinclidotus fontinaloides* (Hedw.) P. Beauv., Prodr. Aethéogam.: 52. 1805.
- PL:** Lapidibus radicibusque aquarum puriorum fluentium parasiticum, in Anglia, Scotia, Helvetia Clagenfurthi.
- LI:** St. Cr.III p. 36. t.14.
- LT:** GEISSLER in MARGADANT & GEISSLER, 1995: 614. LT in G.
- TY:** LT in G.
- Figure:** Fig. 330.




- BN:** *Trichostomum glaucescens* Hedw., Sp. Musc. Frond.: 112. 1801.
- CN / SY:** *Saelania glaucescens* (Hedw.) Broth., Herb. Mus. Fenn. (ed. 2), Musci: 53. 1894.
- PL:** In Sueciae alpibus. D. Swartz.
- LI:** St. Cr. III. p. 103. t. 37.
- LT:** LT designation not found.
- TY:** In G
- Figure:** Fig. 331.



- BN:** *Trichostomum heterostichum* Hedw., Sp. Musc. Frond.: 109. 1801.
- CN / SY:** *Racomitrium heterostichum* (Hedw.) Brid., Muscol. Recent. Suppl. 4: 79. 1819 [1818].
- PL:** Locis saxosis, lapidosis, montanarum regionum Germaniae.
- LI:** DUBY-BOISSIER herbarium: "Trichostomum heterostichum Hedw. Musc. Fr. Voll. II. t. 25".
- LT:** FRISVOLL, 1984: 305. LT in G.
- TY:** LT in G.
- Figure:** Fig. 332.




- BN:** *Trichostomum lanuginosum* Hedw., Sp. Musc. Frond.: 109. 1801.
- CN / SY:** *Racomitrium lanuginosum* (Hedw.) Brid., Muscol. Recent. Suppl. 4: 79. 1819 [1818].
- PL:** Montana, arida, arenosa, lapidosa loca; (maxime in frustis granitis montium subalpino-rum, Bructeri, Sudetum.).
- LI:** *Trichostomum lanuginosum* Hedw. St. Crypt. Vol. III. p.3. t.2.
- LT:** FRISVOLL, 1986: 83. T in G.
- TY:** In G.
- Figure:** Fig. 333.




- BN:** *Trichostomum microcarpon* Hedw., Sp. Musc. Frond.: 112, tab. XXIII, f. 8-12 b-c. 1801.
- CN / SY:** *Racomitrium microcarpum* (Hedw.) Brid., Muscol. Recent. Suppl. 4: 79. 1819 [1818].
- PL:** Locus alpestris, praesertim in fissuris rupium Angliae, Helvetiae, Sudetum auf der Schneekoppe (Austriae, Clagenfurthi, in granite Bructeri et Franconiae montis piniferi. S.).
- LI:** *Trichostomum microcarpon* Spec. Musc. p. 112. t. 23. f. 1-5 e Sudeticum Schneekuppe intrafissures rupium Ludwig hortus.
- LT:** FRISVOLL, 1984: 308. LT in G.
- TY:** LT in G.
- Figure:** Fig. 334.



- BN:** *Trichostomum pallidum* Hedw., Sp. Musc. Frond.: 108. 1801.
- CN / SY:** *Ditrichum pallidum* (Hedw.) Hampe in Flora 50: 182. 1867.
- PL:** In nemoribus Europae solo lutoso; in Saxonia superiori non infrequens. Crescit etiam in Virginia, auctore Dillenio.
- LI:** Upper label: "118 *Trichostomum pallidum* Hedw. Passim in sylvis. Schleicher." Label below [a. Schleicher b. Rom Hedw. c. Pyrenae d. (illegible word) c. Abbeville Dunand].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 335.



- BN:** *Trichostomum tenue* Hedw., Sp. Musc. Frond.: 107, tab. XXIV, f. 2-6. 1801.
- CN / SY:** *Ditrichum pusillum* (Hedw.) Hampe in Flora 50: 182. 1867.
- PL:** Locus ad Lancaster Pennsylvaniae. Mühlenberg.
- LI:** *Trichostomum tenue* Spec. Musc. p. 107. t.24. f.1-6. ad Lancaster Pennsylvaniae legit Muhlenberg.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 336.




- BN:** *Webera longicolla* Hedw., Sp. Musc. Frond.: 169, tab. XLI, f. 1-5. 1801.
- CN / SY:** *Pohlia longicollis* (Hedw.) Lindb., Musci Scand.: 18. 1879.
- PL:** In fissuris rupium umbrosis montosarum regionum Vermelandiae in Suecia O. Swartz.
- LI:** *Webera* ~~nitida~~ *longicolla* Spec. M. p. 169. t. 41. fig. 1-5. *Bryum longicollum* Swartz. Fl. [b *Web. alpina* Hornsch. (illegible word) c. Swinefortana d. *W. ferruginea* (illegible word) hbar.].
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 337.




- BN:** *Webera nutans* Hedw., Sp. Musc. Frond.: 168. 1801.
- CN / SY:** *Pohlia nutans* (Hedw.) Lindb., Musci Scand.: 18. 1879.
- PL:** Locis siccioribus, sterilibus, arenosis, apertis et umbrosis gregatim, nec non in uliginosis turfosis sparsim in omni Germania frequens; solo pingui rarior.
- LI:** *Webera nutans* Hedw. St. Cr. 1. 9. t. 4. [b a Richardson (two illegible words). Pleurique caulis simpliciter quidem (illegible word) alterno rammo versus apicem contin.] Specimina Lipsiae im Universitaetsholz inter Sphagn. Palustre lecta.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 338.




- BN:** *Webera pyriformis* Hedw., Sp. Musc. Frond.: 169. 1801.
- CN / SY:** *Leptobryum pyriforme* (Hedw.) Wilson, Bryol. Brit.: 219. 1855.
- PL:** Locis lapidosis sabulosis, subhumidis, in Germania.
- LI:** *Webera pyriformis* Hedw. St. Cr. 1. p. 5. t. 3. *Bryum* Dill. H. M. 60. *Mnium pyriforme* Linn. Chemnitzii partim, partim Lipsiae lecta.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 339.




- BN:** *Weissia acuta* Hedw., Sp. Musc. Frond.: 71. 1801.
- CN / SY:** *Blindia acuta* (Hedw.) Bruch & Schimp., Bryol. Eur. 2: 19. 1846.
- PL:** In montosis Angliae et Norwegiae.
- LI:** *Weissia acuta* Hedw. St. Crypt. III. p. t. 35. Lightfoot Dickson.
- LT:** BARTLETT & VITT, 1986: 207. LT in G.
- TY:** LT in G.
- Figure:** Fig. 340.




- BN:** *Weissia calcarea* Hedw., Sp. Musc. Frond.: 66, tab XI, f. 1-6. 1801.
- CN / SY:** *Seligeria calcarea* (Hedw.) Bruch & Schimp., *Bryol. Eur.* 2: 10. 1849.
- PL:** Ad rupes calcareas, prope Newmarketheath, primus invenit Dicksonus.
- LI:** DUBY-BOISSIER herbarium: 'Bryum calcareum Dicksoni von ihm selbst erhalten an Grimmiæ species?'
- LT:** VIT, 1976: 259. IT in G.
- TY:** IT in G.
- Figure:** Fig. 341.



- BN:** *Weissia calycina* Hedw., Sp. Musc. Frond.: 70, tab. XIV, f. 1-5. 1801.
- CN / SY:** *Holomitrium calycinum* (Hedw.) Mitt. in J. Linn. Soc., Bot. 12: 60. 1869.
- PL:** Jamaica.
- LI:** *Weissia calycina* Spec. Musc. p.70. f. 14. *Bryum calycinum* Swartz Prodr. p. 139 [a] Jamaica [b. Brasil Beyrich]. Annotation on the sheet itself in Schwägrichens hand - [b. *Planta diversa* an *Holomitrium Olfersii* Flor. Brasil].
- LT:** PRICE, 2002: 50. LT in G.
- TY:** LT in G.
- Figure:** Fig. 342.



- BN:** *Weissia cirrata* Hedw., Sp. Musc. Frond.: 69, tab. XII, f. 7-12. 1801.
- CN / SY:** *Dicranoweisia cirrata* (Hedw.) Lindb. in Milde, Bryol. Siles.: 49. 1869.
- PL:** Locus silvae, sepes, aggeres, tecta straminea, vere.
- LI – 1 of 2:** *Weissia cirrata* Sp. Musc. p. t. f. 78.  
Exemplaria ad Misniam lecta sporangiis operculisque crebrius obliquatis peristomio brevioris exempl. Erhartianus.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 343.




*Bryum cirratum et stellatum tenuioribus foliis Dill.*  
*H. Musc. 379. t. 48. f. 42.*  
*Mnium cirratum foliis arefactione revolutis. Linn. Sp.*  
*pl. 2. p. 1576. n. 8.*


- BN:** *Weissia cirrata* Hedw., Sp. Musc. Frond.: 69, tab. XII. f. 7-12. 1801.
- CN / SY:** *Dicranoweisia cirrata* (Hedw.) Lindb. in Milde, Bryol. Siles.: 49. 1869.
- PL:** Locus silvae, sepes, aggeres, tecta straminea, vere.
- LI – 2 of 2:** *Bryum cirratum et stellatum tenuioribus foliis* Dill. H. Musc. 379. t. 48. f. 42. *Mnium cirratum* foliis arefactione revolutis Linn. Sp. Pl. 2. p. 1576. n. 8.
- LT:** LT designation not found.
- TY:** In G – two herbarium sheets located.
- Figure:** Fig. 344.



- BN:** *Weissia crispula* Hedw., Sp. Musc. Frond.: 68, tab. XII, f. 1-6. 1801.
- CN / SY:** *Dicranoweisia crispula* (Hedw.) Milde, Bryol. Siles.: 49. 1869.
- PL:** Fagimonti (Buchberg) in Bohemia legit Ludwig.
- LI:** *Weissia crispula* Sp. Musc. p. 58. t. 12. f. 1. 2.-6. Fagimonti (Buchberg) in Bohemia Ludw.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 345.




- BN:** *Weissia fugax* Hedw., Sp. Musc. Frond.: 64. 1801.
- CN / SY:** *Rhabdoweisia fugax* (Hedw.) Bruch & Schimp., Bryol. Eur. 1: 98. 1846.
- PL:** In fissuris rupium Sudeticarum, Ludwig.
- LI:** *Weissia fugax* Spec. Musc. [p. 64] t. 13. f. 5-16. [Bei Neuendorf in der Grafschaft Glatz (5 illegible words) b. Gymnost. sericeum (illegible word) botan. ad Persoon detector ex Helvetia 1814 c. bey Steinach 2 Stunden von Altorf weit].
- LT:** FRAHM & al., 2000b: 167. LT in G.
- TY:** LT in G.
- Figure:** Fig. 346.




- BN:** *Weissia micro-odonta* Hedw., Sp. Musc. Frond.: 67, tab. XI, f. 7-13. 1801.
- CN / SY:** *Weissia controversa* var. *microdonta* (Hedw.) Röhl. in Ann. Wetteravischen Ges. Gesamte Naturk. 3(1): 98. 1812.
- PL:** Ad Lancaster Pennsylvaniae legit. Rev. Mühlberg; an rupestrem?
- LI:** *Weissia microodonata* Sp. Musc. p. 67 t. 11. f. 7-12. Lancaster Pennsylvaniae lecta a Rev. Muhlenberg.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 347.




- BN:** *Weissia nigrita* Hedw., Sp. Musc. Frond.: 72. 1801.
- CN / SY:** *Catascopium nigrum* (Hedw.) Brid., Bryol. Univ. 1: 368. 1826.
- PL:** Argillosis humentibus locis circa Oberdorf Algoviae detexit Froelich. In Suecia Swartz.
- LI:** *Weissia nigrita* Hedw. St. Crypt. Vol.III. t.39.
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 348.




- BN:** *Weissia pusilla* Hedw., Sp. Musc. Frond.: 64. 1801.
- CN / SY:** *Seligeria pusilla* (Hedw.) Bruch & Schimp., Bryol. Eur. 2: 10. 1846.
- PL:** Locorum humidorum incola. Lipsiae ad Burg-hausen mihi obviam fruit. (Hannov. Ehrh.).
- LI:** *Weisia pusilla* Hedw. St. Crypt. II. p. 78. t. 29. *Bryum paludosum* S. Veg. a Dr. Ehrhart acc.
- LT:** VIT, 1976: 247. HT in G.
- TY:** HT in G.
- Figure:** Fig. 349.



- BN:** *Weissia recurvirostra* Hedw., Sp. Musc. Frond.: 71. 1801.
- CN / SY:** *Bryoerythrophyllum recurvirostrum* (Hedw.) P. C. Chen in Hedwigia 80: 5. 1941.
- PL:** Locis lapidosis sabulosis.
- LI:** DUBY-BOISSIER herbarium: "Grimmia recurvirostra Gottingae Herb. Schwägrichen".
- LT:** LT designation not found.
- TY:** In G.
- Figure:** Fig. 350.



- BN:** *Weissia rupestris* Hedw., Sp. Musc. Frond.: 72, tab. XIV, f. 6-12. 1801.
- CN / SY:** *Blindia acuta* (Hedw.) Bruch & Schimp., Bryol. Eur. 2: 19. 1846.
- PL:** Locis in umbrosis humectis rupibus parvae nivis caveae (Schneegrube) Sudetum, ubi primus legit Ludwig.
- LI:** *Weissia rupestris* Spec. Musc. p. 72. t. 14 f. 6-12. In umbrosis humectis rupibus parvae nivis caveae (Schneegrube) sudetum legit Ludwig.
- LT:** See BARTLETT & VITT, 1986: 210. LT in G.
- TY:** In G.
- Figure:** Fig. 351.



- BN:** *Weissia starkeana* Hedw., Sp. Musc. Frond.: 65. 1801.
- CN / SY:** *Pottia starkeana* (Hedw.) Müll. Hal., Syn. Musc. Frond. 1: 547. 1849.
- PL:** Lutoso loco ad Gross-Tschirna prope Lissam Poloniae, exiguis acervulis immixtum gymnostomo truncato, detexit a. 1795. Rev. Starke.
- LI:** [*Weissia starkeana* a. canal de Versailles 1813. b. a Rochelle. c. Swineforti Voit β a Bridelio d Trichost. convolut. Brid. ipso ad Ludw.].
- LT:** LT designation not found.
- TY:** In G.
- Notes:** Written as "starkeana" in publication.
- Figure:** Fig. 352.

