

Zeitschrift: Boissiera : mémoires de botanique systématique
Herausgeber: Conservatoire et Jardin Botaniques de la Ville de Genève
Band: 70 (2016)

Artikel: A taxonomic revision of the genus *Noronhia* Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands
Autor: Hong-Wa, Cynthia
Kapitel: 11: *Noronhia capuronii*
DOI: <https://doi.org/10.5169/seals-1036126>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 25.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

11. *Noronhia capuronii* Bosser in *Adansonia* ser. 2, 13: 464. 1973 (Fig. 2D).

Typus: MADAGASCAR. **Prov. Antsiranana:** rive droite de la rivière des Makis, en aval de la traversée de cette rivière par la piste Joffreville-Andranofanjava, [12°30'S 49°05'E], 21.XI.1958, *Service Forestier* 20072 (holo-: P [P00413211]!; iso-: K [K000233198] image seen, P [P00413218, P00413219]!).

Description *Shrubs* to 3 m tall, trunk to 2.5 cm in diam.; young twigs cylindrical, 0.7-1.3 mm diameter, glabrous; bark medium gray, smooth to slightly rugose. *Leaves* opposite, persistent; bud scales, rarely persistent; blades medium green above, lighter below, ovate, 5-15 × 1-4 cm, chartaceous, glabrous, domatia absent, base cordate, margin flat to slightly undulate, apex acuminate, the acumen 7-25 mm long, midrib flat to slightly sunken above, flat to raised below, secondary veins conspicuous, 7-12 per side, 7-14 mm apart, looping 1.5-5 mm from the margin; petiole light gray, 3-8 × 0.8-1.9 mm, entirely woody, pubescent. *Thyrse*s geminate to fasciculate, pauciflorous, diffuse; peduncle 3-8 mm long, moderately pubescent; pedicel 8-12 mm long, moderately pubescent; calyx moderately pubescent outside, glabrous inside, lobes ovate, 1.3 × 1.5 mm; corolla greenish tinged orange to reddish outside, yellowish inside, cupuliform, 6 mm long, glabrous on both sides, the tube 4 mm long, lobes ovate, apex obtuse; corona absent; stamens 3.5 mm long, anthers obovate, 2.5 mm long; pistil 2.5 mm long, stigma capitate to slightly bilobed. *Fruiting* pedicel 8-13 × 1-2 mm; young fruits yellowish, beige to purple when mature, globose, 15-23 × 15-23 mm, surface smooth, apex flat, style persistent; dry pericarp 0.2-2.6 mm thick; endocarp crustaceous; seed 12 × 13-15 mm.

Distribution, ecology and phenology *Noronhia capuronii* occurs in low- to mid-elevation dry forests in the north, from Montagne des Français to Ankarana and Daraina (Fig. 3). It produces flowers and fruits from October to June.

Conservation status With 14 collections representing 14 localities, the assessment resulted in an EOO of 4,885 km², an AOO of 52 km², and 12 subpopulations representing seven locations, of which five occur within protected areas (Ankarana, Loky-Manambato, Montagne d'Ambré, and Montagne des Français). *Noronhia capuronii* is assigned a preliminary status of "Vulnerable" [VU B1ab(i,ii,iii,iv,v)+2ab(i,ii,iii,iv,v)], due to continuing decline in AOO, number of both locations and mature individuals, and in habitat quality resulting from deforestation, charcoal production, and illegal and/or artisanal mining.

Notes *Noronhia capuronii* can be recognized by its chartaceous, cordate leaf blades, pubescent petiole and midvein, thyrseoid inflorescences with green-orangish flowers and subglobose fruits. It differs from *N. jeremii* Hong-Wa & Callm. and *N. richardii* Hong-Wa by

its ovate (vs. linear to oblong in *N. jeremii* and lanceolate to oblong in *N. richardii*) leaf blades, pubescent (vs. glabrous) inflorescences and greenish tinged orange (vs. yellowish and red, respectively) flowers.

**Additional specimens
examined**

MADAGASCAR. Prov. Antsiranana: Mosorolava, Mahagaga, 12°45'43"S 49°01'48"E, 124 m, 22.IX.2007, *Andriamihajarivo et al.* 1375 (G, MO, P, TAN); Matsaborimanga, Ankarana RS, 12°55'S 49°03'E, 140 m, 11.I.2003, *Bardot-Vaucoulon* 1149 (K, MO, P, TAN); *ibid. loc.*, from Campement des Anglais towards Campement des Américains, 12°50'47"S 49°06'18"E, 82 m, 13.I.2002, *De Block* 1203 (BR, MO, NY, P, TAN, UPS, WAG); Daraina, forêt de Bobankora, 13°13'26"S 49°45'30"E, 120 m, 4.III.2003, *Gautier et al.* 4213 (Daraina, G, K, MO, P, TEF); Station des Roussettes à Ankazobe, [12°26'S 49°13'E], X. 1944, *Homolle* 140 (P); Sakaramy, Montagne d'Ambre PN, 12°26'25"S 49°13'49"E, 319 m, 2.VI.2010, *Hong-Wa* 706 (MO, P, TAN); Daraina, 13°12'S 49°46'E, 200 m, 18.XII.1989, *McPherson* 14693 (K, MO, P, TAN); Montagne d'Ambre PN, 12°29'11"S 49°10'15"E, 690 m, 20.XII.2011, *Ramandimbimanana* 194 (G, MO, TAN); Daraina, forêt de Bobankora, 13°12'28"S 49°46'23"E, 65 m, 16.XII.2007, *Randrianaivo et al.* 1532 (CNARP, G, MO, P, TAN); *ibid. loc.*, Ankarafa, Antsahabe Nord, 13°13'02"S 49°33'51"E, 550 m, 6.XI.2006, *S. Randrianasolo et al.* 572 (CNARP, G, MO, P, TAN); *ibid. loc.*, Ankijabe, forêt d'Ambohitsitondroina, 13°08'17"S 49°28'18"E, 200 m, 20.I.2006, *Ranirison & Nusbaumer* 1101 (Daraina, G, K, MO, TEF); Montagne des Français, [12°22'S 49°21'E], 24.IX.1980, *Service Forestier* 29959 (TEF); Montagne d'Ambre PN, 12°29'14"S 49°10'20"E, 650 m, 4.VI.2008, *Trigui et al.* 536 (G, MO, TEF); *ibid. loc.*, 12°29'03"S 49°10'03"E, 660 m, 13.X.1993, *van Nek* 1874 (MO, P, TAN, WAG).



Fig. 7. Photographs of *Noronhia* Stadtm. ex Thouars. **A.** *Noronhia christenseniana* Hong-Wa [Ratovoson 1280]; **B.** *Noronhia clarinerva* Hong-Wa [Nusbaumer 821]; **C.** *Noronhia cochleata* Labat, M. Pignal & O. Pascal [Labat 3258]; **D.** *Noronhia comorensis* S. Moore [Barthelat 537]; **E.** *Noronhia cordifolia* (Labat, M. Pignal & O. Pascal) Hong-Wa & Besnard [Barthelat 788].

Photos: taken by respective collectors [© C, D, E: Muséum National d'Histoire Naturelle, Paris. Reproduced with permission]