

Zeitschrift: Boissiera : mémoires de botanique systématique

Herausgeber: Conservatoire et Jardin Botaniques de la Ville de Genève

Band: 70 (2016)

Artikel: A taxonomic revision of the genus Noronhia Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands

Autor: Hong-Wa, Cynthia

Kapitel: 17: Noronhia coriacea

DOI: <https://doi.org/10.5169/seals-1036126>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Siehe Rechtliche Hinweise.

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. Voir Informations légales.

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. See Legal notice.

Download PDF: 17.05.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

17. *Noronhia coriacea* Hong-Wa, spec. nova (Fig. 11).

Typus: MADAGASCAR. Prov. Toliara: Anosy, Andohahela (parcel 3), Ankazofotsy, 25°01'S 46°38'E, 15.V.2001, Randriamampionona 1004 (holo-: MO-6615574!; iso-: BR!, G [G00341630]!, K!, MO-6616000!, P [P03533041]!, TAN!, US!, WAG!).

Diagnosis *Noronhia coriacea* Hong-Wa can be distinguished from other members of the genus by its white bark, its thick, coriaceous, shiny leaf blades and its ovoid and smooth fruits.

Description Trees to 6 m tall; young twigs flattened, 1.3-1.5 mm diameter, glabrous; bark whitish, smooth to rugose. Leaves opposite, persistent; bud scales rarely persistent; blades glossy green almost silvery above, dull green to yellowish below, oblanceolate to obovate, 6.5-9 × 1.8-2.2 cm, coriaceous, glabrous, domatia absent, base acute to attenuate, margin slightly revolute, apex retuse to rounded, midrib slightly sunken above, distinctly raised above, secondary veins inconspicuous, 9-11 per side, 7-10 mm apart, looping 1-2 mm from the margin; petiole whitish, 6-9 × 1.5-1.7 mm, entirely woody, glabrous. Flowers unseen, but infructescence thyrsoid. Fruiting pedicel 5-7 × 0.9-1.3 mm; young fruits green, unseen mature, ovoid, 11.5-11.8 × 9-10 mm, smooth, apex flat to bluntly pointed, ridged, style persistent; dry pericarp 1.2-1.5 mm thick; endocarp woody; seed 7-7.5 × 4-4.5 mm.

Distribution, ecology and phenology *Noronhia coriacea* occurs in low elevation transitional forest on basement rocks at Andohahela in the south (Fig. 9). It has been collected in fruits in May.

Conservation status With just a single collection known from a restricted forest (Andohahela Parcel 3), *N. coriacea* has an AOO of just 4 km² and one subpopulation, representing a single location. Despite its occurrence within a protected area (Andohahela), which theoretically provides protection, this species may nonetheless experience a decline in habitat quality in the near future due to the close proximity of the subpopulation to a national road (less than 100 m away), where forest clearance can be observed. Therefore, *N. coriacea* is assigned a preliminary status of "Vulnerable" [VU D2].

Notes *Noronhia coriacea* is somewhat similar to *N. retusifolia* Hong-Wa, but can be distinguished by having only opposite leaves (vs. opposite to verticillate at the tips of the branches), by the absence (vs. presence) of domatia on the abaxial surface of the leaf blades, and by having smooth (vs. rugose) fruits. The new species can be recognized by its white bark, thick, coriaceous, shiny leaf blades, and ovoid and smooth fruits.

Fig. 11. *Noronhia coriacea* Hong-Wa.

- A. Fruiting branch; B. Abaxial side of leaf blade;
C. Adaxial side of leaf blade; D. Fruit.

[*Randriamampionona* 1004, MO] Drawings: R.L. Andriamiarisoa

