

**Zeitschrift:** Boissiera : mémoires de botanique systématique  
**Herausgeber:** Conservatoire et Jardin Botaniques de la Ville de Genève  
**Band:** 70 (2016)

**Artikel:** A taxonomic revision of the genus *Noronhia* Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands  
**Autor:** Hong-Wa, Cynthia  
**Kapitel:** 29: *Noronhia gautieri*  
**DOI:** <https://doi.org/10.5169/seals-1036126>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 11.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**29. *Noronhia gautieri*** Hong-Wa, *spec. nova* (Fig. 21, 22A).

**Typus:** MADAGASCAR. **Prov. Antsiranana:** SAVA, Vohémar, Daraina, forêt d'Antsahabe, 13°13'03"S 49°32'51"E, 900 m, 6.XII.2004, *Gautier & Nusbaumer 4839* (holo-: MO-6386608!; iso-: Daraina, G [G00019223] image seen, K, P [P00853025]!, TEF!).

**Diagnosis** *Noronhia gautieri* Hong-Wa can be distinguished from other members of the genus by its broadly ovate leaf blades, with rounded base, its long-pedicellate, subglobose fruits, with large persistent sepals, and its crustaceous endocarp.

**Description** Shrubs to 3.5 m tall, trunk to 3 cm diameter; young twigs cylindrical, 1.2-1.5 mm diameter, glabrous; bark yellowish, smooth, somewhat flaky. *Leaves* opposite, persistent; bud scales persistent; blades medium green above, lighter below, ovate, 7-13 × 2.5-5.5 cm, subcoriaceous, glabrous, domatia absent, base rounded, margin flat, apex acute to acuminate, the acumen 1-9 mm long, midrib flat above, distinctly raised below, secondary veins conspicuous, 10-14 per side, 7-23 mm apart, looping 2-6 mm from the margin; petiole light gray, 8-13 × 2-3 mm, entirely woody, glabrous. *Flowers* unseen, but infructescence thyrsoid. *Fruiting pedicel* 13-17 × 1.5-2.5 mm; young fruits green, yellowish when mature, subglobose, 11.5-20 × 10.5-18 mm, surface smooth, apex flat to slightly apiculate; dry pericarp 1-1.2 mm thick; endocarp crustaceous; seed 9-13 × 7-10 mm.

**Etymology** This species is dedicated to Laurent Gautier, Curator at the Conservatoire et Jardin botaniques de la Ville de Genève, who collected the type specimen and has contributed widely to the knowledge of the flora of northern Madagascar.

**Distribution, ecology and phenology** *Noronhia gautieri* occurs in semi-deciduous and humid forests at low elevation in north-eastern Madagascar (Fig. 19). It fruits from October to December.


**Conservation status** The assessment was based on three collections representing three localities and provided an EOO of 10,027 km<sup>2</sup>, an AOO of 12 km<sup>2</sup>, and three subpopulations representing three locations, two of which occur within protected areas (Loky-Manambato and Tsaratanana-Ambohimirahavy-Corridor Marojejy). With a restricted distribution and projected continuing decline in habitat quality resulting from illicit forest exploitation, *N. gautieri* is assigned a preliminary status of "Vulnerable" [VU B1ab(iii)+2ab(iii)].

**Notes** *Noronhia gautieri* is similar to *N. capuronii*, but can be distinguished by its glabrous (vs. pubescent) petiole, rounded (vs. cordate) leaf base, and flat to apiculate (vs. flat) fruit apex.

**Paratypes** MADAGASCAR. **Prov. Antsiranana:** Antongondriha, Mt Anjenabe, [14°18'S 49°45'E], 500-600 m, 3-7.XI.1950, *Humbert & Capuron 24047* (MO, P); Antalaha, Ambohitralanana, [15°14'S 50°27'E], 9.X.1953, *Réserves Naturelles 5716* (MO, P).

**Fig. 21.** *Noronhia gautieri* Hong-Wa. **A.** Fruiting branch; **B.** Abaxial side of leaf blade; **C.** Adaxial side of leaf blade; **D.** Fruit.

[Gautier 4839, MO] Drawings: R.L. Andriamiarisoa





**Fig. 22.** Photographs of *Noronhia Stadtm.* ex Thouars.  
**A.** *Noronhia gautieri* Hong-Wa [Gautier 4839]; **B.** *Noronhia gracilipes* H. Perrier [Antilahimena 7782];  
**C.** *Noronhia grandifolia* H. Perrier [Gautier 4803]; **D.** *Noronhia greeniana* Hong-Wa [Ratvoson 1102].

Photos: taken by respective collectors