

Zeitschrift: Boissiera : mémoires de botanique systématique
Herausgeber: Conservatoire et Jardin Botaniques de la Ville de Genève
Band: 70 (2016)

Artikel: A taxonomic revision of the genus *Noronhia* Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands
Autor: Hong-Wa, Cynthia
Kapitel: 36: *Noronhia insularis*
DOI: <https://doi.org/10.5169/seals-1036126>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 11.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

36. *Noronhia insularis* (Labat, M. Pignal & O. Pascal) Hong-Wa & Besnard in Mol. Phylogenet. Evol. 67: 376. 2013.

≡ *Chionanthus insularis* Labat, M. Pignal & O. Pascal in Novon 9: 69. 1999.

Typus: MAYOTTE: Bénara, 12°53'S 45°10'E, 350 m, 11.X.1996, *Pascal 713* (holo-: P [P00075020]!; iso-: B [100150948] image seen, G [G00014072] image seen, K [K000691511] image seen, MA [MA631208] image seen, MO [MO176472]!, NY [NY00277616] image seen, P [P00075017, P00075018]!, WAG [WAG0004664] image seen).

Description

Trees to 15 m tall, trunk to 15 cm diameter; young twigs cylindrical, 1.5-2 mm diameter, glabrous; bark medium to light gray, slightly rugose, sometimes lenticellate. *Leaves* opposite, persistent; bud scales rarely persistent; blades dark green above, lighter below, lanceolate, 12.5-20 × 3-6 cm, chartaceous, glabrous, domatia rare, base acute, margin flat to slightly undulate, apex acuminate, the acumen 10-18 mm long, midrib flat above, raised below, secondary veins conspicuous, 11-14 per side, 13-22 mm apart, looping 2-4 mm from the margin; petiole light gray, 7-13 × 1.5-2 mm, entirely woody, glabrous. *Thyrse*s geminate, pauciflorous, compact; peduncle 4 mm long, moderately pubescent; pedicel 6 mm long, moderately pubescent; calyx moderately pubescent outside, glabrous inside, lobes triangular, 1.5 × 2 mm; corolla yellow, subrotate, 6 mm long, glabrous on both sides, the tube 1 mm long, lobes deltate, apex acute; corona absent; stamens 2.3-2.6 mm long, anthers suborbicular, 1.3-1.6 mm long; pistil 2.7 mm long, stigma bilobed. *Fruiting* pedicel 12 × 2.2 mm; young fruits green, brownish when mature, ellipsoid, 42 × 20 mm, surface ribbed, apex rostrate, the rostrum flattened, ridged, truncate; dry pericarp 0.8 mm thick; endocarp woody; seed 33 × 16 mm.

Distribution, ecology and phenology

Noronhia insularis occurs in low- to mid-elevation humid forests on Mayotte and Grande Comore in the Comoro Islands (Fig. 19). It produces flowers and fruits from August to November.

Conservation status

Noronhia insularis is currently known from five collections representing five localities. The estimates provided an EOO of 1,535 km², an AOO of 20 km², and four subpopulations representing four locations, two of which occur within protected areas (Réserves forestières de Tchaourembo et de Bénara). The subpopulations in Grande Comore and those that are outside of protected areas in Mayotte are heavily impacted by habitat degradation and habitat loss resulting from land conversion, thereby reducing the number of mature individuals. Therefore, *N. insularis* is assigned a preliminary status of "Endangered" [EN B1ab(ii,iii,v)+2ab(ii,iii,v)].

Notes *Noronhia insularis* can be recognized by its lanceolate leaf blades, subrotate, yellow flowers lacking a corona, and elongate, ribbed and rostrate fruits. It differs from *N. aminae* by its rugose (vs. smooth) bark, lanceolate (vs. oblong) leaf blades, the absence (vs. presence) of a corona, and its ribbed (vs. rugose) fruits.

Additional specimens examined COMOROS: Grande Comore (Ngazidja), Nioumbadjou, chemin du capitaine Dubois en direction de N'Kourani, 9.X.1984, *Loup 71* (P). MAYOTTE: Grande Terre, Tsararano, RF des crêtes du centre Mont Bénara, 5.II.2006, *Barthelat et al. 1571* (BR, G, K, MO); Tchaourembo, Réserve Forestière de Tchaourembo, 113.XI.2002, *Barthelat et al. 1069* (G, K, MO, P); Bénara, 12°50'S 45°10'E, 575 m, 1.VIII.1996, *Pascal 617* (G, K, MO, P).