

Zeitschrift: Boissiera : mémoires de botanique systématique
Herausgeber: Conservatoire et Jardin Botaniques de la Ville de Genève
Band: 70 (2016)

Artikel: A taxonomic revision of the genus *Noronhia* Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands
Autor: Hong-Wa, Cynthia
Kapitel: 42: *Noronhia leandriana*
DOI: <https://doi.org/10.5169/seals-1036126>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 26.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

42. *Noronhia leandriana* H. Perrier in Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 2: 289. 1949.

Typus: MADAGASCAR. **Prov. Mahajanga:** Ouest, Tsingy du Bemaraha (9e Réserve Naturelle), secteur du Menabe, [18°12'S 44°35'E], 1932-1933, *Leandri 1004* (holo-: P [P00413235]!; iso-: K [K000233188] image seen, P [P00413236, P00701476]!).

Description

Trees to 20 m tall, trunk to 35 cm diameter; young twigs cylindrical, 0.6-2.6 mm diameter, glabrous; bark dark to medium gray, smooth. *Leaves* opposite, persistent; bud scales persistent; blades light green, oblong, 9-20 × 2-5 cm, chartaceous, glabrous, domatia common, base attenuate, margin flat to slightly undulate, apex acute to acuminate, the acumen 1-15 mm long, midrib sunken above, raised below, secondary veins conspicuous, 7-17 per side, 7-19 mm apart, looping 1-4 mm from the margin; petiole yellow to orangish, 5-15 × 0.7-2.2 mm, not woody, glabrous. *Thyrses* geminate to fasciculate, multiflorous, diffuse; peduncle 2-25 mm long, moderately pubescent; pedicel 2.5-13 mm long, moderately pubescent; calyx moderately pubescent outside, glabrous inside, lobes triangular, 0.9-1.4 × 1.2-1.8 mm; corolla yellowish-green, rotate, 3-4.5 mm long, glabrous on both sides, the tube 0.5-2 mm long, lobes ovate, apex acute; corona present, 1.2-2 mm long, slightly lobed; stamens 1.4-2.1 mm long, anthers widely oblong, 0.9-1.3 mm long; pistil 1.5-2 mm long, stigma capitate. *Fruiting* pedicel 5-18 × 0.6-1.7 mm; young fruits green, brownish when mature, ovoid, 13-26 × 9.5-16 mm, surface slightly rugose, apex bluntly pointed to rostellate, the rostellum flattened, ridged, truncate; dry pericarp 0.6-1 mm thick; endocarp woody; seed 9-20 × 7.5-11 mm.

Distribution, ecology and phenology

Noronhia leandriana occurs in low- to mid-elevation dry forests on limestones and basement rocks in the west, from Sofia to Antsalova (Fig. 27). It produces flowers and fruits throughout the year except in September and October.

Conservation status

Based on seven collections representing six localities, the assessment indicated an EOO of 13,337 km², an AOO of 24 km², and six subpopulations representing six locations, of which three occur within protected areas (Bemaraha and Corridor Bongolava). Continuing decline in habitat quality, AOO and number of mature individuals are expected outside these protected areas due to fire, wood harvesting, forest exploitation, land conversion and artisanal mining. Therefore, *N. leandriana* is assigned a preliminary status of "Vulnerable" [VU B1ab(ii,iii,iv,v)+2ab(ii,iii,iv,v)].

Notes

Noronhia leandriana can be recognized by its chartaceous, oblong leaf blades and large inflorescences with rotate flowers. It differs from *N. urceolata* H. Perrier by its non-woody (vs. woody) petioles, rotate (vs. urceolate) flowers, the presence (vs. absence) of a corona, and its woody (vs. crustaceous) endocarp.

**Additional specimens
examined**

MADAGASCAR. **Prov. Mahajanga:** Bekopaka, Antsalova, [19°08'S 44°47'E], 4.VII.1970, *Jacquemin 754* (P); Antsingy, vers Bevary (E d'Antsalova), [18°37'S 44°48'E], 400-600 m, 27.I-5.II.1960, *Leandri & Saboureau 2847* (G, MO, P); Bords de la Mahavavy, au-dessus de Itampika (Ambongo), [16°23'S 45°53'E], IX.1904, *Perrier de la Bâthie 1757* (P); Causse d'Ankara (Boina), [17°13'S 46°16'E], VIII.1922, *Perrier de la Bâthie 14827* (P); Melaky, Antsalova, [18°27'S 44°44'E], 25.II.1960, *Réserves Naturelles 11116* (P, TEF); Ambondrona, Maevatanana, [16°57'S 46°50'E], 16.V.1955, *Service Forestier 14938* (MO, P, TEF); Ambodiriana II, Port-Bergé, [15°55'S 47°29'E], 0-300 m, 24.XI.1958, *Service Forestier 19236* (MO, P); 14 km E Antsalova, [18°30'S 44°45'E], 18.III.1993, *Villiers et al. 4830* (P).