

Zeitschrift: Boissiera : mémoires de botanique systématique

Herausgeber: Conservatoire et Jardin Botaniques de la Ville de Genève

Band: 70 (2016)

Artikel: A taxonomic revision of the genus Noronhia Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands

Autor: Hong-Wa, Cynthia

Kapitel: 56: Noronhia obcordifolia

DOI: <https://doi.org/10.5169/seals-1036126>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 11.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

56. *Noronhia obcordifolia* Hong-Wa, spec. nova (Fig. 41).

Typus: MADAGASCAR. Prov. Antsiranana: DIANA, Diégo II, Ramena, env. 2 km à l’O d’Andavakoera, près de la grotte et du campement la Casa Aventura, 12°19'57"S 49°21'19"E, 172 m, 4.VIII.2007, Hong-Wa et al. 535 (holo-: MO-6615565!; iso-: CNARP!, G [G00341625]!, P!, TAN!).


Diagnosis *Noronhia obcordifolia* Hong-Wa can be distinguished from its congeners by its coriaceous, heart-shaped leaves and its apiculate fruits, somewhat covered with a white pellicle.

Description Shrubs to 4 m tall; young twigs cylindrical, 1-1.3 mm diameter, glabrous; bark dark gray, smooth. Leaves opposite, persistent; bud scales persistent; blades medium gray, cordiform, 3-4 × 2-3 cm, coriaceous, glabrous, domatia absent, base acute, margin slightly revolute, apex obcordate, midrib slightly sunken above, raised below, secondary veins barely visible, 5-6 per side, 5-7 mm apart, looping 1.5-2 mm from the margin; petiole medium gray, 4 × 1.2-1.6 mm, entirely woody, glabrous. Flowers unseen, but fruits solitary. Fruiting pedicel 7-8 × 1-1.2 mm; young fruits green, reddish when mature, ovoid, 12.2-12.6 × 7.4-7.8 mm, smooth, sometimes covered with a white pellicle, apex apiculate, with the persistent style; dry pericarp 0.4 mm thick; endocarp woody.

Etymology The specific epithet refers to the inverted heart-shaped leaf blade, with its distinctive obcordate apex.

Distribution, ecology and phenology *Noronhia obcordifolia* occurs in low-elevation dry forests on limestones on Montagne des Français in the north (Fig. 36). It has been collected in fruits in August.

Conservation status *Noronhia obcordifolia* is known only from three collections from the newly established protected area of Montagne des Français. Because of its close proximity to the city of Diégo-Suarez, the forest on Montagne des Français has played an important role in supplying the population with charcoal and other products, providing refuge to fugitive criminals, and favoring other illegal activities such as small-scale cannabis cultivation. This rocky outcrop has also become a favorite destination for rock climbers in recent years. Although its new status as a protected area should gradually reduce the impacts of these threats, habitat degradation as well as habitat alteration resulting from illicit exploitation and invasive species will likely persist. Therefore, *N. obcordifolia* is assigned a preliminary status of “Critically Endangered” [CR B2ab(iii,v)].

Fig. 41.*Noronhia obcordifolia* Hong-Wa.**A.** Fruiting branch; **B.** Fruit.[Hong-Wa 535, TAN]
Drawings: R.L. Andriamiarisoa

Notes *Noronhia obcordifolia* most closely resembles *N. lowryi*, from which it differs by its smooth (vs. rugose) bark, woody (vs. non-woody) petioles, cordiform (vs. elliptic) leaf blades, and ovoid (vs. pyriform) fruits with an apiculate (vs. flat) apex. Distinctive features include coriaceous, inverted heart-shaped leaves with an obcordate apex, and apiculate fruits somewhat covered with a white pellicle.

Paratypi **MADAGASCAR. Prov. Antsiranana:** Ramena, Andavakoera, 12°19'41"S 49°20'26"E, 76 m, 3.VIII.2007, Hong-Wa et al. 524 (CNARP, MO, P, TAN); *ibid. loc.*, 12°19'57"S 49°21'19"E, 172 m, 4.VIII.2007, Hong-Wa et al. 544 (TAN).