

**Zeitschrift:** Boissiera : mémoires de botanique systématique  
**Herausgeber:** Conservatoire et Jardin Botaniques de la Ville de Genève  
**Band:** 70 (2016)

**Artikel:** A taxonomic revision of the genus *Noronhia* Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands  
**Autor:** Hong-Wa, Cynthia  
**Kapitel:** 59: *Noronhia olearia*  
**DOI:** <https://doi.org/10.5169/seals-1036126>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 11.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**59. *Noronhia olearia*** Hong-Wa, **nom. nov.** (Fig. 43A).

≡ *Olea ambrensis* H. Perrier in Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 2: 277. 1949 [non *Noronhia ambrensis* H. Perrier in Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 2: 277. 1949].

**Typus:** MADAGASCAR. **Prov. Antsiranana:** Centre (Nord): Montagne d'Ambre, près de Diégo-Suarez, [12°33'S 49°08'E], 1000-1200 m, IX.1926, *Perrier de la Bâthie 17706* (holo-: P [P00162996]!).

**Description**

*Trees* to 10 m tall, trunk to 30 cm diameter; young twigs cylindrical, 0.5-2 mm diameter, glabrous; bark medium gray, smooth, sometimes lenticellate. *Leaves* opposite, persistent; bud scales persistent; blades dark green above, lighter below, lanceolate, 4-11 × 1.6-4.3 cm, coriaceous, glabrous, domatia absent, base acute to attenuate, margin flat to slightly undulate, apex acute to acuminate, the acumen 1-9 mm long, midrib slightly sunken above, raised below, secondary veins conspicuous, 7-12 per side, 4-19 mm apart, looping 1-5 mm from the margin; petiole yellow, 4-14 × 0.9-2 mm, usually not woody, sometimes only partially, glabrous. *Flowers* unseen, but infructescence thyrsoïd. *Fruiting pedicel* 4-13 × 0.5-2 mm; young fruits green, reddish brown when mature, ovoid, 11-22.5 × 8-16 mm, surface smooth, sometimes verrucose, apex apiculate; dry pericarp 0.4-0.6 mm thick; endocarp woody; seed 11-16 × 6.5-12 mm.

**Distribution, ecology and phenology**

*Noronhia olearia* occurs in low- to mid-elevation transitional forests in the north, from Cap St. Sébastien to Montagne d'Ambre (Fig. 36). It fruits from January to June.

**Conservation status**

The assessment included 10 collections representing eight localities and resulted in an EOO of 377 km<sup>2</sup>, an AOO of 28 km<sup>2</sup>, and four subpopulations representing three locations, of which two occur within a protected area (Montagne d'Ambre). One of the subpopulations occurs in an area that is now highly degraded as a result of land conversion for agriculture and pasture, and other forms of forest exploitation. The subpopulations within Montagne d'Ambre PN, especially those at the periphery, also suffer from illicit exploitation of wood and other forest products as well as encroachment for crop and khat cultivation. All these threats will lead to decline in habitat quality and number of individuals as well as habitat loss. Therefore, *Noronhia olearia* is assigned a preliminary status of "Endangered" [EN B1ab(i,i i,iii,iv,v)+2ab(i,ii,iii,iv,v)].

**Notes** *Noronhia olearia* can be recognized by its yellow to reddish petioles and apiculate to rostrate fruits, which are often covered with a white pellicle. It differs from *N. linocerioides* by its lanceolate (vs. elliptic), coriaceous (vs. chartaceous) leaf blades, and smooth to verrucose (vs. smooth to punctate) fruits with an apiculate to rostrate (vs. rostellate) apex. This species was first described as *Olea ambrensis*, whose type (Perrier de la Bâthie 17706) morphologically resembles the following specimens: *Andrianantoanina* 130, 313 and 366, *Hong-Wa* 573 and 693, *Leeuwenberg* 14309 and *Schatz* 1501. Another collection, *Richard* 192 [P00701261, P04046974], identified by PERRIER DE LA BÂTHIE as *Noronhia ambrensis*, also belongs to this group. Molecular studies placed material of *Hong-Wa* 573 and 693 deep within *Noronhia* (HONG-WA & BESNARD, 2013, 2014) rather than within *Olea*. Similarly, other specimens recognized as *O. ambrensis* by GREEN (2002) fell elsewhere within *Noronhia*, close to collections to which they resemble (e.g. *Schatz* 3605 in *N. linocerioides*). Since the binomial *Noronhia ambrensis* is already occupied and no other validly published names are available for the entity described as *Olea ambrensis*, a new name is proposed here.

**Additional specimens  
examined**

**MADAGASCAR. Prov. Antsiranana:** Joffreville, Montagne d'Ambre PN, 12°31'S 49°09'E, 700-900 m, 3-11.V.1993, *Andrianantoanina et al.* 130 (G, MO, P, TAN); *ibid. loc.*, 12°27'S 49°13'E, 250-500 m, 3-10.VIII.1993, *Andrianantoanina & Rochscoehclher* 269 (K, MO, P); *ibid. loc.*, 12°35'S 49°09'E, 1475 m, 26.VIII-IX.1993, *Andrianantoanina* 313 (K, MO, P, TAN); *ibid. loc.*, 12°27'S 49°13'E, 250-500 m, 29.IX-5.X.1993, *Andrianantoanina* 366 (K, MO); *ibid. loc.*, 12°33'S 49°08'E, 1000 m, 22.I.2009, *Hong-Wa* 573 (G, MO, P, TAN); *ibid. loc.*, 12°31'43"S 49°10'21"E, 993 m, 18.V.2010, *Hong-Wa & Ortiz* 693 (G, MO, P, TAN); *ibid. loc.*, near Station des Roussettes, 12°31'S 49°10'E, 1000 m, 23.I.1994, *Leeuwenberg* 14309 (MO, P, WAG); Cap St. Sébastien, [12°26'S 48°44'E], 1837, *Richard* 192 (P); Ambohitra (Joffreville), Montagne d'Ambre PN, 12°33'S 49°08'E, 1000 m, 13.IX.1987, *Schatz* 1501 (MO, P, TAN); *ibid. loc.*, [12°33'S 49°08'E], 19.V.1987, *Service Forestier* 31599 (TEF).



**Fig. 43.** Photographs of *Noronhia* Stadtm. ex Thouars.  
**A.** *Noronhia olearia* Hong-Wa [Hong-Wa 573]; **B.** *Noronhia orientalis* Hong-Wa [Hong-Wa 636].

Photos: C. Hong-Wa