

Zeitschrift: Boissiera : mémoires de botanique systématique
Herausgeber: Conservatoire et Jardin Botaniques de la Ville de Genève
Band: 70 (2016)

Artikel: A taxonomic revision of the genus *Noronhia* Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands
Autor: Hong-Wa, Cynthia
Kapitel: 79: *Noronhia stevensiana*
DOI: <https://doi.org/10.5169/seals-1036126>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 11.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

79. *Noronhia stevensiana* Hong-Wa, *spec. nova* (Fig. 64, 65A).

Typus: MADAGASCAR. **Prov. Antsiranana:** DIANA, Diégo II, Antsalaka, Montagne d'Ambre AP, 12°37'17"S 49°10'46"E, 1038 m, 12.VI.2010, *Hong-Wa 711* (holo-: MO-6615564!; iso-: P!, TAN!).

Diagnosis *Noronhia stevensiana* Hong-Wa can be distinguished from other members of the genus by its partially woody petioles, its chartaceous and lanceolate leaf blades, its somewhat compact inflorescences, with cupuliform, cream-white pinkish flowers, and its crustaceous, subglobose fruits without a distinct apex.

Description Trees to 14 m tall, trunk to 20 cm diameter; young twigs flattened to cylindrical, 0.5-2 mm diameter, glabrous; bark dark gray, smooth to rugose. Leaves opposite, persistent; bud scales deciduous; blades medium green above, lighter below, lanceolate to oblong, 6-14 × 1.5-4 cm, chartaceous, glabrous, domatia absent, base acute, margin flat to slightly undulate, apex acuminate, the acumen 5-22 mm long, midrib flat to slightly sunken above, raised below, secondary veins conspicuous, 8-15 per side, 6-16 mm apart, looping 1.5-4 mm from the margin; petiole medium gray, 4-12 × 1-1.7 mm, partially woody, glabrous. Thyrses solitary to geminate, pauciflorous, compact to somewhat diffuse; peduncle 5-10 mm long, moderately pubescent; pedicel 2-5 mm long, moderately pubescent; calyx moderately pubescent outside, glabrous inside, lobes triangular, 0.8-1.5 × 1-2 mm; corolla pink fading to white cream tinged pink, cupuliform, 2.5-3.5 mm long, glabrous on both sides, the tube 1.3-2.5 mm long, lobes widely ovate, apex obtuse; corona present, 1-1.5 mm long, undivided; stamens 1.5-1.7 mm long, anthers obovate, 1-1.1 mm long; pistil 1.3-2.2 mm long, stigma capitate. Fruiting pedicel 4-5 × 1.6-1.8 mm; young fruits green, purplish black when mature, subglobose to ovoid, 17.5-21 × 14.5-19 mm, surface smooth to rugose, sometimes covered with a white pellicle, apex flat; dry pericarp 0.7-0.8 mm thick; endocarp crustaceous; seed 19 × 8.5 mm.

Etymology This name honors Peter F. Stevens for his contribution to the knowledge of the Malagasy flora, for his invaluable mentorship, and for sharing his passion for plants.

Distribution, ecology and phenology *Noronhia stevensiana* occurs in mid- to high-elevation humid forests on lavas on the Montagne d'Ambre in the north (Fig. 62). It produces flowers and fruits from January to June.

Conservation status *Noronhia stevensiana* is currently known only from nine collections representing seven localities. With an EOO of 33 km², an AOO of 24 km², and three subpopulations representing three locations, all included within Montagne d'Ambre PN, which is still sub-




Fig. 64. *Noronhia stevensiana* Hong-Wa. **A.** Fruiting branch; **B.** Abaxial side of leaf blade; **C.** Inflorescence; **D.** Flower; **E.** Pistil; **F.** Fruit surface.

[Hong-Wa 711, TAN] Drawings: R. L. Andriamiarisoa

ject to continuing decline in habitat quality and loss of mature individuals as a result of illicit exploitation and encroachment for crop and khat cultivation, *N. stevensiana* is assigned a preliminary status of “Endangered” [EN B1ab(iii,v)+2ab(iii,v)].

Notes *Noronhia stevensiana* resembles *N. schatzii*, but these two taxa can be distinguished by the texture of their petioles, the density of their inflorescences, the pubescence of their peduncles and pedicels, and the shape of their fruits. Identifying features include partially woody petioles, chartaceous and lanceolate leaf blades, somewhat compact inflorescences, with cupuliform, cream-white pinkish flowers, and crustaceous, subglobose fruits without a distinct apex.

Paratypes MADAGASCAR. **Prov. Antsiranana:** Joffreville, Montagne d’Ambre PN, 12°32’19”S 49°09’32”E, 1219 m, 23.I.2009, *Hong-Wa 577* (MO, P, TAN); *ibid. loc.*, *Hong-Wa 578* (MO, P, TAN); *ibid. loc.*, *Hong-Wa 580* (MO, P, TAN); *ibid. loc.*, 12°30’55”S 49°10’34”E, 891 m, 24.I.2009, *Hong-Wa 590* (MO, P, TAN); *ibid. loc.*, 12°30’56”S 49°10’40”E, 931 m, 16.V.2010, *Hong-Wa & Ortiz 680* (MO, P, TAN); *ibid. loc.*, 12°32’35”S 49°08’46”E, 1315 m, 17.V.2010, *Hong-Wa & Ortiz 685* (MO, TAN); *ibid. loc.*, 12°36’17”S 49°11’22”E, 1035 m, 9.V.2008, *Trigui et al. 383* (G, MO, TEF); *ibid. loc.*, 12°37’48”S 49°10’44”E, 1030 m, 16.VI.2008, *Trigui et al. 543* (G, MO, TEF).



Fig. 65. Photographs of *Noronhia* Stadtm. ex Thouars.
A. *Noronhia stevensiana* Hong-Wa [Trigui 383]; **B.** *Noronhia tefyana* Hong-Wa [Gautier 5662].

Photos : taken by respective collectors.