

|                     |   |
|---------------------|---|
| <b>Zeitschrift:</b> | Boissiera : mémoires de botanique systématique  |
| <b>Herausgeber:</b> | Conservatoire et Jardin Botaniques de la Ville de Genève  |
| <b>Band:</b>        | 70 (2016)   |
| <b>Artikel:</b>     | A taxonomic revision of the genus Noronhia Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands |
| <b>Autor:</b>       | Hong-Wa, Cynthia  |
| <b>Kapitel:</b>     | 80: Noronhia tefyana  |
| <b>DOI:</b>         | <a href="https://doi.org/10.5169/seals-1036126">https://doi.org/10.5169/seals-1036126</a>                     |

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 11.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**80. *Noronhia tefyana*** Hong-Wa, spec. nova (Fig. 65B, 66).

**Typus:** MADAGASCAR. Prov. Mahajanga: Melaky, Maintirano, village d'Ambinda, 18°04'S 44°30'E, 203 m, 19.X.2009, Razakamalala et al. 4440 (holo-: MO-6615561!; iso-: G [G00341622]!, P [P00722508] image seen, TAN).

**Diagnosis** *Noronhia tefyana* Hong-Wa can be distinguished from other species of the genus by its lanceolate leaf blades, its long acumen, its fasciculate, pink flowers, and its slightly rugose, apiculate fruits.

**Description** Trees to 5 m tall; young twigs cylindrical, 0.5-1.5 mm diameter, glabrous; bark light gray, smooth. Leaves opposite, semi-deciduous; bud scales persistent; blades dark green above, lighter below, broadly lanceolate, 5-10.5 × 1.5-3.5 cm, subcoriaceous, glabrous, domatia absent, base attenuate, margin flat, apex acuminate, the acumen 8-20 mm long, midrib slightly sunken above, distinctly raised below, secondary veins conspicuous only below, 8-13 per side, 5-11 mm apart, looping 1-5 mm from the margin; petiole light gray, 4-7 × 1-1.5 mm, entirely woody, glabrous. Flowers fasciculate; pedicel 7-9 mm long, glabrous; calyx moderately to sparsely pubescent outside, glabrous inside, lobes triangular, 1.5-2 × 1.3-1.7 mm; corolla pinkish with green lobes, cupuliform, 4-4.5 mm long, glabrous on both sides, the tube 2.5-3.5 mm long, lobes deltate, apex acute; corona present, 1.5 mm long, undivided; stamens 2-2.5 mm long, anthers obovate, 1.5-2 mm long; pistil 1.8-2 mm long, stigma capitate. Fruiting pedicel 9-15 × 0.8-1.1 mm; young fruits green, brownish when mature, ovoid to subglobose, 12-13 × 9-10 mm, surface smooth to slightly rugose, covered with a white pellicle, apex rostrate, the rostrum flattened, apiculate; dry pericarp 0.4 mm thick; endocarp woody; seed 7 × 5 mm.

**Etymology** This name honors Tefy Andriamihajarivo, a botanist at the Missouri Botanical Garden in Madagascar, for contributing to the knowledge and conservation of the Malagasy flora, for collecting *Noronhia* in the field, and for helping with various requests during this study.

**Distribution, ecology and phenology** *Noronhia tefyana* occurs in low-elevation dry forests in and around the Bemaraha PN in the west (Fig. 62). It produces flowers and fruits from October to March.

**Conservation status** *Noronhia tefyana* is currently known only from nine collections representing eight localities. With an EOO of 1037 km<sup>2</sup>, an AOO of 28 km<sup>2</sup>, and four subpopulations representing four locations, of which two occur within protected areas (Beanka and Bemaraha), *N. tefyana* is assigned a preliminary status of “Endangered”

**Fig. 66.***Noronhia tefyana* Hong-Wa.

- A.** Fruiting branch;
- B.** Abaxial side of leaf blade;
- C.** Flower;
- D.** Inner side of corolla;
- E.** Pistil;
- F.** Fruit.

[Rakotonasolo 1433, TAN] Drawings: R.L. Andriamiarisoa

[EN Blab(i,ii,iii,iv,)+2ab(i,ii,iii,iv,v)]. Indeed, decline in habitat quality and habitat loss will persist in most of its range because of wildfire, forest exploitation, nomadic grazing, and conversion of forested area into agricultural fields.

**Notes** *Noronhia tefyana* is similar to *N. buxifolia*, but these two taxa can be distinguished by the shape of their leaves and flowers, the length of their pedicels, and the color of their corolla. The new species can be recognized by its lanceolate leaf blades with a long acuminate, fasciculate, pink flowers, and slightly rugose, apiculate fruits.

**Paratypi** **MADAGASCAR. Prov. Mahajanga:** Beanka, Kinahango, 18°01'28"S 44°30'16"E, 172 m, 19.XI.2011, Gautier 5662 (G, K, MO, P, TEF); *ibid. loc.*, Sarodrano, 18°03'51"S 44°31'46"E, 333 m, 10.XII.2011, Hanitrarivo *et al.* 6 (G, K, MO, P, TEF); *ibid. loc.*, 18°03'45"S 44°31'05"E, 296 m, 4.III.2012, Hanitrarivo *et al.* 253 (G, K, MO, P, TEF); *ibid. loc.*, 18°02'51"S 44°31'29"E, 499 m, 8.III.2012, Hanitrarivo *et al.* 281 (G, K, MO, P, TEF); Tsingy de Bemaraha, S of the Manambolo river, 19°09"S 44°49'E, 50 m, 18.XII.1996, Jongkind *et al.* 3590 (G, MO, P, TAN, WAG); Belitsaka, 17°32'27"S 44°16'53"E, 23.X.2009, Rakotonasolo *et al.* 1433 (CAS, K, MO, P, TAN); Maintirano, Ambinda, 18°04'S 44°30'E, 203 m, 19.X.2009, Razakamalala *et al.* 4459 (MO, TAN); Melaky, 14 km E Antsalova, 18°41'S 44°43'E, 18.III.1993, Villiers *et al.* 4824 (P).