

| | |
|---------------------|---|
| Zeitschrift: | Boissiera : mémoires de botanique systématique |
| Herausgeber: | Conservatoire et Jardin Botaniques de la Ville de Genève |
| Band: | 70 (2016) |
| Artikel: | A taxonomic revision of the genus Noronhia Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands |
| Autor: | Hong-Wa, Cynthia |
| Kapitel: | 81: Noronhia tetrandra |
| DOI: | https://doi.org/10.5169/seals-1036126 |

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 11.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

81. *Noronhia tetrandra* H. Perrier in Mém. Inst. Sci. Madagascar, Sér. B, Biol. Vég. 2 : 282. 1949 (Fig. 67A).

Typus : MADAGASCAR. Prov. Toliara : Est : Bassin de Mananara, SE, [24°54'S 46°32'E], 700 m, VI.1919, Perrier de la Bâthie 12642 (holo- : P [P00413241]!; iso- : P [P00413242]!).

Description *Trees* to 18 m tall, trunk to 25 cm diameter; young twigs cylindrical, 0.8-3.6 mm diameter, glabrous; bark medium gray, smooth. *Leaves* opposite, persistent; bud scales persistent; blades medium green above, lighter below, elliptic to obovate, 4-13 × 2-4.5 cm, coriaceous, glabrous, domatia absent, base attenuate, margin revolute, apex retuse to slightly acuminate, the acumen 1-2 mm long, midrib sunken above, raised below, secondary veins conspicuous mostly below, 6-11 per side, 6-23 mm apart, looping 1-5 mm from the margin; petiole yellow to reddish, 4-17 × 1.5-4.5 mm, not woody, glabrous. *Thyrses* geminate, multiflorous, compact to somewhat diffuse; peduncle 2-15 mm long, moderately pubescent; pedicel 2-7 mm long, moderately pubescent; calyx moderately pubescent outside, glabrous inside, lobes triangular, 0.8-1.7 × 1-2 mm; corolla white tinged greenish, urceolate to subrotate, 3.5-6.5 mm long, glabrous on both sides, the tube 1-3 mm long, lobes oblong, apex obtuse; corona present, 1.3-2.2 mm long, undivided; stamens 1.8-3 mm long, anthers oblong, 1.3-1.9 mm long; pistil 1.6-3.5 mm long, stigma bilobed. *Fruiting* pedicel 2.5-12 × 0.7-2.4 mm; young fruits greenish, brownish when mature, ovoid, 10-24 × 7-18.5 mm, surface smooth, apex rostellate, with the persistent style; dry pericarp 0.6-1.6 mm thick; endocarp woody; seed 8.5-17.5 × 6-12 mm.

Distribution, ecology and phenology *Noronhia tetrandra* occurs in littoral to mid-elevation humid forests from Sambava in the north to Fort-Dauphin in the south (Fig. 62). It produces flowers and fruits throughout the year except in May.

Conservation status With 30 collections representing 25 localities, the assessment indicated an EOO of 72,134 km², an AOO of 72 km², and 14 subpopulations representing 12 locations, of which six occur within protected areas (Behara-Tranomaro, Manombo, Ste Luce, Tampolo, Tsitongambarika, and Vohibola). Given the large EOO, an actual AOO that likely well exceeds 2,000 km², and the number of locations, *N. tetrandra* is assigned a preliminary status of “Least Concern”.

Notes *Noronhia tetrandra* can be recognized by its non-woody petioles, elliptic to obovate leaf blades, revolute margins, compact inflorescences with white flowers, and ovoid, rostellate fruits. Although four stamens have occasionally been found within this species, they only represent a rare character state that appears to be a teratology. This species differs from *N. martiniana* by its elliptic to obovate (vs. oblanceolate to obovate) leaf blades, its urceolate to subrotate (vs. campanulate) flowers, the presence (vs. absence) of a corona, and its rounded (vs. truncate) rostellum.

Additional specimens examined

MADAGASCAR. **Prov. Antsiranana:** Antsirabe-Nord, forêt d'Analamateza, [13°58'S 49°58'E], 25-27.III.1967, *Service Forestier* 27570 (MO, P, TEF). **Prov. Fianarantsoa:** Mahabo Mananivo, Nosiala, forêt d'Agnalazaha, 23°11'08"S 47°42'48"E, 50 m, 5.III.2009, Hong-Wa et al. 616 (G, MO, P, TAN); *ibid. loc.*, Baboaka, 23°10'40"S 47°42'41"E, 23 m, 19.IV.2004, Ludovic & Soazafy 725 (MO); *ibid. loc.*, forêt d'Ampitavananima, 23°11'10"S 47°43'02"E, 30 m, 5.VIII.2004, Ludovic et al. 855 (G, MO, P, TAN); *ibid. loc.*, 23°10'51"S 47°42'29"E, 30 m, 5.XI.2001, McPherson & Rabenantoandro 18339 (G, MO, P, TEF); *ibid. loc.*, 23°10'20"S 47°42'23"E, 29 m, 23.IX.2002, Rabenantoandro 968 (MO, P, TEF); Farafangana, Ankarana, Manombo RS, 23°03'46"S 47°46'15"E, 14 m, 24.IX.2005, Rakotonirina et al. 452 (MO, TAN); Anosiala-Analamena, 23°11'07"S 47°42'06"E, 23 m, 19.VI.2004, A. Randrianasolo et al. 874 (G, MO, P); Analazaha, [22°51'S 47°38'E], 0-200 m, 30.VIII.1955, *Service Forestier* 15382 (P, TEF); Tohakandra, [23°02'10"S 47°44'50"E], 0-10 m, 8.IX.1955, *Service Forestier* 15408 (MO, P, TEF). **Prov. Toamasina:** Brickaville, Ambinaninony, forêt de Vohibola, 18°33'55"S 49°15'22"E, 3-10 m, 29.X.2002, Ludovic et al. 202 (G, MO, P, TAN, TEF); Fénérive-Est, Tampolo STF, 17°16'52"S 49°24'44"E, 0-10 m, 23.XI.1994, Raholivelho & Schatz 30 (MO); Antananala, Ambila-Lemaitso, [18°49'S 49°08'E], 30 m, 10.II.1954, *Service Forestier* 8315 (P, TEF); Maroantsetra, Vohilava, [15°38'30"S 49°34'00"E], 600 m, 9.III.1954, *Service Forestier* 9135 (P, TEF); Tampolo STF, [17°17'00"S 49°23'30"E], 10 m, 4.I.1955, *Service Forestier* 15328 (P, TEF); Andasin'Onibe, Andranotsara, Mahatsara STF, 17°38'18"S 49°29'04"E, 5 m, 23.VI.1993, *Service Forestier* 33903 (TEF). **Prov. Toliara:** Fort-Dauphin, Mahatalaky, forêt de Sainte Luce (SD17), 24°50'34"S 47°08'12"E, 5 m, 14.II.2009, Hong-Wa 604 (MO, P, TAN); Massif du Vohitsiandriana, au N du Cap Andrahomana, [25°10'S 46°38"E], 400 m, III.1955, *Service Forestier* 11840 (MO).