

<b>Zeitschrift:</b>	Boissiera : mémoires de botanique systématique
<b>Herausgeber:</b>	Conservatoire et Jardin Botaniques de la Ville de Genève
<b>Band:</b>	70 (2016)
<b>Artikel:</b>	A taxonomic revision of the genus Noronhia Stadtm. ex Thouars (Oleaceae) in Madagascar and the Comoro Islands
<b>Autor:</b>	Hong-Wa, Cynthia
<b>Kapitel:</b>	85: Noronhia variabilis
<b>DOI:</b>	<a href="https://doi.org/10.5169/seals-1036126">https://doi.org/10.5169/seals-1036126</a>

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 11.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**85. *Noronhia variabilis*** Hong-Wa, spec. nova (Fig. 69, 70).

— *Noronhia* sp. 2, sp. 4 in GAUTIER (2002 : 202).

**Typus:** MADAGASCAR. Prov. Antsiranana: DIANA, Ambato FC, à 40 km au N d'Ambohitra sur le versant S de la Montagne d'Ambato, 13°26'S 48°33'E, 90-459 m, 22.XI.1996, Randrianaivo et al. 27 (holo-: MO-6615560!; iso-: G, NY, P [P03559017]!, TAN!).


**Diagnosis** *Noronhia variabilis* Hong-Wa can be distinguished from other members of the genus by its often non-woody, reddish petioles, its coriaceous, elliptic to oblong leaf blades, and its ovoid to subglobose fruits, with smooth surface and woody endocarp.

**Description** Trees to 15 m tall, trunk to 12 cm diameter; young twigs cylindrical to flattened, 1-2.7 mm diameter, glabrous; bark dark gray, smooth. Leaves opposite, persistent; bud scales persistent to deciduous; blades light green above, yellowish below, elliptic to oblong, 4.5-13 × 2-5 cm, coriaceous, glabrous, domatia absent, base attenuate, margin flat, apex acute, the point 1-5 mm long, midrib slightly sunken above, distinctly raised below, secondary veins slightly conspicuous, 5-12 per side, 6-19 mm apart, looping 2-5 mm from the margin; petiole reddish, 4-15 × 1-2.5 mm, usually not woody, glabrous. Flowers unseen, but infructescence thyrsoid. Fruiting pedicel 2-11 × 1.5-6.5 mm; young fruits green, purple black when mature, ovoid to subglobose, 12-26 × 10.5-22 mm, smooth, apex flat to apiculate; dry pericarp 0.6-1.6 mm thick; endocarp woody; seed 13.5-21 × 10-15 mm.

**Etymology** The specific epithet refers to the variability found within this taxon, especially in the shape and size of its leaves.

**Distribution, ecology and phenology** *Noronhia variabilis* occurs in low- to high-elevation humid forests in the northern region, from Daraina to Manongarivo (Fig. 68). It fruits from May to August.

**Conservation status** The assessment included 13 collections representing 12 localities and resulted in an EOO of 5,196 km<sup>2</sup>, an AOO of 36 km<sup>2</sup>, and eight subpopulations representing seven populations, of which five occur within protected area (Galoko, Loky-Manambato, and Manongarivo). Wood harvesting, illicit exploitation, and land conversion are projected to lead to continuing decline in habitat quality, AOO and number of mature individuals in the near future. Therefore, *N. variabilis* is assigned a preliminary status of “Vulnerable” [VU Blab(ii,iii,v)+2ab(ii,iii,v)].



**Fig. 69.**

*Noronhia variabilis* Hong-Wa.

- A.** Fruiting branch; **B.** Adaxial side of leaf blade;  
**C.** Abaxial side of leaf blade; **D.** Fruit.

[Randrianaivo 27, MO] Drawings: R.L. Andriamiarisoa

**Notes** *Noronhia variabilis* resembles *N. macrocarpa*, from which it differs by its elliptic to oblong (vs. lanceolate to obovate) leaves with an acute (vs. acuminate) apex, and its ovoid to subglobose (vs. ovoid) and smooth (vs. rugose) fruits with a flat to apiculate (vs. flat to bluntly pointed) apex. The new species can be recognized by its often non-woody, reddish petioles, coriaceous, elliptic to oblong leaf blades, and ovoid to subglobose fruits.

**Paratypi** **MADAGASCAR. Prov. Antsiranana:** Antsatrotro, Manongarivo RS, 14°04'57"S 48°22'49"E, 1350 m, 17.VIII.1994, Andriatsiferana et al. 1695 (G, MO, TAN); *ibid. loc.*, 14°04'57"S 48°22'49"E, 1350 m, 17.VIII.1994, Andriatsiferana et al. 1704 (MO); Ambilobe, Beramanja, Anketrabe, forêt de Kalabenono, 13°38'31"S 48°40'25"E, 700 m, 25.XI.2006, Callmander et al. 607 (G, MO, P, TAN); Ambahatra, cours supérieur, 13°59'S 48°26"E, 850 m, 28.II.1999, Gautier 3432 (G, MO); Daraina, forêt d'Antsahabe, 13°13'23"S 49°32'47"E, 1030 m, 24.XI.2004, Gautier 4740 (Daraina, G, K, MO, TEF); Manongarivo Massif, E of Ankaramy, 14°05'S 48°20"E, 1100-1175 m, 19.X.1994, McPherson & van der Werff 16419 (G, K, MO, TAN); Manongarivo RS, Ankaramibe, Antsatrotro, 14°04'57"S 48°22'53"E, 1350 m, 13.VIII.1994, Rahajasoa et al. 384 (K, MO, P); *ibid. loc.*, 14°05'S 48°24"E, 679-1876 m, 12.I.1994, Rakotomalala 120 (G, MO, P); Vohémar, Daraina, forêt d'Ampondrabe, 12°57'29"S 49°41'50"E, 580 m, 11.IV.2004, Ranirison 634 (Daraina, G, K, MO, TEF); Ambilobe, Beramanja, Anketrabe, forêt de Kalabenono, 13°38'40"S 48°40'26"E, 700 m, 28.IX.2013, Ratovoson 2042 (G, MO, P, TAN); *ibid. loc.*, 13°39'01"S 48°40'26"E, 800 m, 27.XI.2006, Razafitsalama 1180 (MO, TAN); Ambanja, Marovato, [13°58"S 48°50"E], 15.VII.1953, Réserves Naturelles 5740 (P, TEF).



**Fig. 70.** *Noronhia variabilis* Hong-Wa [Razafitsalama 1180]

Photo: J. Razafitsalama.