

<b>Zeitschrift:</b>	Boissiera : mémoires de botanique systématique
<b>Herausgeber:</b>	Conservatoire et Jardin Botaniques de la Ville de Genève
<b>Band:</b>	71 (2017)
<b>Artikel:</b>	Taxonomic treatment of Abrahamia Randrian. & Lowr : a new genus of Anacardiaceae from Madagascar
<b>Autor:</b>	Randrianasolo, Armand / Lowry, Porter P. / Schatz, George E.
<b>Kapitel:</b>	1: Abrahamia antongilensis
<b>DOI:</b>	<a href="https://doi.org/10.5169/seals-1036071">https://doi.org/10.5169/seals-1036071</a>

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 08.10.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**1. *Abrahamia antongilensis* Randrian. & Lowry, spec. nova** (Fig. 1).

**Typus:** MADAGASCAR. Prov. Toamasina: Rég. Analanjirofo, Anjanaharibe forest, 15°10'48"S 49°37'30"E, 860 m, 4.II.2003, fr., Antilahimena 1862 (holo-: MO-6671431!; iso-: G [G00341711]!, K!, NY!, P [P00580355]!, TAN [TAN002003]!).

**Diagnosis** *Abrahamia antongilensis* Randrian. & Lowry can be distinguished from the other members of the genus by the combination of its leaves with semicraspedodromous venation and a distinctly acuminate apex (10-15 mm long), and inflorescences that are very short (c. 1.8 cm) and terminal.

**Description** Trees 8-10 m tall; young twigs covered with dense, whitish sericeous indument. Leaves alternate, clustered at the end of branches; blade oblanceolate to obovate, 7-17 × 3-6 cm, chartaceous, apex abruptly acuminate, the acumen 10-15 mm long, margin undulate and very slightly revolute, base cuneate, adaxial surface glabrous or with scattered whitish sericeous indument, abaxial surface covered with dense whitish, appressed sericeous indument when younger, much less dense on older leaves, venation semicraspedodromous, midvein prominent abaxially, secondary veins 25-35 pairs, 2-7 mm apart, forming a wide angle with the midvein (almost perpendicular from the base to the leaf mid-section), raised on both surfaces, tertiary veins visible on both surfaces; petiole 10-18 mm long, c. 1.5 mm in diam., canaliculate on adaxial surface, covered with whitish sericeous indument. Inflorescence short, terminal, a panicle, c. 1.8 cm long, axes covered with dense, appressed indument. Male flowers unknown. Female flowers 5-merous, small, c. 3 mm long, subtended by a very small bract with dense indument; pedicel c. 3 mm long, densely sericeous; calyx lobes small, widely ovate, 1 × 1 mm, valvate, adaxial surface glabrous, abaxial surface pubescent; corolla lobes ovate, 2.5 × 1.5 mm, thick, imbricate, adaxial surface glabrous, abaxial surface pubescent; staminodes 5; disk cupuliform, c. 1.5 mm in diam., glabrous; ovary slightly ovoid to spherical, c. 1 × 1 mm, glabrous; style short, thick, c. 1 mm long, glabrous, stigmas capitate. Fruits 2.5-3.5 × 1.7-2 cm, ellipsoid, glabrous, with longitudinal striations.

**Distribution, ecology and phenology** This species is known only from the area around the northern end of the Baie d'Antongil in northeastern Madagascar (Map 1). Flowering material has been collected in November and fruiting specimens in February.

**Conservation status** With a minimum AOO of 8 km<sup>2</sup> and two known localities, one within the newly established Makira natural park and the other based on a historical collection that can be assumed to have come from within the buffer zone of Masoala national park,



**Fig. 1.**  
*Abrahamia antongilensis* Randrian. & Lowry. Fruiting branch.

[Antilahimena 1862, P] Drawing: R.L. Andriamiarisoa

comprising 2 locations, the latter of which is subjected to projected decline in habitat quality, *A. antongilensis* is assigned a preliminary conservation status of “Endangered” [EN B2ab(iii)] using the IUCN Red List Categories and Criteria (IUCN, 2012).

**Notes** *Abrahamia antongilensis* most closely resembles *A. lenticellata* and *A. viguieri* but differs by having the abaxial leaf surface covered with whitish appressed indument (vs glabrous in *A. lenticellata* and with reddish lanate indument in *A. viguieri*). Moreover, *A. antongilensis* can be distinguished from *A. lenticellata* by having glabrous fruits (vs velutinous) and from *A. viguieri* by its leaves with semicraspedodromous (vs craspedodromous) venation.

*Abrahamia antongilensis* is only known from two collections, both from the area around the Baie d’Antongil in northeastern Madagascar. The type collection (*Antilahimena* 1862), from northwestern of Maroantsetra, has older leaves with less indument on the abaxial surface than on the much younger leaves of the second collection (*Service Forestier* 8770) from the northern part of the Masoala Peninsula, approximately half way between Antalaha and Maroantsetra.

**Paratypi** **MADAGASCAR. Prov. Toamasina:** Rég. SAVA, S du Col d’Ambatondradama, [15°16’S 50°04’E], c. 750 m, 17.XI.1953, fl., *Service Forestier* 8770 (MO, P [2 sheets], TEF).