

**Zeitschrift:** Boissiera : mémoires de botanique systématique  
**Herausgeber:** Conservatoire et Jardin Botaniques de la Ville de Genève  
**Band:** 71 (2017)

**Artikel:** Taxonomic treatment of Abrahamia Randrian. & Lowr : a new genus of Anacardiaceae from Madagascar  
**Autor:** Randrianasolo, Armand / Lowry, Porter P. / Schatz, George E.  
**Kapitel:** 6: Abrahamia deflexa  
**DOI:** <https://doi.org/10.5169/seals-1036071>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 08.10.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**6. *Abrahamia deflexa*** (H. Perrier) Randrian. & Lowry, **comb. nova.**

≡ *Protorhus deflexa* H. Perrier in Mém. Mus. Natl. Hist. Nat. Paris 18: 264. 1944.

**Lectotypus** (designated here): **MADAGASCAR. Prov. Mahajanga:** Ambongo, XI.1903, fl., *Perrier de la Bâthie 1627* (P [P00580302]!; isolecto-: MO-6684133!, P [P00580303]!). **Syntyp:** **MADAGASCAR. Prov. Mahajanga:** Ankatsepy, près Majujnga, s.d., fr., *Perrier de la Bâthie 1627bis* (P [P00580304]!). **Prov. Toliara:** Mt. Vohipolaka, N de Betroka, s.d., ster., *Humbert 11694ter* (P, not seen); Mt. Apika, au-dessus de Mahamavo, bassin de réception de la Mananara, affluent du Mandrare, s.d., fr., *Humbert 13850* (P, not seen).

**Description**

*Trees* 8-15 m tall, 15-20 cm DBH, bark with red latex, young twigs with lenticels, waxy, the very tips scabrous. *Leaves* alternate, subopposite or opposite; blades ovate, oblong, or elliptic, 2.5-6.5 × 1-3.5 cm, apex retuse, rounded or shortly acuminate, sometimes emarginate, margine entire, base cuneate, adaxial surface glabrous, abaxial surface ferruginous to scabrous when young, later glabrous or glabrescent along the midvein, venation craspedodromous, midvein prominent abaxially, secondary veins 15-20 pairs, more or less parallel, 1-4 mm apart, prominent abaxially, slightly prominent adaxially, tertiary veins very widely spaced, slightly raised on both surfaces; petiole 5-10 mm long, canaliculate on adaxial surface, covered with very short, appressed indument when young, glabrescent. *Inflorescence* terminal, a thyrse, 2-5 cm long, ferruginous strigose. *Male flowers* 5-merous; pedicel c. 0.3-0.4 mm long, strigose; calyx lobes depressed ovate, 0.8-1 × 0.5-0.8 mm, imbricate, adaxial surface glabrous, abaxial surface glabrous or pubescent, persistent on the fruit; corolla lobes ovate, c. 2 × 1.5 mm, white or cream, adaxial surface glabrous, abaxial surface glabrous or with appressed short indument, imbricate; stamens 5, filaments 1 mm long, glabrous, anthers c. 0.5 mm long, ovoid to subglobose, yellow, glabrous; disk dish-shaped to cupuliform, c. 1 mm in diam., glabrous; ovary rudimentary. *Female flowers* unknown. *Fruits* 1.5-3 × 1-1.5 cm, ellipsoid to ovoid, glabrous, with longitudinal striations.

**Vernacular names**

“Hazombora”, “Sohihy”, “Sohy”, “Tarata”, “Motsalahy” (Sakalava).

**Distribution, ecology and phenology**

*Abrahamia deflexa* occurs in dry forests of western and northwestern Madagascar (Map 1), usually on sandy or calcareous soils. It flowers between September and November, and has been collected in fruit in November and December.

**Conservation status**

With an EOO of 51,339 km<sup>2</sup>, a minimum AOO of 40 km<sup>2</sup>, and an estimated maximum AOO of less than 2,000 km<sup>2</sup>, as well as 10 known locations, only 2 of which are situated within protected areas (Ankarafantsika and Bemaraha) with the remainder


projected to be subjected to continuing decline in habitat quality due to a combination of fire and land clearing, *A. deflexa* is assigned a preliminary conservation status of “Vulnerable” [VU B2 ab(iii)] using the IUCN Red List Categories and Criteria (IUCN, 2012).

**Notes** *Abrahamia deflexa* can easily be distinguished from all its congeners by the combination the small, glabrous leaves with a long, thin petiole and glabrous fruits.

Of the five collections cited in the protologue, we have selected *Perrier de la Bâthie* 1627 as the lectotype because it is represented by three specimens, whereas one of the other syntypes (*Perrier de la Bâthie* 1627bis) comprises only a single sheet, another (*Humbert* 5063 = *Humbert & Swingle* 5063 = *Service Forestier* 50) is a collection of *A. phillipsonii*, and the remaining two (*Humbert* 11694ter and 13850) could not be located.

**Additional material examined**

**MADAGASCAR. Prov. Mahajanga:** Katsepy, station d'Antrema, [15°42'37"S 46°10'30"E], 10.XI.2008, fr., *Hladick* 7200 (P); Bemaraha, S of the Manambolo River, 19°09'S 44°49'E, 50 m, 11.XII.1996, fr., *Jongkind* 3505 (MO, P, TAN, WAG); Antsalova, Bemaraha, 18°38'S 44°42'E, 100-200 m, 5.XII.1992, fr., *Labat et al.* 2308 (MO, P, TAN); Mitsinjo, Katsepy, forêt classée d'Antrema, 15°42'37"S 46°10'25"E, 15 m, 12.XI.2005, fr., *Labat* 3560 (G, MO, P, TAN); 33 km Ankirika-Analalava, 14°49'S 47°41'E, 100 m, 16.XI.1996, fl., *Leeuwenberg et al.* 14728 (MO, P, TAN, WAG); NW Madagascar, 1841, *Pervillé* 93 (P [5 sheets]); Ambongo, 1841, *Pervillé* 590 (P [3 sheets]); Katsepy, station d'Antrema, [15°42'S 46°10'E], 11.XI.2009, fl., *Ramanamisata* 157 (P); Port-Berger, Tsingia, Marosely, 15°38'58"S 47°35'03"E, 217 m, 16.XI.2004, fl., *Ramananjahary et al.* 49 (MO, P, TAN); Marovoay, W of Ampijoroa reserve, garden A, [16°18'S 46°48'E], 11.XI.1996, ster., *A. Randrianasolo* 528 (G, MO, P, TAN); forêt sèche de Marosely, 17°38'58"S 47°35'03"E, 217 m, 17.XI.2004, y. fr., *Razakamalala et al.* 1711 (G, K, MO, P, TEF); Port-Bergé, forêt d'Ambohimanga, 6.XII.2004, 15°57'05"S 47°26'09"E, 232 m, fr., *Razakamalala et al.* 1831 (G, K, MO, NY, P, TEF); forêt d'Ankarafantsika, aux env. d'Ampijoroa, [16°18'S 46°48'E], 19-21.XI.1957, fl., *Service Forestier* 18470 (MO, P [2 sheets], TEF); Analalava, env. d'Antsangabe, [15°01'S 47°16'E], 4.XI.1958, fr., *Service Forestier* 18872 (G, MO, P [2 sheets], TEF); Ambongo, près de Benetsy, [15°04'S 47°14'E], 21.XI.1965, *Service Forestier* 24266 (P, TEF); Ampijoroa station forestière, fonkontany Ampombolava, [16°18'S 46°49'E], 15.XII.1991, fr., *Service Forestier* 34333 (MO, TEF); *ibid. loco*, 200 m, 23.I.1992, fr., *Service Forestier* 34358 (MO, TEF).



**Fig. 6.** *Abrahamia delphinensis* Randrian. & Lowry.  
**A.** Branch with flower buds; **B.** Detail of leaf; **C.** Inflorescence with flower buds.

[*Randriamampionona* 631, P] Drawings: R.L. Andriamiarisoa