

Zeitschrift:	Boissiera : mémoires de botanique systématique
Herausgeber:	Conservatoire et Jardin Botaniques de la Ville de Genève
Band:	71 (2017)
Artikel:	Taxonomic treatment of Abrahamia Randrian. & Lowr : a new genus of Anacardiaceae from Madagascar
Autor:	Randrianasolo, Armand / Lowry, Porter P. / Schatz, George E.
Kapitel:	11: Abrahamia grandidieri
DOI:	https://doi.org/10.5169/seals-1036071

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 11.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

11. *Abrahamia grandidieri* (Engl.) Randrian. & Lowry, comb. nova (Fig. 10B-C).

≡ *Protorhus grandidieri* Engl. in Bot. Jahrb. Syst. 1: 422. 1881.

≡ *Rhus grandidieri* (Engl.) Baill. in Grandid., Hist. Phys. Madagascar Atlas: tab. 233. 1892.

Typus: MADAGASCAR. Prov. Toliara: Morondava, s.d., fl., Grevé s.n. (holo-: P [P00722643]!; iso-: P [P00722644]!).

= *Rhus venulosa* Baker in J. Linn. Soc., Bot. 25: 309. 1890. **Typus:** MADAGASCAR: N Androna, s.d., fl., Baron 5756 (holo-: K [K000423274] image seen).

= *Protorhus heckelii* Dubard & Dop in Bull. Soc. Bot. France 54: 155. 1907. **Typus:** MADAGASCAR. Prov. Mahajanga: bords des ruisseaux, Ambongo et Boeny, IX.1904, bud & y. fr., Perrier de la Bâthie 859 (holo-: P [P06775232]!).

Description Trees 4-20 m tall, 20-45 cm DBH, bark with milky white latex; young twigs pubescent, with lenticels. Leaves alternate, rarely subopposite; blades oblanceolate or narrowly oblong, 3-16 × 1.5-4 cm, subcoriaceous, apex emarginate, retuse or rounded, margin entire, base acute or cuneate, adaxial surface glaucous, glabrous or sometimes with sericeous indument, especially on and alongside the midvein, abaxial surface with appressed sericeous indument, more so on and alongside the midvein, venation craspedodromous, midvein prominent abaxially, secondary veins 35-40(-47) pairs, parallel, 0.5-5 mm apart, tertiary veins barely visible on both surfaces; petiole 5-15 mm long, canaliculate on adaxial surface, pubescent or glabrescent. Inflorescence axillary or terminal, a panicle, 1.5-16 cm long, pubescent or villous. Male and female flowers 5-merous; pedicel 0-0.5 mm long, pubescent; calyx lobes deltate, 1-1.2 × c. 1 mm, imbricate, adaxial surface glabrous, abaxial surface pubescent, persistent on fruit; corolla lobes ovate, 2-2.5 × 1-1.5 mm, imbricate, adaxial surface glabrous, abaxial surface pubescent, white to light yellow or yellow green; stamens 5. Male flowers with filaments 1-1.2 mm long, glabrous, white, anthers 0.5 mm long, ovoid to subglobose, yellow, glabrous; disk c. 1 mm in diam., glabrous; ovary rudimentary. Female flowers with filaments 1-1.3 mm long, glabrous, white, anthers 0.5 mm long, subglobose or ovoid, sterile, yellow, glabrous; disk 1-1.5 mm in diam., glabrous; ovary depressed ovoid, slightly asymmetrical, c. 1 × 1-1.2 mm, glabrous, placentation subapical; style shortly trifid, inserted apically, c. 1 mm long, glabrous. Fruits 2-2.8 × 1.1-1.7 cm, ellipsoid, slightly asymmetrical, glabrous, with longitudinal striations.

Vernacular names “Ditimena”, “Lakalaka”, “Manavodorevo”, “Sandramiramy”, “Soahihy”, “Sohihy”, “Sohy”.

Distribution, ecology and phenology

Abrahamia grandidieri occurs in western and southern Madagascar (Map 4), at elevations ranging from sea level to 1,500 m, and is very often found near rivers or streams. It flowers from August to November and fruits from November through January.

Conservation status

With an EOO of 412,300 km², a minimum AOO of 272 km², and 70 known localities, including subpopulations in 6 protected areas (Analavelona, Andohahela, Andringitra, Bemarivo, Namoroka, and Pic d'Ivohibe), *A. grandidieri* is assigned a preliminary conservation status of “Least Concern” [LC] using the IUCN Red List Categories and Criteria (IUCN, 2012).

Notes

Abrahamia grandidieri most closely resembles *A. sericea*, with which it shares leaves with parallel and very closely spaced secondary veins, but can easily be distinguished by its narrower leaves that are glaucous (vs broader and not glaucous), its flowers with a glabrous (vs pubescent) disk and ovary, and its glabrous (vs velutinous) fruits.

While the protologue of *Protorhus heckelii* indicates that it is based on “Perrier de la Bâthie, no. 3, in Herb. Mus”, it is clear that the authors prepared their description using the specimen of *Perrier de la Bâthie* 859 that bears the original label written in Perrier’s hand [P06775232], along with another label added later that indicates “No. 3 = 859 Perrier de la Bâthie”. Curiously, this specimen also bears a note added some time later by Perrier that reads “Ces spécimens proviennent d’une autre localité que le no. 859 (les bords de l’Iubohago près de l’Ankirihitra (Boina)”. A second specimen in the Paris herbarium [P06775233], comprising a single leaf and a small part of an inflorescence in a fragment packet on which someone (clearly not Perrier) has indicated “Protorhus (au sp. nov.) Madagascar. M. Perrier de la Bâthie, envoyé par Mr. Heckel au Lab. Colonial, fin 1906”, which appears to have been the basis for the choice of the epithet used by Dubard and Dop. This second specimen does not have an original label, but it does bear a note in Perrier’s hand, dated October 1947, that reads “Perrier no. 859! Type (?) de Protorhus Heckelei Dub. & Dop, récolté sur les bords de la Boina Kely, petit affluent de droite de la Betsiboka, à l’est de Mevatenana (Boina)”. It is not clear whether Dubard and Dop examined this specimen, and because according to Perrier de la Bâthie it is not part of the same gathering as the holotype, we have refrained from regarding it as either an isotype or a syntype.

Additional material examined

MADAGASCAR. Prov. Antsiranana: Antsiranana, bord de la rivière Betsieka, I.1938, ster., Humbert 19093ter (P); Ambanja, Beampongy, [13°40'30"S 48°27'00"E], 4.X.1953, Service Forestier 7715 (P, TEF); Befandriana-Nord, Marosakana, le long de la rivière Tsinjomolava, [14°56'S 47°40'E], 11.IX.1956, fl., Service Forestier 16094 (P, TEF). **Prov. Fianarantsoa:** Ihosy, entre Ankaramena et Zazafotsy, [22°12'S 46°22'E], 9.X.1966, fl., Boiteau 339 (G, MO, P); *ibid. loco*, Boiteau 341A-C (P); Ambalavao, entre Vohitromby et Vohitrosy, [21°50'S 46°56'E], 8.XII.1974, fr., Cremers 3547 (P [2 sheets], TAN); entre Ihosy et Fianarantsoa, 9.VIII.1938, ster., Grandidier s.n. (P); env. d’Ihosy, [22°23'00"S 46°07'30"E], 800-900 m, III.1934, ster., Humbert 14452ter (P); Ambohimahasoa, Ikalamavony, [21°10'00"S 46°35'30"E], 1955, ster., Humbert 30255bis (P); RN Andringitra, Vohitsaoka, 17.IX.1951, fl. & bud, Réserves Naturelles 3112 (P [2 sheets], TAN); *ibid. loco*, 8.XI.1952, bud, Réserves

Naturelles 4802 (P [2 sheets], TAN); *ibid. loco*, 27.IX.1957, fr., *Réserves Naturelles* 9300 (P, TEF); Ivohibe, [22°31'30"S 46°59'00"E], 8.XI.1950, *Service Forestier* 1449 (P, TAN, TEF); forêt de Mangidy, [21°15'30"S 46°47'30"E], 15.X.1951, fl., *Service Forestier* 4726 (P, TAN, TEF); Fianarantsoa, forêt Isahafa, [21°27'00"S 47°04'30"E], 27.IX.1951, fl., *Service Forestier* 4762 (P, TEF); Maintinandrina, [21°15'30"S 46°47'30"E], 9.IX.1952, fl., *Service Forestier* 5958 (P, TEF); Ihosy, [22°23'00"S 46°07'30"E], 30.X.1953, bud, *Service Forestier* 7615 (P, TEF).

Prov. Mahajanga: bord de ruisseau, env. de Bekodoka, [16°58'E 45°06'E], 10.IX.1930, fl., *Decary* 8303 (G, P, US); Bekodoka, [16°58'S 45°06'E], 19.IX.1930, fl., *Decary* 8096 (P); Ambanja, Forêt d'Andranomatavy, forêt dense humide, bord de rivière, 13°40'29"S 47°59'12"E, 123 m, 28.IX.2013, fl., *Tahinarivony* 746 (G, MO, P, TAN); Befandriana Nord, 14.IX.1942, fl., *Herb. Jard. Bot. Tananarive* 5253 (P); Ambongo et Boeny, IX.1904, *Perrier de la Bâthie* 859 (P); Antajiandava, Soalala, [16°33'S 45°49"E], 2.VIII.1951, bud, *Service Forestier* 3990 (P, TEF); Soalala, bassin moyen du Bemarivo, [17°34'S 45°43"E], IX.1907, fl., *Perrier de la Bâthie* 4519 (P [2 sheets], TAN); Bassin du Bemarivo, [16°56'S 44°24"E], c. 80 m, IX.1907, fl., *Perrier de la Bâthie* 5863 (P [3 sheets]); *ibid. loco*, *Perrier de la Bâthie* 5865 (P); plateau d'Ankara, [17°13'S 46°16"E], VIII.1922, bud, *Perrier de la Bâthie* 14825 (P [2 sheets]); env. de Mandritsara, [15°50'00"S 48°49'30"E], 600 m, IX.1922, fr., *Perrier de la Bâthie* 15047 (P); Tsaratanana, forêt de Koakala, 16°48'09"S 47°28'58"E, 385 m, 7.XII.2003, fr., A. Randrianaivo *et al.* 994 (CNARP, MO, P, TAN); Namoroka RN, Andranomavo, [16°36'S 45°34"E], 10.IV.1952, ster., *Réserves Naturelles* 3888 (P [2 sheets]); *ibid. loco*, 8.IX.1956, fl., *Réserves Naturelles* 8139 (= *Service Forestier* 17172) (P, TEF); *ibid. loco*, 17.XI.1960, fr., *Réserves Naturelles* 11437 (P); Maevatanana, Ankaboka, Ambalajanakomby, [17°30'50"S 46°04'30"E], 8.I.1955, fr., *Service Forestier* 13034 (P, TEF); Morafenobe, Beravina, [18°10'30"S 45°13'30"E], 19.VIII.1956, fl., *Service Forestier* 16351 (P, TEF); Befandriana Nord, Canton Ambararata, [16°36'S 46°25"E], 16.I.1959, fr., *Service Forestier* 19403 (P, TEF). **Prov. Toliara:** PN Andohahela, 24°56'23"S 46°38'40"E, 120 m, 9-12.V.1997, fr., *Birkinshaw et al.* 421 (MO, P, TAN); Rivière de l'Onilahy, E de Maromala, s.d., y. fr., Geay 6053 (P); Betroka, Ampandrandava, 8.IV.1942, y. fr., *Herb. Jard. Bot. Tananarive* 4971 (P); Bekily, Ampandrandava, IX-X.1943, bud & fl., *Herb. Jard. Bot. Tananarive* 5793 (P); Andohahela PN, Talakimangery, 24°51'47"S 46°42'34"E, 250-500 m, 10.X.2000, fl., Hoffmann *et al.* 172 (G, K, P); Betioky, vallée de l'Onilahy, env. de Tongobory, [23°32"S 44°20"E], 100-200 m, 1-8.X.1924, Humbert 2699 (G, P); Amboasary, vallée de la Menarahaka, [22°33"S 46°30"E], 700-800 m, 31.X.1924, fl. & fr., Humbert 3046 (P); près de Bevilany, [25°00'30"S 46°36"E], 200-300 m, 14.IX.1928, fl., Humbert & Swingle 5712 (P [2 sheets], TAN); haute vallée du Mandrare, [24°39"S 46°26"E], 8-15.XI.1928, ster., Humbert 6487bis (P); Tsivory à Anadabolava, [24°12'40"S 46°19'00"E], 300-400 m, XII.1933, fr., Humbert 12287 (P [2 sheets]); *ibid. loco*, 200 m, Humbert 12367 (P [2 sheets]); vallée de la Manambolo, env. d'Esomony, [24°32"S 46°41'E], 400-900 m, XII.1933, fr., Humbert 12882 (G, P); vallée de l'Onilahy, en aval de Tongobory, [23°31'30"S 44°19'30"E], 0-300 m, 8.XI.1960, ster., Leandri 3759 (P); Beroroha, Makay massif, 21°13'02"S 45°19'08"E, 480 m, 22.XI.2010, fr., Phillipson *et al.* 6188 (G, K, MO, NY, P, TAN); PN Andohahela, 22.IX.1994, fl., Rakotomalaza 273 (G, K, MO, NY, P, TAN); PN Andohahela, 25°01"S 46°38"E, 15.V.2001, fr., Randriamampionona 1013 (G, K, MO, NY, P, TAN, WAG); *ibid. loco*, 24°50'20"S 46°32'17"E, 6.IV.1996, ster., Randriamampionona 1241 (MO, TAN); PN Andohahela, Eso-

mony, coté W de la réserve, 24°31'S 46°37'E, 20.IX.1991, fl., *Randriamanantena & Durbin* 58 (MO, P, TAN); Ambatoabo, forêt d'Ankoba, 24°47'28"S 46°42'01"E, 205 m, 24.XI.2008, fr., *Randrianaivo* 1716 (G, K, MO, P, TAN); Sakaraha, Mahaboboka, Marotsiraka Betsileo, 22°44'20"S 44°13'24"E, 594 m, 21.III.2011, fr., *Randrianarivony et al.* 294 (G, MO, P, TAN); Ranobe, Behalomboro, 24°18'28"S 46°11'18"E, 210 m, 1.XI.2007, fr., *Randriatsivery* 295 (MO, P, TAN, TEF); Ampasinampoana, Enato, 24°53'05"S 46°58'52"E, 425 m, 16.XII.2009, fr., *Razakamalala et al.* 5102 (G, MO, P, TAN); Betorabato, forêt d'Androtsy, 21°05'17"S 45°05'39"E, 235 m, 11.I.2011, fr., *Razakamalala* 5920 (MO, P, TAN); PN Andohahela, Behara, [24°48'S 46°32'E], 4.X.1951, fl., *Réserves Naturelles* 3407 (MO, P [2 sheets], TAN); Andohahela PN, Canton Enanihila, [24°31'S 46°37'E], 2.VIII.1952, y. fr., *Réserves Naturelles* 3958 (P [2 sheets], TAN); PN Andohahela, Behara, [24°53'S 46°35'E], 25.XI.1953, fr., *Réserves Naturelles* 5956 (G, P [2 sheets], TEF); Imanombo, Behara, [24°26'00"S 45°49'30"E], 16.IX.1950, fl. & y. fr., *Service Forestier* 1518 (P, TAN, TEF); Anapaby, [23°00'S 44°36'E], 1.X.1951, fl., *Service Forestier* 3862 (P, TEF); Morondava, Dabara, [20°24'S 44°47'E], 12.VIII.1951, bud, *Service Forestier* 3915 (P); Ranopiso, [25°03'00"S 46°41'30"E], 10.IX.1951, y. fr., *Service Forestier* 3967 (P, TEF); Betroka, Merarano, [20°30'30"S 45°00'30"E], 16.IX.1952, bud, *Service Forestier* 6337 (P [2 sheets], TEF); Belo sur Tsiribihina, Tsaramandroso, [19°54'30"S 45°08'00"E], 1.VII.1953, fr., *Service Forestier* 7797 (MO, P, TEF); Bekily, [24°13'20"S 45°19'E], 14.I.1954, fr., *Service Forestier* 8392 (P, TEF); vallée de l'Onilahy, en aval de Tongobory, [23°31'30"S 44°19'30"E], 17.IX.1953, bud & fl., *Service Forestier* 8462 (P, TEF); Betroka, Benonoka-I, [23°33'30"S 46°16'30"E], 10.IV.1954, y. fr., *Service Forestier* 10199 (P, TEF); Sakaraha, Sohara, [24°08'S 45°28'E], 26.V.1954, y. fr., *Service Forestier* 10293 (MO, P, TEF); forêt de Befitroa, [20°00'30"S 45°32'E], 20.IX.1954, fl., *Service Forestier* 10876 (P [2 sheets], TEF); km 455, route Ft. Dauphin, [25°02'00"S 46°39'30"E], 9.IX.1954, y. fr., *Service Forestier* 10907 (MO, P, TEF); Sakaraha, Bekily, [24°08'S 45°28'E], 25.XI.1954, fr., *Service Forestier* 11158 (P, TEF); Miandrivazo, Ankilimadinika, [19°31'S 45°28'E], 23.X.1954, ster., *Service Forestier* 11185 (P, TEF); Sakatà, Betroka, [22°53'30"S 45°57'30"E], 17.IX.1954, fl., *Service Forestier* 12124 (P, TEF); Manambolo, [24°34'S 46°36'E], 5.XI.1954, y. fr., *Service Forestier* 12199 (P, TEF); Sakamarakely, [22°11'S 45°10'E], 14.XI.1954, fr., *Service Forestier* 12363 (P); *ibid. loco*, *Service Forestier* 12364 (P, TEF); Vineta, [23°03'30"S 44°15'30"E], 20.XII.1955, fr., *Service Forestier* 15594 (P, TEF); Morondava, Canton Befasy, Tananadava, [20°28'S 44°08'E], 4.X.1956, fl., *Service Forestier* 16556 (P, TEF); Behara, Amboasary, [24°53'S 46°35'E], 3.X.1956, bud, *Service Forestier* 17038 [= *Réserves Naturelles* 7920] (MO, P, TEF); Mahabo, Canton Ankilizato, Migodo, [20°24'S 45°03'E], 4.XII.1957, fr., *Service Forestier* 17869 (P, TEF); Bekily, Ankaranabô-Sud, [24°13'S 45°19'E], 9.IX.1963, bud, *Service Forestier* 21370 (P, TEF); Bords des ruisseaux, versant W du massif de l'Analavelona, W de Mitia, [22°37'S 44°07'E], 15.XII.1962, fr., *Service Forestier* 22203 (G, MO, P [2 sheets], TEF); Tsihombe, Manindro, bord rivière Manambovo, [25°19'S 45°29'E], 27.IV.1967, y. fr., *Service Forestier* 26502 (MO, P, TEF); Ampanihy, Bekitro, Tranoroa, [24°42'S 45°04'E], 13.IX.1968, bud & fl., *Service Forestier* 26745 (P, TEF); Tanambao Befasy, [20°40'31"S 44°25'E], 1.IX.1954, ster., *Service Forestier* 64-R-19 (P, TEF); Ampandrandava, [24°05'S 45°42'E], 700-800 m, IX.1942, fl., *Seyrig* 1 (P [2 sheets]). **Sine loco:** s.d., Baron 9796 (P).