

Zeitschrift:	Boissiera : mémoires de botanique systématique
Herausgeber:	Conservatoire et Jardin Botaniques de la Ville de Genève
Band:	71 (2017)
Artikel:	Taxonomic treatment of Abrahamia Randrian. & Lowr : a new genus of Anacardiaceae from Madagascar
Autor:	Randrianasolo, Armand / Lowry, Porter P. / Schatz, George E.
Kapitel:	17: Abrahamia lenticellata
DOI:	https://doi.org/10.5169/seals-1036071

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 11.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

17. *Abrahamia lenticellata* Randrian. & Lowry, spec. nova (Fig. 14).

— *Protorhus ditimena* var. *lanceolata* H. Perrier in Mém. Mus. Natl. Hist. Nat. 18: 261. 1944 [nom. inval.].

Typus: MADAGASCAR. Prov. Antsiranana: Rég. Analanjirofo, N de Nosiarina (basse Bemarivo), [14°14'30"S 50°03'30"E], 50 m, 7.XII.1966, fr., Service Forestier 27167 (holo-: P [P06775145]; iso-: G [G00341713]!, MO-6684136!, P [P00580350]!, TEF [TEF000885]!).


Diagnosis *Abrahamia lenticellata* Randrian. & Lowry most closely resembles *A. ditimena* but differs by having chartaceous (vs coriaceous) leaves with an acuminate or shortly acuminate apex (vs emarginate or retuse) and semicraspedodromous (vs craspedodromous) secondary veins.

Description Trees 5-20 m tall, 10-35 cm DBH, bark with white milky latex; young twigs glabrous or with ferruginous pubescence, with lenticels, waxy. Leaves alternate or subopposite; blades obovate or oblanceolate, 2.5-8(-14.5) × 1.2-4 cm, chartaceous, apex shortly acuminate or acuminate, rarely rounded, margin sometimes undulate, base cuneate, adaxial surface glabrous, abaxial surface with sparse short, appressed indument, sometimes glabrous, venation semi-craspedodromous, midvein prominent abaxially, secondary veins 20-25 pairs, 1-5 mm apart, slightly prominent abaxially, tertiary veins raised on abaxial surface; petiole 7-13 mm long, 0.5-1 mm in diam., canaliculate on adaxial surface, glabrous. Inflorescence axillary or terminal, a panicle or sometimes a thyrsse, 1-4 cm long, axes terete, pubescent. Male and female flowers 4-merous (rarely 5-merous), small, c. 2 mm long; pedicel c. 0.5-0.8 mm, scabrous; calyx lobes deltate to triangular, c. 1 × 1-1.5 mm, valvate, adaxial surface glabrous, abaxial surface pubescent, persistent on fruit; corolla lobes ovate, 2-2.5 × 1-2 mm, imbricate, adaxial surface glabrous, light yellow or cream, abaxial surface pubescent; stamens 4. Male flowers with filaments 1-1.2 mm long, white, glabrous, sometimes with sparse trichomes toward the base, anthers 0.5 mm long, ovoid to subglobose, yellow, glabrous; disk 1-1.5 mm in diam., glabrous; ovary rudimentary. Female flowers with filaments c. 0.5 mm long, pubescent, anthers 0.2-0.3 mm long, sub-spherical, sterile, brown, glabrous; disk c. 2 mm in diam., slightly cupuliform, glabrous; ovary depressed ovoid, 1 × 1.1 mm, pubescent, slightly asymmetrical, style short, thick, pubescent, c. 0.3-0.4 mm long, stigmas capitate. Fruits 2-2.6 × 1.3-1.5 cm, ellipsoid to ovoid, slightly asymmetrical, surface velutinous, with longitudinal striations.

Vernacular names “Hazombarorana”, “Hazombarorana à petite feuille”, “Sandramy mena”.

Distribution, ecology and phenology *Abrahamia lenticellata* occurs in eastern rainforest (Map 6) at elevations from sea level to 1200 m. Material in flower has been collected between August and October, and fruits have been gathered in November and December.

Conservation status	With an EOO of 69,556 km ² , a minimum AOO of 104 km ² , and 28 recorded localities, with subpopulations in at least 11 protected areas (Zahamena, Betampona, Ambalabe, Pic d'Ivohibe, Ranomafana, Analamazoatra, Makira, Nosy Mangabe, Masoala, Anjanaharibe-Sud, and Marojejy) that comprise about 22 locations, <i>A. lenticellata</i> is assigned a preliminary conservation status of “Least Concern” [LC] using the IUCN Red List Categories and Criteria (IUCN, 2012).
Notes	Material attributable to this species was assigned by PERRIER DE LA BÂTHIE (1944, 1946) to an invalidly published variety of <i>Protorhus ditimena</i> (≡ <i>Abrahamia ditimena</i>). Despite an unquestionable similarity to that species, <i>A. lenticellata</i> clearly warrants recognition at the species level, differing from <i>A. ditimena</i> in having leaves with an apex that is almost always acuminate, sometimes shortly so (vs emarginate or retuse) and whose blades are chartaceous (vs coriaceous) in texture.
Paratypi	MADAGASCAR. Prov. Antsiranana: Sambava, Marojejy PN, N of Mandena, 14°27'S 49°47'E, 230-550 m, 21.X.1989, fl., Miller 4327 (MO, P, TAN); Sambava, Marojejy PN, Mandena, près du campement 1, WP-2-4, 14°26'13"S 49°46'32"E, 460 m, 10.X.1996, fl., Rakotomalaza et al. 728 (G, K, MO, NY, P, TAN); Andapa, Anjanaharibe Sud RS, 14°43'10"S 49°27'12"E, 1700 m, 14.II.1995, fr., Ravelonarivo et al. 669 (MO, P, TAN); Doany, Andrinomilolo, 13 km W d'Andranopositra, 14°20'04"S 49°17'50"E, 856 m, 13.XI.2006, fr., Ravelonarivo et al. 2088 (MO, P, TAN); Sambava, [Marojejy PN], 24.IX.1956, fl., Réserves Naturelles 8266 (P, TAN). Prov. Fianarantsoa: Pic d'Ivohibe RS, forêt de Marovitsika, 22°28'49"S 46°56'49"E, 950 m, fl., s.d., Hoffmann et al. 241 (G, K, P); Ranomafana Park, Parcelle n° 3, Talatakely, 21°15'S 47°27'E, 800-1000 m, 3-8.IX.1993, fl., Kotozafy et al. 230 (MO, P, TAN); Ranomafana PN, c. 15 km W de Tsaratanana, 21°09'S 47°32'E, 750 m, 8.X.1994, ster., Kotozafy 703, 724 (MO, P, TAN); Ivohibe, 7.5 km ENE d'Ivohibe, 22°28'12"S 46°57'36"E, 1000 m, 11.X.1997, fl., Rakotovao et al. 830 (G, P, MO, TAN, G); Ranomafana PN, piste T 200, 21°16'S 47°25'E, 800-900 m, 8.X.1996, ster., A. Randrianasolo 501 (G, K, MO, P, TAN); Nosy Varika, Besakoana-Am-pasinambo, 7.VIII.1952, ster., Service Forestier 68-R-116 (P). Prov. Toamasina: Maroantsetra, Ambinanihely, 15°26'S 49°29'E, 358 m, 20.XI.2003, y. fr. & fl., Antilahimena 2328 (G, MO, P, TAN); Vinanibe, Andogona, Makira forest, 15°27'40"S 49°17'46"E, 1153 m, 28.XI.2003, fr., Antilahimena 2427 (G, K, MO, NY, P, TAN); Toamasina, Betampona RN, 17°51'55"S 49°12'15"E, 275-650 m, 25.VIII.1990, ster., Carlson 383 (MO, P, TAN); Ambatondrazaka, Manambato à Amboditafonana, [17°27'S 48°46'E], 1200 m, 11.X.1945, fl., Cours 2826 (MO, P, TAN); Ambatondrazaka, Sahalampy, Onibe, [17°45'S 48°15'E], 700 m, XI.1938, fl., Cours 1042 (P); Moramanga, Analamazaotra, [18°56'S 48°26'E], 800-900 m, VIII.1925, bud & fl., Louvel 48 (P); near Andasibe, forest of Mantadia, 18°55'S 48°25'E, 900 m, 5.XI.1994, fl., McPherson et al. 16505 (G, K, MO, P, TAN); Masoala PN, Antalavia, 15°47'S 50°02'E, 22.XI.1994, ster., Rahajasoa et al. 965 (MO, P, TAN); Amparafaravola, SE d'Ambodisaina, 17°17'25"S 48°40'30"E, 850 m, 10.XII.2001, fr., Rakotondrafara et al. 98 (CNARP, MO, P, TAN); Vatomandry, Commune Ambalabe, Tobin'i Foara, 19°09'28"S 48°34'30"E, 560 m, 4.X.2005, fl.,

**Fig. 14.**

Abrahamia lenticellata Randrian. & Lowry. **A.** Flowering branch; **B.** Leaf (adaxial surface); **C.** Detail of male flower; **D.** Fruiting branch; **E.** Fruit; **F.** Inflorescence in bud.

[A-C, F: Miller 4327, MO; D-E: Schatz & Carlson 2848, MO] Drawings: B. Alongi

Ranaivojaona et al. 1197 (G, K, MO, P, TAN); Commune Ambalabe, N of Tsitondroina waterfall, 19°10'15"S 48°33'02"E, 500 m, s.d., fr., A. *Randrianasolo et al.* 927 (G, K, MO, NY, P, TAN, WAG); Commune Ambalabe, fokontany Sahanionaka, 19°11'24"S 48°34'30"E, 288 m, 13.XI.2010, fr., A. *Randrianasolo* 1313 (G, K, MO, NY, P, TAN); Commune Ambalabe, Vohibe forest, 19°09'15"S 48°34'44"E, 629 m, 21.XI.2013, fr., A. *Randrianasolo* 1458 (G, K, MO, P, TAN); Périnet, [18°56"S 48°26"E], 800-900 m, 23.XII.1947, y. fr., Réserves Naturelles 1261 (P); Nosy Mangabe, 15°30"S 49°46"E, 0-330 m, 28.IX-5.X.1989, fl., Schatz et al. 2777 (MO, P, TAN); *ibid. loco*, 17.XII.1989, fr., Schatz & Carlson 2848 (MO, NY, P, TAN); Soanieran'Ivongo, [16°54'30"S 49°35'00"E], 0-50 m, 27.XII.1949, fr., Service Forestier 2370 (P, TAN, TEF); Farankaraina, [15°25"S 49°52"E], 20-25 m, 9.X.1952, bud, Service Forestier 6248 (G, P); massif de l'Ambatotsitondroina de Mahalevona, NW de la presqu'île Masoala, [15°25"S 49°58"E], 600 m, 21.XII.1953, y. fr., Service Forestier 8697 (MO, P, TEF); forêt orientale, entre Ankovana et le Col d'Ambatondradama, 500 m, 13.XII.1953, fr., Service Forestier 8750 (MO, P, TEF); Farankaraina, Andranofotsy, [15°25"S 49°52"E], 20-25 m, 18.X.1963, fl., Service Forestier 21483 (G, MO, NY, P, TEF); Vavatenina, sommet Mahatsinjo, [17°27"S 49°00"E], 20.IX.1966, bud, Service Forestier 26139 (P); Mahatsinjo, Sahatavy, 27.IX.1966, fl., Service Forestier 26246 (P [2 sheets]); Brickaville, Lohariandava, Ankarangina, 14.VI.1954, ster., Service Forestier 70-R-77 (P); Maroantsetra, Jardin Botanique 17, [Farankaraina], 12.XII.1952, ster., Service Forestier 99-R-199 (P).