

**Zeitschrift:** Boissiera : mémoires de botanique systématique  
**Herausgeber:** Conservatoire et Jardin Botaniques de la Ville de Genève  
**Band:** 71 (2017)

**Artikel:** Taxonomic treatment of *Abrahamia* Randrian. & Lowr : a new genus of Anacardiaceae from Madagascar  
**Autor:** Randrianasolo, Armand / Lowry, Porter P. / Schatz, George E.  
**Kapitel:** 27: *Abrahamia phillipsonii*  
**DOI:** <https://doi.org/10.5169/seals-1036071>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 11.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**27. *Abrahamia phillipsonii*** Randrian. & Lowry, **spec. nova** (Fig. 23-24).

**Typus:** MADAGASCAR. **Prov. Toliara:** Rég. Androy, Andohahela PN, parcelle 2, 24°50'S 46°32'E, 100 m, 7.XII.1988, fr., *Phillipson* 2853 (holo-: MO-3767006!; iso-: K, P [P06775412]!, TAN [TAN001997]!, US-3661611 image seen, WAG [WAG1523550] image seen).

**Diagnosis** *Abrahamia phillipsonii* Randrian. & Lowry most closely resembles *A. lenticellata*, with which its range overlaps, but can be easily distinguished by its craspedodromous (vs semicraspedodromous) venation, flowers borne in thyrses (vs panicles), and glabrous (vs velutinous) fruits.

**Description** Trees 3-12(-20) m tall, 12-30 cm DBH, bark with white latex; young twigs glabrous or pubescent (sometimes ferruginous). Leaves alternate or subopposite; blades oblanceolate to obovate or narrowly elliptic to narrowly oblong, 2.6-7.8 × 0.6-2(-2.2) cm, chartaceous to subcoriaceous, apex emarginate, retuse or rounded, sometimes acute, margin entire, base acute or cuneate, adaxial surface glabrous, very often waxy, abaxial surface with very sparse indument, slightly more appressed on the midvein, nearly glabrous otherwise, venation craspedodromous, midvein prominent abaxially, secondary veins 11-19 (-23) pairs, prominent abaxially, 1-5 mm apart, tertiary veins rarely visible on both surfaces; petiole c. 0.5-10 mm long, glabrous, canaliculate on adaxial surface. Inflorescence axillary or terminal, a thyrses, 1.5-5.5 cm long, the axes flattened, with short, appressed, ferruginous or reddish indument. Male flowers 5-merous; calyx lobes widely depressed ovate to depressed ovate or triangular, 0.8-1 × 1-1.5 mm, valvate, glabrous, persistent on fruits; corolla lobes ovate, 2-2.2 × 1-1.5 mm, imbricate, glabrous, stamens 5, filaments c. 1.5 mm long, white, glabrous, anthers 0.8-1 mm long, ovoid to subglobose, yellow, glabrous; disk 1-1.2 mm in diam., glabrous; ovary rudimentary. Female flowers unknown. Fruits 1.5-2 × 1-1.3 cm, obovoid to ellipsoid, glabrous, with longitudinal striations.

**Etymology** The species epithet honors our friend and colleague Peter. B. Phillipson, whose work has contributed so much to our knowledge of the Malagasy flora, including that of the drier parts of the island, where he has conducted most of his field work over the last three decades.

**Vernacular names** “Manantsadrano”, “Tarantantily”, “Tsitaké”.

**Distribution, ecology and phenology** *Abrahamia phillipsonii* is restricted to sub-arid southern Madagascar (Map 8), where it occurs at elevations between 100 and 1100 m. Flowering material has been collected between September and November, and fruits have been gathered from December through February. However, in drought years flowering can be delayed, which accounts for the limited number of collection with flowers gathered in March and April.



**Fig. 23.**  
*Abrahamia phillipsonii* Randrian. & Lowry.  
**A.** Flowering branch; **B.** Inflorescence; **C.** Detail of male flower; **D.** Fruit.

[A-C: Service Forestier 8523bis, MO; D: Phillipson 2853, MO] Drawings: R.L. Andriamiarisoa

**Conservation status** With an EOO of 64,857 km<sup>2</sup>, a minimum AOO of 112 km<sup>2</sup>, and 29 recorded localities, with subpopulations in 4 protected areas (Analavelona, Andohahela, Isalo, and Zombitsy), *A. phillipsonii* is assigned a preliminary conservation status of “Least Concern” [LC] using the IUCN Red List Categories and Criteria (IUCN, 2012).

**Notes** *Abrahamia phillipsonii* vegetatively most closely resembles *A. deflexa*, but it differs by its oblanceolate to obovate, narrowly elliptic to narrowly oblong (vs ovate, oblong or elliptic) leaf blades and its axillary or terminal (vs only terminal) inflorescence.

**Paratypes** **MADAGASCAR. Prov. Fianarantsoa:** Ihosy, Analalava forest, 2-3 km W of western boundary of Isalo PN, [22°35'38"S 45°08'20"E], 770 m, 18.V.2004, fr., *Rogers et al.* 456 (G, K, MO, P, TAN); massif de l'Isalo, [22°08'S 45°10'E], 20.XII.1968, fr., *Service Forestier* 28504 (P, TEF); Ranohira, PK 712, [22°38'S 45°20'E], 23.VII.1955, ster., *Service Forestier* 13889 (MO, P, TEF); Isalo, 20.VII.1954, ster., *Service Forestier* 135-R-141 (P); Isalo, Benenitra, 8.VIII.1954, ster., *Service Forestier* 180-R-18 (P); Isalo, Ranohira, 23.VII.1955, ster., *Service Forestier* 288-R-239 (P); Ihosy, 30.X.1953, ster., *Service Forestier* 777-R-1 (P). **Prov. Toliara:** Tolagnaro, Andohahela PN, N du mont Apiky, [24°47'02"S 46°43'12"E], 708 m, 18.I.2007, fr., *Andriamihajarivo* 1156 (MO, P, TAN, TEF); Amboasary, fourré d'Ambatofotsy Masay, 24°18'16"S 46°08'00"E, 350 m, 11.XI.2008, fr., *Andriamihajarivo et al.* 1574 (G, MO, P, TAN); Sakaraha, forêt de Zombitsy, [22°48'S 44°41'E], XII.1959, fr., *Bosser* 13402 (MO, P [2 sheets], TAN); Andohahela PN, parcelle 3, [25°00'S 46°40'E], 17.XI.1990, fr., *Dumetz* 1413 (MO, P, TAN); vallée de Fiherenana, 300-500 m, 1-2.VIII.1928, fr., *Humbert & Swingle* 5063 (= *Service Forestier* 50) (P); Betroka, Mont Vohipolaka, 1200-1400 m, XI.1933, ster., *Humbert* 11694ter (P, TAN); Amboasary, entre Andohahela et l'Elakelaka, [24°45'S 46°43'E], 700 m, I-II.1934, fr., *Humbert* 13770 (P); entre Andohahela et l'Elakelaka, mont Apiky, [24°45'30"S 46°43'30"E], 800-900 m, I-II.1934, fr., *Humbert* 13850 (G, P [2 sheets]); Beroroha, bassin de la Malio, [21°58'S 45°15'E], 400-450 m, 23-27.XI.1946, bud, *Humbert* 19403 (P); forêt de Zombitsy, [22°48'S 44°41'E], 600-850 m, 26-29.III.1955, fl. & bud, *Humbert* 29595 (G, MO [2 sheets], P); Beronono-Makay, 21°18'48"S 45°08'55"E, 531 m, 16.I.2010, fr., *Rakotovao et al.* 5117 (MO, P, TAN); PN Andohahela, Isaka Ivondro, 24°48'S 46°52'E, 100-500 m, 16-24.III.1993, *Randriamampionona* 202 (G, MO, P, TAN); PN Andohahela, parcel 3, 25°04'S 46°41'E, 100-300 m, 8-10.IV.1993, y. fr., *Randriamampionona* 285 (G, MO, P, TAN); Andohahela PN, parcel 1, Tsimelahy, 24°50'20"S 46°32'17"E, 6.IV.1996, ster., *Randriamampionona* 1259 (MO, TAN); Sakaraha, Mahaboboka, Ambinanintelo, forêt d'Analavelona, 22°41'14"S 44°09'32"E, 961 m, 3.XII.2016, fr., *Randrianarivony et al.* 745 (MO, P, TAN); PN Andohahela, parcelle n° 3, [25°04'S 46°41'E], 100-300 m, 19.X.1990, fl., *A. Randrianasolo* 181 (MO [2 sheets], P, TAN, TEF); Sakaraha, at start of Kinanamboribory valley, 22°39'44"S 44°11'02"E, 1208 m, 8.XII.2009, fr., *A. Randrianasolo* 1246 (G, MO, P, TAN); Ambatoabo, 5 km N d'Imonty, 24°46'44"S 46°42'56"E, 500 m, 25.XI.2009, fr., *Ratovoson* 1534 (G, K, MO, P, TAN); Betorabato, Abotorabatorano, 21°34'04"S 45°34'34"E, 296 m, 13.I.2011, fr., *Razakamalala* 6000 (G, MO, P, TAN); Ankomaka, [22°36'S 44°02'E], 26.I.1952, fr., *Service Forestier* 4556 (P, TEF); forêt de

Zombitsy, [22°46'S 44°42'E], 24.IV.1953, fl., *Service Forestier* 7757 (P, TEF); env. de Tsimela, S d'Ambatoabo, [24°56'S 46°38'E], 28.IX.1953, fl., *Service Forestier* 8523bis (G, NY, MO, P, TEF); forêt de Zombitsy, [22°46'30"S 44°38'00"E], III.1931, fl., *Service Forestier* 11931 (G, MO, P); Analavelona, [22°40'S 44°10'E], 25.XI.1954, fr., *Service Forestier* 12089 (P, TEF); *ibid. loco*, 28.XI.1954, fr., *Service Forestier* 12140 (P, TEF); Betioky, vallée Sakamarakely, [22°11'S 45°10'E], 14.XI.1954, fr., *Service Forestier* 12362 (P); Zombitsy, [22°46'S 44°42'E], 7.XI.1954, fl., *Service Forestier* 12428 (P [2 sheets], TEF); Ambovombe, Beanantara, [25°03'30"S 46°12'30"E], 17.IX.1955, fl., *Service Forestier* 15656 (P, TEF); Ampolitsy, Beroroha, [21°40'30"S 45°10'E], 16.IV.1956, y. fr., *Service Forestier* 15800 (P, TEF); Amboasary, bush entre Bevilany et Ranomainty, [25°00'S 46°34'E], 1.XII.1961, fr., *Service Forestier* 20481 (P [2 sheets], TEF); crête du massif de l'Angavo, [24°50'30"S 45°48'00"E], c. 500 m, 21.I.1963, fr., *Service Forestier* 22487 (P, TEF); Zombitse, Andranolava, 13.V.1954, ster., *Service Forestier* 27-R-224 (P); Kitranga, Ihosy, 25.VIII.1955, ster., *Service Forestier* 43-R-230 (P); Analavelona, 7.IV.1954, ster., *Service Forestier* 76-R-18 (P); forêt de Zombitsy, 26.II.1955, ster., *Service Forestier* 86-R-161 (P); forêt d'Ihera, 25.IV.1955, ster., *Service Forestier* 104-R-161 (P); *ibid. loco*, 9.IV.1954, ster., *Service Forestier* 108-R-18 (P); Bejangoa, Ankazoabo, 25.V.1954, ster., *Service Forestier* 112-R-13 (P); env. d'Ampandrandava (entre Bekily et Tsivory), [24°05'S 45°42'E], 1100 m, XI.1942, fl., *Seyrig* 265 (P [2 sheets]); *ibid. loco*, *Seyrig* 265B (MO, P).



**Fig. 24.**

*Abrahamia phillipsonii* Randrian. & Lowry. Fruits [Ratovoson et al. 1534]. Photo: F. Ratovoson