

Zeitschrift: IABSE congress report = Rapport du congrès AIPC = IVBH
Kongressbericht

Band: 2 (1936)

Artikel: Steel dams

Autor: Krivochéine, G.

DOI: <https://doi.org/10.5169/seals-3354>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 07.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

VIIb 4

Steel Dams.

Stahldamm.

Barrages d'acier.

Prof. G. Krivochéine,

Ing., General-Major, Prag.

A field of application which offers great scope for the use of steel as a constructional material is that of dams. It is known that in North America there are thousands of dams constructed in masonry, concrete and reinforced concrete, but only four or five steel dams; but whereas dams built of stone, concrete or reinforced concrete are not completely watertight, steel dams can be made completely so.




Fig. 1.

The system of dam construction patented¹ by Eng. *Fultner*, Dr. *Sekla* and Professor *Krivochéine* (Figs. 1a, b, c, d) consists of a series of curved and inclined steel plates of wide span (8 to 15 m) strengthened by ribs. The arched steel plates formed in this way are carried on inclined longitudinal girders without any cross girders, and supported directly on counterforts of open frame

¹ Amer. patent, U.S.A. N° 2, 033.027.

construction. The latter are built in an original shape, being made triangular without diagonals; a form of structure which possesses theoretical hinges at the intersections, and which is both rigid and statically determinate.

An arched form of dam in accordance with this invention is completely elastic, and allows expansion to take place under variations in temperatures although no gaps are left. Another very important advantage, from a technical point of view, is the reduction in width of the base.




Fig. 2.

Design of steel multiple-arch dam on the Svatka River at Kninický, Czechoslovakia.

Patented by J. Fultner, Prof. G. Krivochéine and Dr. J. Sekla.

In a competition in Czechoslovakia the author had an opportunity of proposing a steel dam of this kind for Kninický in the neighbourhood of Brno (Fig. 2)² and the tender put forward by the Witkowitz works, according to the patent mentioned, worked out some 22 to 53 % lower than the respective fifteen tenders for masonry or concrete dams.

² The steel dam at Brno was covered with Monier reinforced concrete slabs.