

Zeitschrift: IABSE congress report = Rapport du congrès AIPC = IVBH
Kongressbericht

Band: 8 (1968)

Rubrik: Free discussion

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 03.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

DISCUSSION LIBRE / FREIE DISKUSSION / FREE DISCUSSION

A Note on the Buckling of a Plate Girder Web due to Partial Edge Loadings

Bemerkung über das Ausbeulen hoher Blechträger unter Streckenlast

Remarques relative au voilement de poutres à âmes minces dues à des charges partielles agressants sur le bord

D. K. BAGCHI

M.Sc.

Research Assistant,
Department of Civil
and Structural Engineering,
University of South Wales
and Monmouthshire,
Cardiff

K. C. ROCKEYM.Sc., Ph.D., C.Eng., F.I.C.E.,
M.I.Mech.E.

Professor of Civil and Structural
Engineering, University of South
Wales & Monmouthshire,
Cardiff

1. INTRODUCTION

Professor Massonnet (1), in the excellent paper he has presented in the 'Preliminary Publication', has drawn attention to the need for further research into the buckling of a web under the action of a concentrated load applied to the compression flange. Subsequently, at the Conference, Beedle and his colleagues (2), have reported on experimental work they have conducted on this problem. This note briefly reports on a theoretical study which the present authors have made and which is reported in full in Reference (3).

2. THEORETICAL RESULTS

Relatively little research has been conducted into the behaviour of the buckling of the webs of plate girders when subjected to in-plane concentrated loads applied to an edge, the notable exceptions being the research of Zetlin (3) and White and Cottingham (4). However, both of these studies only involved the buckling of an isolated plate, i.e., the interaction between flange and web was not considered.

The writers have employed a finite element method of solution which is ideally suited to deal with such problems. Present space does not permit a presentation of the theoretical solutions which are given in Reports (5, 6).

Figure 1 gives details of the problem considered. The applied load, which is symmetrically distributed about the central line of the panel, is supported along the vertical edges of the panel by uniform shear stresses as shown. The vertical edges are assumed to be simply supported, that is, there is no out-of-plane deflection along their lengths. It was assumed, however, that these vertical edges can rotate about the neutral axis of the section in a manner similar to that which occurs in an actual plate girder.




Figure 1.

The theoretical study has shown that the relationship between the applied load P_{cr} , which will cause the plate to buckle and the physical and material properties of the plate, is given by Equation (1), in which K' is a non-dimensional coefficient.

$$P_{cr} / bt = K' \frac{\pi^2 D}{d^2 t} \dots (1)$$




FIGURE 2
VARIATION OF BUCKLING COEFFICIENT K' WITH c/b RATIO FOR A PLATE

Where b = width of plate
 d = depth of plate
 t = thickness of web plate
 $D = Et^3/12(1-\nu^2)$
 E = Young's Modulus of plate
 ν = Poisson's Ratio

Figure 2 shows how, for a plate which is assumed to be supported against deflection along all edges, K' varies with the loading parameter c/b .

From this diagram it will be seen that as the length of application of the load is increased so a larger load is needed to buckle the web plate. In a practical girder the flange members will assist in distributing the load and will also provide additional restraint to the web plate. Figure 3 shows how for a square panel, K' varies with the ratio of flange thickness/web plate thickness. It will be noted that with a flange plate of only twice the web thickness, the value of K' is 2.3 times as great as the corresponding value given in Figure 2 for an isolated plate. The influence of the flanges upon the buckling stress is therefore seen to be most significant. In forthcoming reports the authors will be providing curves giving the relationships between buckling coefficient K' , the ratios c/b and b/d where the web plate is subjected to the combined action of bending, shear and a concentrated load applied to the upper flange.




FIGURE 3
RELATIONSHIP BETWEEN K' AND RATIO OF FLANGE THICKNESS TO WEB THICKNESS

3. CONCLUSION

This note deals with the buckling of the web plate of a plate girder when it is subjected to a concentrated vertical load applied to the flanges and shows how this critical load varies with the physical properties of the flange members.

4. ACKNOWLEDGEMENT

This paper is based on research work conducted for the Fabricated Products Division, British Steel Corporation, Gorseinon, Swansea, to whom the authors wish to make grateful acknowledgement.

5. REFERENCES

1. Massonnet, C. "Thin-walled Deep Plate Girders", Preliminary Publications, Eighth Congress I.A.B.S.E., New York, Sept. 1968, p. 194-208.
2. Ostapenko, A., Yen, B. T. and Beedle, L. S. "Research on Plate Girders at Lehigh University", Paper IIa3, Theme VI, I.A.K.S.E. Conference, New York, Sept. 1968.
3. Zetlin, Leo., "Elastic Instability of Flat Plates Subjected to Partial Edge Loads", Proc. American Society for Civil Engineers, Paper 795, Vol. 81, 24p.
4. White, Richard, M. and Cottingham, W. "Stability of Plates under Partial Edge Loadings", Journal of Engineering, Mechanics Division, A.S.C.E., EM5, Oct. 1962, p. 67-86.
5. Rockey, K. C. and Bagchi, D. K. "Buckling of Plate Girder Webs under Partial Edge Loadings". Department of Civil and Structural Engineering, Report No. W/SB/KCR/14, University College, Cardiff.
6. Rockey, K. C. and Bagchi, D. K. "The Buckling of Plates due to the Application of Isolated Loads", Department of Civil and Structural Engineering, Report No. W/SB/KCR/12, University College, Cardiff.

Leere Seite
Blank page
Page vide