

Zeitschrift: IABSE congress report = Rapport du congrès AIPC = IVBH
Kongressbericht

Band: 13 (1988)

Artikel: Dynamic analysis of layered beams by exact finite element analysis

Autor: Heinisuo, Markku / Aalto, Ari / Miettinen, Antero

DOI: <https://doi.org/10.5169/seals-13176>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 17.01.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>



Dynamic Analysis of Layered Beams by Exact Finite Element Analysis

Analyse dynamique de poutres à lamelles par la méthode des éléments finis

Dynamische Analyse von geschichteten Stäben anhand der exakten Finite-Elemente-Methode

Markku HEINISUO

Lic. tech.
Tampere Univ. of Tech.
Tampere, Finland

Ari AALTO

Dipl. eng.
Tampere Univ. of Tech.
Tampere, Finland

Antero MIETTINEN

Dipl. eng.
Tampere Univ. of Tech.
Tampere, Finland

1. THEORY

The general dynamic-stiffness matrix and the calculation procedure of exact shape-functions and natural frequencies of elastic layered beams for transverse undamped free vibrations have been presented in the previous papers [1], [2] and [3]. The method is exact for beams with two faces and one core or three faces and two cores if the cross-section of the beam is symmetrical. If there are more faces then this method can be used approximatively [3]. Neglecting damping, rotational inertia and shear deformations of the faces, the differential equation for the lateral vibration is [3]

$$EI_o EI_s v^{(6)} - (EI_k + NEI_s) v^{(4)} + (Nk + cEI_s) v^{(2)} - ckv + \mu EI_s \ddot{v} - \mu k \ddot{v} = EI_s p^{(2)} - kp, \quad (1)$$

where EI_o is the sum of bending stiffnesses of the faces, EI_s is the Steiner-term, $EI = EI_o + EI_s$, k is the shear stiffness of the beam, N is the axial force, c is the modulus of Winkler-type foundation, μ is the mass/unit length of the beam, $p = p(x, t)$ is the lateral loading intensity of the beam, $v = v(x, t)$ is the lateral displacement of the beam, $v' = \partial v / \partial x$, $\dot{v} = \partial v / \partial t$, where x is the beam axis and t is time.

The equation is solved by superposing the exact shape-functions $\phi_i(x)$ (see Fig. 1.) of undamped free vibrations (the functions $\phi_i(x)$ satisfied the governing differential equation and the corresponding boundary conditions)

$$v(x, t) = \sum_{i=1}^{\infty} \phi_i(x) Y_i(t). \quad (2)$$

The homogeneous boundary conditions can be presented in the form [3]

$$/_0^L (Q\phi - M\varphi - M_o\gamma) = 0, \quad (3)$$

where Q is the total shear force of the beam, M is the total bending moment, M_o is the sum of the bending moments of faces, γ is the rotation angle due to slip of the core and $\varphi = \phi' - \gamma$. The equations for these variables can be found in the reference [3]. Substituting the trial (2) into the equation (1), multiplying the equation with a test function ψ_j and integrating over the length L of the beam leads us to the equations

$$\sum_{i=1}^{\infty} M_{ij} [\ddot{Y}_i(t) + \omega_i^2 Y_i(t)] = P_j(t), \quad (4)$$

$$M_{ij} = \int_0^L (\mu EI_s \phi_i^{(2)} - \mu k \phi_i) \psi_j dx, \quad (5)$$

$$P_j(t) = \int_0^L (-kp + EI_s p^{(2)}) \psi_j dx. \quad (6)$$

The functions $\ddot{Y}_i(t) + \omega_i^2 Y_i(t)$ can be solved from the equation (4) as soon as the test functions ψ_j are chosen and then finally the functions $Y_i(t)$ can be calculated from Duhamel's integral. The functions ϕ_j are used as the test functions and then all the integrations in the equations above can be performed analytically.




Fig. 1. Exact shape functions for a shear wall model

2.EXAMPLES

The numerical examples concerning the vibrations of wooden light weight units and shear walls are presented in the Poster. Some test results have been calculated by using the approximative finite elements (ABAQUS). Multi-point constraints are used in these calculations, so that the results can be compared with the results calculated by using the theory of layered beams. The more accurate modelling of the structures considered is also performed so that the error due to the basic assumptions of the theory of layered beams can be seen.

REFERENCES

1. MALMI S., Dynamic analysis of Sandwich beam by exact finite element method, Tampere University of Technology, Department of Civil Engineering, Diploma work, Tampere, 1987 (in Finnish).
2. HEINISUO M., MALMI S., MÖTTÖNEN A., Exact finite element method for Sandwich beams, Composite Structures 4, Ed. I.H. Marshall, Elsevier Applied Science, 1987
3. HEINISUO M., Exact finite element method for layered beams, Tampere University of Technology, 1987 (in preparation)
4. KERR A.D., EL-SIBAIE M.A., Validation of new equations for dynamic analyses of tall frame-type structures, Earthquake Engineering and Structural Dynamics, Vol. 15, 549-563, 1987