

# A unique system of high-rise residential buildings by large steel structural framework

Autor(en): **Hisatoku, T. / Tamura, R. / Kato, Y.**

Objektyp: **Article**

Zeitschrift: **IABSE congress report = Rapport du congrès AIPC = IVBH  
Kongressbericht**

Band (Jahr): **11 (1980)**

PDF erstellt am: **25.09.2024**

Persistenter Link: <https://doi.org/10.5169/seals-11287>

## **Nutzungsbedingungen**

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

## **Haftungsausschluss**

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.



This project is a plan for constructing residential buildings higher than 14 stories with a total of some 3,400 residential units by different owners on the reclaimed land off the coast (see, Fig. 1). They are 14, 19, 24 and 29 stories and the variations of 11 in the type (see, Fig. 2). Fig. 3 shows an example of the plans of the residential units.

- \* Chief Structural Engineer, Dr. Eng., Division of Structural Design, Takenaka Komuten Co., Ltd.
- \*\* Chief Structural Engineer, Division of Structural Design, Nippon Steel Corporation
- \*\*\* Chief Structural Engineer, Division of Structural Design, Takenaka Komuten Co., Ltd.




Fig. 1 System of High-Rise Residential Buildings



Fig. 2 Composition of Stories




Fig. 3 Plan of A Residential Unit




Fig. 4 Structural Framework




Fig. 5 Structure of Residential Units




Fig. 6 Deformation of Residential Units



## A Unique System of High-Rise Residential Buildings by Large Steel Structural Framework

T. HISATOKU, Dr. Eng.                      R. TAMURA                                      Y. KATO  
Chief Structural Engineer, Chief Structural Engineer, Chief Structural Engineer,  
Takenaka Komuten Co., Ltd. Nippon Steel Corporation. Takenaka Komuten Co., Ltd.  
Osaka, Japan                                      Tokyo, Japan                                      Osaka, Japan

### 1. THE OUTLINE OF PROJECT

This project (about 3,400 Residential units in 52 buildings) was completed in July, 1979. The name "ASTM" is the combination of the first letters of Ashiyahama, (name of the city where these buildings were built) and the five participating companies in Japan.

The plan submitted by the ASTM won the first prize for its unique system utilizing prefabrication and industrialization in August 1973 in the competition for High-Rise Housing Complex at Ashiyahama.

This project is a plan for constructing residential buildings higher than 14 stories with a total of some 3,400 residential units by different owners on the reclaimed land off the coast (see, Fig. 1). They are 14, 19, 24 and 29 stories and the variations of 11 in the type (see, Fig. 2). Fig. 3 shows an example of the plans of the residential units.

### 2. THE OUTLINE OF THE STRUCTURAL DESIGN

#### 2.1 The Structural Frame

The structural frame of the residential buildings are shown in Fig. 4. The basic unit concerning the structure is four residential units per floor as shown in the figure. In the X direction (see Fig. 4) in order to create the free space for residential units, structural frame consist of two large rigid frames making the core with the stair column and the communal floors beams. In the Y direction (see Fig. 4), structural frame consists of four rigid joint truss frames situated at the both sides of the stairs.

#### 2.2 The Structure of the Residential Unit

Fig. 5 shows the outline of the structure of the residential unit. The residential unit is composed of PCa panels (that is precast concrete panels), and the four stories residential units lie on the beam which is located on the upper floor of the communal floor, except the lowest part of the building. The PCa panels and the PCa wall panels bear the vertical load, and the load is transmitted from the PCa floor panels to the PCa wall panels, and the vertical load of the four stories is eventually supported by the beam of the upper floor of the communal floor. These PCa panels are not participated against wind or earthquake.

#### 2.3 The Relationship between the Residential Unit and the Structural Framework

The walls and the floors of the residential unit are not only required to bear the vertical load but also to comply with deformation of the structural framework when horizontal loads are exerted on the structural framework. Taking these requirements into consideration, the design has been made about each of the directions as shown by Fig. 6. For this purpose, tetrafluoroethylene resins are placed on top of the walls of every story to slide bearing materials.