

**Zeitschrift:** IABSE structures = Constructions AIPC = IVBH Bauwerke  
**Band:** 5 (1981)  
**Heft:** C-19: Eastern Sheldt Strom Surge Barrier (the Netherlands)

## **Werbung**

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 09.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**




# Whenever Structural Safety is the Point ... Kern Precision Instruments are the Right Choice

For measuring distances up to 2500 m:

## Mekometer ME3000

Electro-optical Precision Distance Meter with the extremely high accuracy of  $\pm (0.2 \text{ mm} + 1 \text{ ppm})$  and a range of 2.5 km. Digital distance display to 0.1 mm.  
Universal application: structural deformation measurements, large area slip and displacement measurements, precision layout work and fundamental surveying.

The Mekometer used for dam control measurements



For measuring length variations within a distance range of 50 m:

## Distometer ISETH

Precision instrument for accurate determination of length variations by means of Invar wires. Measuring accuracy  $\pm 1 \text{ ppm}$ ; length of the Invar wire 1—50 m; measuring range for length variations 100 mm.  
Special advantages: lengths of any inclination including vertical may be measured; simple layout of the measuring arrangement.  
Application: structural deformation measurements.

The Distometer ISETH used for tunnel wall deformation measurement

Kern & Co. Ltd.  
Mechanical, Optical and  
Electronic Precision Instrument  
CH-5001 Aarau, Switzerland  
Telex 68 106

Please send me your detailed documentation on:

- Mekometer ME 3000  
 Distometer ISETH

Name: \_\_\_\_\_


Occupation: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

# **BBR Post-tensioning Systems**

**BBRV and CONA-Multi Tendons**  
using about 8000 tons of  
wire and strand with more than  
40 000 anchors are installed in the  
**Eastern Scheldt Storm Surge Barrier**



**Bureau BBR Ltd.**  
**P.O. Box-8034 Zürich**  
**Switzerland**

**Spanstaal B.V.**  
**P.O. Box 2028**  
**3500 GA Utrecht**  
**Netherlands**

# Never before has measuring, reduction and recording been as simple as this!

The complete survey system for measuring, recording and transferring data to the computer.

Angle and distance measurement are fully electronic. The Tachymat measures and displays: Hz and V angles, slope and horizontal distance, difference in height, height above datum, and coordinates. For setting out, it tracks horizontal angle and horizontal distance.

With the recording unit attached, measured data, code and other information are recorded. Over 1800 points/blocks of information can be recorded on a cassette. And as cassettes can be inserted as required, the capacity is limitless. It's the most flexible, cost-effective recording and data-storage system.

The Tachymat is a field instrument. Rugged, reliable, accurate, designed for the surveyor. The latest technology coupled with Wild's years of experience in manufacturing surveying equipment see to that. And it's super to operate; just touch a key to measure and another to record.

The Wild Tachymat TC1. Available now for today's surveyor. Ready for tomorrow's requirements.

#### For colour brochure Wild TC1

Send this coupon to your next Wild representative or directly to Wild Heerbrugg Ltd., CH-9435 Heerbrugg, Switzerland.

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

IVB 12-1

Wild Heerbrugg Ltd.  
CH-9435 Heerbrugg, Switzerland



**WILD**  
HEERBRUGG