

Zeitschrift: IABSE structures = Constructions AIPC = IVBH Bauwerke
Band: 6 (1982)
Heft: C-21: Recent structures

Werbung

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 04.05.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>



Whenever Structural Safety is the Point ... Kern Precision Instruments are the Right Choice


For measuring distances up to 2500 m:

Mekometer ME 3000

Electro-optical Precision Distance Meter with the extremely high accuracy of $\pm (0.2 \text{ mm} + 1 \text{ ppm})$ and a range of 2.5 km. Digital distance display to 0.1 mm.

Universal application: structural deformation measurements, large area slip and displacement measurements, precision layout work and fundamental surveying.

The Mekometer used for dam control measurements



For measuring length variations within a distance range of 50 m:

Distometer ISETH

Precision instrument for accurate determination of length variations by means of Invar wires. Measuring accuracy $\pm 1 \text{ ppm}$; length of the Invar wire 1—50 m; measuring range for length variations 100 mm.

Special advantages: lengths of any inclination including vertical may be measured; simple layout of the measuring arrangement.

Application: structural deformation measurements.

The Distometer ISETH used for tunnel wall deformation measurement

Kern & Co. Ltd.
Mechanical, Optical and
Electronic Precision Instrument
CH-5001 Aarau, Switzerland
Telex 68 106


Please send me your detailed documentation on:

- Mekometer ME 3000
 Distometer ISETH


Name: _____

Occupation: _____


Address: _____





Belags-Sickerwasser-Ableiter
Subsurface Seepage.
Evacuacions des eaux et aérations.
Ductos de agua de filtración para calzadas.




Fahrbahn-Übergangs-Konstruktionen.
Expansion joints.
Raccordements de chaussées
Sistemas de juntas de dilatación.



Entwässerungs-Systeme
Surface drainage
Evacuacions des eaux
Pozos de drenaje




Hohlraumschalungen
Einstiegsluken + Türen
Formwork + Moulds
Access openings
Ouvertures d'entrée
Aberturas de entrada




Fugendichtungen im Hoch- + Tiefbau
Joint seals + Joint profilés
Sellos para juntas

Auflager
Structural
Bearings
Appuis
Apoyos




Pressen + Pumpen
Hydraulic jacks
Verins + Pompes
Prensas + bombas




heinz honegger ag

CH-8427 Rorbas ZH Switzerland
 Tel. 01 - 865 11 77, Telex 52844

Vertretungs- und Lizenzvergabe:
 Honel-Holding SA
 Sonnmattdstrasse 6
 CH-8180 Bülach, Switzerland
 Phone 01/860 89 43




**The Wild DI4/DI4L Distomats are the world's
smallest reducing distancers
... to make it even easier for you.**



**And the Citation CI410/CI450 infra-red distancers
have the unique SCAN program
... to give you even better control.**



**And the Wild DI20 Distomat measures over great
distances with millimetre accuracy
... to make your measured values even more accurate.**




**And the Wild TC1/TC1L Tachymats measure, reduce
and record completely electronically
... to make you even faster.**



If you want to know more about the leading range of electronic infra-red distance-measuring equipment and tacheometers, or if you want to learn more about new solutions for automated further processing of data, ask for our detailed literature.

We shall be glad to send you full documentation ■












**WILD
HEERBRUGG**

Please send your technical literature on Wild EDM to:
Address

Send to your nearest Wild representative
or to Wild Heerbrugg Ltd
CH-9435 Heerbrugg
Switzerland

IVB 5-2



1
RESTON Pot Sliding Bearings are highly suitable for installation in bridge structures. They feature a low-profile design, low weight and high loading capacity.

2
RESTON Linear Tilting and Sliding Bearings are a combination of normal linear tilting bearings and PTFE sliding bearings and are suitable for installation in bridge structures.

3
LASTO-BLOCK Bearings are suitable for building, civil engineering and bridge construction applications. Their simple form allows easy installation.

4
LASTO-STRIP Bearings for Buildings were especially developed for building constructions. They are particularly suitable for movement compensation between concrete slabs and load-supporting walls and prevent structural cracking.

5
TENSA-ACME Roadway Construction Joints are highly suitable for installation in traffic levels (parking lots, bridges, airport areas etc.). Dilatation up to 60 mm.

6
TENSA-LASTIC Roadway Construction Joints meet all the requirements that can be made in bridge engineering of a modern joint design. They are rugged and watertight. Dilatation range 60 mm and bigger.

PROCEQ SA
 Riesbachstrasse 57
 CH-8034 Zurich

proceq

Phone: 01/47 7800
 Telex 53357 proce ch