

Zeitschrift: IABSE structures = Constructions AIPC = IVBH Bauwerke
Band: 11 (1987)
Heft: C-41: Tensosttructures

Werbung

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use


The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 19.01.2026


ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

HANDY FEATHERWEIGHTS


WITH BREAKTHROUGH PERFORMANCE



DI1000



DI3000
DIOR 3002



DI55

Wild DISTOMAT™ EDMs are not only extremely light and handy, but every one of them is at the top of its class.

For routine surveying, the **Wild DI1000** is the EDM with outstanding performance. Its compact size, performance, and typical Wild accuracy are the key to its success. This minor master weighs only 600 grams (1.3 lb) and takes just 5 seconds to measure up to 1000m.

For medium range, there is the **Wild DI55**, the highly accurate DISTOMAT (3mm + 2ppm).

A typical measurement takes 4 seconds. In tracking mode, the distance is measured and displayed every second. The DI55 has a range of 5km and weighs only 1.1 kg (2.4lb).

For long-range applications, use the trendsetting **Wild DI3000**, the DISTOMAT with unprecedented performance, which measures distances up to 14km in only 0.8 seconds. With a standard deviation of 3mm to 5mm + 1ppm, this DISTOMAT is suitable for all types of surveying tasks and special non-geodetic applications. The DI3000 weighs only 1.7kg (3.75lb).

The **Wild DIOR3002** is a special version of the DI3000, for measuring distances up to 250m without the need of a reflector. That's the fast, easy way to survey even inaccessible points.

All three Wild DISTOMATs, the DI1000, DI55, and DI3000 fit any optical or electronic Wild theodolite. That makes your equipment adaptable to any task at little cost.

Ask for detailed literature. ■

proceq

RESTON Load Measuring Bearings


Load changes on bridge bearings as a consequence of subsoil settlement can be measured with RESTON load measuring bearings

PROCEQ SA

Riesbachstrasse 57 · CH-8034 Zurich · Switzerland
Phone 01/47 78 00 · Telex 53 357 proce ch · Telefax 01/47 99 14

Please send more information

- RESTON Bridge Bearings
- LASTO-BLOCK Bearings
- LASTO-STRIP
Bearings for Buildings
- TENSA
Road Expansion Joints




Name: _____


Company: _____

Address: _____


City: _____





**Belags-Sickerwasser-
Ableiter**
Subsurface Seepage.
**Evacuacions des eaux
et aérations.**
*Ductos de agua de
filtración para calzadas.*




**Fahrbahn-Übergangs-
Konstruktionen.**
Expansion joints.
**Raccordements de
chausées**
*Sistemas de juntas
de dilatación.*




Entwässerungs-Systeme
Surface drainage
Evacuacions des eaux
Pozos de drenaje




Hohlraumschalungen
Einstiegsluken + Türen
Formwork + Moulds
Access openings
Ouvertures d'entrée
Aberturas de entrada



Fugendichtungen im Hoch- + Tiefbau
Joint seals + Joint profilés
Sellos para juntas



Auflager
Structural
Bearings
Appuis
Apoyos



Pressen + Pumpen
Hydraulic jacks
Verins + Pompes
Prensas + bombas

Construction - Production - Sales - Installation of HONEL-Products:

heinz honegger ag

Lochmühle 6, CH-8427 Rorbas/ZH Switzerland
Tel. 01/865 11 77 · Telex 828 103 · Telefax 01/865 14 86

Design and Construction of Specialized Rubbers,
Plastics and Metals for Civil Engineering Structures

Agencies - Licences - Patents - Publicity of HONEL-Products:

honel-holding sa · ltd · ag

Sonnmattstrasse 6, CH-8180 Bülach/ZH Switzerland
Phone 01/860 89 43 · Cables Honelhold Rorbas · Telex Honel 828 103
Telefax 01/865 14 86

