

Zeitschrift: IABSE structures = Constructions AIPC = IVBH Bauwerke
Band: 13 (1989)
Heft: C-48: Structures in Portugal

Artikel: Grain terminal, Trafaria (Portugal)
Autor: Coias e Silva, V. / Monteiro, V. / Vale e Azevedo, A.
DOI: <https://doi.org/10.5169/seals-21560>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 12.12.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>



9. Grain Terminal, Trafaria (Portugal)

Owner: *Silopor*
Engineers: *Silo – V. Coias e Silva*
Maritime structures – Somec SA;
ENARCO Lda
Contractors: *Engil SA; Somec SA; Simon-*
Carves
Works duration: *3 years*
Service date: *1986*

General

The construction of the Grain Terminal of Trafaria is the greatest achievement ever in the field of grain handling in Portugal, and one of the greatest in Europe. The silo itself, with its 2 000 000 kN storage capacity is currently the largest in Europe and one of the largest in the world.

The construction of the Terminal entrusted Portuguese and British companies in joint venture. The Terminal was set out near Trafaria and concerns a land area of about 140 000 m² which received over 900 000 m³ of sand dredged from the river bottom in the manoeuvring and docking areas (Fig. 1).

The terminal comprises the following works:

a) Works on the land area:

- the silo itself, consisting of four blocks of bins 72 to 76 m high, designed to the storage of grain and related products
- the main intake tower, 82 m high, housing eight elevators
- the weighing center, 39 m high, where the automatic weighers are installed
- the outloading tower, 48 m high, adjoining the weighing center, where the outloading and recirculating elevators are located
- the control building, 25 m high, accommodating the control system of the whole Terminal
- the road outloading silo, 42 to 49 m high, consisting of outloading bins, weighers and loading tunnels, for bulk loading of lorries.

b) Maritime works:

- the formation of the large land embankment platform
- the quay for importation purpose to be used by ships up to 120 000 dwt on the north side (bottom at -18 m) and ships up to 60 000 dwt on the south side (bottoms -14 m).
- the transhipment quay for ships up to 40 000 dwt (bottoms at -12 m)
- the quay for exportation to be used by coasters and barges up to 10 000 dwt (bottoms at -7 m).




Fig. 1 Grain Terminal of Trafaria




Fig. 3 Importation Quay – Longitudinal side view

Silo

The silo is in reinforced concrete and consists of circular bins tangent along four orthogonal generatrices called main beams, the «ace of diamonds» or interspace bins also being used for storage. The silo is made up of monolithic batteries or blocks of bins, in patterns of 3×3 or 4×4 structurally independent from each other. Altogether there are six of this silo blocks, comprising two basic sizes of circular bins: 10.1 m and 7.55 m in diameter. The typical organization of the silo along its height is shown in Fig. 2.

The foundations of the silo blocks consist of rectangular cast in situ reinforced concrete piles, transferring the vertical loads to the miocenic substratum.

Importation quay

The importation quay consists of a set of multicellular reinforced concrete caissons connected with a deck,




Fig. 2 Silos Geometry





Fig. 4 Multicellular reinforced concrete caissons

with dimensions in plan of $20.7 \times 19.0 \text{ m}^2$. This deck consists of a system of longitudinal and transversal girders linked with a slab with 0.30 m thickness. Over them run two steel cranes weighing 6500 kN each (Fig. 3).

The caissons have dimensions in plan of $12.0 \times 19.6 \text{ m}^2$ and about 24 m high, and have their cells filled with sand. The caisson bottom slab was cast in site, then removed to the dry dock where the walls were slip-formed, and then the caisson was put into the water and went floating until it reached its position where it was sunk by filling the cells with sand (Fig. 4).

The caissons have their foundation rockfill embankments with thickness variable from 1.5 to 5.0 m, which stand on the sand aluvial deposits.

(V. Coias e Silva, V. Monteiro, A. Vale e Azevedo)