

**Zeitschrift:** IABSE structures = Constructions AIPC = IVBH Bauwerke  
**Band:** 14 (1990)  
**Heft:** C-51: Structures in Belgium

**Artikel:** European communities council building, Brussels (Belgium)  
**Autor:** Beurms, D.  
**DOI:** <https://doi.org/10.5169/seals-22196>

#### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

#### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

#### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 20.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**



## 8. European Communities Council Building, Brussels (Belgium)

**Owner:**

– During Erection:

*Ministry of Public Works  
(Belgian State)*

– Upon Provisional Acceptance:

*European Communities*

**User of the Buildings:**

*European Communities  
Council*

**Architects:**

*The Architects of the European Communities Council Buildings-Temporary Partnership*

**Design Engineers:**

*Temporary Partnership G.I.C.E.*

**Coordinating General Contractor:**

*Temporary Partnership E.G.C.*

**Works Duration:**

*1000 working days*

**Service Date:**

*1994*

- a conference building, on the upper part of the site
- a secretariat building, built around large patios
- a common substructure which occupies the entire 4 hectares site.

The Conference building contains 55 000 m<sup>2</sup> gross area spread over seven full floors and four mezzanine floors, and can accommodate up to 3500 people on special occasions.

It consists of four meeting rooms for Ministers or Permanent Representatives, and of fifteen meeting rooms for Committee and working groups.

The secretariat building is designed to house 2500 officials. It contains 88 000 m<sup>2</sup> gross area of accommodations spread over 11 levels.

The substructure is also built on different levels covering six floors and totaling 75 000 m<sup>2</sup> gross area.

There are about two thousand parking places, a general store, miscellaneous storage rooms, archives, plant rooms, cold stores for foodstuffs, etc.

### Foundations

Taking into account the heterogeneity of the soil layers (the buildings rest on one side of the Maelbeek's valley), the foundations consist of driven Franki-type piles and slurry-walls, penetrating into the sandy layers of the Ypresian horizon.

**General**

The new Council Complex provides approximately 215 000 m<sup>2</sup> gross of floor. It consists of three separate parts which are closely interrelated:




Fig. 1: Site plan



Fig. 2: Facade of the building

The South-East corner of the «Secretariat» building is supported by the top slab of a new road tunnel.

#### Framework

The framework is realized for the most part, even for the facade walls and the wind-bracing cores, in conventional reinforced concrete structures.

Although the most often used spans are 9 m wide, the buildings are distinguished by large spans covering conference halls, delivery areas etc, requiring the use of steel prestressed-concrete girders.

In particular, in the substructure, the 13.5 m bays are spanned by prestressed hollow-core slabs or ribbed elements, while the delivery area is covered by 25 m span prestressed beams.

In the «Secretariat» building, the floors of the different parts spanning from facade to facade on 13.50 m, con-

sist of very close steel girders supporting a thin reinforced concrete slab. Building equipment passes through large holes provided in these girders.

The upper floors of the «Conferences building», including the large meeting rooms, are supported by welded steel plate girders, reaching 31.5 m span and 2.5 m height, and supporting a reinforced concrete slab.

The fire-resistance of the structural elements is provided either by the own resistance of the concrete elements or by a fibro-silicates protection on the steel girders.

#### Facades

The facade is clad in sheets of pinky-grey granite, 2.5 to 3 cm thick and attached by stainless steel ties to the structural concrete frame.

(D. Beurms)