

Zeitschrift: IABSE reports of the working commissions = Rapports des commissions de travail AIPC = IVBH Berichte der Arbeitskommissionen
Band: 16 (1974)

Sonstiges

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 20.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

NOTATIONS

- A** = Area
 A_c = gross area of concrete section
 A_s = area of tension reinforcement
 A'_s = area of compression reinforcement
b = width of rectangular section
d = depth from extreme compression fibre to centroid of tension reinforcement
D = Dead load
e = eccentricity
 e_a = additional eccentricity
 e_c = eccentricity due to creep
 e_s = eccentricity of sustained load
 E_c = modulus of elasticity of concrete
 E_s = modulus of elasticity of steel
 f'_c = 28 day compression strength of a 6 by 12 in. (15 by 30 cm) concrete test cylinder
h = overall depth of a concrete section
H = lateral load
I = moment of inertia
 I_g = moment of inertia of gross (uncracked) concrete section ignoring the reinforcement
 I_s = moment of inertia of reinforcement
k = effective length factor
K = curvature = $(\epsilon_1 - \epsilon_2)/h$
l = length of a column
L = live load
 m_j = mean of j
M = moment
 M_a = additional moment
 M_o = moment capacity of cross section
 M_{ox} = uniaxial moment capacity of column cross section about x axis
 M_1 = smaller of the two column end moments, positive if column is bent in single curvature
 M_2 = larger of the two column end moments, always positive

- p_t = total reinforcement ratio = $(A_s + A'_s)/A_c$
 p = tension reinforcement ratio = A_s/A_c
 p' = compression reinforcement ratio = A'_s/A_c
 P = axial load
 P_{cr} = critical load
 P_E = Euler buckling load
 P_o = capacity of column cross-section under pure axial load
 P_ϕ = constant sustained load
 r = radius of gyration of section
 R = Resistance
 S = Shear force
 t = time
 T = Temperature
 v_j = coefficient of variation of j
 x, y = Axes in cross-section
 z = Axis along member
 γ = Safety factor
 Δ = lateral deflection of a column or storey
 ϵ = strain
 ϵ_c = concrete strain
 ϵ_{cu} = failure strain of concrete
 ϵ_k = creep strain of concrete
 ϵ_{sh} = shrinkage strain in concrete
 ϵ_s = steel strain in tension reinforcement
 ϵ'_s = steel strain in compression reinforcement
 ϵ_y = yield strain of reinforcement
 ϵ_1, ϵ_2 = extreme strains in cross-section
 ϕ = creep coefficient
 λ = load factor
 ρ = resistance reduction factor
 σ = stress
 σ_y = yield strength of steel
 σ_j = standard deviation of j

Leere Seite
Blank page
Page vide