Zeitschrift: IABSE reports of the working commissions = Rapports des

commissions de travail AIPC = IVBH Berichte der Arbeitskommissionen

Band: 26 (1977)

Artikel: An investigation of the design and construction problems in Nigeria

Autor: Ngoka, Nelson Iwenofu

DOI: https://doi.org/10.5169/seals-21508

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

Download PDF: 09.12.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch



An Investigation of the Design and Construction Problems in Nigeria

Problèmes de projet et de construction au Nigéria

Entwurfs- und Ausführungsprobleme in Nigeria

NELSON IWENOFU NGOKA

Environmental and Tropical Design Consultant Towning Hill & Partners Bristol, U.K.

SUMMARY

As with Nigeria, the author presents the particular problems of an oil exporting developing country, in the face of a gigantic construction programme. The problems of delay in construction following an insufficient infrastructure and the explosion of construction costs caused by inflation are also considered.

RESUME

A l'exemple du Nigéria, l'auteur cherche à présenter les problèmes particuliers d'un pays en voie de développement, exportateur de pétrole, face à un gigantesque programme de construction. Les problèmes de retard dans les délais d'exécution, à la suite d'une infrastructure insuffisante sont évoqués, de même que l'explosion des coûts de construction occasionnée par l'inflation.

ZUSAMMENFASSUNG

Am Beispiel von Nigeria versucht der Verfasser, die besonderen Probleme eines ölexportierenden Entwicklungslandes bei der Bewältigung der zahlreichen, grossen Bauaufgaben darzustellen. Besondere Beachtung werden dabei den Problemen der zeitlichen Verzögerung der Bauzeit infolge ungenügender Infrastruktur und der Explosion der Baukosten infolge Inflation geschenkt.



1. INTRODUCTION

Before discussing the problems of the building industry in Nigeria, it is necessary to mention some of the fundamental geographical features which may have a direct or indirect influence on this subject matter.

With an area of around 92 million ha., the Federal Republic of Nigeria, Fig. 1, is the largest country on the west coast of Africa. Based on the 1963 census figure, the projected population of about 80 million in 1976 makes it the most populated country in Africa. There are three areas of high population density.

It lies between longitudes 2° and 15° east of the meridian and latitudes 4° and 14° north of the equator. Owing to its latitudinal extent, Nigeria has varied physical conditions, human types and economy. In general, rainfall diminishes from the south-east and south, towards the north and north-east. In the south-east there is an excess of rainfall all the year; in the north there is adequate rain only in two or three months of the year. There is also a corresponding vegetational range.

There is a great variety in human outlook and organisation. This is evident between the four main groups - Hausa and Fulani in the north, Yoruba in the southwest and Ibo in the south-east. The size and variety of the Federation is likewise reflected in its varied economic resources. She is one of the few large timber exporting countries of West Africa, and is rich in mineral resources.

2. BOOM IN THE CONSTRUCTION INDUSTRY AND PRESENT PROBLEMS

As the world's eighth largest exporter of crude petroleum, Nigeria as well as other members of OPEC benefited from the recent increases in world oil prices. The so-called "oil-money" has reflected in the economic strength of this fast developing country. With the large revenue available in the country, the need for its inhabitants to acquire improved housing and living conditions are growing rapidly. The Federal Government has recognised these needs and is making every attempt to improve the present situation. As a result of this, the Third National Development Plan, 1975-1980 (Table 1), has called for a total investment of about £20 billion. Almost half of this will be spent on construction.

Naturally, the sudden boom in the construction industry of Nigeria is creating various problems. Although these problems are numerous and diverse in nature, the most serious ones are discussed in this section.

2.1 Demand for Foreign Expertise

Although Nigeria has numerous highly qualified indigenous Contractors, Engineers, Architects, Quantity Surveyors and other allied professionals, the present construction boom calls for additional foreign expertise. As stated in the Plan, "while serious effort will be made to assist indigenous contractors to improve their skill, it will be necessary during the Plan period to continue to attract a good number of reputable foreign contractors into the country to augment the overall construction capacity". The shortage of indigenous expertise could also be illustrated by a keynote address to the Commonwealth Association of Architects' Conference held in Accra in 1976. Speaking at this occasion, the Nigerian president of this Association, Mister Oluwole Olumuyiwa, said that the quality of



African architectural expertise was as good as anywhere else in the world, but pointed out that, while it is true that there is acute shortage of architects in Africa, it might not be correct in respect of quality. Although his reference was to Architects, the situation is the same for most Nigerian construction and design expertise.

The principal problem in employing foreign expertise is their lack of previous knowledge of the social, climatic and economic conditions² of Nigeria. These problems range from small projects, where foreign staffs are employed as supervisors, to multi-million Naira (N) complex projects, where foreign firms or consortia are engaged as main consultants or contractors. Basically, the lack of tropical design experience and construction methodology seems to be a major handicap to most foreign personnel and firms. As a result of this, buildings which portray European or other western culture and outlook are gaining ground. The adaption of unsuitable design technique and the choice of wrong materials give rise to the design and construction of buildings which may be found unsuitable in the foreseeable years.

These problems could be alleviated by the training of more Nigerian professional and technical staff, and financial support to able indigenous firms. Where foreign consultants are engaged for massive projects, at least a two-man team of Nigerian professional experts (either from the industry or from the University) should be appointed by the Government to oversee the general concept of the project and also to provide necessary guidelines at the design and construction stages. The Nigerian professional institutes, such as the Nigerian Institute of Architects, the Nigerian Institute of Building and others, should run "induction" courses for new foreign staff joining the construction industry. These courses should provide participants with sufficient materials for tackling the differing climatic, social and economic conditions in Nigeria as compared to their country of origin.

2.2 Construction Delays and Inflation of Building Cost

There is a great shortage of building materials in most parts of the country. This gives rise to hoarding, inflation and the use of inferior alternatives. The Plan recognises the shortage of building materials and aims at minimising existing bottlenecks. Effort is being made to increase investment in domestic production of cement and other essential building materials. The use of local materials such as burnt bricks will be vigorously promoted under the Plan to minimise dependence on imported substitutes.

However, as the industry depends heavily on imported materials, the delay in supply and scarcity of certain materials hinders progress on most sites. From Table 2 it can be seen that a large proportion of the materials needed in the industry for implementing the 5-year development Plan, will be imported. The summary of a recent survey³ of building material prices in selected towns in Nigeria is shown in Table 3. It is clear from this Table that there is a wide fluctuation in material prices. The causes of these variations in prices were attributed to the following six main factors:

- Location of the local building material manufacturing industries
- Transport costs from sources of supply and sites
- Untarred and bad roads to hinterland
- Fuel shortages
- Degree of supply and demand at each location
- Excessive profit margins of the building material merchants.



These problems have been recognised by the Federal Commissioner for Housing Urban Development and Environment, Wing Commander Mouktar Mohammed. Further serious attempts are therefore being made to increase the use of local materials. It is hoped that the extensive use of Nigerian local materials will not only provide more cheap materials, but may lead to the production and development of more suitable building components.

2.3 Inadequate Statutory and Scientific Guidelines

As Nigeria was previously a British colony, there has been a tendency to rely on most standards and practices which were handed down during the colonial administration. These techniques inherited by the Nigerian construction industry are not generally suited to its climatic conditions. Although the British Standards Institute's publications (Codes of Practices and British Standards) are still widely used, the recent construction failures in Nigeria have shown that the behaviour of some materials, such as concrete, in temperate countries differs in some peculiar ways from its behaviour in tropical countries.

The need for adequate statutory and scientific guidelines to suit the conditions in Nigeria has been widely recognised. For example, a symposium on a new code of practice on the structural use of concrete in building was held in Lagos in April 1976. Speaking on the occasion, the Director of the Nigerian Standards Organisation, Mr. D. O. Ogun, stressed that the boom in the construction industries in the country has prompted the organisation to establish a building and construction technical committee of experts to provide guidelines on various building materials. After considerable research, a new code of practice for concrete structures has been produced by the committee. Research work is also continuing in most Nigerian Universities and other Government agencies to produce more relevant guidelines for the construction industry.

Although the growing catalogue of building failures, now reaching serious proportions, could be seen as symptomatic of fundamental problems in the construction industry, the blame for such failure does not lie within one sector only. In Nigeria, the Building Contractor is generally blamed for most of these failures, whereas the Architect, or Engineer, could have been responsible. It is therefore essential that a thorough scientific investigation be carried out before the cause of any failure could be established.

3. CONCLUSIONS


As the boom in the Nigerian construction industry has created a situation where local personnel and materials are unable to meet with the demand, it is essential that foreign expertise and materials are attracted into the country. The Government should, however, increase its efforts towards the training of local technical staff, and the use of local materials should be exploited.

4. ACKNOWLEDGEMENT

The author wishes to express his gratitude to all Consultants, Architects, Contractors, Quantity Surveyors, Government Agencies and University Lecturers who offered useful assistance during the collection of material for this paper.

REFERENCES

- 1. NGOKA, N.I. Building guidelines without tears, Daily Times, Lagos, 4th October, 1976, Vol 21, p.7.
- 2. NGOKA, N.I. Building overseas, Nigeria, Need for advances technology, Building, 27th February 1976, Vol. 230, pp. 81 82.
- 3. WAHAB, K.A. Building material prices in selected locations in Nigeria; The Quantity Surveyor, February 1977, Vol. 33, No. 7, pp. 134 7.



DESIGN AND CONSTRUCTION PROBLEMS IN NIGERIA

				SUMMARY	n.	c c			1076 00						
				SUMMARY	OFPUBLIC	SECTORC	APITAL PRO	GRAMMES:	19/3-80					Nmillio	on
Sector	Total all Govts.	Federal Govt.	Total all States	Bemue- Plateau	East- Central	Kano	Kwara	Lagos	Mid- Western	North- Central	North- Eastern	North- Western	Rivers	South- Eastern	W'estern
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
A: ECONOMIC 1. Agriculture 2. Livestock 3. Forestry 4. Fishery 5. Minings and	1,645.852 344.046 109.730 101.554	750.845 173.176 30.014 58.561 2.680.425	895.007 170.869 79.716 42.993	64.768 10.314 9.055 3.367	95.408 15.227 5.355 1.398	142.556 24.682 4.610 1.600	66.303 7.299 9.300 1.700	14.824 17.090 0.500 15.451	63.521 8.383 4.975 2.289	68.139 12.280 5.826 0.100	73.754 20.801 8.438 1.397	65.441 20.080 4.530 0.751	48.150 5.700 2.000 5.538	63.526 10.648 12.701 5.639	128.617 18.365 12.426 3.763
Quarrying 6. Manufacturing and Craft 7. Power 8. Commerce and Finance	2,680.425 5,315.871 1,075.238 559.355	4,907 227 932.038 323.433	408.644 143.200 235.922	28.938 12.000	69.271 10.000 25.700	23.966 8.000 16.086	37.804 15.000 28.650	32.246 0.200	43.500 10.000	21.289 10.000	22.463 20.000 19.600	8.200 20.000	36.228 8.000 43.100	39.419 10.000 23.573	45.320 20.000
9. Transport 10. Communications	7,303.068 1,338.944	6.274.342 1,338.944	1,028.726	98.990 —	88.728	55.340	63.990	36.265	200.000	59.723	119.956	108.180	51.650	69.184	76.720
Sub-Total	20,474.082	17,469 005	3,005 077	244.332	311.087	276.840	230.046	132.076	344.848	191.532	286.409	237.487	200.366	234.690	315.364
B: SOCIAL 11. Education	2,463.822 759.928 380.225 43.187	1,656.193 314.160 234.341 43.187 24.950	807.629 455.768 145.884	71.702 30.670 9.415	78.239 62.621 19.837	68.647 32.430 6.500	46.129 28.500 15.900	30.642 53.901 5.300	60.807 39.690 5.900	75.600 23.810 6.193 —	90.511 42.900 16.137 —	63.264 30.550 16.170	74.300 34.805 12.310 —	65.931 22.850 15.110 —	81.857 43.041 17.112 — 8.614
25 20	2000000 000000					100000000		200000000000000000000000000000000000000	7.000.000	50000000	1000000000			-	
Sub-Total C: Reg. Development 16. Water Supply	930.038	317.413	1,513.934	119 935 58.120	183.289 57,540	113.780 40.000	96.289 45.500	109.109	73.975	109.373 41.100	161.049 42.201	116.735 43.489	130.765 7.600	112.669 31.200	150.624
17. Sewerage, Drainage, and Ref. Disposal 18. Housing 19. Town and Country	428.495 1,837.430	154.499 1,650.000	273.996 187.430	9.706 5.000	28.000 20.500	13.240 30.930	6.000 8.000	70.000 11.000	58.000 30.000	9.200 10.000	7.500 18.000	4.500 10.000	26.000 10.000	4.600 10.000	37.250 24.000
Planning 20. Co-operative and Community Development	754.867	250.453	504 414	24.299	70.706	21.243	9.200 6.500	117.525 35.344	31.007	23.102	31.087 23.516	38.730 16.644	55.500 1.200	35.009 13.655	47.006 10.294
	4,144.124	2,388.552	1,755.572	109.907	193,746	123.186	75,200	278.269	204.833	93.950	122,304	113.363	100.300	94.464	
D: ADMINISTRATION 21. Defence and Security 22. General Administra-	3,325.517	3,325.717		-	_	-	-	-	_	-		-	_	-	246.050
tion	1,124.128	709.210	414,918	24.809	35.955	46.421	25.250	34.960	27.092	36.617	39.866	50.472	40.877	34,160	18.439
Sub-Total	4,449.645	4,034,727	414 918	24.809	35.955	46.421	25.250	34.960	27.092	36.617	39.866	50.472	40.877	34.160	18.439
Nominal Total	32,854 616	26,165 115	6 689 501	498.983	724.077	560.227	426.785	554.414	687.090	431.472	609.628	518.057	472.308	475.983	73.477

TABLE 1

SOURCE: FEDERAL REPUBLIC OF NIGERIA

THIRD NATIONAL DEVELOPMENT PLAN 1975-80

			Estima	TES OF N	[ATERIAL]	INPUTS REG	QUIRED FO	OR IMPLEM	ENTING TI	HE PLAN						
		Unit Quantities, Public Sector														
			Housing Barracks Prisons	Offices Hotels etc.	Stores Ware- house	Facto- ries Shops	Schools	Hospitals	Health Centres Clinics	Roads Bridges Tarmac	Water and Sewerage	Miscel- laneous	Public Sector Total	QUANT Private Sector Total	TTIES Total Plan	
(1)		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	
Cement Reimbursement Construction Timber Joinery Timber Structural Steelwork	ey ey ex	million tons million tons million cu. ft. million cu. ft. thousand tons	3.48 .92 42.89 14.38	1.1! .86 10.8: 2.1	6 .01 8 .28 5 .03	.67 .05 .70 .28 80.5	4.68 1.19 32.23 16.49 .1	.42 .11 26.80 .80	.28 .05 1.42 2.03	6.71 1.36 — 460.0	_ 45.0	.95 .17 11.59 .02	19.61 4.96 126.79 36.18 585.6	3.46 .92 21.73 5.74 195.0	23.07 5.89 148.52 41.92 780.6	
Galvanised Pipes Copper Pipes Extruded Aluminium Section		thousand tons thousand tons	45.8 - .8	8.5 2.5 8.5	9 —	1.1	38.0	5.1 2.0 1.0	.7 1.3 1.5	-	=	_	99.6 6.2 12.2	23.0 1.9 7.0	122.6 8.1	
9. Rolled Steel Section	1.7	thousand tons thousand tons thousand tons thousand tons thousand tons	179.2 144.6 —	2.	9 -	2.5 1.8 —	68.0 33.1			- - - -	- 81 63	=======================================	254.6 183.4 81 63	34.2 29.5 —	288.8 212.9 81 63	
13. Roofing (i) Felt (ii) Asbestos Cement	**	thousand tons	35		3 –	_	38	2	2	-	-	-	80	6	86	
Sheets			42 7 15 308	19 19 35	8 – 3 –	7 70 - 70	233 15 51 322	20	7 15 41	=======================================	=	<u>-</u> -	294 113 294 1,370	16 235 147 435	310 348 441 1,805	
17. Ceramic Floor Tiles		thousand sq. yds. thousand sq. yds. thousand sq. yds. thousand sq. yds. thousand sq. ft. thousand gallons	6,877 12,500 8,223 6,216 36,830 1,639	70 5,67 7,96 3,43 17,27 31	9 41 7 85 3 — 9 28	910 210 	338 3,354 4,120 17,996 60,434 ,2,658	623	308 5,848 446 1,047 2,430 122	- =	5 5	7 53 74 33 156 3	8,440 29,390 21,748 29,207 122,484 5,169	2,903 8,046 6,885 4,980 25,118 1,068	11,343 37,436 28,633 34,187 147,602 6,237	
(i) Lavatory Basins (ii) Sink	Clay	thousands thousands	165 64	5		14 7	398 8		18 3	=	-	1	660 108	108 19	768 127	
	Vare	thousands thousands	105	5- 1:		14	349 190		11 2	-	=	Ξ	- 602 209		711 225	
Tray (vi) Steel Sink (vii) Steel or Cast Iron		thousands thousands	88		=	_	5,478			_	_	=	5,568	21	5,589	
Bath		thousands million tons million cub. yds.	85 - 10.4	3.	3 — - — 6 1.1	 2.0	4,895 12.6		- - .8	3.96 144.2		5.5	4,984 3.96 186.4		5,016 3.96 196.7	

TABLE 2 SOURCE: FEDERAL REPUBLIC OF NIGERIA
THIRD NATIONAL DEVELOPMENT PLAN 1975-80

			LOCATION AND PRICES (prices quoted in Naira)															
				Lagos State			Oyo State			Ondo State			Anambra State	Rivers State	Bendel State	Niger State	Kaduna State	Kwara State
	Materials	Unit/ Size/ Quantity	Suru- lere	Igbobi	Ebute M e tta	lkega	Ibadan	Onog- bo	Oyo	Akure	Ado- Ekiti	Owo	Enugu	Port Har- court	Benin Auchi	Minna Konta- gora	Kafan- chan	Kainji New Bussa
1	Load of sand	1 tipper	34.00		34.00	23.00	20.00	12.00	12.00	11.00		12.00			25.00	12.00 12.00		
2	Load of gravel	1 tipper				75.00	40.00	17.00	18.00	28.00		30.00			70.00	34.00 34.00	9	
3	Ton of cement	1 ton	60.00	47.00	70.00	50.00	56.00	58.00	80.00	85.00	66.00	90.00	69.00	72.00	70.00 80.00	70.00 84.00	84.00	57.00
4	Roofing timber	cu. ft.					5.35	3.70	6.00	2.80		3.00	5.50	4.00		3.40 3.50	3.50	
5	Asbestos roofing	6' long	5.00	3.00	4.60	5.00	4.40	2.65	4.00	5.50			6.85		6.80	6.50		
6	Asbestos ceiling	4' × 4'	3.00	1.50	2.60	4.50	2.10	3.00		7.00		3.00		0 8	2.30 2.70			
7	Flush door			11.00	18.00	15.70	13.65	13.00	15.00	14.00			15.00	16.00	15.00	18.00		
8	Bath tub	5′ 6″	85.50	80.00	70.00		90.00	25.00			72.00	80.00	88.00	60.00	64.00	115.00		
9	W/C	1 No	44.50	45.00	42.00	45.00	50.00	54.00	45.00	45.00	52.00	58.00	52.00	40.00	48.00	55.00	8 8 9	
10	Kitchen sink	1 No	46.00	48.00			46.00				42.00	40.00	45.00		50.00			50.00
11	Emulsion paint	1 gallon	6.50	10.45	7.50	5.50	9.95	9.90	8.00	9.50	8.00	11.00	5.50	9.50	7.50 6.50	8.00 8.00	8.00	10.50
12	Gloss paint	1 gallon	7.50	12.60	9.50	6.50	12.00	12.00	7.00	11.40	7.00	12.00	8.50	10.50	9.00 7.50	9.00 10.00	11.50	12.00
13	M.S. Iron rod	Ton		360.00		350.00	300.00	370.00	360.00	360.00	390.00	380.00	356.00		358.00	504.00		380.00
14	Iron nails	Cwt.				27.00	32.20						38.00	32.00	32.00 32.00	16.50 16.50	32.00	27.00
15	Chubb mortice lock	1 No		6.00		5.20							7.30	7.50		2.50		6.50
16	12-in. Gal. steel pipe	3 m.	6.00	5.00	4.50	6.00	6.00	6.00	7.00	7.00		6.00				5.50		5.50
17	Plain louvre blades	150 mm.	0.97	0.80		1.22	1.25	1.06	1.25	1.16	1.50	0.90	1.22		1.22	- 1.30		0.95