

Zeitschrift: IABSE reports = Rapports AIPC = IVBH Berichte
Band: 55 (1987)

Artikel: Sliding without using temporary bridges
Autor: Kuiper, J.C.
DOI: <https://doi.org/10.5169/seals-42819>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 01.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>



Sliding Without Using Temporary Bridges

Einschieben ohne Hilfsbrücken

Glisser sans ponts provisoires

J.C. KUIPER

Civil Eng.

Dutch Railway Company

Utrecht, The Netherlands

The Dutch Railway Company (NS) developed a new building method for underpasses. This method does not use temporary emergency bridges.

This building method has three advantages:

- 1) No long-continued slow running.
- 2) No reservation, planning, renting, maintenance of temporary emergency bridges.
- 3) Only one "big night's work", instead of two or three nights.

Characteristic of this method is sliding the definite reinforced concrete slab, on sliding beams which are fitted -just in the sliding night- on temporary piles. These piles are driven in steel casings. These casings are brought in by vibrating, just next to the railway tracks. The casing makes it possible to finish the pile head during (train) operation.

The definite concrete slab ITSELF is used as a kind of temporary bridge, under which the rest of the underpass can be completed.

Sheet-piles (below the tracks combined with horizontal wooden beams) are used to stem the soil during the excavation.

After the bottom slab and the walls are concreted and hardened, the construction is completed by making concrete connections between walls and slab.




This method has been used several times successfully in the Netherlands for high-ways crossing railways by underpasses.

The method is explained in [1] with the help of a practical example. See also next page.

In 1985 the first application of this building method received an honourable mention within the framework of the Dutch "Betonprijs" ("Concrete Award").

REFERENCES

- [1] KUIPER J.C., Schuiven zonder hulpbruggen. CEMENT, November 1984



- A Situation just before sliding
- B Situation after sliding
- C Finished construction

SLIDING WITHOUT USING TEMPORARY BRIDGES