

Zeitschrift: IABSE reports = Rapports AIPC = IVBH Berichte

Band: 60 (1990)

Artikel: Study of the mechanical properties of composite beams

Autor: Kalfas, Chr. / Galoussis, Ev. / Zacharopoulos, D.

DOI: <https://doi.org/10.5169/seals-46491>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 01.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Study of the Mechanical Properties of Composite Beams

Etude des propriétés mécaniques de poutres mixtes

Studie der mechanischen Eigenschaften von Verbundträgern

Chr. KALFAS
Assist.
Democritus Univ.
Xanthi, Greece

Ev. GALOUSSIS
Prof.
Democritus Univ.
Xanthi, Greece

D. ZACHAROPOULOS
Lecturer
Democritus Univ.
Xanthi, Greece

E. GDOUTOS
Prof.
Democritus Univ.
Xanthi, Greece

1. SUMMARY

Deformability is always a problem for the design of steel-concrete composite elements. In this study the variation of an ideal Modulus of Elasticity (E_i) for the composite beams is evaluated. The problem is approached by two different methods. Experimentally, by tests of large scale steel-concrete composite specimens and theoretically, by a method using a finite-element program and the strain energy theory (SED).

2. INTRODUCTION

Since several factors affect the mechanical behaviour of steel-concrete composite beams, the variation of E_i is evaluated in terms of the magnitude of the applied load and the contribution of each section of the two materials as a percentage of the overall composite section. Additional factors taken into account in the study are the quality of the two materials, mainly of the concrete, and the types of loadings.

Determination of E_i would permit the calculation of the deformations and the description of the mechanical behaviour of such structural composite elements more accurately. As it is obvious, knowledge of the above conditions would lead to the better design of structures consisting of composite elements.

3. DESCRIPTION OF METHODS

In the experimental study the problem is faced by testing large scale specimens of composite steel-concrete beams with different kind of cross-section (Fig. 2). Typical flexible shear connectors are used to ensure the cooperation of the two materials. In a series of bending tests different types of loading are applied and diagrams of load versus deflection are drawn (Fig. 1). At the same time strain gages on steel and concrete surfaces are used to measure the deformations in each part of the composite cross-section.

From the experimental measurements the rigidity of the ideal cross-section ($E_i I_i$) is calculated as a function of the applied load P and the results are shown in diagrams $E_i I_i$ versus P (Fig. 2). Also, from the different dimensions in the cross-section of the specimens and the different types of loading, diagrams giving the variation of $E_i I_i$ in terms of the above factors are obtained.

The theoretical approach is achieved by simulating the composite beam as an element with a crack in the concrete. The idealization of the one half of the beam, divided into finite elements, along with the applied load is shown in Fig. 3. The crack propagation in the concrete is studied by applying SED [1] and the resulting variation of the deflection in terms of the bending moment is drawn in Fig. 4.



4. CONCLUSIONS

Considering that the damage of concrete is the main factor affecting the mechanical behaviour of the composite beam, the proposed theoretical model explains and verifies the experimental results. Therefore, the application of the above theoretical method into various types of beams would lead to the estimation of the variation of $E_1 I_1$ in terms of the factors affecting the mechanical behaviour of composite beams.

An additional advantage gained from the finite element program is the determination of the position taking by the neutral axis of the ideal cross-section during loading. In this procedure the moment of inertia of the ideal cross-section (I_1) is calculated and the diagrams giving the variation of $E_1 I_1$ could be transformed into corresponding diagrams showing the variation of the E_1 ideal Modulus of Elasticity (E_1).




Fig. 1 Load versus deflection.




Fig. 2 Rigidity versus load.




Fig. 3 Finite elements net.




Fig. 4 Theoretical P-delta.

REFERENCES

1. CARPINTERI A. and SIH G.C., Damage Accumulation and Crack Growth in Bilinear Material with Softening: Application of SED Theory. Journal Theoretical and Applied Fracture Mechanics, Vol. 1, pp. 145-160 1984.