**Zeitschrift:** IABSE reports = Rapports AIPC = IVBH Berichte

**Band:** 62 (1991)

**Artikel:** Why structural concrete?

Autor: Breen, John E.

**DOI:** https://doi.org/10.5169/seals-47617

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

#### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

#### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

**Download PDF:** 18.11.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch




# **Why Structural Concrete?**

# Pourquoi un colloque sur les structures en béton?

## Warum konstruktiver Beton?

John E. BREEN
Prof. of Civil Eng.
Univ. of Texas at Austin
Austin, TX, USA



John E. Breen has received a number of awards from ACI, ASCE, PCI and FIP for his reinforced prestressed concrete research contributions. He is immediate past Chairman of the Building Code Committee and is currently chairman of IABSE Working Commission III — Concrete Structures.

#### **SUMMARY**

This introductory report outlines the purposes of the Colloquium, defines several important terms and concepts, and suggests a general framework for developing future professional practices, codes and standards, and educational approaches to structural concrete. It calls on all colloquium participants to be objective, prepared, and predisposed to participate in meaningful discussions and dialogues with their professional colleagues from around the world who are expected to be present in Stuttgart, in April 1991.

## RÉSUMÉ

Ce rapport d'introduction esquisse les buts du Colloque, définit plusieurs termes et concepts importants, suggère un cadre général pour le développement de procédures futures, normes et codes professionnels et finalement, expose und approche nouvelle dans l'enseignement du béton armé et précontraint. Un appel est lancé aux participants afin qu'ils soient objectifs, préparés et désireux de participer à d'enrichissants dialogues et discussions avec leurs collègues du monde entier, présents à Stuttgart en avril 1991.

#### ZUSAMMENFASSUNG

In diesem einführenden Bericht werden die Absichten und Ziele des Kolloquiums besprochen, einige wichtige Fachausdrücke und Konzepte definiert, und generelle Rahmenbedingungen für die Entwicklung zukünftiger Normen und Industriestandards sowie neuer Lehrmethoden für den konstruktiven Betonbau vorgeschlagen. Alle Kolloquiumsteilnehmer werden aufgerufen, objektiv und vorbereitet zu sein und die Bereitschaft zu fruchtbaren Diskussionen und Dialogen mit den Fachkollegen aus aller Welt, die im April 1991 in Stuttgart erwartet werden, mitzubringen.



## 1. INTRODUCTION

## 1.1 Background

The foundations of reinforced concrete theory and design began to be systematically constructed approximately 100 years ago. The basic concepts and fundamental design of prestressed concrete are more than 50 years old. In the ensuing decades a vigorous industry has developed which is serving mankind well in providing concrete structures for shelter, for commerce, for industry, for transportation and for many untold facets of daily life. Around the globe myriad studies have been conducted, conclusions drawn, papers published, design codes established, technical societies formed, textbooks written, students educated, design professionals developed, and great numbers of concrete structures successfully designed and built. All of these occurrences have added confidence to an impressive array of knowledge and experience with reinforced and prestressed concrete structures. Reasonable observers well may wonder why at this point in history it is useful and necessary to re-examine the fundamental approaches to reinforced and prestressed concrete design. engineering has become a world-wide industry. Designers from one nation or continent are frequently found designing a project to be built in another nation or continent. communications technology explosion has created global interaction in many fields and certainly in structural engineering. For decades several organizations have worked diligently at efforts to harmonize design and construction practices for concrete structures. While some of these efforts have been successful on a regional basis, often they have resulted in further polarization and formulation of yet another set of divergent committee reports, codes or standards. It is precisely the plethora of information, theories, organizations, codes and standards, trade and professional organizations, empirical and semi-rational approaches to bits and pieces of the industry, and the general absence of an overall unifying approach that led to discussions within IABSE Working Commission III - Concrete Structures - about possible actions that could be taken to encourage unification of structural concrete approaches. These concerns ultimately led to the organization of this colloquium.

## 1.2 Purpose and Objectives

The basic objective of this colloquium is to bring together a broad spectrum of leaders from the design, construction, research, academic and regulatory communities to intensively re-examine the broad fields of reinforced and prestressed concrete theory, design and construction with the overall objective of developing unified, consistent analysis and design approaches which will apply to the entire range of structural concrete. In this undertaking a full range of topics must be treated and consistent recommendations developed so as to:

Re-orient education and professional practice from its present divisive state. We must move from the accepted status quo in which separate university courses, textbooks, and standards of practice often exist for reinforced concrete structures and for prestressed concrete structures into a unified program where students and practitioners think of a single continuum of structural concrete.



Redirect the engineer's primary focus to careful consideration of overall structural behavior emphasizing the efficient flow of forces throughout the structure. We must dispel the present wide preoccupation with complex analysis procedures and often highly empirical and often incomplete sectional mechanics approaches which tend to both distract the designers from fundamental behavior and impart a false sense of accuracy to beginning designers.

Introduce useful, transparent models. We must formulate models which can enhance the designers visualization of structural action. They must provide meaningful insight that will lead to improved detailing which will efficiently account for all important load effects, load paths, and restraints.

Eliminate unnecessary and sometimes counter-productive conflicts in Codes and Standards. We must call for unification of national or regional regulations for non-prestressed and prestressed concrete into single documents with a consistent overall design approach.

Develop an overall framework of analysis, design and detailing which will make it easier to mix structural concrete systems with other structural materials (mixed or composite construction).

The author realizes that such objectives may seem extremely idealistic and unattainable to some and even unnecessary to others who are from geographical areas where a high level of harmonization has been attained. However, it is my firm conviction that if a broad group of leaders convenes in Stuttgart for this Colloquium and if every participant arrives with a desire to honestly and effectively share their experience and their wisdom without being inhibited by past organizational, national, or regional biases, we will see considerable and even surprising progress towards meeting these objectives. The final attainment of these objectives can be greatly advanced if each participant will review their proposed contributions to ensure that such broad goals are emphasized.

## 2. **DEFINITIONS**

## 2.1 Proposed Definitions

In order to help all participants clearly communicate their ideas regarding the subject of this Colloquium, the following terms are initially defined herein (although the definitions may be altered at the Colloquium):

<u>Structural Concrete</u>: The term for the entire spectrum of concrete used for structural or load resisting purposes from non-reinforced applications (as sometimes found in foundations or pedestals) through applications which have a mix of non-prestressed, pretensioned, and/or post-tensioned reinforcement.

Active Reinforcement: The term for any reinforcement which is mechanically, electrically, or chemically stressed by constructor controlled methods during the construction process. Only that portion of the active reinforcement capacity which is developed by these construction operations is considered active reinforcement.



<u>Passive Reinforcement</u>: The term for any reinforcement which is not actively stressed by constructor controlled methods in the construction process. This includes the developable capacity of active reinforcement elements in excess of that actively stressed during the construction process.

<u>Prestressing Loads</u>: The constructor controlled loads applied in the construction process by stressing wires, strands or bars. These prestressing loads should be considered as applied loads on the structure. These loads can have axial load effects, bending load effects due to the eccentricity of the point of application, and shear and bending load effects due to the curvature or draped profile of the tendons. The magnitude of the load effects may vary over time due to time dependent losses and may vary along the tendon due to friction and wobble effects.

## 2.2 Superfluous Terminology

With the adoption of an overall inclusive term such as structural concrete, several traditional but confusing or contradictory terms should be phased out of the structural engineering vocabulary. These include terms such as:

<u>Fully prestressed concrete</u>: This term, which originated from the E. Freyssinet concept of a new material in a pristine, uncracked state, is basically a misnomer since structural elements which are completely in compression at the service load state are often fully cracked at the ultimate load state. In addition, such members often contain substantial amounts of passive (non-stressed reinforcement) for shear and torsion resistance as well as control of bursting and spalling tension in the anchorage regions.

<u>Partially prestressed concrete</u>: This term is one of considerable confusion meaning to some that only a portion of the reinforcement is prestressed while meaning to others that the level of prestressing forces is such that flexural tensile stress may be present at service load conditions.

Reinforced concrete: This term is a traditional term to delineate plain concrete (no reinforcing included) from concrete which has reinforcing elements to carry tensile forces when concrete cracks or to stiffen the compression zones. In practice it is often used to distinguish concrete members with no prestressed reinforcement from concrete members with prestressed reinforcement. Even here there is a potential for confusion since prestressed concrete members are often reinforced with non-prestressed reinforcement to resist shear, diagonal tension, torsion, or anchorage zone tensile stresses.

Secondary (or Parasitic) Moments: This term is often used to describe bending moments set up in continuous prestressed concrete members due to boundary conditions which restrain deformations due to the constructor applied prestressing forces. When the prestressing force is considered as an applied loading on the structure, a conventional structural analysis which considers the boundary restraints will provide the correct magnitude and location of such moments. If such an analysis considers the changes in



stiffness at various advanced loading states, a greatly improved understanding of the roles and effects of such moments at the ultimate limit state is given.

## 2.3 Useful Technical Terminology

The following generally recognized technical terms will continue to be useful to describe construction processes or conditions but do not require separate codes, standards, or design processes (due to their familiarity, they are not defined here):

pretensioning
post-tensioning
internal tendons
external tendons
bonded reinforcement
unbonded reinforcement
precast concrete
cast-in-situ concrete

#### 3. CURRENT INCONSISTENCIES

#### 3.1 General

Many of the inconsistencies mentioned in this section reflect the author's North American experiences, but discussions and experiences in other countries indicate that many are more universal problems.

#### 3.2 Education

In spite of the rapidly growing use of prestressed concrete construction (in the United States prestressed concrete bridge construction volume is now a multiple of 3 over reinforced concrete bridge construction), most American universities do not teach analysis or design of prestressed concrete structures in the required basic reinforced concrete courses. In fact, a majority of US universities either have no prestressed concrete course or restrict access to prestressed concrete courses to graduate students. Major textbooks are either predominantly "reinforced concrete" (non-prestressed concrete) or exclusively "prestressed concrete." In spite of the great commonality in design and behavior of non-prestressed and prestressed concrete, most young engineers-in-education are given the image that there are fundamental and complex differences between "reinforced concrete" and "prestressed concrete."

#### 3.3 Codes and Standards

In many countries there are separate and often conflicting standards for the design and construction of prestressed concrete structures and non-prestressed concrete structures. Some examples include:



• There is often different notation used for the same properties in national standards -- Example: the yield point strength of reinforcement:

```
USA Buildings - ACI 318 non-prestressed - f<sub>y</sub>
USA Bridges - AASHTO non-prestressed - f<sub>y</sub>
USA Buildings - ACI 318 prestressed - f<sub>py</sub>
USA Bridges - AASHTO prestressed - f<sub>y</sub>
```

- Fundamentally different formulations are used to express the same fundamental principle depending on whether it is for "reinforced" or for "prestressed" concrete. An excellent example is the ACI Building Code limitation on maximum reinforcement percentage. The desire is to ensure ductility in flexural behavior at the ultimate limit state. This is done by a definition of "balanced strain" conditions and a limitation that  $\rho_{max} = 3/4 \rho_{bal}$  for non-prestressed construction. In spite of the fact that a basically similar provision is desired for prestressed concrete flexural members, it is expressed by a complex series of equations devoid of physical interpretation or recognition. A consistent approach defining limiting strain or curvature conditions could be used which would apply to all cases and make usage simpler as well as more logical.
- Many countries have completely different codes for reinforced and for prestressed concrete. This can lead to substantial confusion. For example, take the case of a multistory building built with non-prestressed columns and post-tensioned floor slabs. Assume that lateral stability must be provided by frame action without shear walls or other bracing. Which code should be used for the design and checking of overall stability? Obviously the code for prestressed concrete envisions prestressed flat slabs but does not necessarily consider the importance of their stiffening the non-prestressed columns. Obviously the code for reinforced concrete considers stability of the columns but does not necessarily consider the possible different restraint from a prestressed slab as compared to a non-prestressed slab. Often the existing codes can have contradictory requirements or even worse, can ignore important details such as column-slab connections.
- In Germany a variety of codes for prestressed concrete are in use. Depending on the level of allowable extreme fiber tensile stresses, DIN 4227/1 applies to fully prestressed and partially prestressed concrete, while DIN 4227/2 addresses prestressed concrete with lower levels of prestressing force ("Teilweise Vorspannung"). Part 3 of DIN 4227 applies to segmental construction and Part 2 addresses prestressed concrete with unbonded tendons. It is interesting to compare the shear design provisions of DIN 1045 (non-prestressed concrete) and DIN 4227/1 (fully and partially prestressed concrete) for the case of non-prestressed girder subjected to shear and axial compression and a prestressed girder with shear, respectively. Although the two cases are physically identical, the design provisions are quite different. For non-prestressed concrete girders, shear design is based on a truss model with 45 degree struts. Flatter strut angles are considered indirectly by designing for a reduced shear force ("Verminderte Schubbewehrung") (DIN 1045, Section 17.5). If the axial compression force is applied by a prestressing tendon rather than externally, a truss model different from the model for

21

non-prestressed concrete is used. In prestressed concrete girders the strut angles are smaller than 45 degrees and depend on the state of stress in the girder (DIN 4227/1, Section 12.4). Concrete stresses due to shear forces and torsion are also handled differently for prestressed and non-prestressed concrete. For non-prestressed concrete girders an interaction equation for shear stresses due to shear forces and shear stresses due to torsion has to be satisfied, while for prestressed concrete compressive stresses are determined from truss models for shear and torsion in some cases, and by simple addition of shear stresses in other cases.

• Many codes and standards are "blindly" adopting excellent, research-proven formulations without considering their practicality in the design and construction process. Recent complex, so called "exact" proposals for items such as shear and torsion strength, prestress losses, flat slab design, and deflection calculations are examples. Codes must always facilitate and harmonize with practice. They should protect the public in a reasonable manner without "hog-tieing" the designer.

Designers are often confused by the intent of Codes and Standards which tend to reflect a great deal of empirical development and a very narrow range of direct applications. Designers interested in the introduction of new and progressive concepts are often blocked by the narrowness of current codes and standards. It has been difficult to use modern analytical techniques such as finite element analyses under many current codes since the standards were framed in terms of linear frame analysis procedures such as moment distribution or matrix methods. On the one hand this prohibits some skilled designers from using applicable advanced concepts for complex structures while on the other hand the absence of common sense guidelines allows unscrupulous designers wide latitude to proceed with risky designs.

#### 3.4 Professional Practice

In many countries, the current framework of codes and standards has resulted in patterns of professional practice where the designer pays major attention to local section behavior based on empirical, sometimes illogical approaches at the expense of attention to overall design concepts and force paths. The designer is de facto encouraged to consider the structure on a member by member and section by section basis. Dimensioning and selection of reinforcement seldom consider overall behavior and member interaction. Committees in technical societies are organized in narrow fields (shear and torsion; bond; columns) and tend to produce ponderous reports which further emphasize local behavior and mask overall action. In many nations, designers have little feel for overall detailing. Codes have had to be amended to tell designers to remember to design the joints between members and to tie all pieces of the structure together. Such warnings would be unnecessary if professional practice emphasized primary attention to overall structural behavior and performance. Member and section behavior should be an important, but second level consideration. Dimensioning and detailing should be based on transparent models which provide logical and efficient force paths to ensure proper behavior and performance of the overall structure under all loading conditions.



## 3.5 Technical and Professional Societies

The fragmentation of the overall industry has caused considerable overlap and duplication in committee activities as well as often conflicting recommendations for code and standard changes. In the USA there is an American Concrete Institute, a Prestressed Concrete Institute and a Post-Tensioned Concrete Institute, besides numerous concrete construction associations. While these groups may have valid purposes as trade associations, the duplication and conflicts in technical activities is unnecessarily counter-productive. Similar redundancy exists at the international level between groups like ACI and CEB on the one hand and FIP on the other hand. The role of IABSE is even less clear. A restructuring of the roles and relations of such organizations could flow from a more modern view point of structural concrete as a continuum.

## 3.6 Research and Development

Modern trends in research and development in structural concrete lead to considerable fragmentation and unnecessary waste. Researchers seem more and more interested in exploration of isolated variables with specimens that in many cases are unrepresentative of any practical range of variables. Analysis procedures have far out stripped detailing procedures. Attention has been riveted on the strength limit state in spite of mounting serviceability and durability problems. The R&D community in academia tends to substantially lag the innovative developments of brilliant designers. A more holistic view of structural concrete would put emphasis on studying overall behavior rather than isolated actions. The power of modern computer graphics should enhance such holistic views. This is a major challenge for the R&D community.

## 3.7 Lessons from Actual Structures

Numerous structures have experienced substantial distress and actual failure due to poor detailing induced by the lack of overall consideration of the flow of forces and the restraints active in the structure. A few examples would include:

- a large parking structure where extremely heavy moment resisting frames with stiff columns were utilized to resist hurricane force design winds. Lack of consideration of the large in plane membrane forces caused by the restraint of the stiff columns to differential temperature and shrinkage shortenings in the slabs resulted in over thirty-thousand meters of slab cracks with a width greater than 0.8mm. The slabs were detailed with extra temperature reinforcement which was discontinuous across each span. The designers met arbitrary, empirical code provisions concerning the minimum area of temperature and shrinkage reinforcement but by not providing sufficient reinforcement in a continuous pattern they did not provide proper direct tension resistance. In fairness to the designers, one must say that the code intent was not clearly expressed because the fundamental behavior desired was never clearly stated.
- a medium size office building for a major engineering company collapsed immediately prior to occupancy when a 3-phase air conditioner motor was connected incorrectly. The



motor shook badly when the power was activated and the entire two story prestressed concrete building totally collapsed. Subsequent investigations indicated that the prestressed tilt-up wall panels and cast-in-situ post-tensioned beams were proportioned correctly in terms of section-by-section analysis but no thought or actual attention was given to tieing the various members together. The post-tensioned beams had no supports under their ends and were simply resting against the tilt-up wall panels, largely cantilevering full span while balanced upon a middle wall. When friction forces between wall panel and beam were broken, the structure collapsed. Minimal attention to force paths would have prevented the collapse.

• a curved, post-tensioned bridge girder exploded during stressing when the tendons ripped laterally out of the concrete. No tie back reinforcement was present to equilibrate the out of plane forces when the tendon was stressed. Simple strut-and-tie models would have warned of this problem.

The number of examples of similar failures due to poor detailing is legion. All point towards the absence of a good rationale for detailing and a preoccupation with local section strength while neglecting the overall structural and environmental actions.

## 4. THE PROMISE OF A STRUCTURAL CONCRETE APPROACH

## 4.1 Methodology

The basic objective of what is being termed the "Structural Concrete Approach" is to eliminate distracting and artificial barriers which tend to compartmentalize the designer's thinking. Present approaches tend to emphasize sectional load effects and local resistances rather than more global attention to overall load paths and resisting elements. The "Structural Concrete Approach" puts emphasis on the structural designer carefully envisioning load paths and deformation restraints in the preliminary design stages, choosing logical structural systems to efficiently channel the loads smoothly to the foundations and to minimize restraint forces, and only then to go on to member proportioning and reinforcement detailing. It puts emphasis on the use of highly transparent models such as strut-and-tie models (STM) for the formulation of efficient and adequate reinforcement details. The STM requires full development of the tie capacity between nodes and hence implies proper anchorage or development of the reinforcement. In some cases the STM recognizes that concrete tensile stresses play major roles and the designer can decide if and when it is proper to rely on such tensile capacity.

# 4.2 Rigor Required

Loadings and material properties are rarely known to a level of accuracy of two significant figures at the design stage. Load and resistance factors are judged highly acceptable if expressed in two significant figures. The basic safety index of a structure cannot be more accurate than this level of input regardless of the level of sophistication of the analysis procedures. The emphasis on rigor required in the application of a consistent structural



concrete theory should be to simply maintain a level of accuracy sufficient to preserve the basic accuracy of known loads and material properties and to guard against gross errors. High precision in calculating nodal stresses, strut widths, anchorage lengths, reinforcement areas, or similar quantities is neither possible nor necessary. Rather than devoting large amounts of resources to sophisticated analyses which are in actuality based on wild guesses at actual stiffnesses and on crudely estimated loads, the designer should give priority to making sure that all load cases, all restraint cases, all equilibrium checks, and all possible instabilities are considered. In addition, approximate estimates of construction forces and environmental effects such as creep, relaxation, shrinkage, differential temperature, and differential settlement should be checked for every case to determine if such effects could be significant and warrant further attention in design. Attention to durability considerations such as cover, proper material properties, and quality assurance should receive substantially increased emphasis.

### 4.3 Tools Available

The primary analysis requirements for developing a consistent design approach to structural concrete are the availability of highly transparent design-oriented analysis tools like STM along with development of design aids and interactive graphic programs that can assist inexperienced designers (including skilled experienced designers working with a new and very different application) in tracing force paths in structures. Complex structures may require 3-D models which can be well displayed by modern graphic packages if some effort is made to develop interactive STM packages. Where experience or intuition is insufficient for visualizing the load paths and consequent STM for a structure, an elastic Finite Element Analysis (FEA) can provide a good beginning in constructing an appropriate STM. As non-linear analysis packages develop, it is possible non-linear FEA may be useful for formulation of such STM. However, since the compatibility induced elastic stresses can result in severe local cracking, some local crack control reinforcement is almost inevitable. The linear FEA does point out the likelihood of such cracking and is useful in detailing for service level load crack control.

# 4.4 Performance Requirements and Limit State Approaches

One of the largest areas for synthesis of knowledge and adaptation of basic detailing procedures is the incorporation of service load level performance requirements in the basically equilibrium oriented ultimate load limit state approaches such as STM. It is an adage in the USA that "the phone rings often about a crack here and a sag there, it rarely if ever rings about something falling down." Hardy Cross said "Strength is Essential... but otherwise Unimportant." If the proposed approach to a consistent design for structural concrete is to be successful, it must incorporate and improve on performance in areas such as deflection control, crack control, durability, and fatigue resistance. If engineers broadly accept the full spectrum of structural concrete, it will almost certainly lead to increased use of active reinforcement with its positive contributions to deflection control and crack control. Detailing must carefully consider corrosion protection and fatigue resistance since the smaller, high strength wires often used in prestressing tendons are more susceptible to corrosion and pose more fatigue danger if stress reversals are present. However, the higher



quality concrete usually utilized can lead to improved durability as long as detailing <u>and</u> construction practices are carefully and generously done.

#### 5. CHALLENGES

#### 5.1 General

There are several types of challenges which must be taken up by those participating in the colloquium. First and foremost is that of **objectivity**. The intent of the organizing committee is not to start a stampede but to have a rational, in-depth examination of the promise, the potential, and the pitfalls of a unified approach to structural concrete. Everyone must be willing to minimize their biases and prejudices -- pro and con. The second challenge is that of **participation**, both as speakers and as listeners, and most of all as facilitators, persons who push and pull for progress. The third challenge is that of **preparation**. It is expected that each registrant will read the prepared papers, reflect on their own experience and circumstances, and come to the colloquium ready to look forward and to participate in dialogues, rather than to be educated, amused or confused. Authors must carefully examine their proposed contributions and ensure that they address general themes rather than highly detailed technicalities.

## 5.2 Technical

There are a number of technical issues requiring further exploration and development in order to develop a fully consistent approach to structural concrete design. These include:

- Methods and criteria for selection of highly appropriate structural systems for various types of loadings, geometries, and restraints;
- Educational aids and design aids that focus on and emphasize overall structural action rather than traditional (and often empirical) sectional mechanics;
- Criteria for selecting portions of a structure where more transparent models like STM are required and for recognizing applications where quicker or simpler conventional analysis procedures and sectional mechanics approaches are adequate;
- Criteria for judging when certain load, restraint or material effects are significant as well as for incorporating serviceability considerations into plasticity based design approaches;
- Criteria for balancing accuracy vs. simplicity in analysis, proportioning, and detailing procedures.

#### 5.3 Political

There are a number of issues which cut across organizational, commercial and national lines. These include:



- How can a unified design concept based on a broad spectrum such as proposed for structural concrete be developed and propagated on an <u>international basis</u> to match the growing <u>international practice</u> of structural engineering?
- How can existing textbook authors, trade and professional associations, design offices with established (expensive) computer programs, narrow focus researchers, regulatory authorities, and the myriad of others who form the structural concrete industry be enlisted in a movement to support and broaden a consistent approach to structural concrete in place of present, fragmented, less satisfactory approaches?

#### 6. CONCLUSION

When IABSE Working Commission III, Concrete Structures, began the discussions which have culminated in the organizations of this Colloquium, there was a general feeling that some positive steps were required to develop a more consistent and unified approach to structural concrete design on a world-wide basis. It was also felt by many that some type of a unified Code of Practice should be developed by IABSE as a "model" for other organizations. Vigorous criticism by others pointed out that IABSE did not traditionally engage in code development and it could serve best as a catalyst for technical discussion and exchange of information.

This colloquium presents a unique opportunity for advancing both points of view. Clearly, the colloquium presents the opportunity for thoughtful reassessment of the present "State-of-the Art" and discussion of new directions. Further, it presents a unique opportunity for a broad based international group to develop a general consensus on the desirability of future directions. A positive outcome from the Colloquium can only be ensured if each author, each speaker, each questioner, each discusser, every participant makes an effort to reexamine the broad questions outlined in the Preliminary Invitation and tailors his presentation to address these topics.

At the closing session of the Colloquium, the general level of consensus on various questions and approaches will be examined. It is hoped that the results of this examination will allow development of a strong statement that can spur other national and international groups to reexamine their current approaches and develop a more consistent approach to the continuous spectrum that is structural concrete. Each and every participant can have a role in shaping this consensus by careful attention to the views of others and clear exposition of their own views. As we prepare for the new century and millennium, we owe it to those who have gone before us to make a concerted attempt to unify, simplify, and most importantly, de-mystify structural concrete.