

**Zeitschrift:** IABSE reports = Rapports AIPC = IVBH Berichte  
**Band:** 64 (1991)

**Artikel:** Recent achievements of bridge engineering in China  
**Autor:** Cheng, Qingguo  
**DOI:** <https://doi.org/10.5169/seals-49275>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 12.03.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**



## Recent Achievements of Bridge Engineering in China

Récents progrès dans le domaine des ponts en Chine

Neue Entwicklungen des Brückenbaus in China

### Qingguo CHENG

President  
China Academy of Railway Sciences  
Beijing, China

#### 1. INTRODUCTION

During the past 40 years significant development in bridge engineering has been achieved in China. Up to now there are 75 bridges over the Yellow River and about 20 bridges over the Yangtze River. The progresses made are characterized not only in bridge quantity and span length, but also in their structures and construction technics.

#### 2. CONCRETE BRIDGE

A large number of PC simply supported beams, most of which are standard in design, prefabricated and erected by special machines, have been employed in chinese railways and highways. For instance, more than 30000 pieces of post-tensioned PC girders and 800 pieces of pre-tensioned PC girders have been erected on railway lines only. The maximum span of this bridge type has reached 40m for railway and 60m for highway.

Free cantilevering method and incremental launching method have been widely used for medium and large span PC bridges. For instance, 18-span-continuous girder totaling 1340 m in length of the 2nd Qiantangjiang River Bridge are under construction by free cantilevering method and its 47 approach spans are being erected by incremental launching method. Many other construction methods, such as revolving method, lowering method and lifting method have also been adopted for various bridges.

#### 2. STEEL BRIDGE

In the 1950's low carbon steel was used for bridge structures and soon it was replaced by 16Mnq low alloy steel. Since the 1970's 15MnVNq low alloy steel with yielding strength of 420 Mpa has been adopted for new steel bridges. Many of them are composed of welded members with high strength




Fig.1 Hanjiang River Bridge  
under construction

bolt connections. The maximum thickness of steel plates is 80mm and the maximum diameter of bolts is 30mm. 35VB steel of 850 Mpa ultimate strength is recently adopted for high strength bolts.

Various types of steel bridge structures, such as simply supported girder, continuous girder, truss stiffened with flexible arch, slant-legged rigid frame, cable-stayed bridge etc. have been built in past decades. For example, the Han-jiang River Bridge is a slant-legged rigid frame with 176m span length. Lowering method was adopted for its construction. The two legs were assembled upright and lowered down to their final positions, then the mid part of main girder of box section is lifted and connected to the upper ends of the two legs, forming a stable structure [Fig.1]. Finally the side parts of the main girder are assembled by cantilevering.

### 3. CABLE-STAYED BRIDGE

Since 1975, when the first cable-stayed bridge was built, about 30 bridges of this type have been completed in China. Most of them are highway bridges and only one for railway. Among them nine bridges have their main spans above 200m, and the maximum spans of 260m and 288m are reached for concrete and steel respectively. Special factories have been established for producing cables, the maximum capacity of which is above 10000 KN. At present, more than 7 major cable-stayed bridges with main spans between 400m and 600m are under construction or being designed.

Some typical bridges for both highway and railway in China are given in the following table.

SOME TYPICAL BRIDGES IN CHINA

|                | BRIDGE           | STRUCTURAL TYPE    | SPAN(m) | COMP. YEAR |
|----------------|------------------|--------------------|---------|------------|
| <b>Highway</b> |                  |                    |         |            |
| Steel          | Dukou Bdg.       | arch truss         | 186     | 1966       |
|                | Dongying Bdg.    | cable-stayed       | 288     | 1987       |
|                | Nanpu Bdg.       | cable-stayed       | 423     | *          |
| Concrete       | Luoxi Bdg.       | continuous frame   | 180     | 1989       |
|                | Yibin Bdg.       | arch               | 240     | 1990       |
|                | Jangjehe Bdg.    | arch truss         | 330     | *          |
|                | Yonghe Bdg.      | cable-stayed       | 260     | 1987       |
|                | Wuhan 2nd. Bdg.  | cable-stayed       | 400     | *          |
| <b>Railway</b> |                  |                    |         |            |
| Steel          | Nanjing Bdg.**   | continuous truss   | 160     | 1968       |
|                | Hanjiang Bdg.    | slant legged frame | 176     | 1982       |
|                | Jiujiang Bdg.**  | langer arch        | 216     | *          |
| Concrete       | Yongdinghe Bdg.  | arch               | 150     | 1966       |
|                | Zhuozanghe Bdg.  | slant legged frame | 82      | 1982       |
|                | Hongshui R. Bdg. | cable-stayed       | 96      | 1981       |

\*--under construction      \*\*--railway/highway combined bridge